



بسم الله الرحمن الرحيم

حسابات الفريق على منصات التواصل الاجتماعي



<https://t.me/m3wan0>



<https://www.facebook.com/profile.php?id=100086098727519>



www.youtube.com/channel/UC6kkzDhPDOgR3Vjy4SLs03Q

جميع الحقوق محفوظة لفريق معوان
ولا نحلل بيعها بعائد ربحي او سرقتها باي شكل من الأشكال

Physio board review

1-	Which of the following is a property of C fibers ?		
A-	Have the slowest conduction velocity of any nerve fiber type		
B-	Have the largest diameter of any nerve fiber type		
C-	Are afferent nerves from muscle spindles		
D-	Are afferent nerves from Golgi tendon organs		

2-	When compared with the cones of the retina, the rods ?		
A-	Are more sensitive to low-intensity light	B-	Adapt to darkness before the cones
C-	Are most highly concentrated on the fovea	D-	Are primarily involved in color vision

3-	Which of the following statements best describes the basilar membrane of the organ of Corti ?		
A-	The apex responds better to low frequencies than the base does		
B-	The base is wider than the apex		
C-	The base is more compliant than the apex		
D-	The apex is relatively stiff compared to the base		
E-	High frequencies produce maximal displacement of the basilar membrane near the helicotrema		

4-	Cutting which structure on the left side causes total blindness in the left eye ?		
A-	Optic nerve	B-	Optic chiasm
C-	Optic tract	D-	Geniculocalcarine tract

5-	Which reflex is responsible for monosynaptic excitation of ipsilateral homonymous muscle ?		
A-	Stretch reflex (myotatic)	B-	Golgi tendon reflex (inverse myotatic)
C-	Flexor withdrawal reflex	D-	Subliminal occlusion reflex

6-	Which type of cell in the visual cortex responds best to a moving bar of light ?		
A-	Simple	B-	Complex
C-	Hypercomplex	D-	Bipolar
E-	Ganglion		

7-	The excessive muscle tone produced in decerebrate rigidity can be reversed by ?		
A-	Stimulation of group Ia afferents	B-	Cutting the dorsal roots
C-	Stimulation of α -motoneurons	D-	Stimulation of γ -motoneurons
E-	Transection of cerebellar connections to the lateral vestibular nucleus		

8-	Which of the following parts of the body has cortical motoneurons with the largest representation on the primary motor cortex (area 4)?		
A-	Shoulder	B-	Ankle
C-	Fingers	D-	Elbow
E-	Knee		

9-	Cutting which structure on the right side causes blindness in the temporal field of the left eye and the nasal field of the right eye?		
A-	Optic nerve	B-	Optic chiasm
C-	Optic tract	D-	Geniculocalcarine tract

10-	A ballet dancer spins to the left. During the spin, her eyes snap quickly to the left. This fast eye? movement is		
A-	Nystagmus	B-	Postrotatory nystagmus
C-	Ataxia	D-	Aphasia

11-	Which of the following has a much lower concentration in the cerebrospinal fluid (CSF) than in cerebral capillary blood ?		
A-	Na ⁺	B-	K ⁺
C-	Osmolarity	D-	Protein
E-	Mg ²⁺		

12-	A lesion of the chorda tympani nerve would most likely result in ?		
A-	Impaired olfactory function	B-	Impaired vestibular function
C-	Impaired auditory function	D-	Impaired taste function
E-	Nerve deafness		

13-	Which of the following would produce maximum excitation of the hair cells in the right horizontal semicircular canal?		
A-	Hyperpolarization of the hair cells	B-	Bending the stereocilia away from the kinocilia
C-	Rapid ascent in an elevator	D-	Rotating the head to the right

14-	The inability to perform rapidly alternating movements (dysdiadochokinesia) is associated with lesions of the?		
A-	Premotor cortex	B-	Motor cortex
C-	Cerebellum	D-	Substantia nigra
E-	Medulla		

15-	Cutting which structure causes blindness in the temporal fields of the left and right eyes ?		
A-	Optic nerve	B-	Optic chiasm
C-	Optic tract	D-	Geniculocalcarine tract

16-	Which of the following structures has a primary function to coordinate rate, range, force, and direction of movement ?		
A-	Primary motor cortex	B-	Premotor cortex and supplementary motor cortex
C-	Prefrontal cortex	D-	Basal ganglia
E-	Cerebellum		

17-	Which reflex is responsible for polysynaptic excitation of contralateral extensors?		
A-	Stretch reflex (myotatic)	B-	Golgi tendon reflex (inverse myotatic)
C-	Flexor withdrawal reflex	D-	Subliminal occlusion reflex

18-	Which of the following is a characteristic of nuclear bag fibers ?		
A-	They are one type of extrafusal muscle fiber	B-	They detect dynamic changes in muscle length
C-	They give rise to group Ib afferents	D-	They are innervated by α -motoneurons

19-	Muscle stretch leads to a direct increase in firing rate of which type of nerve ?		
A-	α -Motoneurons	B-	γ -Motoneurons
C-	Group Ia fibers	D-	Group Ib fibers

20-	Which of the following is a step in photoreception in the rods ?		
A-	Light converts all-trans retinal to 11-cis retinal		
B-	Metarhodopsin II activates transducin		
C-	Cyclic guanosine monophosphate (cGMP) levels increase		
D-	Rods depolarize		

21-	Which of the following statements about the olfactory system is true ?		
A-	The receptor cells are neurons		
B-	The receptor cells are sloughed off and are not replaced		
C-	Axons of cranial nerve (CN) I are A-delta fibers		
D-	Axons from receptor cells synapse in the prepiriform cortex		

E-	Fractures of the cribriform plate can cause inability to detect ammonia
----	---

22-	Complete transection of the spinal cord at the level of T1 would most likely result in ?
A-	Temporary loss of stretch reflexes below the lesion
B-	Temporary loss of conscious proprioception below the lesion
C-	Permanent loss of voluntary control of movement above the lesion
E-	A

23-	Sensory receptor potentials ?
A-	Are action potentials
B-	Always bring the membrane potential of a receptor cell toward threshold
C-	Always bring the membrane potential of a receptor cell away from threshold
D-	Are graded in size, depending on stimulus intensity
E-	Are all or none

❖ Dr. Amany 2 (الرسائل)

1-	The muscle spindle is made to contract by stimulation of ?		
A-	α -Motor neurons	B-	γ -Motor neurons
C-	Primary sensory neurons	D-	Secondary sensory neurons

2-	Which of the following is not a feature of corticospinal tract diseases ?		
A-	Cogwheel rigidity	B-	Spasticity
C-	Plantar extensor response	D-	Exaggerated deep tendon reflexes

3-	The circadian rhythm is generated in the hypothalamus chiefly from ?		
A-	Retina	B-	Superior colliculus
C-	Medial geniculate nucleus	D-	Suprachiasmatic nucleus

4-	Linear acceleration in the vertical plane is signaled by hair cells in ?		
A-	Anterior semicircular canal	B-	Sacculle
C-	Posterior semicircular canal	D-	Utricle

5-	Intensity of a sensory stimulus (whether threshold or subthreshold) is not encoded by ?		
A-	Size of generator (receptor) potentials	B-	Frequency of action potentials in sensory neurons

C-	Recruitment of sensory units	D-	Size of action potentials
----	------------------------------	----	---------------------------

6-	67-year-old man comes to the physician because of hearing loss. Physical examination shows a large amount of wax blocking the patient's right ear canal. The patient faints as a water-filled syringe is used to expel wax from the ear canal . this event can be explained by the fact that the posterior half of the external ear canal receives the sensory innervation from which of the following ?		
A-	Vestibulocochlear nerve	B-	Auriculotemporal nerve
C-	Greater auricular nerve	D-	Lesser occipital nerve

7-	During a voluntary movement, the Golgi tendon organ provides the central nervous system with information about ?		
A-	The length of the muscle being moved	B-	The velocity of the movement
C-	The blood flow of the muscle being moved	D-	The tension developed by the muscle being moved

8-	The most important role of the gamma motoneurons is to ?		
A-	Stimulate skeletal muscle fibers to contract	B-	Prevent muscles from producing too much force
C-	Generate activity in Ib afferent fibers	D-	Detect the length of resting skeletal muscle
E-	Maintain Ia afferent activity during contraction of muscle		

9-	Which of the following is are termed (synthetic senses) ?		
A-	Fine touch	B-	Joint position sense
C-	Stereognosis	D-	Two-point discrimination
E-	Vibratory sensibility		

10-	Which of the following receptors is a unidirectional receptor ?		
A-	Macula of the saccule and utricle	B-	Organ of Corti
C-	Crista ampularis	D-	Pacinian corpuscles

11-	Impaired stereognosis in the absence of a detectable defect in touch and pressure sensation points to a lesion in ?		
A-	Dorsal column	B-	Medial lemniscus
C-	Parietal lobe posterior to the postcentral gyrus	D-	Any of the above locations

12-	What are the elements of the deep tendon reflex ?		
A-	Golgi tendon organ, group Ib afferent fibers, spinal inhibitory interneuron, contralateral α -motor neurons and extrafusal fibers of the skeletal muscle		
B-	Golgi tendon organ, group II afferent fibers, spinal inhibitory interneuron, ipsilateral α -motor neuron and intrafusal of the skeletal muscle		

C-	Group Ia sensory fibers originating in the contractile portion of the intrafusal fibers of the muscle spindle, spinal dorsal horn neuron, ipsilateral α -motor neuron and extrafusal fibers of the skeletal muscle
D-	Group Ib sensory fibers originating in the central portion of the intrafusal fibers of the muscle spindle, ipsilateral α -motor neuron and extrafusal fibers of the skeletal muscle

Dr. Amany 1

1-	Which autonomic receptor is blocked by hexamethonium at the ganglia, but not at the neuromuscular junction?		
A-	Adrenergic α_1 receptors	B-	Adrenergic α_2 receptors
C-	Adrenergic β_2 receptors	D-	Cholinergic muscarinic receptors
E-	Cholinergic nicotinic receptors		

2-	A 66-year-old man with chronic hypertension is treated with prazosin by his physician. The treatment successfully decreases his blood pressure to within the normal range. What is the mechanism of the drug's action?		
A-	Inhibition of α_1 receptors in the sinoatrial (SA) node		
B-	Inhibition of α_2 receptors in the SA node		
C-	Stimulation of muscarinic receptors in the SA node		
D-	Stimulation of nicotinic receptors in the SA node		
E-	Inhibition of α_1 receptors in ventricular muscle		
F-	Stimulation of α_1 receptors in ventricular muscle		
G-	Inhibition of α_1 receptors in ventricular muscle		
H-	Stimulation of α_1 receptors in the SA node		
I-	Inhibition of α_1 receptors in the SA node		
J-	Inhibition of α_1 receptors on vascular smooth muscle		
K-	Stimulation of α_1 receptors on vascular smooth muscle		
L-	Stimulation of α_2 receptors on vascular smooth muscle		

3-	Which of the following responses is mediated by parasympathetic muscarinic receptors?		
A-	Dilation of bronchiolar smooth muscle	B-	Miosis
C-	Ejaculation	D-	Constriction of gastrointestinal (GI) sphincters
E-	Increased cardiac contractility		

4-	Which of the following is a property of C fibers?		
A-	Have the slowest conduction velocity of any nerve fiber type		
B-	Have the largest diameter of any nerve fiber type		
C-	Are afferent nerves from muscle spindles		
D-	Are afferent nerves from Golgi tendon organs		
E-	Are preganglionic autonomic fibers		

5-	When compared with the cones of the retina, the rods?		
A-	are more sensitive to low-intensity light	B-	adapt to darkness before the cones
C-	are most highly concentrated on the fovea	D-	are primarily involved in color vision

6-	Which of the following statements best describes the basilar membrane of the organ of Corti?		
A-	The apex responds better to low frequencies than the base does		
B-	The base is wider than the apex		
C-	The base is more compliant than the apex		
D-	High frequencies produce maximal displacement of the basilar membrane near the helicotrema		
E-	The apex is relatively stiff compared to the base		

7-	Which of the following is a feature of the sympathetic, but not the parasympathetic nervous system?		
A-	Ganglia located in the effector organs	B-	Long preganglionic neurons
C-	Preganglionic neurons release norepinephrine	D-	Preganglionic neurons release acetylcholine (ACh)
E-	Preganglionic neurons originate in the thoracolumbar spinal cord		
F-	Postganglionic neurons synapse on effector organs		
G-	Postganglionic neurons release epinephrine		
H-	Postganglionic neurons release ACh		

8-	Which autonomic receptor mediates an increase in heart rate?		
A-	Adrenergic α_1 receptors	B-	Adrenergic α_1 receptors
C-	Adrenergic α_2 receptors	D-	Cholinergic muscarinic receptors
E-	Cholinergic nicotinic receptors		

9-	Cutting which structure on the left side causes total blindness in the left eye?		
A-	Optic nerve	B-	Optic chiasm
C-	Optic tract	D-	Geniculocalcarine tract

10-	Which reflex is responsible for monosynaptic excitation of ipsilateral homonymous muscle?		
A-	Stretch reflex (myotatic)	B-	Golgi tendon reflex (inverse myotatic)

C-	Flexor withdrawal reflex	D-	Subliminal occlusion reflex
----	--------------------------	----	-----------------------------

11-	Which type of cell in the visual cortex responds best to a moving bar of light?		
A-	Simple	B-	Complex
C-	Hypercomplex	D-	Bipolar
E-	Ganglion		

12-	Administration of which of the following drugs is contraindicated in a 10- year-old child with a history of asthma?		
A-	Albuterol	B-	Epinephrine
C-	Isoproterenol	D-	Norepinephrine
E-	Propranolol		

13-	Which adrenergic receptor produces its stimulatory effects by the formation of inositol 1,4,5 triphosphate (IP3) and an increase in intracellular [Ca2+]?		
A-	α1 Receptors	B-	α2 Receptors
C-	β1 Receptors	D-	β2 Receptors
E-	Muscarinic receptors		
F-	Nicotinic receptors		

14-	The excessive muscle tone produced in decerebrate rigidity can be reversed by?		
A-	stimulation of group Ia afferents		
B-	cutting the dorsal roots		
C-	transection of cerebellar connections to the lateral vestibular nucleus		
D-	stimulation of α-motoneurons		
E-	stimulation of γ-motoneurons		

15-	Which of the following parts of the body has cortical motoneurons with the largest representation on the primary motor cortex (area 4)?		
A-	Shoulder	B-	Ankle
C-	Fingers	D-	Elbow
E-	Knee		

16-	Which autonomic receptor mediates secretion of epinephrine by the adrenal medulla?		
A-	Adrenergic α1 receptors	B-	Adrenergic β1 receptors
C-	Adrenergic β2 receptors	D-	Cholinergic muscarinic receptors
E-	Cholinergic nicotinic receptors		

17-	Cutting which structure on the right side causes blindness in the temporal field of the left eye and the nasal field of the right eye?		
A-	Optic nerve	B-	Optic chiasm
C-	Optic tract	D-	Geniculocalcarine tract

18-	A ballet dancer spins to the left. During the spin, her eyes snap quickly to the left. This fast eye movement is ?		
A-	nystagmus	B-	postrotatory nystagmus
C-	ataxia	D-	aphasia

19-	Which of the following has a much lower concentration in the cerebrospinal fluid (CSF) than in cerebral capillary blood?		
A-	Na ⁺	B-	K ⁺
C-	Osmolarity	D-	Protein
E-	Mg ²⁺		

20-	Which of the following autonomic drugs acts by stimulating adenylate cyclase?		
A-	Atropine	B-	Clonidine
C-	Curare	D-	Norepinephrine
E-	Phentolamine	F-	Phenylephrine
G-	Propranolol		

21-	Which of the following is a step in photoreception in the rods?		
A-	Light converts all-trans retinal to 11-cis retinal		
B-	Metarhodopsin II activates transducin		
C-	Cyclic guanosine monophosphate (cGMP) levels increase		
D-	Rods depolarize		
E-	Glutamate release increases		

22-	Pathogens that produce fever cause?		
A-	decreased production of interleukin-1 (IL-1)		
B-	decreased set-point temperature in the hypothalamus		
C-	shivering		
D-	vasodilation of blood vessels in the skin		

23-	Which of the following statements about the olfactory system is true?		
A-	The receptor cells are neurons		
B-	The receptor cells are sloughed off and are not replaced		
C-	Axons of cranial nerve (CN) I are A-delta fibers		
D-	Axons from receptor cells synapse in the prepiriform cortex		
E-	Fractures of the cribriform plate can cause inability to detect ammonia		

24-	A lesion of the chorda tympani nerve would most likely result in?		
A-	impaired olfactory function	B-	impaired vestibular function
C-	impaired auditory function	D-	impaired taste function
E-	nerve deafness		

25-	Which of the following would produce maximum excitation of the hair cells in the right horizontal semicircular canal?		
A-	Hyperpolarization of the hair cells		
B-	Bending the stereocilia away from the kinocilia		
C-	Rapid ascent in an elevator		
D-	Rotating the head to the right		

26-	The inability to perform rapidly alternating movements (dysdiadochokinesia) is associated with lesions of the ?		
A-	premotor cortex	B-	motor cortex
C-	cerebellum	D-	substantia nigra
E-	medulla		

27-	Which autonomic receptor is activated by low concentrations of epinephrine released from the adrenal medulla and causes vasodilation?		
A-	Adrenergic α1 receptors		
B-	Adrenergic α1 receptors		
C-	Adrenergic α2 receptors		
D-	Cholinergic muscarinic receptors		
E-	Cholinergic nicotinic receptors		

28-	Complete transection of the spinal cord at the level of T1 would most likely result in		
A-	temporary loss of stretch reflexes below the lesion		
B-	temporary loss of conscious proprioception below the lesion		
C-	permanent loss of voluntary control of movement above the lesion		
D-	permanent loss of consciousness above the lesion		

29-	Sensory receptor potentials?		
A-	are action potentials		
B-	always bring the membrane potential of a receptor cell toward threshold		
C-	always bring the membrane potential of a receptor cell away from threshold		
D-	are graded in size, depending on stimulus intensity		
E-	are all or none		

30-	Cutting which structure causes blindness in the temporal fields of the left and right eyes?		
A-	Optic nerve	B-	Optic chiasm
C-	Optic tract	D-	Geniculocalcarine tract

31-	Which of the following structures has a primary function to coordinate rate, range, force, and direction of movement?		
-----	--	--	--

A-	Primary motor cortex	B-	Premotor cortex and supplementary motor cortex
C-	Prefrontal cortex	D-	Basal ganglia
E-	Cerebellum		

32-	Which reflex is responsible for polysynaptic excitation of contralateral extensors?		
A-	Stretch reflex (myotatic)	B-	Golgi tendon reflex (inverse myotatic)
C-	Flexor withdrawal reflex	D-	Subliminal occlusion reflex

33-	Which of the following is a characteristic of nuclear bag fibers?		
A-	They are one type of extrafusal muscle fiber	B-	They detect dynamic changes in muscle length
C-	They give rise to group Ib afferents	D-	They are innervated by α -motoneurons

34-	Muscle stretch leads to a direct increase in firing rate of which type of nerve?		
A-	α -Motoneurons	B-	γ -Motoneurons
C-	Group Ia fibers	D-	Group Ib fibers

35-	A 42-year-old woman with elevated blood pressure, visual disturbances, and vomiting has increased urinary excretion of 3-methoxy-4- hydroxymandelic acid (VMA). A computerized tomographic scan shows an adrenal mass that is consistent with a diagnosis of pheochromocytoma. While awaiting surgery to remove the tumor, she is treated with phenoxybenzamine to lower her blood pressure. What is the mechanism of this action of the drug?		
A-	Increasing cyclic adenosine monophosphate (cAMP)		
B-	Decreasing cAMP		
C-	Increasing inositol 1,4,5-triphosphate (IP3)/Ca ²⁺		
D-	Decreasing IP3/Ca ²⁺		
E-	Opening Na ⁺ /K ⁺ channels		
F-	Closing Na ⁺ /K ⁺ channels		

36-	Patients are enrolled in trials of a new atropine analogue. Which of the following would be expected?		
A-	Increased AV node conduction velocity	B-	Increased gastric acidity
C-	Pupillary constriction	D-	Sustained erection
E-	Increased sweating		

❖ Dr. Ahmed Mustafa

1-	The following conditions can affect the pupil size EXCEPT ?		
A-	Atropine	B-	Fatigue
C-	Exercise	D-	Refractive error

2-	Concerning the near vision reflex which of the following is correct ?		
A-	Occurs on looking to an object at distance more than 6 meters		
B-	It is accompanied by mydriasis		
C-	It is accompanied by decrease in dioptric power of lens		
D-	It is accompanied by convergence of both eyes		

3-	Regarding vitreous humor one of the following is correct ?		
A-	It is a watery fluid	B-	Present in the posterior ocular chamber
C-	It is formed and secreted by ciliary process	D-	It gives support to the lens

4-	Concerning myopia which of the following is correct ?		
A-	It occurs usually in small globe		
B-	It is due to high refractive power of the optical system		
C-	The light rays focus behind the retina		

D-	Convex lenses correct it
----	--------------------------

5-	Concerning retinal sensitivity which of the following is correct ?		
A-	It does not change with changing the intensity of light		
B-	It increases with increasing the intensity of light		
C-	It decreases with decreasing the intensity of light		
D-	Mydriasis occurs with dark adaptation		

6-	All these are true of cones, EXCEPT ?		
A-	They are responsible for photopic vision	B-	They are responsible for colour vision
C-	They have rhodopsin	D-	They are maximal in the fovea centralis

7-	Most excitatory neurotransmission in the brain is believed to be mediated by ?		
A-	Glutamate	B-	Glycine
C-	GABA	D-	GnRH

8-	Synaptic conduction is mostly orthodromic (one way conduction) because ?		
A-	Dendrites cannot be depolarized	B-	Once repolarized, an area cannot be depolarized
C-	The strength of antidromic impulses is less	D-	The neurotransmitter is in the presynaptic terminal

9-	At chemical synapses, excitatory postsynaptic potentials (EPSPs) can be produced by ?		
A-	Opening of Na ⁺ channels	B-	Opening of K ⁺ channels
C-	Opening of Cl ⁻ channels	D-	Closure of Ca ⁺ channels

10-	Opening of ligand-gated Cl⁻ channels causes ?		
A-	Inhibition of the postsynaptic neuron	B-	Depolarization of the postsynaptic neuron
C-	Initiation of an action potential	D-	Block of ligand-gated cation channels

11-	Which reflexes property of the following describe the spreading of the impulses to wider areas?		
A-	Occlusion	B-	Lateral inhibition
C-	Divergence	D-	Convergence

12-	Temporal summation ?		
A-	Occurs when several presynaptic fibers are stimulated simultaneously		
B-	Occurs when presynaptic fiber is repeatedly stimulated		
C-	Is due to overlap of the discharging zone		

D-	None of the above is correct
----	------------------------------

13-	Which one is the cause of wilson disease ?
A-	High copper
B-	Low copper
C-	High O ₂
D-	Low O ₂

14-	Which one of these parts is not involved in B.G ?
A-	Thalamus
B-	Subthalamus
C-	Corpus striatum
D-	Lentiform nucleus

1	2	3	4	5	6	7	8	9	10
A	A	A	A	A	B	B	C	C	A
11	12	13	14	15	16	17	18	19	20
D	D	D	C	D	E	C	B	C	B
21	22	23	24	25	26	27	28	29	30
A	A	D							
1	2	3	4	5	6	7	8	9	10
B	A	D	B	D	B	D	E	C	C
11	12								
D	D								
1	2	3	4	5	6	7	8	9	10
E	J	B	A	A	A	E	B	A	A
11	12	13	14	15	16	17	18	19	20
E	B	A	B	C	E	C	A	D	D
21	22	23	24	25	26	27	28	29	30
B	C	A	D	D	C	C	A	D	B
31	32	33	34	35	36				
E	C	B	C	D	A				
1	2	3	4	5	6	7	8	9	10
D	D	D	B	D	C	A	D	A	A
11	12	13	14						
C	B	A	A						

