FORENSIC MCQ AL HARRIF

ممنوع مشاركتها علي الجروبات او ارسالها لأحد

لطلب المذكرة تواصل مع 01112821905



وَمَا تَوْفِيقِي إِلَّا بِاللَّهِ

استعن بالله ولا تعجز

اللَّهمَّ لا سَهلَ إلَّا ما جَعَلتَه سَهلًا، وأنتَ تَجعَلُ الحَزْنَ إذا شِئتَ سَهلًا

ملحوظة : هذه المذكرة شغل خاص بتيم الحريف ولا نسامح فى سرقتها او اخذ اى اسئلة منها

القناة الخاصة بالحريف

https://t.me/ALHARRIF11

للتواصل تيليجرام

01112821905

الفهرس	Page	Answer
Death and Postmortem changes	3	23
Identification	24	42
Wounds	43	67
head injuries	67	82
Firearm injuries	83	120
Blood stains	121	128
Injuries due to physical agents	128	149
asphyxia	150	179
Rape and sexual offences	180	187
pregnancy, delivery and abortion	187	197
Infanticide	197	210

Death and Postmortem changes

1-Usual Colour of hypostasis is {Formative2025}

a) Bluish red b) Greenish c) Dark color d) Pale

2- the earliest sign of death is: {Mid2025}

A- loss of muscle tone B- cooling C- livor mortis D- hypostasis

3- cooling occur more rapidly in {Mid2025}

A- Obese B- children

C- natural death of an healthy adult D- person died due to sunstroke

4- Postmortem hypostasis mean {Final2022}{Mid2024}

a) Rigor mortis b) Algor mortis c) Livor mortis d) Arborization

5-Tache noire refers to {Formative2024}

a) Postmortem staining b) Flaccidity of eyeball

c) Maggot growth d) Wrinkled dusty sclera

6- The following is not TRUE as regards persistent vegetative state {Mid2024}

a) The patient loses the higher cerebral power. b) Brain stem functions are lost.

c) Deep coma d) Occurs in prolonged period of hypoxia

7-Cadaveric spasm is followed by {Mid2024}

A. Primary flaccidity B. Secondary flaccidity C. Rigor mortis D. Nervous stress

8-cadaveric spasm is due to: {Qena}

a- physicochemical change b- severe nervous tension.

c-bacterial action d- denaturation of tissue proteins

9- All of the following is TRUE about persistent vegetative state EXCEPT {Mid2023}

a) Persist for more than for week b) Loss of function of higher centre

c) Extensive cerebral ischemia d) Functions of brain stem are lost

10- If the body feel cold and flaccid, the time passed since death is {Final2023}

A- Less than 3h B- 3-8h C- 8-36h D- More than 36h

11-In the scene of the crime the pathologist noticed that the cadaver is warm and stiff, this means that the time passed since death was {Mid2023}

a) less than 3 hours b) 3:8 hours c) 8:36 hour d) more than 36 hours

12-Spalding sign is seen in {Formative2022}

a) Live born b) Still born

c) Intrauterine growth retardation d) Intrauterine fetal death

13- As regards persistent vegetative state the following is TRUE EXCEPT {قديم}{Final2022}{Qena}

A- The patient loses the higher cerebral power

B- Brain stem functions are lost

C- Occurs in massive cerebral infarction

D- Occurs when vegetative state persists more than four weeks

14-Persistent vegetative state {Final2025}

A-Loss of higher cerebral function with intact circulation and respiration

15. The following is not TRUE regarding persistent vegetative state {Final2021}

a. Loss of higher cerebral function b. Loss of brain stem function

C. Deep coma d. Occurs in prolonged period of hypoxia.

16. As regard the cadaveric spasm, all the following are TRUE EXCEPT: {Mid2021}

a. It occurs instantaneously. b. It involves all body muscles.

c. It indicates nature of death. d. Absence of primary flaccidity

17. Secondary flaccidity is: {Mid2021}{kasr}

a. Relaxed responsive muscles.

b. Spastic irresponsive muscles

c. Associated with papillary dilatation on adding atropine on eyes.

d. Synchronous with onset of putrefaction

18. In dead athletes: {Final2021}{kasr}

a. delayed and slowly progressing rigor mortis. b. cadaveric spasm replaces rigor mortis.

c. delayed putrefaction d. rapid putrefaction

19. Hypostasis is expected to be pale one of the following: {Final2021}

a. Carbon monoxide poisoning b. Reflex vagal inhibition

c. Asphyxia d. Nitrite poisoning

20- The last organ to putrefy is {Mid2022}

A- Prostate B- Testes C- Brain D- Liver

21- If the person was found cold and flaccid this mean development of {Mid2022}{Formative2024}

A- Rigor mortis B- Primary flaccidity C- Secondary flaccidity D- Cadaveric spasm

22- Spalding sign {Mid2024}

a) intrauterine fatal death b) dry burn c) inlet of firearm d) Violent asphyxia

23- Generally, hypostasis start after half an hour of death? {Mid2022}

A- TRUE B- FALSE

24-Which group of muscles are affected by rigor mortis : {Formative2022}{Qena}

a) voluntary muscles. b) Muscles of upper limbs only.

c) involuntary muscles. d) voluntary and involuntary muscles.

25-Vistubulo-ocular reflex is a test for: {Formative2022}{Qena}

a) Time passed since death b) Brain stem death

c) Post mortem ocular changes d) All of the above

26- At birth, stillborn shows {Final2022}

A- Rigor mortis B- Algor mortis C- Maceration D- Putrefaction

27- Period between somatic death and cellular death {Mid2024}

A. Molecular life B. Molecular death C. Lucid interval D. Postmortem interval

28-The time lapse between brain stem death and cellular death is: {Qena}

A. Lucid interval B. Post mortem interval C. Molecular life D. Molecular death

29-progressive hardening of all muscles of the body after death is: {Qena}

A. hypostasis B. cadaveric spasm c. maceration d. rigor mortis

30-Hypostasis is fixed after: {قسم}

A) About one hour after death. B) About two hours after death.

C) About six hours after death. D) One day after death.

31-Molecular life is the period that follow molecular death {قسم}

A) True B) False

32-Contact flatening occured due to: {قسم}

A) Loss of skin elasticity. B) Loss of skin tone. C) A&B.

33-As regards cadaveric spasm: {قسم}

A) It is due chemical mechanism only B) It helps to indicate time pass since death.

C) It is not preceded by stage of primary flaccidity. D) It affects group of involuntary muscles.

34-As regard post-mortem rigidity, select the correct statement: {قسم}

A) It involves the smooth muscles only B) It is not sure sign of death

C) It does not involve the cardiac muscle. D) It is due to chemical process

35-In death due to febrile illness, one of the following is expected {قسم}

A) Well defined hypostasis B) Rapid putrefaction

C) Rapid postmortem cooling D) All of the above

36-Hypostasis is fixed after: {قسم}

A) About one hour after death. B) About two hours after death.

C) About six hours after death. D) One day after death.

37-Molecular life is the period that follow molecular death {قسم}

A) True B)False

38-Contact flatening: {قسم}

A) Loss of skin elasticity. B) Cooling of the body.

C) Post mortem lividity. D) livor mortis

39-As regards cadaveric spasm: {قسم}

A) It is due chemical mechanism only B) It helps to indicate time pass since death.

C) It is not preceded by stage of primary flaccidity. D) It affects group of involuntary muscles.

40-As regard post-mortem rigidity, select the correct statement: {قسم}

A) It involves the smooth muscles only B) It is not sure sign of death

C) It does not involve the cardiac muscle. D) It is due to chemical process

41-Putrefaction is accelerated in death by all the following, except: {قسم}

A) Septic abortion. B) Freezing C) high temperature . D) none of the above

42-In death due to febrile illness, one of the following is expected {قسم}

A)Well defined hypostasis B)Rapid putrefaction

C)Rapid postmortem cooling D)All of the above

43-In the scene of the crime the pathologist noticed that the cadaver is warm and flaccid , tnis mean that time passed since death was {قسم}

A) Less than 3 hours B) 6-12 hours C) less than 8 hours D) None of the above

44-In the scene of the crime the pathologist noticed that the cadaver is warm and flaccid , this mean that time passed since death was {قسم}

A) Less than 3 hours B) 6-12 hours C) less than 8 hours D) None of the above

45-In death due to febrile illness with bacteraemia the following is expected……. {قسم}

A)well defined hypostasis B)rapid postmortem cooling

C)rapid putrefaction D)adipocere formation

46-Hypostasis is red in the following conditions except {Qena}

A. Co poisoning B. Hydrogen cyanide C. Extreme cold D. Drowning

47- Organ transplantation from a cadaver can be done when : {قديم}

A- Somatic death occurs B- Molecular death occurs

C- Both a &b D- None of the above

48-Auscultation of trachea and heart should be performed for: {مهم}

A) 1 minute B) 2 minutes C) 5 minutes D) 10 seconds

49-The rate of post-mortem cooling in air during summer is: {مهم}

A) 0.1°C/hour B) 0–1°C/hour C) 1–1.5°C/hour D) 2–3°C/hour

50-The rate of cooling in air during winter is: {مهم}

A) 0–1°C/hour B) 1–1.5°C/hour C) 2–3°C/hour D) 3–4°C/hour

51-Post-mortem cooling in running water occurs at: {مهم}

A) 0–1°C/hour B) 1–1.5°C/hour C) 2–3°C/hour D) 4–5°C/hour

52-A person died in winter. His body temperature just before death was 37°C, and the current body temperature is 35°C , estimate the time since death. {ممكن يجي سؤال زي كده}

A) 2 hour B) 4 hours C) 5 hours D) 6 hours

53-Temporary stoppage of heart beat and respiration is called: {مهم}

A) Somatic death B) Cellular death C) Suspended animation D) Brain death

54- Suspended animation means clinical death {قديم}

A- True B- False

55-A body is warm and stiff. Time since death is {مهم}

A) < 3 hours B) 3–8 hours C) 8–36 hours D) > 36 hours

56-A body is warm and flaccid. Time since death is: {مهم}

A) < 3 hours B) 3–8 hours C) 8–36 hours D) > 36 hours

57-A body is cold and flaccid. Time since death is: {مهم}

A) < 3 hours B) 3–8 hours C) 8–36 hours D) > 36 hours

58-A body is cold and stiff. Time since death is: {مهم}

A) < 3 hours B) 3–8 hours C) 8–36 hours D) > 36 hours

59-Which of the following is a sure sign of death? {مهم}

A) Rigor mortis

60-Cadaveric spasm involves: {مهم}

A) Involuntary muscles only B) Voluntary muscles only

C) Smooth muscles only D) Both A and B

61-Intraocular pressure typically reaches zero after: {مهم}

A) 30 minutes B) 1 hour C) 2–3 hours D) 6–8 hours

62- These factors affect rigor mortis except {قديم}{Qena}

A- cold stiffness B- age and muscular development

C- electrocution D- temperature

63- Cadaveric spasm commonly seen {Qena}

a) Legs b) Hands c) Neck muscles d) Involuntary muscles

64- Cadaveric spasm starts at this time {قديم}{Qena}

A- 1/2h B- 1h C- 2hs D- At the moment of death

65-hypostasis starts at the time after {Qena}

A. 1/2 h B. 1h C. 2hs D. At the moment of the death

66-Hypostasis is characterized by {Qena}

A. It occurs anywhere in the body B. It shows color changes after sometimes

C. Its color may indicate the cause of death D. B & C

67- Cadaveric spasm occurs at the moment of death and affects all the muscles {قديم}{Qena}

A- True B- False

68- Hypostasis is a sure sign of death in all cases {قديم}

A- True B- False

69- The time passed since death in hot flaccid body is {قديم}

A- less than 12 hours B- less than 3 hours

C- less than 6 hours D- less than 8 hours

70- Rigor mortis is slow in: {قديم}

A- Infants B- Hot weather C- Cold weather D- Death after convulsions

71-Cadaveric spasm is preceded by: {Qena}

a- rigor mortis b- primary flaccidity c-secondary flaccidity d- nervous stress

72-post-mortem hypostasis is ill defined in deaths from: {Qena}

a- CO poisoning b- asphyxia blue c- metheamoglobineamia d-heamorrahge.

73- Putrefaction is faster in the following conditions except: {Qena}

a. in summer b. in drowning c. in death due to infection d. in cases with ascities

74-hypostasis characterized by: {Qena}

a) It occurs anywhere in the body. b) It shows color changes after sometimes.

c) Its colour may indicate the cause of death. d) b and c

75- Red color hypostasis occurs in: {Qena}

A. CO poisoning B. Cyanide poisoning C. Cold exposure D. All of the above

76-After death, trucking of blood in the retinal vessels can be observed after: {Qena}????

A.4 hours B.2 hours C. 10 minutes D. 20 seconds

77-All of the following is true about trucking except: : {Qena}

a. This is due to loss of blood pressure b. The blood breaks up into segments

c. It occurs only in the retina d. It is a post mortem occular changes

78- Trucking is a postmortem sign can be easily detected in: {Qena}

A. Lungs B. Liver C. Eyes D. Brain

79- All of these are early post-mortem changes except {Qena}

a- adipocere formation. b- rigor mortis.

c-hypostasis. d- post mortem coolness.

80-Organ transplantation from cadavers can be done: {Qena}

A. After somatic death B. After molecular death C. During vegetative life

D. Between primary muscles flaccidity and secondary flaccidity

81- First external sign of putrefaction of body lying in air is around : {Qena}

a. Umbilicus b. Rt iliac fossa c. Lt iliac fossa d. Chest wall

82-Rigor mortis starts in: {Qena}

A. Chest muscles B. Small muscles of face and hands

C. Leg muscles D. Abdominal muscles

83-In secondary flaccidity the muscles are physically incapable of contraction under effect of electric stimulation {Qena}

a. True b. False

84-Secondary flaccidity differs from primary flaccidity in {Qena}

A. Starting one hour after death B. Body temperature is higher than normal

C. Loss of response to electric stimuli D. None of the above

85-Postmortem cooling is faster in the following except {Qena}

A. Winter B. Obese persons C. Water D. Infants

86- Primary flaccidity differs on secondary flaccidity in {قديم}

A- Starting one hour after death B- Body temperature is higher than normal

C- Loss of response to electric stimuli D- None of the above

87-All of the following characteristics are true for adipocere, except: {Kasr}

a. There is gradual hydrolysis and hydrogenation of preexisting body fat.

b. It occurs in submerged bodies or buried in damp soil.

c. Wounds are not well preserved, so cause of death is difficult to be achieved.

d. Identity can be established.

88-All of the following conditions can lead to sudden death, except: {Kasr}

a. Perforated peptic ulcer. b. Myocardial aneurysm.

c. Urine retention. d. Pulmonary embolism.

89-As regards cadaveric spasm, all of the following is true, except: {kasr}

a. It occurs instantaneously. b. It involves all muscles of the body.

c. It indicates nature of death. d. Absence of primary relaxation.

90-Mummification occurs in:

a. Hot and moist atmosphere. b. Hot and dry environment.

c. Cold and moist environment. d. Cold and dry environment.

91-During the first 12 hrs after death, time since death can be estimated by usin information related to the following, except: {kasr}

a. Postmortem hypostasis. b. Postmortem cooling.

c. Rigor mortis. d.Putrefaction.

92-Arborisation of skin vessels is seen in: {kasr}

a. Electrocution. b. Lightening c. Putrefaction. d. None of the above.

93-The rate of cooling of dead body is more rapid in case of: {kasr}

a. Obese or fatty persons. b. Sudden death of healthy persons.

c. Children. d. Death from sunstroke.

94-Putrefaction appears early in all of the following, except: {kasr}

a. Blood. b. Lung. c. Prostate. d. Larynx and trachea.

95-Factors required for formation of mummification are the following, except: {kasr}

a. Hot environment. b. Dry environment. c. Moisture. d. Free circulating air.

96- As regards cadaveric spasm: {kasr}

a. It is due to ATP depletion.

b. It helps to indicate time since death.

c. It is not preceded by stage of primary relaxation.

d. It is due to contraction of involuntary muscles.

97-The earliest sign of death is: {kasr}

a. Clouding of cornea. b. Loss of EEG rhythm.

c. Fragmentation of blood column in retinal vessels. d. Pallor of skin

98-Primary flaccidity is best diagnosed by: {kasr}

a. Opened mouth. b. Spontaneous micturition.

c. Muscle response to electric stimuli. d. Spontaneous defecation.

99-In case of death from cold, the color of hypostasis is: {kasr}

a. Pale b. Red. c. Blue. d. Violet.

100- In general medicolegal evidence in cadavers is well preserved in: {kasr}

a. Putrefaction. b. Adipocere. c. Cremation. d. Incineration.

101- Molecular death occurs: {kasr}

a. Before somatic death. b. At the same moment of somatic death.

c. After somatic death. d. None of the above.

102- The latest site of putrefaction is: {kasr}

a. Uterus. b. Ovaries. c. Liver. d. Testicles.

103- Persistent vegetative state is: {kasr}

a. Deep coma with no response to any external stimuli.

b. Isoelectric EEG with no respiratory movement.

c. Loss of higher cerebral functions with intact respiration and circulation.

d. Organ transplantation can be done at this state.

104- As regards persistent vegetative state all of the following is true, except: {kasr}

a. The patient loses higher cerebral power. b. Brain stem functions are lost.

c. The patient suffers circadian state of sleep and wake. d. It occurs in massive cerebral infarcts

105- Regarding organ transplantation: {kasr}

a. It takes place during the period of molecular life.

b. Brain stem death should be confirmed by medical experts other than transplantation team.

c. Kidney transplantation can be done up to 30-45 minutes after somatic death.

d. All of the above.

106- Post mortem eye changes include all of the following, except: {kasr}

a. Loss of corneal and light reflexes. b. Tache noire within 3-4 hrs.

c. Transparent cornea. d. Flaccidity of the eye ball ½ hr after death.

107- Early change of the position of the body after death can change the position of: {kasr}

a. Primary flaccidity. b. Rigor mortis. c. Putrefaction. d. Hypostasis.

108- Bruises can be differentiated from hypostasis by: {kasr}

a. Disappearance of the color after cutting and washing the skin.

b. Leucocytes infiltration in tissues on microscopic examination.

c. Absent swelling and abrasions.

d. Ill defined edges.

109- The cause of death can be detected by all of the following changes, except: {kasr}

a. Rate of cooling. b. Site of rigor mortis.

c. Color of hypostasis. d. Site of putrefaction.

110- Maceration is: {kasr}

a. Intra uterine fetal death.

b. Aseptic autolysis of the dead fetus in utero.

c. Indication of a crime of infanticide.

d. Permanent change that doesn't proceed to other post mortem changes.

111- Putrefaction is enhanced in the following conditions, except: {kasr}

a. Atmospheric temperature between 25-40°C. b. Free atmospheric air.

c. Moist tissues. d. Bodies immersed under the sea.

112- Forensic entomology is: {kasr}

a. Estimation of the stage of development of various insects that invades the body after death.

b. Identification of sex of the dead body.

c. Identification of age of the dead body.

d. Estimation of the biochemical changes after death.

113-After death, muscles can respond to electric stimuli: {kasr} تاكد

a.Up to 3 hrs. b. Up to 2 hrs. c. Up to 6 hrs. d. Up to 12 hrs.

114- Brain stem death is diagnosed by all of the following, except: {kasr}

a. Absent corneal and pupillary reflex. b. Absent oculo-cephalic response.

c. Absent oculo-vestibulr reflex. d. Arterial PCO_2 level is less than 50 mmHg.

115- Taches noire: {kasr}

a. Is brownish discoloration of the sclera. b. Appears within one hour after death.

c. Is an indication of starting putrefaction. d. Appears only in dead bodies at prone position.

116- Deaths associated with nervous tension will show: {kasr}

a. Rapidly progressing rigor mortis.

b. Longer duration of primary flaccidity.

c. Immediate and persistent contraction of one group of voluntary muscles up to starting putrefaction.

d. Fusion of actin and myosin muscle fibers.

117- Heat stiffening is: {kasr}

a. Due to coagulation of muscle proteins. b. Occur in deaths in desert.

c. Associated with cadaveric spasm. d. Muscle flaccidity develops after cooling of the body.

118- Secondary flaccidity is due to: {kasr}

a. Loss of cranial nerves responses. b. Loss of response to painful stimuli.

c. Autolysis of muscle protein. d. Stoppage of the circulation.

119- The following conditions can replace putrefaction, except: {kasr}

a. Adipocere. b. Hypostasis c. Mummification. d. Maceration.

120- Adipocere formation can estimate the time passed since death by: {kasr}

a. It starts after 2 days in bodies immersed under water.

b. It involves fatty areas in the body.

c. It is completed after 6 months from submersion under water.

d. Cheeks fats are the last parts involved.

121- Rigor mortis appears first in: {kasr}

a. Small muscles of the hand. b. Sternormastoid muscle.

c. Orbicularis occuli. d. Rectus abdominis.

122- Personal identification for long time after death can be detected in bodies with: {kasr}

a. Adipocere formation. b. Mummification.

c. Cold stiffness kept in very cold weather. d. All of the above.

123- Finger prints are destroyed by putrefaction. {kasr}

a. true b. false

124- Postmortem cooling is rapid in obese patients {kasr}

a. true b. false

125-The color of hypostasis may denote the cause of death. {kasr}

a. true b. false

126- Heat stiffness is due to evaporation of the water content of muscles. {kasr}

a. true b. false

127- Rigor mortis is due to nervous tension. {kasr}

a. true b. false

128- In primary flaccidity, muscles respond to electric stimuli. {kasr}

a. true b. false

129- In cold stiffness rigor mortis appears on rising body temperature. {kasr}

a. true b. false

130- Secondary flaccidity appears immediately after death. {kasr}

a. true b. false

131- Putrefactive gases can expel fetus from the gravid uterus. {kasr}

a. true b. false

132- Greenish discoloration in the right iliac region appears within one day after death in summer. {kasr}

a. true b. false

133-When does hypostasis typically start after death?

a. 1 to 2 hours b. 6 to 8 hours c. Immediately d. After 24 hours

134-Aseptic autolysis of a foetus which has died in uterus and remained enclosed within the sterile amniotic sac

a. Maceration b. mummification c. adipocere

135-The fastest rate of cooling occurs in:

A) Air in summer B) Air in winter C) Running water D) Closed room

136-Tache noire is Pigmentation of sclera

a. True b. False

137-Before apnea testing, the patient is given:

A) CO_2 B) Nitrogen

C) 100% oxygen for 5 minutes D) 100% oxygen for 10 minutes

138- Brown hypostasis is seen in deaths due to: {Qena}

a- Cyanide poisoning. b- methemoglobinemia. c- Asphyxia. d-Haemorrhage.

139-Which group of muscles are affected by cadaveric spasm :

a) voluntary muscles. b) Muscles of upper limbs only

c) involuntary muscles. d) voluntary and involuntary muscles.

140-Postmortem picture of CO toxicity characterized by

a. Brown hypostasis b. Pale hypostasis c. Red hypotasis d. Blue hypostasis

141-In hospitals that do organ transplantation, the transplantation depends on?

A. Brain stem death. B. Lung death. C. Cardiac death. D. Cerebral hemisphere death

142-Primary flaccidity is

a. Early postmortem change. b. Late postmortem change.

c. due to loss of tissues elasticity. d. due to loss of muscle tone

143-Secondary flaccidity is due to

A. Tissues autolysis. B. Decrease level of ATP.

C. Loss of muscle tone. D. Loss of tissues elasticity

144-A girl was complaining from severe chest infection and fever 39 degree Celsius, she died, her body temperature after one hour of death about

A. 38 degree Celsius. B. 39 degree Celsius. C. 40 degree Celsius. D. 35 degree Celsius

145-The brain stem death tests include

a. body electrolytes level test. b. Lipid level test. c. Gag reflex test. d. Knee reflex test

146- Which of the following is a mechanism of Rigor Mortis:

a. Loss of muscle tone b. Loss of reflexes

c. Depletion of ATP d. Postmortem staining

147-The most exact time (period) for removal of organ in transplantation is:

a) After molecular death. b) Immediately after somatic death.

c) Between somatic and molecular death. d) After cooling of the body.

148-Heat loss after death is slower in the following conditions Except:

a) Death due to sun stroke and pontine hge. b) Death due to intense asphyxial conditions

c) Death from hge. & shock. d) Death due to acute bacterial and viral infection.

149- Primary flaccidity is diagnosed best by:

a) Fixed hypostasis with deep colour. b) Complete rigor mortis.

c) Muscle response to electricity. d) Beginning of putrefaction.

150- In case of death during convulsions, rigor mortis appears rapidly due to:

a) Increased lactic acid production. b) Increased heat production.

c) More depletion of A.T.P. d) Increased production of A.T.P.

151- Postmortem rigidity is due to:

a) Contraction of the muscles. b) Dehydration of the body.

c) Depletion of A.T.P. d) Coagulation of the protein of the muscles.

152-Cold stiffness is due to:

a) Chemical changes of muscle proteins. b) Dehydration of the body.

c) Contraction of the muscles. d) Freezing of body fluids.

153- Heat stiffness is due to:

a) Dehydration of the body. b) Depletion of A.T. P.

c) Heat coagulation of the muscle proteins. d) Hydrogenation of unsaturated body fats.

154- In a male, rigor mortis was found to be complete in all the body 8 hours after death, the victim died from one of the following:

a) Cold. b) Strychnine poisoning.

c) hge. d) Reflex cardiac inhibition by vagal stimulation.

155- If the position of the dead body is changed before 6 hours, the site of the hypostasis is:

a) Fixed in its original site. b) Found in a new site.

c) Found in a new site as well as the original site. d) Not seen

156- Correct and immediate diagnosis of death is essential in case of:

a) Hot weather. b) Transportion of the body by plan.

c) Organ transplantation. d) Increased humidity.

157-What condition occurs when the dead body comes in contact with a hard surface?

a. Primary flaccidity b. Contact flattening c. Rigor mortis d. Postmortem contraction

158-Somatic death is due to complete and irreversible cessation of the vital functions of the brain, heart and lung

A. True B. False

159-EEG alone should never be taken a conclusive evidence of death

A. True B. False

160-Blood in the retinal veins is segmented within 10 minutes of somatic death.

A. True B. False

161-Contact flattening in the muscle is due to loss muscular elasticity

A. True B. False

162-In secondary flaccidity, the muscles still react to electric stimuli and the tissues are alkaline in reaction.

A. True B. False

163- Personal identification is not possible once the adipocere formation has taken place.

A. True B. False

164-Marbeling (arborisation) of the veins occurs soon after death.

A. True B. False

165-Organ transplantation can be performed during the molecular life of tissues of the organ.

A. True B. False

166-If the position of the dead body is changed after 8 hours, the hypostasis will be fixed in its original site

A. True B. False

167-If the position of the dead body is changed before 6 hours, the hypostasis will be in its original site only.

A. True B. False

168-Onset of putrefaction is rapid in cases of death due to dehydration.

A. True B. False

169-Putrefaction starts two days in summer and one day in winter after death

A. True B. False

170-Putrefactive froth is coarse, offensive, and my by bloody.

A. True B. False

171-The liver will putrefy slower than prostate & non- gravid uterus.

A. True B. False

172-Natural mummification is not a common condition; it occurs only in hot dry climates.

A. True B. False

173- The kidney must be taken within 45 minutes after somatic death.,

A. True B. False

174- The heart must be taken within 2 hours after somatic death.

A. True B. False

1. A	2. A	3. B	4. C	5. D
6. B	7. B	8. B	9. D	10.D
11.B	12.D	13.B	14.A	15.B
16.B	17.D	18.A	19.B,D	20.A
21.C	22.A	23.B	24.D	25.B
26.C	27.A	28.C	29.D	30.C
31.B	32.A	33.C	34.D	35.B
36.C	37.B	38.A	39.C	40.D
41.B	42.B	43.A	44.C	45.C
46.D	47.A	48.C	49.B	50.B
51.C	52.A	53.C	54.B	55.B
56.A	57.D	58.C	59.A	60.B
61.C	62.A	63.B	64.D	65.D
66.C	67.B	68.B	69.B	70.C
71.D	72.D	73.B	74.D	75.D
76.C	77.C	78.C	79.A	80.A
81.B	82.B	83.B	84.C	85.B
86.D	87.C	88.C	89.B	90.B
91.D	92.C	93.C	94.C	95.C
96.C	97.B	98.C	99.B	100. B
101. C	102. A	103. C	104. B	105. D
106. C	107. D	108. B	109. D	110. B
111. D	112. A	113. B	114. D	115. A
116. C	117. A	118. C	119. B	120. C
121. C	122. D	123. B	124. B	125. A
126. B	127. B	128. A	129. A	130. B
131. A	132. A	133. C	134. A	135. C
136. B	137. C	138. B	139. A	140. C
141. A	142. D	143. A	144. A	145. C
146. C	147. C	148. C	149. C	150. D
151. C	152. D	153. C	154. B	155. C
156. C	157. B	158. A	159. A	160. B
161. A	162. B	163. B	164. B	165. A
166. A	167. B	168. B	169. B	170. A
171. B	172. A	173. A	174. B	175.

Identification

1-identification of sex can be detected from all bones except {Formative2025}{kasr}

a)Skull b)vertebrae c)Sternum d)Hip bone

2- Most common type of fingerprints is {Mid2024}

A. Whorls B. Loops C. Composites D. Arches

3-most common type of finger prints is: {kasr}

a. Arches b. Ulnar loops c. Radial loops d. Whorls

4-As regard finger prints the most common type is :

a) whorls b) radial loops c) arches d) ulnar loops

5- A 23 years old in male, fusion of all of the following occurs except {Mid2024}

A. Basiocciput with basisphenoid B. Iliac crest

C. Sternal head of clavicle D. Head of the femur with shaft

6-Age of full civil right is identified by x ray on {Final2025}{kasr}

A-Sternum B-Clavicle C-Knee D-Elbow

7- The age of full civil right is identified in male by {قديم}

A- Eruption of wisdom tooth B- Union of basi-sphenoid with basi-occiput suture

C- Union of ischeal tuberosity D- The medullary cavity reaches the surgical neck of humerus

8-Female sex is definitely diagnosed by: {Formative2024}{قديم}

A. Small mastoid process. B. Growth of the breasts.

C. Barr body. D. Low arched iliac crest.

9-The age of obtaining all civil rights is: {Formative2024}

a) 21 years b) 18 years c) 30 years d) 7 years

10- In a female, lower end of femur units with shaft at age {Mid2024}

a) 23 b) 19 c) 17 d) 15

11- Ossific center at the lower end of the radius reaches 2/3 the width of the epiphysis at {قديم}{Final2022}{Final2021}{Qena}

A- 2 years B- 12 months C- 7 years D- 24 months

12-MLI of fingerprints includes the following conditions except: {Formative2022}{Qena}

a) Correlation between a crime and a certain person b) Weapon identification

c) Age identification d) Personal identification

13- Two right humeri were found, one showed union of the lateral epicondyle with the shaft, while the other showed union of the head with the shaft. The bones are belonging to {kasr}{Final2022}{Mid2025}

A- A male aged 15 years and a female aged 18 years. B- Two males aged 16 and 20 years.

C- A male aged 16 years and a female aged 20 years. D- Two females aged 17 and 20 years.

14- The first call for military service is at the age {kasr}{Final2022}{Final2025}

A- Union of head of femur with the shaft B- Union of head of humerus with shaft

C- union of trochlea with capitulum D- closure of coronal suture

15-Age of voting in election can be identified in male by: {Mid2021}

a. Union of head of femur with the shaft b. Union of head of humerus with shaft

c. Union of ischial tuberosity with ischium d. Union of lateral end of the clavicle with shaft

16-Fingerprints appears at: {Final2021}

a. First year of life. b. 4th month of intrauterine life

c. Full term. d. 2nd year of intrauterine life.

17-At 4th intrauterine month: {kasr}

a. Sex can't be distinguished b. The fetus is 30 gm

c. Ossific centre of calcaneous appears d. Finger prints appear

18- Medullary cavity of female humerus reaches the surgical neck at {Qena}{kasr}{Mid2022}

A- 21 years B- 28 years C- 30 years D- 33 years

19-Identification of race is done by: {قديم}{Formative2022}{Qena}

a) Skull characters b) Width of sternum c) Length of femur d) Sacrum characters

20-Age of consent in rape: {Formative2022}

a) 18 year b) 21 years c) 16 years d) none of the above

21- With 20 permanent teeth and 4 temporary teeth, the age is likely to be {Mid2022}{Final2022}

A- 9 years B- 10 years C- 11 years D- 12 years

22-A 6 year-old child has ....teeth {Mid2023}

a) 20 b) 24 c) 28 d) 32

23- male is physiologically impotent in age {Mid2024}

a) less than16 b) less than18 c) less than14 d) at 16

24- Wrist X-ray in female 18Y show: {Final2023}

A- United metacarpal, united lower end of tibia

B- Un-unit metacarpal, un-united lower end of tibia

C- United metacarpal, un-united lower end of tibia

D- Un-united metacarpal, united lower end of tibia

25-The last bone to unit in the elbow joint {Mid2023}

a) Olecranon b) Trochlea c) Medial epicondyle d) Capitulum

26- human hair has {Mid2024}

a) narrow interrupted medulla b) broad continuous medulla

c) thick cuticle d) narrow cortex

27- Minimal age to be responsible for crime: {Final2023}

A- 7Y B- 15Y C- 18Y D- 21Y

28- Finger prints are present in {قديم}

A- Epidermis only B- Dermis only

C- Epidermis and subcutaneous tissue D- Epidermis and dermis

29- The age of full criminal responsibility is: {قديم}{Qena}

a. 7 years b. 18 years c. 21 years d. 30 years

30-The two identical finger prints must be similar in at least…… of their subtypes {مهم}

a. 12 b. 10 c. 1 d. 5

31-Union of head of femur in male occurs at the age of

a. driving license b. obtaining identity card

c. school admition d. obtaining all civil rights

32-We can determine the age of male 21 years by {Merit}

a. Closure of epiphyseal plate of the Lower end of tibia

b. Closure of epiphyseal plate of the ischial tuberosity

c. Closure of epiphyseal plate of the Lower end of fibula

d. Closure of epiphyseal plate of the femur head

33-What is considered the most reliable evidence of identification ?

a. Fingerprint match b. Dental records c. Blood grouping d. Hair analysis

34- The age of 18 in female can be detected by union of {قديم}{Qena}

A- Distal end of metacarpal bones B- Upper end of femur

C- lower end of tibia D- lower end of radius

35- Union of all parts in male femur is completed at the age of: {Qena}

a. 16 year. b. 18 year. c. 21 year. d. 23 year.

36- The age of discrimination is….. {Qena}

A)6years B)7years C)16 years D)18years

37-Males at the age of 18 are legible for all of the following Except: {Qena}

a-Driving license. b-Full civil rights.

c-Complete criminal responsibility. d-Age of marriage.

38-Age of complete criminal responsibility in female is detected by: {Qena}

a. Union of epiphysis of head of metacarpals and distal ends of phalanges.

b. Union of epiphysis of lower end of tibia and fibula.

c. Union of trochlea + capitulum in the humerus.

d. Union of epiphysis of head of humerus.

39-Males at the age of 18 are legible for all of the following except: {Qena}

a-Driving license. b- Full civil rights.

c-Complete criminal responsibility. d-Age of marriage.

40-First permanent tooth to erupt is {Qena}

A. Incisor B. Canine C. Premolar D. Molar

41- A reliable evidence of sex identification is: {Qena}

a. External sexual structures. b. Distribution of hair and fat.

c. Sexual behavior. d. Presence of ovary or testis

42- Foot prints are most commonly used for: {Qena}

a. sex identification b. None mixing of infants in Hospitals.

c. age identification. d. race identification.

43- The age of the male child is considered to be physiologically impotent detected by: {Qena}

a. Permanent central incisor. b. Union of trochlea + capitulum in the humerus

c. Union of epiphysis phalangese + metacarpals. d. Union of epiphysis head of femur.

44- Baby of one and half year has {Qena}

a) 8 teeth b) 12 teeth c) 16 teeth d) 20 teeth

45- In adult female, the following bone features are present except {Qena}

a) Wide sub pubic angle b) Narrow sacrum

c) Body less than double length of manibrium in sternum

d) Smooth supracilliary margins e) Smooth parietal eminences

46- All the following are true about DNA except {Qena}

a) Used in disputed paternity b) Shared by uniovular twins

c) Mitochondrial DNA resist putrefaction d) May be used for the identification of age

e) Could be detected in white blood cells

47- Human hair is characterized by {Qena}

a) Narrow, absent or interrupted medulla b) Thick cuticle formed of more than one layer

c) Thin cortex d) a & b e) a & c

48-As regards the permanent teeth: {kasr}

a. They are large white colored but weaker than milk teeth

b. They are 20 teeth

c. They start at 6 year of life

d. The 2 permanent molar erupts at 10th

49-Male sacroiliac joint: {kasr}

a. Occupies 3 segments b. Occupies 2 segments

c. Occupies one segment d. Occupies more than 3 segments

50-Negroid skull is characterized by the following, except: {kasr}

a. H-shaped pterion b. Persistent frontal suture

c. Dolicocephaly d. Prognathism

51-In case of charred body we can identify: {kasr}

a. Race b. Age c. Sex d. Teeth

52-Full term identification could be done by all of the following, except: {kasr}

a. Closure of anterior fontanel.

b. Closure of posterior fontanel.

c. Appearance of ossific center of cuboid.

d. Size of the ossific center of lower end of femur is 0.5 cm

53-Uniovular twins have: {kasr}

a. Same finger prints b. Same DNA finger print

c. Same intelligent quotient d. Same favorite subjects

54-epiphysis around the knee is united at: {kasr}

a. 6 years b. 18 years c. 21 years d. 23 years

55-Hair can diagnose: {kasr}

a. Rape b. Firearm c. Wounds d. All of the above.

56-Age of marriage is: {kasr} تاكد

a.18 years in females

b. 20 years in males

c. Detected by union of distal ends of metacarpal bones

d. It depends by union of upper end of ulna with shaft

57-All of the following epiphyseal lines are united at 23 years, except: {kasr}

a. Head of humerus with shaft b. Iliac crest with iliac bone

c. Proximal end of clavicle with the shaft d. Basioccipital-basisphenoidal suture

58-Samples for DNA examination include the following, except: {kasr}{Qena}

a. Saliva b. Red blood cells c. Semen d. Hair root bulbs

59-first suture which closes in the skull is: {kasr}

a. The sagittal suture b. The coronal suture

c. The basioccipital-basishenoidal suture. d. The frontal suture

60-Male skull is characterized by: {kasr}

a. Prominent parietal eminences b. Prominent superciliary ridges

c. Deep fronto-nasal junction d. All of the above

61-second milk molar teeth erupt at: {kasr}

a. 9 months b. 12 months c. 18 months d. 24 months

62-All of the following are true about finger prints, except: {kasr}

a. Present in both dermis and epidermis b. Develop in the 5th intrauterine month

c. Incidence of similarity is 1-64 million d. Affected by corrosives

63-The latest suture to close is: {kasr}

a. Sagittal b. Coronal c. Lambdoid d.Frontal

64-At full term, the following ossification centers could be detected, except: {kasr}

a. Upper end of of humerus b. Talus c. Calcaneous d. Lower end of femur

65-Presence of barr bodies is suggestive of: {kasr}

a. Male b. Female c. Old age d. All of the above

66-In male skulls, the frontonasal junction forms:

a. an obtuse angle (less angular). b. an acute angle (more angular).

c. a right angle. d. Cannot be determined.

67-Female pelvis is characterized by all of the following, except: {kasr}

a. Less arched iliac crest b. Wide greater sciatic notch

c. Acute subpubic angle d. Triangular obturator foramen

68-Age can be determined by all of the following, except: {kasr}

a. Skull b. Pelvis c. Coccyx d. Long bones

69-Ulnar loops is a type of finger print present in: {kasr}

a. 5% of the population b. 10% of the population

c. 25% of the population d. 65% of the population

70-Pelvic X-ray of a female 21 years old shows: {kasr}

a. Narrow sacrum b. Oval obturator foramen

c. Non union between ischial tuberosity and ischium d. United iliac crest with iliac bone

71-All but one of the following is true concerning human hair: {kasr}

a.The cuticle is formed of one cell layer b. Narrow medulla

c.Broad cortex without transverse striations d. Continuous medulla

72-Poroscopy is: {kasr}

a. Examination of pores of sweat glands b. Examination of sebaceous glands

c. Examination of ridges **{kasr}** d. All of the above

73-Identification can be made by:

a. Finger prints b. Foot prints

c. Iris prints d. All of the above

74-The tip of the hair is sharply cut, so it is: {kasr}

a. Cut from 1-2 days b. Cut from one week

c. Cut from more than 2 weeks d. None of the above

75-The root of the hair is bulky with ruptured sheath, when the hair: {kasr}

a. Is sharply cut b. Has fallen by itself

c. Is pulled by force d. Is crushed by rough object.

76-The child can discriminate between right and wrong at the age of: {kasr}

a. 4 years b. 5 years c. 6 years d. 7 years

77-The age of school admission is estimated by all of the following, except: {kasr}

a. Eruption of 1" permanent molars

b. Appearance of O.C. of upper end of radius

c. Appearance of O.C. of upper end of ulna

d. Union of inferior pubic ramus with ischial ramus

78-The age of 16 years is estimated in female by all of the following, except: {kasr}

a. Union of head of femur b. Union of bones at the lower end of tibia and fibula

c. Eruption of wisdom tooth d. Union of distal end of metacarpal bones

79-The number of permanent teeth are: {kasr}

a. 10 b. 20 c. 24 d. 32.

80-Anthropometry means examination of external body characteristics. {kasr}

a. true b. false

81-Finger prints are similar between uniovular twins. {kasr}

a. true b. false

82- Finger prints present in epidermis only. {kasr}

a. true b. false

83-Foot prints are an important tool in forensic medicine. {kasr}

a. true b. false

84-The angle of mandible is obtuse in old age and mental foramen is at its lower edge. {kasr}

a. true b. false

85-The 1st permanent central incisors erupt at 7th year of life. {kasr}

a. true b. false

86- Hair root can help in identification. {kasr}

a. true b. false

87-In claims of disputed paternity the following may help except: {Qena}

A. Blood grouping B. Finger prints C. Color of iris D. DNA typing

88-In claims of disputed paternity, the following may be of help, except: {kasr}

a. Hair color b. Finger prints c. DNA typing d. Blood grouping

89-The age of 18 years is estimated in females by: {Qena}

A. Union of distal end of metacarpal bones B. Union of head of humerus

C. Appearance of wisdom tooth

90-Sex can be identified by examination of the following bones except {Qena}

A. The sternum B. The skull C. The tibia D. The mandible

91-Finger prints {Qena}

A. Appear in 3rd trimester of the intrauterine life B. Have high incidence of similarity

C. Have no role in post mortem identification D. Present in both dermis and epidermis

92- The age of civil rights can be identified in female by : {Qena}

A. X ray on wrist joint B. X ray on knee joint

C. X ray on sternal medial end of clavicle D. X ray on ankle joint

93-the age of 21 can be identified in male by {Qena}

A. X ray on wrist joint B. X ray on knee joint

C. X ray on sternal medial end of clavicle D. X ray on ankle joint

94-The age of complete civil rights in female diagnosed by: {Qena}

a. Union of ischial tuberosity b. Union of the upper end of tibia with the shaft

c. Union of iliac crest with ileum d. Union of the head of femur with the shaft

95-MLI of finger prints include the following except {Qena}

A. Personal identification B. Age identification

C. Weapon identification D. Suicide

96-the medullary cavity of the humerus in males reaches the anatomical neck at the age of {Qena}

A. 21 years B. 30 years C. 23 years D. 33 years

97-Identifying the age of 19 years old girl is by making an x-ray on: {Qena}

a. Wrist joint. b. Humerus bones. c. Elbow joint. d. Knee joint.

98-Finger prints can be detected even after early putrefaction {Qena}

A. True B. False

99-Female sex can be diagnosed by the presence of Davidson body in epithelial cells {Qena}

A. True B. False

100-Barr bodies are specific masses of chromatin are found within the female cells but Davidson bodies are found within the mast cells {Qena}

A. True B. False

101-identification of race is done by width of sternum {Qena}

A. True B. False

102- Sex can be diagnosed by examining hair cells for the presence of {Qena}

a) Davidson body b) Golgi body c) Bar body d) Drumstick body

103- Disease causing modification of finger prints is {Qena}

a) Leprosy b) HIV c) Urticaria d) Liver cirrhosis

104- Finger prints {Qena}

a) Appear in the 3rd trimester of intrauterine life b) Early destroyed by putrefaction

c) Uniovular twins have typical finger prints d) Originating from dermis

105-Finger print destroyed early by putrefaction {Qena}

a. True b. False

106-Milk dentition helpful for estimation of age of discrimination {Qena}

a. True b. False

107-Mongoloid characterized by flat nasal bridge {Qena}

a. True b. False

108-Foot print may help in identification {Qena}

a. True b. False

109-A mature fetus has an ossific center in the cuboid bone {Qena}

a. True b. False

110- Eruption of permanent central incisor teeth occurs at: {Qena}

a) 7 years b) 12 years c) 9 years d) 10 years

111-Barr bodies in buccal mucosal cells are used for:

a. identification of stature. b. identification of age.

c. identification of race. d. identification of sex.

112-Which of the following events occurs at the age of 18 years for males, according to the given information?

a. Union of the head with the shaft of the humerus.

b. Union of metacarpals and phalanges.

c. Union of the lower end with the shaft of the radius and ulna.

d. Union of the lower end with the shaft of the femur.

113-At what age does the appearance of the first permanent molar tooth?

a. 16 years. b. 14 years. c. 18 years. d. 6 years.

114-Shovel-shaped upper incisor teeth is a characteristic feature of which race?

a) Negroid b) Mongoloid c) Caucasian d) White

115- The anterior fontanel closes at the age of:

a) 18 months. b) Full term. c) 9 months. d) 24 months.

116- At the age of 30 years the following sutures are closed, except:

a) Metopic. b) Basioccipital-basisphenoidal. c) Lambdoid. d) Sagittal.

117- The earliest suture to close is:

a) Basioccipital-basisphenoidal. b) Temporo-parietal. c) Lambdoid. d) Frontal.

118- At full term:

a) The O.C. of the upper end of tibia appears. b) The posterior fontanel closes.

c) The testicles are in the scrotum. d) All of the above.

119- Which of the following age of eruption of the respective primary teeth is not within the normal limits?

a) Upper central incisors - 4 months. b) Lateral incisors - 9 months.

c) First molar 1 year. d) Canines 18 months.

120- At 2 years age, we expect the following event to occur:

a) Appearance O.C. of lower end of radius. b) Appearance O.C. of upper end of humerus.

c) Eruption of 2nd molar teeth. d) Eruption of the canines.

121- Which of the following bones show the presence of ossification centres at birth?

a) Head of femur. b) Distal end of humerus. c) Distal end of radius. d) Cuboid.

122- All but one of the following is true about male skull:

a) Prominent eminences. b) Absent superciliary ridges.

c) Deep and angular fronto-nasal junction. d) Long and rough mastoid process.

123-The police found skeleton of unknown person with many fractures in all bones, but the mandible was good and the forensic pathologist examine it carefully and found that, the number of teeth was 12 with no missed teeth or fractures, the teeth were white and hard, the following teeth was found the incisors ,canine, the two premolars and the first molar. what is the expected age of this victim?

a. About to be 10 years b. About to be 11 years

c. About to be 14 years d. About to be 15 years

124- In a male, the femur appears in the x-ray as one complete bone at the age of:

a. 16 years. b. 17 years. c. 18 years. d. 20 years. e. 21 years.

125- In a female, the femur appears in the x-ray as one complete bone at the age of:

a. 15 years. b. 16 years. c. 17 years. d. 18 years. e. 19 years.

126- In a male, the humerus appears in the x-ray as one complete bone at the age of:

a. 19 years. b. 20 years. c. 21 years. d. 22 years. e. 25 years.

127- In a female, the humerus appears in the x-ray as one complete bone at the age of:

a. 17 years. b. 18 years. c. 19 years. d. 20 years. e. 23 years.

128- In a male, the radius appears in the x-ray as one complete bone at the age of:

a. 14 years. b. 15 years. c. 16 years. d. 17 years. e. 20 years.

129- In a female, the radius appears in the x-ray as one complete bone at the age: of:

a. 12 years. b. 13 years. c. 14 years. d. 15 years. e. 18 years

130- In a male, the ulna appears in the x-ray as one complete bone at the age of:

a. 14 years. b. 15 years. c. 16 years. d. 17 years. e. 20 years.

131- In a male, the tibia appears in the x-ray as one complete bone at the age of:

a. 14 years. b. 15 years. c. 16 years. d. 17 years. e. 21 years

132- In a female, the tibia appears in the x-ray as one complete bone at the age of:

a. 12 years. b. 13 years. c. 14 years. d. 15 years. e. 19 years

133- In a male, the fibula appears in the x-ray as one complete bone at the age of:

a. 14 years. b. 15 years. c. 16 years. d. 17 years. e. 21 years.

134-Age of pension is considered:

A) 18 years B) 16 years C) 60 years D) 25 years

135- The union of basi-occiput with basi-sphenoid suture occurs at the same age of the union of:

a. Head of the humerus. b. Ischial tuberosity with body of ischium.

c. Lower ends of radius and ulna d. Iliac crest with ilium

e. Head of femur with shaft

136- The union of the epiphysis of medial epicondyle of humerus with the shaft occurs at the same age of union of:

a. Head of the humerus. b. Iliac crest with ilium.

c. upper end of radius with the shaft. d. upper end of ulna with the shaft.

e. Head of femur with shaft.

137- At the age of 14 year in a male, all the followings are present Except:

a. Eruption of first permanent molars. b. Eruption of second permanent molars.

c. Capitulum unites with trochlea. d. Union of lesser trochanter.

138- At the age of 12 year in a female, all the followings are present Except:

a. Eruption of first permanent molars.

b. Capitulum unites with trochlea.

c. Trochlea and capitulum unite with the shaft of humerus..

d. Eruption of second permanent molars.

139-In female pelvis, the greater sciatic notch is typically:

a. wide and shallow (V-shaped). b. Cannot be determined.

c. narrow and deep (U-shaped). d. triangular

140- At the age of 23 year in a male, all the followings are present Except:

a. The iliac crest unites with the ilium.

b. Ischial tuberosity unites with the ischium.

c. The Y-shaped suture in the acetabulum is united.

d. The pubic ramus is united with the ischial ramus.

e. Xiphisternum is united with the body of sternum.

141- The age of 12 year is identified by the eruption of the permanent tooth:

a. Canine. b. First premolar. c. Second premolar.

d. First molar. e. Second molar.

142- The teeth erupted at the same age of union of pubic ramus with ischial ramus is:

a. First premolar. b. First molar. c. Second premolar.

d. Second molar. e. Third molar.

143- The age of 11 year is identified by the eruption of the permanent tooth:

a. Canine. b. First premolar. c. Second premolar.

d. First molar. e. Second molar.

144- The age of 7 year is identified by the eruption of the permanent tooth:

a. Central incisor. b. Lateral incisor. c. First molar.

d. Second molar. e. Canine.

145- Female skull is characterized by:

a. Smooth frontonasal junction. b. Prominent parietal eminence.

c. Long mastoid process. d. Prominent superciliary ridges.

146- One of the following characterizes male bones:

a. Short and broad occipital condyles. b. Pointed chins.

c. Triangular obturator foramen d. Long and big mastoid processes.

147- All of the followings characterize female bones Except:

a. Short and broad occipital condyles. b. Pointed chins.

c. Triangular obturator foramen d. Long and big mastoid processes.

148- At the age of 20 years, the presence of this suture is diagnostic of the negroid race:

a. Sagittal. b. Lambdoid. c. Coronal. d. Frontal.

149-At what age do females typically achieve union of the iliac crest with the iliac bone?

a. 35 years. b. 60 years. c. 21 years. d. 23 years.

150-Which of the following features indicates a Negroid skull?

a. Prognathism (protruded upper jaw). b. Large mastoid process.

c. Closure of metopic (frontal) suture. d. Decreased A-P diameter of the skull

151-Which of the following is a characteristic of Negroid skull?

a. Persistent metopic (frontal) suture. b. Elevted nasal septum.

c. Large mastoid process. d. Narrow nasal openings.

152-Which of the following fingerprint patterns is the most common?

a. Whorls. b. Arches. c. Composite. d. Loops.

153-At what age does the union of the manubrium with the body of the sternum typically occur?

a. 35 years. b. 60 years. c. Cannot be determined. d. 65 years.

154-At what age do males typically achieve a union of the lower end with the shaft of the femur?

a. 18 years. b. 21 years. c. 60 years. d. 35 years.

155-Which bone is considered the best single bone for sex determination?

a. Skull. b. Sternum. c. long bones. d. Pelvis.

1. B	2. B	3. B	4. D	5. D
6. C	7. C	8. C	9. A	10.B
11.C	12.C	13.B	14.A	15.A
16.B	17.D	18.B	19.A	20.A
21.B	22.B	23.C	24.A	25.C
26.A	27.A	28.D	29.B	30.A
31.A	32.B	33.A	34.D	35.C
36.B	37.B	38.D	39.B	40.D
41.D	42.B	43.B	44.C	45.B
46.D	47.A	48.C	49.A	50.A
51.D	52.A	53.B	54.C	55.D
56.C	57.A	58.B	59.D	60.D
61.D	62.B	63.C	64.A	65.B
66.B	67.C	68.C	69.D	70.D
71.D	72.A	73.D	74.C	75.C
76.D	77.D	78.C	79.D	80.B
81.B	82.B	83.A	84.B	85.A
86.A	87.B	88.A	89.B	90.C
91.D	92.C	93.B	94.C	95.B
96.D	97.D	98.A	99.B	100. B
101. B	102. C	103. A	104. D	105. B
106. B	107. B	108. B	109. A	110. A
111. D	112. B	113. D	114. B	115. A
116. C	117. D	118. D	119. A	120. A
121. D	122. B	123. B	124. E	125. E
126. B	127. B	128. E	129. E	130. E
131. E	132. E	133. E	134. C	135. D
136. C	137. D	138. C	139. A	140. E
141. E	142. B	143. A	144. A	145. A
146. D	147. D	148. D	149. C	150. A
151. A	152. D	153. B	154. B	155. D
156. B	157.	158.	159.	160.

Wounds

1- doughnut bruising caused by {Mid2025}

A- Rod shaped / stick B- a circular ball C- Finger-pad marks D- Patterned bruises

2-Wound that is longer than it is deep? {Final2025}

A-Incised wound B-Stab wound C-Lacterated wound

3- Cardiac tamponades occur when the volume of blood in the pericardial sac reaches {Mid2021}{Mid2022}{Formative2024}{Qena}{kasr}

a. 100 ml b. 200 ml c. 50 ml d. 20 ml

4- The most common site of rupture of aorta is {Final2022}

A- Junction between ascending aorta and the arch

B- Junction between arch and 1st part of descending aorta

C- Junction between root of aorta and ascending aorta

D- Junction between descending aorta and abdominal aorta

5- The wound of a suicidal cut throat in a right handed victim shows: {Final2021}{kasr}

a. Uniform depth all through b. More depth at the right end

c. Higher level on the right side d. Hesitation marks on the left end

6- Subendocardial hemorrhage occurs due to: {Final2021}{Qena}

a. Crush syndrome b. Heamorrhage c. Air embolism d. Drowning

7-Edges of incised wound may be irregular due to: {Formative2022}{Qena}

a) Skin overstretched on bone b) Scalp injuries.

c) Corrugated skin d) None of the above.

8-The ligature mark in hanging is {Formative2022}{Final2023}

a) Stretch laceration b) Patterned abrasion

c) Friction abrasion d) Patterned contusion

9-Cut wound characterized by presence of tissue bridges {Formative2025}

a) True b) False

10- Bruises are maximally evident in the following body parts EXCEPT {kasr}{Mid2022}{Final2022}

A- Scrotum B- Eyelids C- Palm of hands D- Scalp

11- Subendocardial hemorrhage may occur in death due to {Final2022}{Formative2023}

A- Head injury B- Burn C- Reflex vagal inhibition D- Air embolism

12- A 32-year-old farmer received an abdominal trauma, after 2 hours the pulse reached 136/min, blood pressure 70/40. The cause is {Final2022}

A- Parasympathetic shock B- Sympathetic shock

C- Internal hemorrhage D- Air embolism

13-The depth of the stab wound indicates {Mid2024}

a) Type of the knife b) Shape of the blade

c) Length of the blade d) Width of the blade

14- All of the following are characters of fabricated wound EXCEPT {Mid2024}

a) Superficial b) Within the reach of fabricators hand

c) in extremities d) Tearing in clothes opposite wound

15- Types of shock that can occur in wound {Mid2024}

a) Hemorrhagic, Neurogenic, Septic b) Hemorrhagic only

c) Neurogenic only d) Septic shock only

16- Which of the following is a dangerous wound? {Mid2024}

a) Fracture radius b) lacerated wound in the scalp

c) cut wound in the scalp d) wound that prevent from work for 10 days

17- Multiple superficial wound in hand at the beginning of cut wrist wound are {Mid2024}

A. Hesitation marks B. Fabricated wounds

C. Insignificant wounds D. Defense wounds

18- The wound variant that helps in identifying the size of the causative object? {Final2023}{Mid2021}

A- Stab wound B- Cut wound. C- contusion d) None of the above

19- Fabricated wound is mostly {Final2023}

A- abrasion B- contusion C- laceration D- Cut wound.

20- Blunt trauma is more likely to produce incised like wound in {Final2023}

A- hand B- neck C- chest D- scalp

21- Edge of incised wound may be irregular due to {Final2023}

A- Skin overstretched on bone. B- Scalp injury

C- Corrugated skin D- None of the above

22-The amount of blood loss in a healthy person that can be fatal {Mid2023}

a) 1-1.5 litter b) 2-3 litter c) 250 ml d) half a litter

23-Suicidal cut throat by right handed person is likely to be Except {Mid2023}

a) Uniform depth all through b) Accompanied by hesitation marks on the left side

c) Higher level on the right side of the neck d) Deeper at the right side and shallow on the left

24- Traumatic rupture of stomach characterized by the following except {Mid2024}{Final2021}

A. Bruises B. History of trauma C. Regular edges D. Bulging of mucosa

25-Stab wounds are characterized by the following except {Formative2023}{Qena}

A. Irregular edges B. Deep more than long

C. Internal bleeding D. No tissue bridges

26-Flap wound is caused by: {Formative2022}{قديم}{Qena}

a) Heavy stick. b) Sharp knife.

c) Running belt of the machine d) Dragger

27- Defense wounds are characterized by the following except {قديم}{Qena}

A- Multiple B- cuts and stabs C- at palms and forearms D- fatal wounds

28- abrasions may indicate the site of impaction of the instrument {قديم}

A- true B- False

29- Gaping of wound is a postmortem phenomenon {قديم}

A- True B- False

30- Immediate death may not occur in stab wound in the left ventricle of the heart {قديم}

A- true B- False

31- Which of the following leads to permanent infirmity: {قديم}

A- loss of blind eye B- loss of permanent incisor teeth

C- Rupture of hydronephrous kidney D- Removal of splenomegaly

32-According to the legal classification, a wound that heals in a period less than 20 days and leaves no permanent infirmity is categorized as: {Merit}

a. Non-functioning wound b. Dangerous wound c. Fatal wound d. Simple wound

33-According to the legal classification, a wound that heals in a period more than 20 days and may leave permanent infirmity is categorized as: {مهم}

a. Non-functioning wound b. Dangerous wound c. Fatal wound d. Simple wound

34-Permanent infirmity means: {مهم}

A) loss of non functioning organ

B) Loss of a functioning organ or its function

35-Bruises usually disappear within: {مهم}

A) 2–3 days B) 5–7 days C) 14–15 days D) 1 month exactly

36-Bruises are maximally evident on the following part ,except {قسم}

a. scrotum b. palm of the hand c.eyelids d. scalp

37- postmortem picture of parasympathetic shock is characterized by: {قسم}

a. petechial hge b. congested brain

c. frothy fluid ooze from lung d. empty and collapsed big veins and heart

38- Defensive wound are : {قسم}

a. on the limbs of victim b. denote mobile victim

c. denote conscious victim d. all of above

39-According to the causative instrument & the mode of entry, which of the following best defines "abrasion"?{Merit}

a. Destruction of the superficial layer of the skin due to friction of a rough blunt object

b. Loss of tissue due to extreme heat exposure

c. A wound resulting from a gunshot

d. A wound caused by a sharp-edged object

40-Bleeding and regular edges of scalp wound may be caused by

a) Abrasion b) Contusion c) Contused wound d) Burn

41-Lacerated wound resemble incised wound in {Merit}

a. Groin b. Hand c. Scalp d. Axilla

42- Fabricated wounds are mostly {Qena}

a) Abrasions b) Incised wounds c) Contusions d) Lacerations

43-We cannot estimate time of bruises when it is located at: {Qena}

a. Palm of the hand b. Eye ball c. Buttock d. Sub conjunctival

44- Postmortem picture of one of the following shows subendocardial haemorrhage: {Qena}

a. Reflex vagal inhibition. b, Burn. c. Crush syndrome. d. Air embolism.

45- Incised (cut) wound is characterized by all of the following except {Qena}

A. Profuse bleeding B. Less liability to sepsis

C. Bridging of tissue D. The wound is more long than deep

46-Sepsis is a common complication due to fabricated cut wounds {Qena}

a. True b. False

47-Cut-throat wound cause death by: {Qena}

A. Arterial air embolism B. Haemorrhage C. Pulmonary embolism D. All of above.

48-The depth of stab wound indicates {Qena}

A. The type of the knife B. The shape of the blade

C. The length of the blade D. The width of the blade

49-Which of the following gives permanent infirmity {Qena}

A. Loss of blind eye B. Loss of permanent incisor teeth

C. Rupture of hydronephrotic kidney D. Removal of splenomegaly

50-Cut wounds are characterized by the following except {Qena}

A. Free external bleeding B. Sharply cut hair at the edges

C. Tissue bridges D. More long than deep

51-abrasions may indicate the site of impaction of the instrument {Qena}

a. True b. False

52-Bruises may indicate the date of the crime {Qena}

a. True b. False

53-sepsis is a common complication due to contused wound {Qena}

a. True b. False

54-abrasions heal without leaving scars {Qena}

a. True b. False

55-Gaping of wounds is postmortem phenomenon {Qena}

a. True b. False

56-Hemorrhage to be fatal it must be of large amount {Qena}

a. True b. False

57-stab wound gives good idea about the causative instrument {Qena}

a. True b. False

58-stab wound in the Left ventricle of the heart doesn't result in immediate death {Qena}

a. True b. False

59-A stab to the right ventricle is more serious than that to Left one {Qena}

a. True b. False

60-All are true about ante-mortem bruise except: {Qena}

A. Swelling is present B. Present only on bony prominences

C. Undergoes colour changes D. Shows cellular reactions.

61-Factors influencing the type and extent of the wounds are all except: {Qena}

A-Instrument used B-Age of the victims

C-Nature of the affected tissue D- all of the above

62-A cut wound characterized by: {Qena}

a. More long than deep b. Usually become infected.

c. Accompanied by abrasion. d. Caused by a stick.

63-Laceration wounds may be confused with cuts wounds in: {Qena}

a. Axilla b. Forehead c. Scalp d. Chest wall

64-postmortem bruises are characterized by the following except: {Qena}

a. Small in size. b. No swelling.

c. Large blood clots in the tissues. d. No colour changes.

65-Subendocardial hemorrhage occur in the following cases except {Qena}

A. Death due to rupture of esophageal varices B. Toxicity with phosphorus

C. Myocardial infarction D. Severe burn

66-The most rapid death due to a stab wound is in : {Qena}

A. Left auricle B. Left ventricle C. Right ventricle D. Left lung

67- Contused wound is characterized by all of the following: {Qena}

A- Profuse bleeding B-Bridging of tissues.

C-Less liability to sepsis. D-The wound is more long than deep.

68- The depth of a stab wound indicates: {Qena}

a. The type of the knife b. The width of the blade

c. The length of the blade d. The shape of the blade

69-Contused wounds are characterized by the following: {Qena}

a) Free external bleeding b) Sharply cut hair at the edges

c) Tissue bridges d) skin may be intact

70-Characters of contused wounds do not include: {Qena}

A. Bridging B. Brushed, hair C. Irregular angles D. Free bleeding

71-Permanent infirmity means: {Qena}

a. Loss of organ only b. Dangerous wounds

c. Loss of more than one organ d. Loss of organ or its function

72-Healing by color changes occur in: {Qena}

a. Cut wound b. Contusion c. Contused wounds d. Abrasion

73-Incised wound is characterized by all of the following except: {Qena}

A- Profuse bleeding B-Bridging of tissues

C-Less liability to sepsis. D-The wound is more long than deep.

74- The site of a bruise does not usually indicate the site of violence {Qena}

a. True b. False

75- Arterial air embolism caused by communication between bronchus with pulmonary vein {Qena}

a. True b. False

76-Crush syndrome is a complication of head injury {Qena}

a. True b. False

77-Bruises always occur at site of application of force {Qena}

a. True b. False

78-Simple wounds take more than 20 days to heal {Qena}

a. True b. False

79-Cut wound caused by a blunt instrument {Qena}

a. True b. False

80-Stab wounds have regular cleanly cut edges {Qena}

a. True b. False

81-Lacerated wound characterized by clean cut edges, round angles and bruises may be around the edges. {Qena}

a. True b. False

82-Torn wound is a variety of stab wounds caused by sharp pointed instrument {Qena}

a. True b. False

83-Cut wound is characterized by acute angles, clean cut edges with tissue bridges {Qena}

a. True b. False

84-Bruises are leakage of blood from ruptured small vessels into surrounding tissues caused by sharp instrument {Qena}

a. True b. False

85-The shape of stab wound may give an idea about the causative instrument {Qena}

a. True b. False

86-Crush syndrome is traumatic acute tubular necrosis complicating limb trauma in which the necrosed muscle liberating myoglobin {Qena}

a. True b. False

87-According legal classification of wounds simple wounds heals rapidly in less than 20 days {Qena}

a. True b. False

88-Abrasions are defined as portion of the body surface from which the skin or mucous membrane has been removed {Qena}

a. True b. False

89-Traumatic rupture of the intestine is characterized by the following except {Qena}

A. Bruises are present B. History of recent trauma

C. Regular edges D. Bulging healthy mucosa e. GIT is normal

90- Suicidal cut throat by right handed person is likely to be {Qena}

A. Deeper from beginning to the end B. Accompanied by hesitation wounds on the left side

C. Begin higher on the of the neck D. Deeper at right side and shallow on the left

E.Multiple wounds in front of the neck

91- Extensive bruises occur usually on the following parts except {Qena}

A. Scrotum B. Palm of hand C. Eye lids D. Scalp

92-Fabricated wounds are characterized by the following except {Qena}

A. Multiple B. Deep C. At safe area D. Within the reach of hands

93-Transfixing wound is {قديم}{Qena}

A. fixing the weapon inside the wound B. fixing the body to supporting surface

C. fixing the weapon to the body surface

D. the weapon penetrate the tissue to the other side

94-A transfixing wound is that which: {Qena}

a) Reach a body cavity. b) Pass from one side of a limb to the other.

c) Characterized by loss of substance. d) All of the above.

95- the most dangerous type of wound is: {Qena}

A. Abrasion B. Cut wound C. Lacerated wounds D. Stab wound

96- Cut-throat wound causes death by: {Qena}

A. Arterial air embolism B. Haemorrhage C. Pulmonary embolism D. All of the above

97-The age of contusion can be correctly estimated in the following sites except {Qena}

A. Eye lids B. Shin of tibia C. Subconjunctival D. Labia majors

98- Surgical cut wound in the axilla is characterized by all of the following, except: {kasr}

a. Clear cut. b. Profuse bleeding. c. Regular edges. d. Healing by 1 intention.

99- Defensive wounds are: {kasr}

a. On the limbs of the victim. b. Denote mobile victim.

c. Denote conscious victim. d. All of the above..

100- Dragging abrasion: {kasr}

a. Affects the whole skin thickness. b. Leaves thick scar.

c. Heals in a period of one month. d. None of the above.

101- One of the following statements about gapping of wounds is false: {kasr}

a. It denotes ante mortem nature. b. It causes eversion of edges.

c. It is minimal in transverse muscle cutting. d. It occurs due to retraction of tissue

102- Transfixing wound is: {kasr}

a. Fixing the weapon inside the wound. b. Fixing the body to the supporting surface.

c. Fixing two organs with the weapon. d. Fixing the weapon to the body surface.

103- Hesitation marks are characterized by being: {kasr}

a. Single. b. Lacerated. c. Deep. d. Related to suicidal wounds.

104- Bite marks may be: {kasr}

a. Abrasions. b. Bruises. c. Small cuts. d. Any of the above.

105- One of the following is true about ante mortem abrasion: {kasr}

a. Bright red in color. b. Excessive exudation of serum.

c. Vital reaction is seen. d. All of the above.

106- Post mortem wound is best differentiated from ante mortem wound by: {kasr}

a. Gaps on incising. b. Cellular changes

c. Absence of erythema. d. Bruised margins.

107- A contused wound of the scalp is characterized by the following, except: {kasr}

a. Profuse bleeding. b. Rapid sepsis. c. Irregular edges. d. Crushed hair tips.

108- Stab wounds are characterized by the following, except: {kasr}

a. Longer than deep. b. Regular edges

c. Bleed profusely. d. No crossing of tissues.

109- Fabricated wounds are characterized by being: {kasr}

a. Multiple and superficial. b. Sparing the clothes.

c. At safe area within the reach of hands. d. All of the above.

110- The commonest cause of death in lacerated wounds is: {kasr}

a. Fat embolism b. Sepsis. c. Hemorrhage. d. Air embolism.

111- An abrasion appears as after the lapse of 28 days: {kasr}

a. Hard scab. b. Normal skin. c. Fibrous tissue. d. Pale area.

112- Cut-wounds are characterized by the following, except: {kasr}

a. Free external bleeding. b. Hairs at the edges are sharply cut.

c. Bridging of tissues. d. Longer than deep.

113- Sympathetic shock may occur as a result of trauma to: {kasr}

a. Epigastrium. b. Larynx. c. Scrotum. d. None of the above.

114- Fat embolism occurs after: {kasr}

a. 3 degree burn. b. Fracture humerus.

c. LV. injection of oily solution. d. Any of the above.

115- Dating of bruises depends upon: {kasr}

a. Amount of bleeding. b. Cellular infiltirate.

c. Color changes. d. Tissue gapping

116- Instantaneous chest pain starting 3 minutes after a cut wound severing the jugular vein is mostly due to: {kasr}

a. Myocardial infarction. b. Severe tachycardia.

c. Venous air embolism. d. Acute haemorrhage.

117- Subendocardial haemarrhage occurs mostly in case of death due to: {kasr}

a. Air embolism. b. Acute severe haemorrhage.

c. Crush syndrome. d. Drowning.

118- Typical features of lacerations do not usually include: {kasr}

a. Bruised margins. b. Bridging fibers.

c. Takes the shape of the injuring weapon. d. Minimal bleeding.

119- Stab wounds are: {kasr}

a. Deep skin lacerations. b. Penetrating fatal wounds.

c. Usually wider than deep. d. Wider when inflicted along the Langers lines of skin.

120- Skin abrasions are: {kasr}

a. Usually deeper than the mid-dermis. b. Deep contusions.

c. Scratching, grazing or friction injuries. d. Healed completely within 2-3 days.

121- Penetrating injury to the neck may cause death from: {kasr}

a. Infection. b. Fat embolism. c. Bone marrow embolism. d. Air embolism.

122- Death following blunt trauma to the heart is due to: {kasr}

a. Parasympathetic shock (RVI). b. Ruptured heart.

c. Subendocardial haemorrhage. d. Any of the above.

123- Any of the following may cause death in cut throat, except: {kasr}

a. Air embolism. b. Fat embolism. c. Haemorrhage. d. Choking.

124- Postmortem picture of one of the following shows subendocardial hemorrhage: {kasr}

a. Reflex vagal inhibition. b. Burn. c. Crush syndrome. d. Air embolism.

125- Postmortem picture due to death from hemorrhage includes all of the following, except: {kasr}

a. Pale body and mucous membranes. b.ill defined or totally deficient hypostasis.

c. Blood in body cavities may be found. d. Congested heart and big vessels.

126- Contused wounds help in identifying the size of the causal object. {kasr}

a. true b. false

127- Adult females usually experience extensive bruises. {kasr}

a. true b. false

128- A deep, transverse cut wound low down in the neck is mostly suicidal. {kasr}

a. true b. false

129- Fabricated wounds are usually at the back of the victim. {kasr}

a. true b. false

130- Pathological rupture of intestine is characterized by bulging mucosa with irregular edges. {kasr}

a. true b. false

131- A simple wound is expected to heal in less than 20 days, but may leave a permanent infirmity. {kasr}

a. true b. false

132- Parasympathetic shock occurs after painful wounds {kasr}

a. true b. false

133- Defensive cut wounds denote suicide. {kasr}

a. true b. false

134- Severe pallor of a cadaver denotes death from hemorrhage. {kasr}

a. true b. false

135- Bruises must occur at the site of the impact. {kasr}

a. true b. false

136- The sole of the foot usually shows extensive bruises{kasr}

a. true b. false

137- Homicidal cut throat is low down in the neck. {kasr}

a. true b. false

138- Air embolism is a delayed cause of death from injury. {kasr}

a. true b. false

139- Thromboembolism may cause death after injury{kasr}

a. true b. false

140- Skin lacerations are characterized by minimal external bleeding. {kasr}

a. true b. false

141- Cut wounds are accompanied by bridging of tissues. {kasr}

a. true b. false

142- In a healthy adult, death may occur due to sudden loss of the following amount of blood: {kasr}

a. 250 ml. b. Half a liter. c. 2-2.5 liters. d. 1-1.5 liter.

143-Presence of vital reaction indicates:

A) Postmortem injury B) Antemortem injury C) Artificial injury D) Chemical injury

144-Causal instrument of stab wound is

a. Sharp with pointed end instrument b. blunt instrument

c. Rough surface instrument d. heavy blunt instrument

145-A 45 years old adult male was brought to the emergency department, - with cut wound in the neck. The patient was a known case of border line personality disorder, with history of family problems and already 2 attempts of trying to commit suicide. Earlier he has tried to commit suicide by hanging . Suicidal cut throat is

a. Deep all through b. show slanting with hesitation marks

c. wound is transverse and below thyroid cartilage d. usually multiple

146-The wound of a suicidal cut throat in a left handed victim is

a. Uniform deep all through b. more deep at the right end

c. higher level on the right side d. Showing hesitation marks on the right side

147-A wound which reaches the body cavity is

a. Transfixing wound b. Puncture wound c. Penetrating wound d. Cut wound

148-A wound which the weapon penetrates the organ and comes out from the other side is

a. Transfixing wound b. Puncture wound c. Penetrating wound d. Cut wound

149-As regards antemortem wounds

a. The edges are not gaped b. Not everted

c. Vital reaction is present d. Less infiltration of deeper tissues

150-Bruises can be differentiated from hypostasis by

a. Fixed colour b. Extravascular blood accumulation

c. Ill-defined edge d. Occur in the most dependant parts

151-A contusion present between the thighs of a victim may suggest

a. Violent asphyxia b. Strangulation c. Rape d. Smothering asphyxia

152- A disfigurement means:

a- Loss of functioning organ. b- Loss of the function of an organ.

c- Loss of non-functioning organ. d- None of the above.

153- A permanent infirmity means:

a- Loss of non- functioning organ. b- Loss of function of an organ.

c- Loss of functioning organ. d-a & b. e- b & c.

154- Bruises develop more obviously in the following conditions Except:

a- Injury of the eye lid. b- Injury in children. c- Injury leading to vagal cardiac inhibition.

d-Injury in an obese woman. e- Injury in parts overlying bone.

155- Presence of hesitation marks "superficial tentative wounds" is associated with:

a- Homicidal wound. b- Suicidal wound. c- Accidental wound. d- None of the above

156-Postmortem wound is characterized by one of the following:

a- Gaping between the edges. b- Blood clots composed of fibrin & RBCs.

c- Signs of vital reaction. d- The edges are everted & swollen.

157- Stab wound is caused by:

a- Sharp-edged instrument. b- Pointed-end instrument.

c- Pointed, sharp-edged instrument. d- Heavy blunted instrument.

158- In a cut wound, all the following are true Except:

a- No bridging of the tissue at the edges. b- No abrasions or contusions on the edges.

c- Sharp regular edges. d- It usually heals by second intension.

e- The hair at the edges is sharply cut.

159- Punctured wound is caused by:

a- Sharp- edged instrument. b- Pointed, sharp-edged instrument.

c- Pointed-end instrument. d- Heavy blunt instrument.

160- Edges of incised wound may be irregular due to injury in:

a- Skin overstretched on bone. b- Corrugated skin.

c- Wound caused by pieces of broken glass. d- Scalp injury.

e- b & c are correct.

161- In suicidal cut throat, all of the following are true Except;

a- It starts high up above the thyroid cartilage. b- It is deep at the start and tailing superficially.

c- It may be multiple. d- Hesitation marks are present at the beginning.

e- Its direction is oblique.

162-The followings are the characters of homicidal cut throat Except:

a- It is usually low down in the neck. b- It may be multiple..

c- No hesitation marks at the beginning. d-It is deep at the start and tailing superficially.

e- It is transverse.

163-In fabricated wounds, all of the following are true Except:

a- At a safe site. b- Within the reach of the hand of fabricator.

c- Deep and dangerous. d- Self inflicted wounds.

e- Absence of tearing of the clothes opposite the wound.

164-Hypotension with rapid weak pulse are presented in one of the following conditions:

a- Sympathetic shock. b- Vagal shock. c- Hemorrhage. d- Pulmonary fat embolism.

165- Death due to haemorrhage from injury depends on:

a- Amount of blood loss. b- Rate of haemorrhage. c- Site of haemorrhage.

d- Age & general condition of the person. e- All of the above.

166-The most dangerous factor in case of internal haemorrhage is:

a- Amount of blood loss. b- Rate of haemorrhage.

c- Site of haemorrhage. d- Age & general condition of the person.

167-Immediate causes of death in case of cut throat include the following Except:

a- Haemorrhage from injured carotid & jugular veins. b- Oedema of the glottis.

c- Venous air embolism. d- Neurogenic shock from vagal cardiac inhibition.

168-In multiple trauma by a blunt instrument, the biggest contusion will be in:

a- Scapular region. b- Scalp. c- Eye lid. d-Palm of the hand.

169-Colour changes that occur in area of bruises develop in the following order:

a- Red, green, yellow, blue. b- Red, blue, green, yellow.

c- Red, green, blue, yellow. d- Red, yellow, green, blue.

170- The following is a character of a postmortem bruise:

a- It's large in size. b- It may show colour changes.

c- It is not associated with swelling. d- It show polymorphonuclear infiltration.

171-In case of colour changes that follow bruises, each color lasts about:

a- 2-3 days. b- 5-6 days. c- 7-8 days. d-8-9 days.

172-The colour of a bruise fades away in about:

a- 2-4 hours b- 2-4 days. c- 2-4 weeks. d-2-4 months.

173-The colour changes that follow a large bruise occur:

a- At the periphery of the bruise only.

b- At the centre of the bruise only.

c- From the periphery toward the centre of the bruise.

d- From the centre toward the periphery of the bruise.

174-One of the followings is a character of cut wound:

a- It shows bruises around its edges

b- It has less tendency to sepsis.

c- It is usually associated with little external bleeding.

175- One of the following is a character of ordinary contused wound:

a- It has more tendency to gap than cut wound.

b- It has less tendency to sepsis.

c- It is usually associated with little external bleeding.

d-It shows no bruises around its edges.

176-Depth of the wound is more than its length in case of:

a- Cut wound. b- Contused wound. c- Stab wound. d- Abrasions.

177-The following are PM finding in cases of death from hemorrhage Except:

a- Ill-defined hypostasis. b- Heart & large blood vessels appear empty.

c- Congested viscera. d- Contracted spleen.

178-The amount of air that can result in pulmonary air embolism is at least:

a- 10 cc. b- 20 cc. c- 50 cc. d- 200 cc.

179-The following are characters of fabricated wound Except:

a- It's in a safe site. b- It's within the reach of the hand of the fabricator.

c- It's a deep wound.

d- Clothes of fabricator usually show absence of tearing opposite the wound.

180-The direction of the wound in case of suicidal cut throat is usually:

a- Oblique. b- Transverse. c- Vertical. d- None of the above.

181-One of the following is a character of pathological rupture of intestine:

a- Mucosa bulging outside on the serous surface. b- Presence of bruises on the abdominal wall.

c- Absence of history of trauma. d- The rupture appears irregular.

182- Contused wounds characterized by the followings Except:

a. Crushed hair at the edges. b. Bridging of tissues across the edges.

c. Acute angles. d. Irregular edges.

183-Stab wounds characterized by the followings Except:

a. Two angles. b. Regular edges.

c. Length more than depth. d. Its shape corresponds to the weapon used.

e. Haemorrhage is the usual cause of death.

184- Causes of death in wounds include the followings Except:

a. Shock. b. Haemorrhage. c. Puerperal sepsis. d. Injury to deep vital organs.

185-A victim was found dead in the street, with multiple wounds in his body. You examined the victim and decided that these wounds are postmortem and not antemortem due to

a. Bruised margins b. Cellular changes

c. Absence of erythema d. Gaps on incised wound

186-Twenty seven years old victim came to the hospital complaining from multiple incised wound on his forearm. After full examination doctor decided that the wounds are fabricated one. what is the cause of the doctor diagnosis?

a. Clothes were cut at the same place of wound b. Presence of sepsis

c. Presence of signs of healing d. Multiple and superficial

187-Female victim came to the emergency department with severe bleeding from the scalp, after examination and performing x ray you exclude the presence of fracture in the skull, and you decided that the wound is lacerated one. What is the cause of this decision?

a. Clean cut edge of hair b. Presence of tailing at the end of the wound

c. Presence of tissue bridges in the wound d. Profuse bleeding

188-Transfixing wound is defined as

a. Fixing the weapon to the body surface b. Fixing the body before wound infliction

c. Fixing the organs (ant and post) with the weapon d. Fixing the weapon inside the wound

189-Young male 20 years old was found dead in his room by his parents who were travelled abroad. His parents said to the police that he was failed in the exam and depressed from that. After external examination the forensic pathologist found that, there was multiple stab wounds in his body, in chest, abdomen and thigh, with no hesitation marks, there was buttons in his right hand and no knife was found in the room. what is the expected manner of death?

a. Cannot determine b. Accidental c. Homicidal d. Suicidal

190-Wounds can be defined as:

a. any discontinuation of the body tissues caused by disease or illness.

b. any discontinuation of the body tissues caused by internal factors.

c. any discontinuation of the body tissues caused by any factors.

d. any discontinuation of the body tissues caused by injury or violence

191-Which of the following is a characteristic of defense wounds?

a. Indicating suicidal intent.

b. Usually located on the flexor and radial surface of the forearm.

c. Indicating accidental event.

d. Usually located on the extensor and ulnar surface of the forearm

192-Which of the following is NOT a characteristic of antemortem incised (cut) wounds

a. Bleeding from the wound. b. Regular clean-cut edges.

c. Swelling and redness around the wound d. Gaping of the wound

193-Tramline bruise is characterized by:

A) Single line B) Circular mark C) Two parallel lines D) Irregular patch

194-Which of the following is NOT a characteristic of contusions?

a. Extravasation of blood under intact skin due to blunt trauma.

b. Size can vary from millimeters to many centimeters.

c. Caused by sharp instruments. d. Color changes over time

195-Which statement is TRUE?

A) Bruises always indicate site of injury B) Bruises may appear away from trauma site

C) Bruises form only immediately D) Bruises do not spread

196-Black eye can result from all EXCEPT:

A) Direct orbital trauma B) Blood tracking from forehead

C) Basal skull fracture D) Injury to chest

197-A blow on the temple may produce a bruise on:

A) Forehead B) Neck C) Cheek D) Chin

198-A "black eye" may result from a blow to the:

A) Forehead B) Neck C) Cheek D) Chin

199-A blow to the calf muscles may cause bruising around the:

A) Knee B) Thigh C) Ankle D) Foot dorsum

200-Finger pad bruises on the neck suggest:

A) Hanging B) Throttling C) Drowning D) Poisoning

201-Finger pad bruises on thighs are commonly seen in:

A) Throttling B) Burns C) Rape D) Electrocution

202-Tramline bruising is caused by:

A) Sharp weapon B) Rod-shaped object C) Firearm D) Chemical burn

1. B	2. A	3. B	4. B	5. D
6. B	7. C	8. B	9. B	10.C
11.B	12.C	13.C	14.D	15.A
16.A	17.A	18.A	19.D	20.D
21.C	22.B	23.A	24.C	25.A
26.C	27.D	28.A	29.B	30.A
31.B	32.D	33.B	34.B	35.C
36.B	37.D	38.D	39.A	40.C
41.C	42.B	43.D	44.B	45.C
46.B	47.D	48.C	49.B	50.C
51.A	52.A	53.A	54.A	55.B
56.A	57.A	58.A	59.A	60.B
61.B	62.A	63.C	64.C	65.C
66.A	67.B	68.C	69.C	70.D
71.D	72.B	73.B	74.A	75.A
76.A	77.B	78.B	79.B	80.A
81.B	82.B	83.B	84.B	85.A
86.A	87.A	88.B	89.C	90.B

91.B		92.B		93.D		94.B		95.D	
96.B		97.C		98.C		99.D		100.	D
101.	C	102.	C	103.	D	104.	D	105.	D
106.	C	107.	A	108.	A	109.	D	110.	B
111.	B	112.	C	113.	D	114.	D	115.	C
116.	C	117.	B	118.	C	119.	B	120.	C
121.	D	122.	D	123.	B	124.	B	125.	D
126.	B	127.	A	128.	B	129.	B	130.	B
131.	B	132.	B	133.	B	134.	A	135.	B
136.	B	137.	A	138.	B	139.	A	140.	A
141.	B	142.	C	143.	B	144.	A	145.	B
146.	D	147.	C	148.	A	149.	C	150.	B
151.	C	152.	C	153.	E	154.	C	155.	B
156.	B	157.	C	158.	D	159.	C	160.	E
161.	C	162.	D	163.	C	164.	C	165.	E
166.	C	167.	B	168.	C	169.	B	170.	C
171.	A	172.	C	173.	C	174.	B	175.	C
176.	C	177.	C	178.	D	179.	C	180.	A
181.	C	182.	C	183.	C	184.	C	185.	C
186.	D	187.	C	188.	C	189.	C	190.	D
191.	D	192.	D	193.	C	194.	C	195.	B
196.	D	197.	C	198.	A	199.	C	200.	B
201.	C	202.	B	203.		204.		205.	

head injuries

1-Diffuse axonal nerve injury following concussion is except {Final2025}

A-Occurs in car accidents B-Macroscopic

C-Requires an expert neuropathologist with specific stain D-Not managed by surgery

2- in relation to concussion, the following is wrong? {Mid2025}

A- It is not pathological B- momentary loss of all of brain functions

C- Associated with hypertension D- associated with coma

3-Person with post traumatic automatism is legally responsible? {Final2025}

A-True B-False

4- subdural haemorrhage has lucid interval longer than extradural haemorrhage? {Mid2025}

A- true B- false

5-Shelving of skull is mostly due to {Formative2025}

a)Hammer b) Stick c) Stone d) grubber

6-Diastatic skull fractures: {Formative2024}

a) Occur by sharp instrument b) Is depressed fracture

c) Occurs along suture lines d) Occurs in old age

7-Diastatic fracture refers to fracture through {Formative2023}

a. Outer table b. Inner table c. Suture line d. None

8- Female with history of head trauma came to the hospital. Her pulse was 100 beat/min. Her BP was 75/60 and no signs of lateralization. She was discharged after 24 hours. Later she developed coma and died. What has happened? {Mid2024}

a) concussion followed by compression b) compression c) concussion d) Meningitis

9- Bipolar fracture is {Mid2024}

a) injury at site of impaction and at the opposite site

b) at the bulging two poles c) two separate blows

10- Localized depressed fracture are caused by blows from {Mid2024}{Qena}

a) Light weapon with a large striking surface b) Light weapon with a small strikinq surface

c) Heavy weapon with a small striking surface d) Heavy weapon with a large strikinq surface

11-All about brain contusion are true except; {Formative2022}

a) The cortex still remain its shape b) Circumscribed area of brain tissue distruction

c) Pia matter is ruptured d) Surrounded by numerous petechiae

12- Extradural haemorrhage commonly occurs from rupture of {Formative2023}

a. Superior sagittal sinus b. Middle meningeal artery

c. Dural sinus d. None of above.

13. Brain contusion is characterized by the following except: {Qena}

a-Wedge shaped ares of brain tissue destruction. b- The pia mater is ruptured

c-It can be a coup lesion. d-It can be a contre coup lesion.

14-All about brain laceration are true except; {قديم}{Qena}

a) Circumscribed area of brain tissue destruction. b) The cortex loses its continuity.

c) Surrounded by contusion. d) Pia matter is intact.

15-Ring fracture is subtype of: {Formative2022}{Qena}

a) depressed fracture b) fissured fracture c) comminuted fracture d) all of the above

16- Spider's Web fracture is {Final2022}{kasr}

A- Depressed fracture B- Linear fracture C- Cut fracture. D- Comminuted fracture

17- Ring fracture is a fracture occurs: {Mid2021}

a. Around foramen magnum b. Around head of humerus

c. Around head of mandible d. A and C

18-Ring fracture occurs in {Mid2023}

a) In the base of skull b) Vault c) Skull eminences d) Temporal bone

19-Skull fracture that result from falling from height on the buttock is: {Qena}

a. Comminuted b. Bipolar fracture c. Polar fracture d. Ring fracture

20- Shelving in skull fracture caused by which type of the following? {Final2023}

A- stick B- fass C- hammer D- Stone

21- Pachy meningitis haemorrhagica is traumatic: {Mid2021}

a. Extradural hemorrhage b. Acute subdural hemorrhage

c. Subarachnoid hemorrhage d. Chronic subdural hemorrhage

22-Which of the following is TRUE about pachy meningitis hemorogica? {Mid2023}

a) occurs in diabetic angioneuropathy b) Acute condition

c) occurs in young adults d) occur in subarachnoid space

23- Gushing ulcer occurs as a result of {Final2021}

a. Crushing of muscles in accidents b. Complication of burn

c. Head injury d. Drowning

24. Herniation of medulla through the foramen magnum is the cause of death in: {Final2021}

a. Cerebral concussion b. Cerebral compression

c. Cerebral contusion d. Cerebral laceration

25- Polar fracture occurs in: {kasr}{Final2021}

a. Perpendicular direction to the blow b. The same site of strike

c. Unsupported head d. All of the above

26- Power of speech is preserved in? {Mid2022}{Final2022}{Mid2024}

A- Depressed fracture B- Comminuted fracture

C- Injuries to left frontal lobe involving Boca's area. D- Lucid interval

27-A person with a head injury can talk normally and tell about the circumstantial evidence in case of: {قديم}{Qena}

a. Lucid interval b. Concussion c. Retrograde amnesia d. Automatism

28- All are TRUE about pond fracture EXCEPT {Final2023}

A- Occur in children. B- Take the shape of the causative instrument.

C- Caused by blunt instrument. D- Fissure fracture

29- Pond fracture of the skull is a type of: {Formative2023}{قديم}{Qena}

a) fissure fracture b) depressed fracture.

c) fracture can occur in all age groups d) comminuted fracture.

30- Laminated blood clot occur in {Final2023}

A- Extradural hemorrhage B- Subdural hemorrhage

C- Subarachnoid hemorrhage D- Intracerebral hemorrhage

31- A man with traumatic meningitis, which is true? {Mid2023}{Mid2024}

A. Pus is mainly basal B. Meningococci is causative organism

C. Pus is opposite the lesion in the scalp D. Pus is opposite a necrotic temporal bone

32- Sub periosteal hematoma is {Mid2024}

A. Small, circumscribed due to fibrous strands

B. Diffuse and limited by attachment of occipitofrontalis muscle

C. Confined to one bone

D. Large, diffuse, soft

33-The commonest fate of concussion is

a- Posttraumatic amnesia b- Posttraumatic neurosis

c- Posttraumatic automatism d- Complete recovery

34-Compression is characterized by {Merit}

a. Signs of laterliozation b. Sudden loss of concioussness

c. Hypotension d. Hypothermia

35- Coma after concussion is characterized by the following? {قديم}

A- Rapid weak pulse B- Equal pupils C- Low blood pressure D- All of the above

36- A person can talk and tell about the assailant during the: {Qena}

a. Concussion. b. Compression. c. Lucid Interval. d. Any of the above.

37-The coma after concussion is characterized by the following except: {Qena}

a. rapid weak pulse b. low blood pressure c. equal pupils d. high temperature

38-A-Diastatic fracture is a type of: {Qena}

a) Depressed skull fracture b) cut skull fracture

c) fissured skull fracture d) comminuted skull fracture

39-In cerebral compression the eyes show only two of the following {Qena}

a) Dilated reactive pupils b) Doll's eye c) Unequal pupils d) Conjugate deviation

40-All of the following statements about brain concussion are correct except: {Qena}

a- It is a degree of diffuse axonal injury.

b-It is a state of transient loss of consciousness.

c- It usually occurs following a rotational movement of the head.

d- Complete recovery is unusual

41-Clinical picture of fracture middle cranial fossa includes all the following except: {Qena}

a- Bleeding from the ear.. b- CSF otorrhea

c- Ocular nerve paralysis. d-Facial nerve paralysis

42-In irritant phase of cerebral compression all can occur except: {Qena}

A. Hypertension B. Bradycardia

C. Mydriasis D. Deep and shallow respiration

43-The commonest vacular injury asociated with fissure fracture is {Merit}

a. Basilar artery b. Middle meningeal artery

c. Anterior cerebral artery d. Venous sinuse

44-Which one of the following is a depressed freacture? {Merit}

a. Thernal fracture b. Polar fracture c. Ring fracture d. Pond fracture

45-Pond's fracture is seen most commonly in: {Qena}

a-Children B. Adolescent. C. Middle aged women. d-elderly

46-Concusion is characterized by {Merit}

a. Gradual loss of concioussness b. Hypotension

c. Hyperthermia d. Signs of laterliozation

47-All skull fracture heals by fibrous membrane except: {قديم}{Qena}

a. Depressed fracture b. Cut fracture c.Fissure fracture d.Comminuted fracture

48-The commonest fate of brain concussion is: {Qena}

a. Korsakoff's psychosis b. Retrograde amnesia

c. Post traumatic neurosis d. Complete recovery

49-A patient is suspected to have anterior cranial fossa fracture due to presence of {Qena}

a. Black eye b. Korsakoff's psychosis c. Polar fracture d. Head injury

50- A lucid interval in head injury is most commonly associated with: {Qena}

a) Concussion b) Extradural hematoma

c) Subdural hematoma d) cerebral contusion

51-Depressed skull fracture can be caused by {Qena}

A. Heavy sharp instrument B. Heavy blunt instrument

C. Pointed tip instrument D. None of the above

52-Fissure fractures include the following types except {Qena}

A. Ring fracture B. Localized depressed fracture

C. Polar fracture D. Diastatic fracture

53-Bipolar fracture is……. {قديم}{Qena}

A) comminuted fracture B)fissure fracture C)cut fracture D) depressed fracture

54-Fracture base of skull may occur due to: {Qena}

A. Fall on the buttocks B. Blow by a clever C. Fall on the ground while walking

55- Skull vault fissure fracture results from trauma by an instrument having: {Qena}

a- A wide striking surface with high momentum.

b A localized striking surface with high momentum.

c- A wide striking surface with low momentum.

d- A localized striking surface with low momentum.

e- A heavy sharp edge instrument.

56-Concussion always leads to death of the victim {Qena}

a. True b. False

57- All types of skull fractures lead to permanent infirmity {Qena}

a. True b. False

58- extradural hematoma are commonly traumatic {Qena}

a. True b. False

59- brain compression never preceded by lucid interval {Qena}

a. True b. False

60- Subperiosteal hematoma is: {kasr}

a. Small and circumscribed due to fibrous strands.

b. Large, soft and diffuse.

c. Confined to one Bone.

d. Limited by the attachment of occipito-frontalis muscle.

61- Subaponeurotic hematoma is limited by: {kasr}

a. Fibrous strands. b. The attachment of occipito-frontalis.

c. Suture lines. d. None of the above.

62- Head injury can cause meningitis via: {kasr}

a. Bridging veins. b. Emissary veins. c. Fissure veins. d. Both b and c.

63- Ring Fracture is: {kasr}

a. Fissure fracture. b. Depressed fracture.

c. Comminuted fracture. d. Cut fracture

64- All the following fractures are subtypes of fissure fracture, except: {kasr}

a. Pond fracture. b. Polar fracture.

c. Diastatic fracture. d. Hinge fracture.

65- One of the following statements is incorrect as regards the pond fracture: {kasr}

a. It is due to heavy blunt object. b. It occurs in children.

c. It takes shape of the causal agent. d. It is a fissure fracture.

66- Shelving of the skull fracture is due to injury by: {kasr}

a. Stone. b. Fass. c. Hammer. d. Stick.

67- Communited fracture is caused by: {kasr}

a. Heavy blunt object with wide striking surface.

b. Heavy blunt object with Localized striking surface.

c. Blunt object with low momentum.

d. Heavy sharp object.

68- The following fracture is usually accompanied{kasr}

a. Depressed fracture. b. Fissure Fracture c. Cut fracture d. Comminuted fracture.

69- All the following are trus-regarding the thermal fracture, except: {kasr}

a. Extradural hematoma is large. b. The brain is shrunken.

c. It is due to evaporation. d. It resembles traumatic fracture.

70- Pupils are unequal in case of: {kasr}

a. Cerebral concussion. b. Cerebral compression.

c. All of the above. d. None of the above

71- Ring fracture is: {kasr}

a. A fissure fracture. b. In the base of the skull.

c. Around foramen magnum. d. All of the above.

72- Extradural hematoma is mostly: {kasr}

a. Arterial. b. Venous. c. Arterial and venous. d. Capillary.

73- Subdural hematona is mostly: {kasr}

a. Arterial. b. Venous. c. Arterial and venous. d. Capillary.

74- Blood in epidural hematoma is collected between: {kasr}

a. Outer table of skull and periosteum. b. Inner table of skull and dura.

c. Dura matter and arachnoid. d. Arachnoid and pia matter.

75- Tear of middle meningeal artery leads to: {kasr}

a. Concussion. b. Compression after a lucid interval.

c. Compression. d. Brain laceration.

76- In lucid interval, the hemorrhage is: {kasr}

a. Extradural. b. Subdural. c. Subarachnoid. d. Intracerebral.

77- For post-concussion syndrome, all are true, except: {kasr}

a. It remains for few days then the patient becomes normal.

b. It is characterized by headache, memory impairment and vertigo.

c. may be fatal in severe cases.

d. It is due to psychological element or brain edema.

78- In post-concussion syndrome, the patient is: {kasr}

a. Conscious. b. Comatosed. c. Semi-comatosed. d. Sleepy.

79- Concussion passing to compression without lucid interval occurs in all of the following conditions, except: {kasr}

a. Depressed cranial bone. b. Tear of middle meningeal artery.

c. Extensive meningeal bleeding. d. non of the above

80- A patient was brought to hospital with head injury. On examination of the eyes, one pupil was constricted and the other was dilated: {kasr} تاكد

a. The head injury is on the same side of constricted pupil.

b. The reflexes are exaggerated on the side of dilated pupil.

c. The muscles are paralyzed on the side of constricted pupil.

d. Both b and c

81- All the following statements are correct as regards concussion, except: {kasr}

a. No signs of lateralization. b. The patient has the picture of shock.

c. Corneal reflex is the first reflex to disappear. d. Pupils are dilated in severe cases.

82- The patient with concussion has all of the followings, except: {kasr}

a. High temperature. b. Low B.P. c. Rapid pulse. d. Rapid respiration.

83- The patient with compression has all of the followings, except: {kasr}

a. High B.P. b. Exaggerated reflexes on the ipsilateral side.

c. Miosis starts on the ipsilateral side. d. Slow pulse and respiration.

84- Increased intracranial tension is characterized by all of the following, except: {kasr}

a. Projectile vomiting. b. Headache.

c. Subnormal temperature. d. Slow full pulse.

85- Irritant stage of cerebral compression includes all of the following, except: {kasr}

a. Conjugate deviation of eyes. b. Miosis. c. Rapid pulse. d. Twitches

86- Laminated blood clot is found in: {kasr}

a. Extradural haemorrhage. b. Subdural haemorrhage.

c. Subarachnoid haemorrhage. d. Intracerebral haemorrhage.

87- Coup contusion occurs as a result of all of the following, except: {kasr}

a. Acceleration of the head. b. Deceleration of the head.

c. Acceleration/deceleration of the head. d. Whiplash injury.

88- Contre-coup contusion of the brain is due to: {kasr} تاكد

a. Backward fall. b. Blow to non-supported head.

c. Blow to supported head. d. Forward fall.

89- Contre-coup injury occurs in: {kasr}

a. The site of impact.

b. The opposite side of impact,

c. Both a and b.

d. Midway between the site of impact and the opposite point of impact.

90- Power of speech is preserved in: {kasr}

a. Depressed-fracture b. Lucid interval

c. Comminuted fracture d. Injuries of left frontal lobe involving Broca's area.

91- Middle meningeal artery runs in a groove in: {kasr}

a. Parietal bone. b. Frontal bone. c. Occipital bone. d. Temporal bone.

92- Signs of lateralization include all of the following, except: {kasr}

a. Absent reflexes. b. Papiliedema. c. Muscle paralysis. d. Unequal pupils.

93- Compression includes all of the following, except: {kasr}

a. Hypertension and fever. b. Signs of lateralization.

c. Rapid weak pulse. d. Slow deep respiration.

94- All are true as regards diffuse axonal injury, except: {kasr}

a. It causes coma less than 6 hours. b. It is caused by rotational shear force.

c. Grossly, brain appears normal. d. It may be fatal.

95- Pachy-meningitis hemorrhagica is common in: {kasr}

a. Diabetes. b. Aneurysm. c. Atherosclerosis. d. Hypertension.

96- Paralytic stage of increased I.C.T. is not characterized by: {kasr}

a. Miosis. b. Fever c. Muscle paralysis. d. Areflexia.

97- Vault fractures are more common than base fractures. {kasr}

a. true b. false

98- Falls from height may cause comminuted fractures. {kasr}

a. true b. false

99- The brain is apparently normal in diffuse axonal injuries. {kasr}

a. true b. false

100- Temporal bone has a great liability to fractures. {kasr}

a. true b. false

101- Scalp wound can determine the site of intracranial injury. {kasr}

a. true b. false

102- Scalp wound can cause intracranial infection. {kasr}

a. true b. false

103-Signs of lateralization can be used to diagnose the side of the lesion. {kasr}

a. true b. false

104-localized indentation of the skull bone after a blow by heavy object

a-depressed fracture b-fissure fracture c-ring fracture d-cut fracture

105-Escape of cerebrospinal fluid from ear or nose is highly indicative of

a-Temporal bone fracture b-Pachymeningitis hemorrhagica

c-Fracture base d-Fracture vault of skull

106-Healing of fissure fracture complete after

a) one month b) Two months c) Three months d) four months

107-Contre -coup injury of brain occurs when

a- The head is fixed b- The head is moving

c- The used object has localized striking surface d- The used object has very high speed

108- Fissure fracture of the skull results from a trauma by an object having a:

a. Big striking surface and high momentum. b. Localized striking surface and low momentum.

c. Big striking surface and low momentum. d. Localized striking surface and high momentum.

e. Butcher's knife.

109- In traumatic meningitis:

a- Skull injury must be present. b- Scalp injury must be present.

c- Collection of pus is mainly basal. d- Collection of pus is opposite the necrotic temporal bone.

e- Suggestive history of sore throat.

110- In meningococcal meningitis:

a- Scalp injury must be present.

b- Collection of pus is opposite the necrotic temporal bone.

c- Basal distribution of the pus is demonstrated.

d- Bacterial examination shows secondary organisms such as staph. aureus & streptococcus.

111- An adult male sleeping on the floor received a trauma to his head by heavy stick, this may result in the following Except:

a- A localized depressed fracture. b- Fissure fracture at the point of trauma.

c-Comminuted fracture.

d- Fissure fracture between site of trauma and support site.

112- Triangular cut fracture in the skull vault which is broader with more shelving of skull bones towards the side of the assailant is due to a blow by:

a- Heavy butcher's knife. b- An axe. c- A grubber (fas).

d- A head of hammer. e- A big heavy stone.

113- Fissure fracture of skull vault may be caused by:

a- Heavy blunt instrument. b- Heavy sharp edge instrument.

c- Heavy sharp pointed instrument. d- Small localized striking surface with high momentum.

e- Heavy pointed end instrument.

114- After fracture of the skull base in an adult, the blood and CSF escaped from the nose with subconjuctival Hge. The site of the fracture is:

a- In the anterior cranial fossa. b- In the middle cranial fossa.

c- In the posterior cranial fossa. d- Around the foramen magnum.

e- In the glenoid fossa.

115- Fracture of the posterior cranial fossa is manifested by escape of blood and CSF:

a- From the nose. b- From the ear. c- in the orbit. d- In the tissue of the neck.

116- Brain concussion is due to:

a- Brain laceration.

b- Generalized vibratory wave affecting the brain stem reticular formation.

c- Increased intracranial pressure. d- Diffuse brain edema.

117- Concussion commonly passes to compression with lucid interval in case of:

a- Subarachnoid Hge. b- Subdural Hge. c- Extradural Hge. d- Intracerebral Hge.

118- An adult male received a trauma to his head, he fell on the ground with loss of consciousness, blood pressure 70/40 mmHg, pulse 130/min, pupils are equal, these signs & symptoms are attributed to:

a- Brain compression. b- Brain laceration. c- Brain concussion.

d-Reflex vagal inhibition to the heart. e- Sympathetic shock.

119-Chronic subdural hemorrhage is also known as:

A) Pachymeningitis haemorrhagica B) Subarachnoid hemorrhage

C) Epidural hematoma D) Cerebral contusion

120-Gushing ulcer is complication of {Qena}

A. Criminal abortion B. Intracranial injures C. Burn D. Crushing of muscles

1. B	2. C	3. B	4. A	5. D
6. C	7. C	8. A	9. A	10.C
11.C	12.B	13.B	14.D	15.B
16.B	17.D	18.A	19.D	20.B
21.D	22.A	23.C	24.B	25.A
26.D	27.A	28.D	29.B	30.B
31.C	32.C	33.D	34.A	35.D
36.C	37.D	38.C	39.C,D	40.D
41.C	42.C	43.B	44.D	45.A
46.B	47.C	48.D	49.A	50.B
51.B	52.B	53.B	54.A	55.C
56.B	57.A	58.A	59.B	60.C
61.B	62.B	63.A	64.A	65.D
66.B	67.A	68.C	69.A	70.B
71.D	72.A	73.B	74.B	75.B
76.A	77.C	78.A	79.B	80.A
81.C	82.A	83.B	84.C	85.C
86.B	87.D	88.A	89.B	90.B
91.D	92.A	93.C	94.A	95.A
96.A	97.B	98.A	99.A	100. A
101. B	102. A	103. A	104. A	105. C
106. C	107. B	108. C	109. B	110. C
111. A	112. C	113. A	114. A	115. D
116. B	117. C	118. C	119. A	120. C

Firearm injuries

1- Effect of explosive gases can travel to distance up to {Mid2025}

A- 15cm B- 35cm C- 50 cm D- 25 cm

2-Blackening and tattooing present around exit {Formative2025}

a) True b) False

3- Beveling occurs in all the following except {Mid2024}{Final2021}{Qena}

A. Skull B. Femurs C. Sternum D. Scapula

4- Firearm wound with everted edges occurs if firing {Mid2024}

A. At the buttocks B. 125 cm distance C. 25 cm distance D. At the temple

5- Rubber bullet shouldn't be fires at distance less than {Mid2024}

a) 50 m b) 30 m c) 20 m d) 40 m

6- The most important character of firearm wound is {Mid2024}{Formative2024}{قديم}

a) Circular shape. b) Inverted edges

c) Presence of powder mark d) Loss of substance.

7-Oblique firing produce: {Formative2024}{قديم}{Qena}

a) Oval inlet b) no inlet c) Circular inlet d) Inlet with no exit

8-The most important sign for identification of contact firearm inlet is {Formative2023}{Qena}

a) Loss of substance b) Presence of two wounds

c) Muzzle imprint around the wound margin d) Abraded inlet

9- Blackening: {Mid2024}

a) due to unburnt powder particles b) occurs at distance 2-3 m c) can be washed

10- Tattooing is caused by {Final2023}{Mid2025}

A- Unburnt powder particles B- smoke C- gas D- flame

11- In suicidal firearm, the inlet is {Mid2024}

a) cruciate b) inverted c) regular d) small

12- All are character of typical inlet of firearm wound EXCEPT: {Final2023}

A- Large in size B- soiling C- abraded D- Round

13- Soiling ring is: {Final2023}

A- Grease result from lubricant on the surface of the bullet from barrel

b) unburned powder particles

c) rim of abrasion around the wound d) flame and smoke

14-Which of the following is TRUE about the exit of firearm wounds? {Mid2023}

a) Irregular edges b) small sized c) Internal beveling d) Powder marks

15-Internal wad hits and cause circular contusion at: {Formative2022}

a) 3-10 meter b) less than 3 meter c) 1 meter d) None of the above

16-One of the following is true about blackening of firearm wound: {Formative2023}

a) Caused by un-burnt powder particles b) Could be washed

c) Travel distance about 2:3 length of the barrel d) May occur at exit of firearm wound

17-Exit wounds of Firearm injuries have {Formative2022}

a) Burning b) Blackening c) All of the above d) None of the above

18- The exit of a firearm injury is smaller than the inlet in the case of: {Mid2021}

a. Shot gun fired at 5 meters. b. Automatic pistol fired at 5 cm.

c. Revolver fired at 2 meters. d. Automatic pistol fired at 5 meters.

19- An adult male come the hospital with 14 shots embedded in the skin of the cheek, shoulder, chest, hypogastrium and right foot. The distance of firing in meters is: {Mid2021}

a. 8 b. 10 c. 20 d. 60

20- The most important character of inlet wound of firearm injury is the {Final2021}

a. Presence of powder mark b. Loss of substance

c. Inverted edges d. Circular shape

21- Injury by shotgun at 2 meters characterized by: {Final2021}

a. Complete dispersion b. Tattooing at inlet c. Everted inlet d. Muzzle imprint

22- Right arrangement of degree of chocking in firearm is: {Final2021}

a. Modified chock, half choke, full choke and improved cylinder

b. Improved cylinder, modified chock, half choke and full choke

C. Half chock, modified choke, full choke and improved cylinder

d. Improved cylinder, half chock, modified choke and full choke

23- Single inlet with multiple exits can be found in all, EXCEPT {Mid2022}{Qena}

A- Associated scattered bone fragments. B- Tangential firing

C- Near firing of a non-rifled weapon D- Damdamized bullet

24-full dispersion occurs in full choked gun at distance of: {Formative2022}

a) 4 meter b) 6 meter c) 1 meter d)8 meter

25-Full dispersion of shots occur at: {Merit}

a. 3 meters b. 4 meters c. 1 meter d. 2 meters

26- Percussion cap may contain all of the following EXCEPT {Final2022}

A- Potassium chlorate B- Powdered glass C- Mercury chlorate D- Antimony sulphide

27-Which of the following is TRUE about oblique firing? {Mid2023}

a) rounded inlet b) oval inlet c) no exit

28- An injury by a shot gun at 2 meter is characterized by one of the following {Final2022} {Qena}

A- Complete dispersion B- Tattooing around the inlet

C- Evidence of smoke around the inlet D- Everted edge of the inlet

29- Irregular inlet of firearm wound occur in the following EXCEPT {Final2022}{Qena}

A- 30 cm in the buttock B- Suicidal firearm wound in the Rt check

C- 20 cm by service rifle in the forehead D- 50 cm by revolver in axilla

30- 2 wound of non- rifled weapon with 9 CM area of dispersion, the distance of firing is: {Final2023}

A- 1 meter B- 2 meters C- 3 meters D- 4 meters

31-About suicidal firearm injury the following is true: {Qena}

a) There is cadaveric spasm b) The inlet is circular

c) The inlet is inverted d) No powder marks

32- In a fire-arm injury, Tattooing of the entry wound is due to: {Qena}

A. Flame B. Hot gases C. Unburned gun powder D. Smoke.

33-The percussion cap contains all of the following except: {Qena}

a. Powdered glass b. Antimony sulphide c. Copper sulphate d. Potassium chlorates

34- An abrasion collar is seen in cases of: {Qena}

a. Lacerated wounds. b. Stab wounds. c. Inlet of firearm wounds. d. Cut wounds.

35-A typical inlet caused by a rifled weapon is characterized by the following features except: {Qena}

a) The inlet is usually abraded b) The shape of the inlet is rounded

c)Its edges are regular and inverted d) Its size is larger than the size of the exit

e)Presence of soiling ring at the margin of the wound

36- In a fire-arm injury, everted edge of the entry is due to: {Qena}

A Flame B. Gases C. Unburned gun powder D. Smoke.

37- Exit wound is smaller than inlet of bullet in: {Qena}

a- If distance is 2 meters. b-If distance is 3 meters.

c- Near firing. d-Far distance firing.

38-the following are characters of firearm injuries except : {Qena}

A. beveling of bone B. loss of substance

C. powder marks D. abrasions and contusions

39-An injury in the back by a shot gun at 2 meter is characterized by one of the following {Qena}

A. Complete dispersion B. Tattooing around the inlet

C. Evidence of smoke around the inlet D. Everted edge on the inlet

40-The edges of the inlet are everted after injury by an automatic pistol if fired: {Qena}

A. At 125 cm B. At 5 m C. In the temporal bone D. In the buttock

41-How does rifling affect the bullet's accuracy and range of firing? {Merit}

a. Decreases accuracy and range of firing

b. Increases accuracy and range of firing

c. Increases accuracy but decreases range of firing

d. Has no effect on accuracy and range of firing

42-Regarding loss of substance in firearm injury? {Merit}

a. More at the inlet than at the exit b. Not occured in firearm injuries

c. Equal at inlet and exit d. More at the exit than at the inlet

43- Inlet is irregular in firing of : {Qena}

a) Axilla b) Abdomen c) Gluteal region d) Groin

44- The rifling marks are helpful for identification of the weapon {قديم}{Qena}

A- True B- False

45-The main medico legal importance of rifling marks is the diagnosis of: {Qena}

A) Type of the weapon b) Firing of the bullet

c) Type of the bullet d) Direction of firing

46- The following are characters of near firing except: {Qena}

a-beveling b- burning c- blackening d-tattooing

47-Firearm injuries there is always {Qena}

a. Loss of substance b. External beveling c. Powder marks d. 2 wounds

48- In a firearm injury, blackening of the entry wound is due to: {Qena}

a. Flame b. Hot gases c. Unburned powder d. Smoke

49- True statement about suicidal firearm injury is: {Qena}

A. No powder marks B. The inlet is inverted

C. There is cadaveric spasm D. The inlet is circular

50- Medico legal importance of wads in F.A injuries includes diagnosis of: {Qena}

A. Manner of death B. Mechanism of death C. Direction of firing D. The inlet.

51-Medico legal importance of wads includes diagnosis of {Qena}

a. Manner of death b. Mechanism of death c. Direction of firing d. Distance of firing

52-A young adult female was shot in the breast from one meter by a rifled weapon, the inlet is expected to be {Qena}

a. Large b. Everted c. Inverted d. Cruciate

53- Adult female was shot in the breast from 1 meter by a pistol, the inlet shows: {Qena}

A. Cruciate shape B. Large size C. Inverted edge D. Everted edge

54-Powder marks are always present around the inlet {Qena}

a. True b. False

55- In non-riffled weapons, bore 12 is less than 16 {Qena}

a. True b. False

56- The rifling marks are helpful for identification of the weapon

a. True b. False

57- the margin of exit wound of firearm injury is everted {Qena}

a. True b. False

58- Abrasion collar is due to soiling the edges of the inlet {Qena}

a. True b. False

59- Inlet wounds of firearm are always everted edges {Qena}

a. True b. False

60- The shape of firearm inlet wound is always regular {Qena}

a. True b. False

61- The bore of rifled weapon could be the diameter of the following except: {kasr}

a. The base of the bullet. b. From land to land.

c. From groove to groove. d. Inner diameter of the barrel.

62- Choking of the sporting gun means: {kasr}

a. Narrowing of the rifled barrel at the muzzle end.

b. Narrowing of the barrel at the breech and muzzle ends.

c. Narrowing of the smooth barrel at the muzzle end.

d. Narrowing of the smooth barrel at the breech end.

63- According to the length of the barrel, firearm weapons could be classified into: {kasr}

a. Sporting and Ghaffir. b. Automatic and non-automatic.

c. Rifled and non-rifled. d. Services and handgun.

64- With smooth barrel, the firearm weapon may be: {kasr}

a. A revolver. b. A pistol. c. A sporting weapon. d. A rifled weapon.

65- Which of the following is not a clue for an inlet{kasr}

a. Primer residues. b. Powder marks. c. Soiling ring. d. Rifling marks.

66- Which of the following is not a projectile{kasr}

a. Bullets. b. Shots. c. Smokeless powder. d. Pellets.

67- Non-rifled missiles could not be: {kasr}

a. Pellets. b. Bullets. c. Wads. d. Shots.

68- Sporting gun's missiles could be: {kasr}

a. Shots. b. External wads. c. Both of the above. d. None of the above.

69- Medicolegal importance of wads are all of the following, except: {kasr}

a. Diagnosis of firearm injury due to rifled weapons.

b .Differentiation between inlet and exit wounds.

c. Identification of bore of the weapon.

d. Estimation of the distance of firing.

70- Powder marks are: {kasr}

a. Blackening, burning and abrasion. b. Blackening, burning and tattooing.

c. Blackening, abrasion and tattooing. d. Blackening, burning and soiling ring.

71- Internal wad: {kasr}

a. Travels 1-3 meters. b. Strikes skin causing circular abrasion at 1-3 meters.

c. Penetrates skin at 3 meters. d. Penetrates skin at 1 meter.

72- All of the following could be characters of firearm contact wounds, except: {kasr}

a. Abrasion collar. b. Soot is present around the inlet.

c. A small area of dispersion. d. Muzzle print.

73- Preliminary marks could be all, except: {kasr}

a. Rifling marks on the bullet.

b. Marks of impact of the breech block on the base of cartridge.

c. Depressions caused by the striking needle on the empty cartridge.

d. Marks of the extractor hook at the groove of cartridge.

74- Fabricated firearm injuries could not be any of the following, except: {kasr}

a. Superficial. b. With loss of substance. c. With soot and burn d. Against vital area.

75- On firing, hot explosive gases can travel to a distance of: {kasr}

a. 15 cm b. 25 cm. c. 35 cm. d. 50 cm.

76- Medicolegal importance of powder marks includes all of the following, except: {kasr}

a. Diagnosis of firearm injuries. b. Differentiation between inlet and exit.

c. Estimation of distance of firing. d. Estimation of caliber of the weapon used.

77- The cartridge has a base with a rim in which of the following weapons: {kasr}

a. Automatic. b. Semiautomatic c. Non-automatic. d. All of the above.

78- Beveling of the skull is seen at: {kasr}

a. Exit point. b. Inlet point. c. Both inlet and exit points. d. None of the above.

79- Constituents of black powder are all of the following, except: {kasr}

a. Sulphur b. Carbon. c. Nitroglycerine. d. Potassium nitrate.

80- Which of the following is not a character of firearm injuries: {kasr}

a. Beveling of skeletal bones. b. Loss of substance.

c. Powder marks but not in distant range. d. None of the above.

81- When a person has committed suicide using shot-gun, the following is correct except: {kasr}

a. Usually there is lacerated inlet. b. Always the inlet against vital organ.

c. The firearm weapon is usually found. d. The inlet usually has dispersion of 4 cm.

82- Riflings are: {kasr}

a. Grooves on inner surface of barrel b. Raised edges on inner surface of barrel.

c. Run spirally on inner surface of barrel. d . All of the above.

83- Riflings result in all of the following, except: {kasr}

a. Increase range of firing. b. Increase striking velocity.

c. Help in weapon identification. d. Accompanied by no rotational spin of bullet.

84- Cartridges or ammunition consist of: {kasr}

a. A tube with gunpowder. b. A case without propellant.

c. Percussion cap on its top. d. Missile at its bottom.

85- All of the following are constituents of primer, except: {kasr}

a. Potassium chlorate. b. Sodium phosphate. c. Mercury fulminate. d. Powdered glass.

86- Smokeless powder is composed of: {kasr}

a. Potassium nitrate. b. Charcoal. c. Nitrocellulose. d. Sulfur.

87- Thickness of external wad is: {kasr}

a. 1 mm thick. b. 1cm thick. c. 2mm thick. d. 2cm thick.

88- External wad is made of: {kasr}

a. Plastic. b. Cardboard. c. Glass. d. Felt.

89- Thickness of internal wad is: {kasr}

a. 1 mm thick. b. 1cm thick. c. 2mm thick. d. 2cm thick.

90- Internal wad is made of: {kasr}

a. Plastic. b. Cardboard. c. Glass. d. Felt.

91- In case of shots, a central hole occurs at: {kasr}

a. 4 meters. b. 3 meters. c. 2 meters. d. 1 meter.

92- Regards shots, no central hole occurs at the following distance: {kasr}

a. 4 meters b. 3 meters. c. 2 meters. d. 1 meter.

93- Distance of firing is estimated from the dispersion of all of the following, except: {kasr}

a. Shots. b. Bullets. c. Slugs. d. Pellets.

94- Exit wounds show: {kasr}{قسم}

a. Regular everted edges. b. Irregular inverted edges.

c. Irregular everted edges. d. Regular undermined edges.

95- Exit wounds show: {kasr}

a. everted edges. b. Collar of contusion. c. Burnt skin. d. Tattooing.

96- Factors affecting appearance of exit include: {kasr}

a. Bullet deformation. b. Kinetic energy of missile.

c. Exit supported or not. d. All of the above.

97- On ignition, 1 gm black powder results in: {kasr}

a. 100ml gas. b 200ml gas. c.300ml gas. d. 400ml gas.

98- On firing, all of the following occurs, except: {kasr}

a. Flash of light. b. Hot explosive gas.

c. Burnt powder particles. d. Flame and smoke.

99- Unburnt powder particles travel for a distance of: {kasr}

a. 2 times barrel length in long weapons. b. 3 times barrel length in short weapons.

c. 50cm in long weapons. d. 30cm in short weapons.

100- A distant inlet never shows powder marks and is always regular. {kasr}

a. true b. false

101- A near inlet always has powder marks and is never irregular. {kasr}

a. true b. false

102- Site of inlet affects its appearance. {kasr}

a. true b. false

103- Velocity of the bullet affects appearance of the exit wound. {kasr}

a. true b. false

104- Power of bullet penetration never helps in estimating distance of firing. {kasr}

a. true b. false

105- Preliminary marks must be followed by confirmatory marks. {kasr}

a. true b. false

106- Comparison microscope helps in identifying firearm weapons. {kasr}

a. true b. false

107- Rifling marks:

a. Help to identify the type of Ghaffir gun.

b. Improves the penetration power of the missile.

c. Oblique parallel grooves on the surface of the fired bullet.

d. Oblique parallel grooves on the inter aspect of the barrel of the weapon.

e. Oblique parallel grooves present on both the inner aspect of the barrel of the weapon and the surface of the bullet.

108- A policeman committed suicide using his automatic pistol with pressing the muzzle against the right temple. The inlet shows:

a. Marked blackening all around. b. Marked abrasions. c. Everted & lacerated edges.

d. Presence of muzzle imprint around. e. Marked tattooing.

109- In a firearm injury:

a. There must be an inlet and an exit. b. There must be loss of substance.

c. Soiling ring may be around the exit. d. Muzzle inprint is a character of close range firing.

e. Edges of inlet are always inverted.

110- Powder marks:

a. Are present around the firearm exit,

b. Help to identify distance of firing up to 10 meter distance.

c. Help to identify direction of firing. d. May surround the exit.

e. Are more clear with smokeless than with black powder

111- A shotgun (non-rifled gun) inletar meter distance shows:

a. One large common inlet.

b. Central hole surrounded by dispersion area of 4 cm in diameter.

c. Presence of tattooing around the inlet. d. Full dispersion area 16 cm in diameter.

e. Burning of the edges of the inlet.

112- A firearm injury in a safe area in the body & within the reach of the hand of the injured person may be:

a. Fabricated injury. b. Accidental injury. c. Homicidal.

d. Suicidal. e. Any of the above

113- A man was shot by a sporting gun. Shots were present under the skin of the cheek, chest, abdomen, left leg & foot. The distance of firing is:

a. 4 meters. b. 10 meters. c. 20 meters. d. 5 meters. e. I meter.

114- Abraded exit is seen in the following conditions:

a. When the victim is lying on the ground or standing against the wall.

b. Explosive bullet. c. Exit in a fatty area. d. Exit in corrugate skin.

e. Exit of very near firing.

115- The external wad produces a circular abrasion beside the inlet at a firing distance of

a. Less than I m. b. More than 10 m. c. More than 3 m. d. 1-3 m. e.3-10 m

116- When a sporting gun is said to be of bore 28, this means that:

a. The diameter of its barrel is larger than that of a 16 bore shotgun.

b. The diameter of its barrel is 28 mm. c. The number of shots in its cartridge is 32 shots.

d. The diameter of its barrel is equal to the diameter of a lead ball weighing 1/28 of one lead bound.

e. The diameter of its barrel is larger than that of 28 bore gun

117- The most important feature of firearm injury is:

a. Presence of powder marks around the inlet.

b. Pink discolouration of tissues around the inlet

c. Presence of two wounds (inlet & exit).

d.Inverted edges of the inlet. e. Loss of tissue.

118- The full dispersion of shots of sporting gun with nos chocked muzzle is

a. 2 π. b. 4 m. c. 6 m. d. 8 m. e. 10 m.

119- The full dispersion of shots of sporting gun with chocked muzzle is:

a. 2 m. b. 4 m. c. 6 m. d. 8 m. e. 10 m.

120- Tattooing around the margin of the inlet by a short rifled weapon is present at a firing distance of:

a. Up to 1.25 m. b. Up to 2 m. c. Up to 3 m.

d. Up to 50 cm e. Up to 5 m.

121- Rifling marks means:

a. Scratches present on the surface of the non-fired bullet.

b. Scratches present on the surface of the empty cartridge.

c. Longitudinal ridges alternating with grooves running spirally on the inner surface of the barrel.

d. Oblique parallel grooves of the same number and direction of riflings on the surface of the fired bullet.

122- An empty short cartridge was found in the crime scene having a rim on its base. It belongs to:

a. Sporting gun. b. Ghaffir gun. c. Automatic service rifled weapon.

d. Revolver. e. Automatic pistol.

123- Contact firearm inlet is characterized by:

a. Absent tattooing around the edges. b. Minimal abrasion of the edges inlet.

c. Loss of substance. d. Singed hair around the inlet e. All of the above.

124- The typical inlet caused by a rifled weapon is characterized by the following features Except:

a. Presence of soiling ring at the margin of the wound. b. The inlet is usually abraded.

c. Its edges are regular and inverted. d. The size is smaller than the size of the exit.

e. Bleeds profusely more than exit.

125- The most constant character of a firearm injury is:

a. Powder marks. b. Presence of inlet & exit wounds. c. Beveling of flat bones.

d. Loss of tissue. e. The inlet is smaller the exit.

126- An inlet with everted lacerated edges indicates a distance of firing of about:

a. 10 cm. b. 50 cm. c. I meter. d. 2 meter. e. 3 meter.

127- The exit of a bullet may show the following except

a. Larger size than the inlet. b. Fragments of bone coming out. c. Everted edges.

d. Internal beveling of a flat bone. e. Severe bleeding.

128- The odour of burst powder may remain detectable for up to 20 days:

a. If the muzzle is closed after firing. b. If the weapon is left in a closed place.

c. If the inside of the barrel is not cleaned. d. All of the above.

129- In contact firearm wound, all the following features are present Eacapt

a. The hair is singed in the contused area.

b. The margin of the wound shows burning or even charring

c. There is usually a thin band of contusion on the margin of the wound.

d. Blackening is more apparent around the wound.

e. If there is bone immediately under the skin, blackening is seen on the surface of the bone.

130- The inlet caused by a bullet has the following character:

a. It is generally smaller than the exit. b. It bleeds more than the exit.

c. Powder marks are always present. d. The edges are always everted.

e. Usually larger in size than the exit

131- All the following about internal wad is true Except:

a. Keeps gas pressure behind missiles.

b. Gives an idea about the diameter of barrel of the rifled weapon.

c. Penetrates skin at a two- meter distance. d. Manufactured from plastic or felt.

e. Must be present in live non rifled cartridge.

132- All the followings are true shout a fired enipty cartridge of a service rifle Except:

a. Has a rim or a groove at the base. b. Shows a small depression on the percussion cap.

c. Short cartridge. d. May contains colourless neutral powder residue.

e. Made of brass.

133- All the followings about percussion cap is true Except

a. Contains a strongly oxidizing chemical.

b. Its contents are ignited by a spark from the powder

c. Plays a role in the identification of the weapon. d. Contains a friction substance.

e. Shows a depression in case of fired cartridge.

134- Black powder:

a. is more powerful than smokeless powder.

b. Produces more smoke and gas than smokeless powder. c. Its residue is black and neutral.

d. Causes blackening around the inlet wound up to a distance of 3 meters.

e. None of the above.

135- A long empty cartridge made of brass with a rim at the base may be from:

a. Automatic pistol. b. Automatic service rifle. c. Sporting gun.

d. Non automatic service rifle. e. Revolver.

136- External wad travels to a distance:

a. More than the internal wad does. b. Less than the internal wad does.

c. As the internal wad does. d. Variable according to type of weapon.

e. Any of the above.

137- Ignition of 1.5 ml. of black powder produces atmospheric pressure: mls. of gases at

a. 150. b. 300. c. 450. d. 600. e. 750.

138- Ignition of 0.5 ml. Of smokeless powder produces...ml. of gases at atmospheric pressure.

a. 900. b. 750. c. 600. d. 450. e. 300

139- Percussion cap contains .....as source of oxygen:

a. Potassium chlorite. b. Potassium chloride. c. Potassium chlorate.

d. Calcium chloride. e. Hydrogen peroxide.

140- Pressure produced by ignition of certain amount of smokeless powder is equal to that produced by ignition of..... the amount of black powder.

a. Same. b. 3 times. c. Half. d. 4 times. e. None of the above.

141- Bleeding at firearm exit is more than at the inlet, because:

a. Size of inlet is less than that of exit.

b. Loss of substance at exit is more than that at inlet.

c. Cauterization of injured blood vessels at the inlet by hot bullet.

d. None of the above.. e. All of the above.

142- Calibre of a non-rifled weapon-cartridge is 16 means:

a. This cartridge contains 16 shots. b. Diameter of this cartridge is 16 mms.

c. this cartridge is weighting 1\6 of a pound d. Diameter of this cartridge

e. None of the above

143- Functions (aim) of riflings are all Except:

a- To diminish the resistance of air to the bullet.

b- To diminish the resistance of gravity to the bullet.

c- To give it longer range and more power of penetration.

d- To leave on the surface of the fired bullet "rifling marks".

e- To increase the stability of the bullet and prevent it from wobbling.

144- All are true about riflings Except:

a- Riflings mean "longitudinal ridges alternating with grooves, running spirally on the inner surface of the barrel parallel to each other".

b- The idea of riflings is to force the bullet from the muzzle in a spiral manner.

c- Riflings are found in all firearm weapons.

d-They leave on the surface of the fired bullet "rifling marks".

e- Riflings vary in number, direction (either clockwise or anticlockwise), depth and width.

145- Riflings vary in all Except:

a- Number. b- Depth. c- Direction. d- Colour. e- Width.

146- All are true about service rifles Except:

a- Long barreled. b- Rifled. c- Its bore is 7.62 m.

d- Fire shots. e- They are either automatic or non-automatic.

147- Regarding "primer" all are true Except:

a- It is present at the base of the cartridge. b- Its other name is percussion cap.

c- It contains powdered glass as a source of O_2.

d- It contains antimony sulphide as high inflammable substance.

e- It contains paste formed of three substances..

148- Regarding "bullet" all are true Except:

a- It is usually made of Icad. b- It may be jacketed.

c- The coat or jacket is made of a strong metal "lithium".

d- The shape of the bullet is conical.

e- Tip of the bullet may be pointed, rounded or blunt "flattened".

149- In the firing process all are true Except:

a- On pulling the trigger, the needle "striker" strikes the percussion cap.

b- A spark is produced from the friction between the inflammable substance and the powdered glass.

c- Potassium chloride supplies oxygen to help for production of good spark.

d- The spark leads to ignition of the gun powder inside the cartridge case, leading to production of a huge volume of gases.

e- The gases will force the bullet outside the barrel.

150- In the firing process all are true Except:

a- On pulling the trigger, the needle "striker" strikes the percussion cap.

b- A spark is produced from the friction between the inflammable substance and the gun powder.

c- Potassium chlorate supplies oxygen to help for production of good spark.

d- The spark leads to ignition of the gun powder inside the cartridge case, leading to production of a huge volume of gases.

e-The gases will force the bullet outside the barrel.

151- Regarding automatic pistol all are true Except:

a- It is a short barreled rifled weapon with a magazine in its handle.

b- The magazine contains (6-12) live cartridges, one beside the other.

c- The brass cartridge of the automatic pistol is short and carries short coated rounded or blunt-ended bullet.

d- The base of the cartridge has a groove.

e- The barrel has a sliding portion (cover) which moves automatically backwards and forwards over it.

152- Regarding automatic pistol all are true Except:

a- It is a short barreled rifled weapon with a magazine in its handle.

b- The magazine contains (6-12) live cartridges, one above the other.

c- The brass cartridge of the automatic pistol is short and carries short pointed bullet.

d-The base of the cartridge has a groove.

e- The barrel has a sliding portion (cover) which moves automatically backwards and forwards over it.

153- Regarding automatic pistol all are true Except:

a- It is a short barreled rifled weapon with a magazine in its handle.

b- The magazine contains (6-12) live cartridges, one above the other.

c- The brass cartridge of the automatic pistol is short and carries short coated rounded or blunt-ended bullet..

d- The base of the cartridge has a rim.

e- The barrel has a sliding portion (cover) which moves automatically backwards and forwards over it.

154- In the automatic firing all are true Except:

a- Before the first firing, the sliding cover must be pulled forwards.

b- It moves forwards automatically in order to bring the uppermost living cartridge from the magazine to the breech of the barrel.

c- On firing, the power of gases will force the bullet outside the barrel and in the same time pushing the sliding cover backwards.

d. During the backward movement of the sliding portion, the extractor hook will clench the empty cartridge from the groove and the ejector bar will get rid of it

155- In the automatic firing all are true Except:

a- Before the first firing, the sliding cover must be pulled backwards.

b- It moves forwards automatically in order to bring the uppermost living cartridge from the magazine to the breech of the barrel..

c- On firing, the power of gases will force the bullet outside the barrel and in the same time pushing the sliding cover backwards.

d-During the backward movement of the sliding portion, the extractor hook will clench the empty cartridge from the rim and the ejector bar will get rid of it through a slit in the barrel.

156- MLI of internal wad includes all of the followings Except:

a- Presence of the internal wad inside the body or at the scene of a crime denotes that the wound is a firearm injury.

b- Identification of the type of the weapon (non-rifled weapon).

c- Its diameter is equal to the diameter of the inner side of the barrel.

d- It cleans the inside of barrel during its exit.

e- Distance of firing can be estimated from its site, whether inside the body (within 3 meters), or just hits the body (3 to 10 meters).

157- All are true about external wad Except: -

a- Presence of the external wad inside the body or at the scene of a crime denotes that the wound is a firearm injury.

b- It helps in identification of the type of the weapon (non-rifled weapon).

c- It acts as a piston driving out shots.

d- Its diameter is equal to the diameter of inner side of the barrel.

e- Distance of firing can be estimated from its site, whether inside the body (within 1 meter), or just hits the body (1 to 3 meters).

158- All are true about external wad Except:

a- Presence of the external wad inside the body or at the scene of a crime denotes that the wound is a firearm injury.

b- It helps in identification of the type of the weapon (non-rifled weapon).

c- It is absent in Remington & Schneider guns.

d- Its diameter is equal to the diameter of inner side of the barrel.

e- Distance of firing can be estimated from its site, whether inside the body (within 1 meter), or just hits the body (1 to 10 meters).

159- All are true about shots Except:

a- Their presence denotes that the wound is a firearm injury.

b- They give an idea about the type of the weapon used.

c- They give an idea about the distance of firing.

d- They give an idea about the caliber of the gun. e- They may be machine made.

160- Regarding black powder all are true Except:

a- It consists of carbon or charcoal (15%), sulphur (10%) and potassium nitrate (75%).

b- Ignition of one volume of black powder produces 300 volume of gases. c- After ignition, alkaline residue is left on the inside of the barrel.

d- Alkaline residue contains carbonate, bicarbonate and thiocarbonate.

e- Black powder is partly burnt, so that blackening and tattooing are observed around the injury clearly (in near firing).

161- Regarding black powder all are true Except:

a- It consists of carbon or charcoal (15%), sulphur (10%) and potassium nitrate(75%)

b- Ignition of one volume of black powder produces 300 volume of gases.

c- After ignition, alkaline residue is left on the inside of the barrel.

d- Alkaline residue contains carbonate, bicarbonate, sulphide, sulphate, thiosulphateband thiocyanate.

e- Black powder is partly burnt, so that blackening and tattooing are observed around the injury clearly (in far firing).

162- Regarding black powder all are true Except:

a- It consists of nitrocellulose (15%), sulphur (10%) and potassium nitrate (75%).

b- Ignition of one volume of black powder produces 300 volume of gases.

c- After ignition, alkaline residue is left on the inside of the barrel

d- Alkaline residue contains carbonate, bicarbonate, sulphide, sulphate, thiosulphate and thiocyanate.

e- Black powder is partly burnt, so that blackening and tattooing are observed around the injury clearly (in near firing).

163- Regarding black powder all are true Except:

a- It consists of carbon (15%), sulphur (10%) and potassium nitrate (75%).

b- Ignition of one volume of black powder produccs 3000 volume of gases.

c- After ignition, alkaline residue is left on the inside of the barrel

d- Alkaline residue contains carbonate, bicarbonate, sulphide, sulphate, thiosulphate and thiocyanate.

e-Black powder is partly burnt, so that blackening and tattooing are observed around the injury clearly (in near firing).

164- Regarding smokeless powder all are true Except:

a- It takes different colours and forms, as cordites (small brownish tubular sticks) or small black pellets (by addition of graphite).

b- It is two times stronger than black powder because ignition of one volume produces 600 volume of gases.

c- Smokeless powder is nearly completely burnt leading to less apparent blackening and tattooing.

d- Its ignition leaves neutral residue formed of nitrites and nitrates.

e- It consists of nitro cellulose and nitroglycerine.

165- Regarding smokeless powder all are true Except:

a- It takes different colours and forms, as cordites (small brownish tubular sticks) or small black pellets (by addition of graphite).

b- It is three times stronger than black powder because ignition of one volume produces 900 volume of gases.

c- Smokeless powder is nearly completely burnt leading to less apparent blackening and tattooing.

d-Its ignition leaves alkaline residue formed of nitrites and nitrates.

166- Regarding smokeless powder all are true Except:

a- It takes different colours and forms, as cordites (small brownish tubular sticks) or small black pellets (by addition of graphite).

b- It is three times stronger than black powder because ignition of one volume produces 900 volume of gases.

c- Smokeless powder is nearly completely burnt leading to less apparent blackening and tattooing.

d-Its ignition leaves neutral residue formed of nitrites and nitrates.

e- It consists of nitrocellulose and nitrophenol.

167- Identification of the assailant by the flash of light requires all the following Except:

a- The victim must have a perfect vision.

c- The assailant must be previously known to the victim.

b- The victim must be facing the assailant.

d- The distance of firing must not exceed 10 meters.

e- The gun powder should be of the smokeless type.

168- Identification of the assailant by the flash of light requires all the following Except:

a- The victim must have a perfect vision. b. The victim must be facing the assailant.

c- The assailant must be previously known to the victim.

d- The distance of firing must not exceed 3 meters.

169- Products of firing include all Except:

a- Flash of light. b- Hot water vapour. c- Flame and smoke.

d- Unburnt particles.. e- Missiles.

170- Regarding tattooing all the followings are true Except:

a- These particles are embedded in the skin around the inlet.

b- Powder tattooing is more apparent with black powder.

c- Its colour is green or blue

d- Weapons using smokeless powder produce faint powder tattooing which can be demonstrated by infra red photography on both skin and clothing.

171- Regarding tattooing all the followings are true Except:

a- They can be washed with water like blackening.

b- Powder tattooing is more apparent with black powder.

c- Its size ranges from a few millimeter size to minute specks.

d- Weapons using smokeless powder produce faint powder tattooing which can be demonstrated by infra red photography on both skin and clothing.

172- Regarding tattooing all the followings are true Except:

a- They cannot be washed with water like blackening.

b- Powder tattooing is more apparent with black powder.

c- Its size ranges from a few millimeter size to minute specks.

d- Weapons using smokeless powder produce faint powder tattooing which can be demonstrated by infra red photography on both skin and clothing.

e- These unburnt particles come from the muzzle and travel to a distance which varies according to the type of the weapon and the type of the gun powder (5-6times of the length of the barrel).

173- The firearm injury is characterized by all the followings Except:

a- Loss of substance. b- Powder marks. c- Bridging.

d-Inlet & exit. e- Internal & external beveling.

174- Typical inlet is characterized by all the followings Except:

a- Soiling ring. b- Abrasion ring. c- Small size.

d- Regular everted edges. e- Loss of substance.

175- All are true regarding contact firing Except:

a- Presence of muzzle imprint. b- Presence of abrasion ring. c- Heavy tattooing.

d- Singed hair. e- Circular wound.

176- Comparing exit to inict all the followings are true Except:

a- Loss of substance is more in inlet. b- Powder marks may be present in inlet.

c- The inlet is smaller. d-Both inlet and exit can be inverted.

e- Bleeding is less at the inlet.

177- Everted inlet could be present in all the followings Except:

a- Very near firing (effect of gases). b- After putrefaction (effect of putrefactive gases).

c- Inlet in fatty area. d- Far inlet. e- Slanting or tangential firing.

178- Medico-legal importance of powder marks include all the followings Except:

a- Diagnosis of firearm injuries. b- Differentiation between inlet and exit wounds.

c- Identification of the type of the gun powder. d- Estimation of the distance of firing.

e- Determination of the timing of firing.

179- Absence of the central hole with dispersion aren 20 cm in diameter can occur in the firing from which distance?

a- 4 meters. b- 6 meters. c- 8 meters. d-10 meters. e- 20 meters.

180- In homicidal firearm injuries all the followings are true Except:

a- History of threatening by enemy. b- Suicidal note. c- Signs of resistance.

d- May be multiple. e- Absent cadaveric spasm.

181- In homicidal firearm injuries all the followings are true Except:

a- History of threaten by enemy. b-Threatening note. c- Signs of resistance

d- May be multiple. e- Presence of cadaveric spasm.

182- In homicidal firearm injuries all are true Except:

a- History of financial trouble. b- Threatening note. c- Signs of resistance.

d- May be multiple. e- Absent of cadaveric spasm.

183- A mixture of mercury fulminate, potassium chlorate and powdered glass is called:

a- Black gun powder. b- Smokeless powder. c- Primer. d- Diphenylamine reagent.

184-Central hole wound of shots firearm disappear at a firing distance of

a- 1 m. b- 2 m. c- 3 m. d- 4 m.

185-The full dispersion of shots of sporting gun with chocked muzzle is:

a. 2 m. b. 4 m. c. 6 m. d. 8 m. e. 10 m.

186- The external wad can penetrate the body up to a firing distance of:

a. 1 m. b. 2 m. c. 3 m. d. 4 m. e. 5 m.

187- The internal wad produces a circular abrasion beside the inlet at a firing distance of:

a. Less than 3 m. b. Less than 1 m. c. 3-10 m.

d. More than 10 m. e. More than 12 m.

188- Rifling marks means:

a. Longitudinal ridges alternating with grooves running spirally on the inner surface of the barrel.

b. Oblique parallel grooves of the same number and direction of riflings on the surface of the fired bullet.

c. Scratches present on the surface of the fired bullet.

d. Scratches present on the surface of the empty cartridge.

189- The most important feature of firearm injury is:

a. Presence of two wounds (inlet & exit).

b. Loss of substance.

c. Presence of powder marks around the inlet.

d. Pink discolouration of tissues around the inlet.

190- The edges of the inlet are everted after injury by automatic pistol in case of:

a) The distance of firing is 50 cm. b) The distance of firing is 125 cm.

c) A suicidal inlet in temporal region. d) Inlet in corrugated skin.

191- Blackening around the margin of the inlet by a short rifled weapon is present at a firing distance of:

a. Up to 50 cm. b. Up to 25 cm. c. Up to 1.25 m.

d. Up to 2 m. e. Up to 3 m

192-A bullet was recovered from the body. Primary and secondary markings on the bullet can be used for

A. Identification of weapon. B. Range of firing.

C. Time of crime. D. Severity of tissue damage

193-As regards the homicidal gunshot injuries, choose the right statement?

A. Presence of the assailant's fingerprints or blood stains on the weapon.

B. The inlet wound is always large and irregular.

C. The inlet wound is never seen in the back.

D. Blackening can be seen at the tips of thumb and index finger of the victim

194-As regards the Suicidal gunshot injuries, choose the right statement?

A. Presence of the assailant's fingerprints or blood stains on the weapon.

B. Long rifled weapon is the most commonly used.

C. The inlet wound is small and regular.

D. Blackening can be seen at the tips of thumb and index finger of the victim

195-A man, 30 years old was walking in the street while being shot from the 7th floor of a nearby building. The injury was in his chest. Which of the following statements is true?

A. The inlet is oval. B. Powder marks present at one side of the inlet.

C. The inlet is everted edges. D. The inlet is large and irregular

196-Powder marks around inlet of firearm injury in case of

A. Near firing. B. Far firing. C. Ricochet bullet. D. Contact firing.

197-Powder marks are present in firearm wound if distance of firing is

A. One meter only. B. Three meters or less.

C. Five meters or more. D. Six meters or more

198-Multiple firearm wounds in different sites in person may indicate

A. Homicidal injury.

B. Accidental during cleaning of the weapon.

C. Suicidal injury if there is history of psychic disorder.

D. Homicidal or accidental or suicidal possibility

199-Secondary rifling marks result due to

A. Prints of external wad on the skin. B. Prints of ridges on bullets.

C. Prints of rust and deformities that present inside the barrel on bullets.

D. Prints of ridges on shots

200-Soiling ring in firearm wound is present around?

A. Inlet of wound of bullet. B. Exit of wound of shots.

C. Inlet of wound of shots. D. Exit of wound of bullet

201-The projectile in rifled weapon is called

A. Wad. B. Powder. C. Bullet. D. Shot.

202-The function of choking is:

a. Decreasing range of firing. b. Decreasing explosive force and velocity.

c. Increasing dispersion of the projectile.

d. Increasing explosive force, velocity, and range of firing

203-The inlet of contact firing is characterized by

a. Irregular in shape b. Absence of powder marks

c. Small in size d. Regular inverted edges

204-which of the following not character of the gun powder

a-may be black or smokeless b- cause washable tattooing

c- may indicate the distance of firing d- may indicate the type of weapon

205-Hot gases come out from the service rifle muzzle and travel to a distance Of

a. 5 cm b. 15 cm c. 20 cm d. 30 cm

206-Firearm can cause beveling of …… bone

a- Skull b- Humerus c- Femur d- Calcaneus

207-What feature does the base of a non-automatic cartridge have?

a. Groove b. Breech block c. Extractor hook d. Rim

208-From which material is the base of a cartridge always made of?

a. Brass b. Steel c. Aluminum d. Plastic

209-The internal wad is made of:

a. Carton. b. Plastic. c. Felt. d. Metal.

210-Tattooing and blackening are present around

a. Exit wound of firearm injury. b. Inlet wound of firearm injury.

c. Inlet and exit firearm wounds. d. Exit wound from a natural body orifice

211-You are a doctor in small hospital, a hurry man asked you to examine his brother 27 years old was found severely ill in the street by the policeman. They considered the case as motorcar accident. When you examined the victim he was dead, with multiple abrasion wounds on his body but all wound without hyperemia, crushed femur fracture, but with examination you found that small hollow wound 9 mm with inverted edge in the right thigh, above the femoral artery. The police man asked you to write death certificate for this man and write that the cause of death was due to severe hemorrhage from the motor car accident. What can you do?

a. Write the death certificate but you consider the cause of death is firearm not wound

b. Escape from the hospital

c. Refuse to write the death certificate as the cause of death is not the motor car accident

d. Write the death certificate as the police man asked you to do that

212-The inlet wound is usually inverted, but in some cases it can be everted, What is the cause of everted edge inlet wound?

a. Far wound b. Putrefaction c. Small wound d. Wound due to shot gun

213-The level of carboxyhemoglobin in the inlet wound if compared with the exit wound is

a. Cannot be determined b. Lower in the inlet

c. Higher in the inlet d. Equal to each other

214-A young man was found dead in the street, by examination the doctor found small circular wound with inverted edge in the right part of the chest above the areola by 2 cm. The wound was surrounded by small dark round grayish colored spots. By examination of the back there was one small slit like wound. What is the expected distance of firing in this case?

a. Non rifled weapon, the distance less than 1 m

b. Non rifled weapon, distance more than 1 m

c. Rifled weapon, distance less than 2 meters

d. Rifled weapon, distance more than 2 m

215-The edges of the exit wound are:

a. Irregular. b. Rounded. c. Inverted. d. Regular

216-The edges of the inlet wound are usually:

a. Everted. b. Lacerated. c. Irregular. d. Regular

217-Internal beveling (inlet in flat bones) means:

a. Bone loss in the inner table is greater than the outer table.

b. Bone loss in the outer table is greater than the inner table.

c. Absence bone loss.

d. Equal bone loss in the inner and outer tables

218-The inlet wound is usually:

a. Smaller in size than the exit wound. b. Larger in size than the exit wound.

c. The double size as the exit wound. d. The same size as the exit wound

219-Powder marks are present:

a. At both the inlet and exit wounds in near firing. b. At the exit wound in near firing.

c. At the inlet wound in near firing. d. At the inlet wound in far firing

220-If there is one inlet and no exit, it indicates:

a. A through-and-through bullet. b. The inlet is a natural orifice.

c. Retained bullet. d. Tandem bullet

221-Jacketed bullets are covered with:

a. Felt. b. Plastic. c. Lead. d. Copper.

222-Needle marks on the percussion cap help in:

a. Identifying the time of shotting. b. Determining the distance of firing.

c. Identifying the shooter. d. Identifying the weapon

223-In long rifled weapons, the bullet is:

a. Short with a rounded tip. b. Elongated with a pointed tip.

c. Long with a rounded tip. d. Spherical in shape

224-The residue of black powder is:

a. Its pH can not be measured. b. Neutral. c. Alkaline. d. Acidic.

225-Burning and blackening marks travel a distance equal to:

a. Four times the barrel length. b. The barrel length.

c. Three times the barrel length. d. Twice the barrel length

226-Tattooing marks travel a distance equal to:

a. The barrel length. b. Four times the barrel length.

c. Two to three times the barrel length. d. Five times the barrel length

227-Smokeless powder is composed of:

a. Potassium nitrate. b. Potassium cholerat.

c. Nitrocellulose and nitroglycerin. d. Carbon and sulfur

1. A	2. B	3. B	4. A	5. C
6. D	7. A	8. C	9. C	10.A
11.A	12.A	13.A	14.A	15.A
16.B	17.D	18.B	19.C	20.B
21.B	22.B	23.B	24.B	25.B
26.C	27.B	28.B	29.C	30.C
31.A	32.C	33.C	34.C	35.D
36.B	37.C	38.D	39.B	40.D
41.B	42.A	43.A	44.A	45.A
46.A	47.A	48.D	49.C	50.D
51.D	52.B	53.D	54.B	55.B

56.A	57.A	58.B	59.B	60.B
61.C	62.C	63.D	64.C	65.D
66.C	67.B	68.C	69.A	70.B
71.C	72.C	73.B	74.A	75.A
76.D	77.C	78.C	79.C	80.D
81.D	82.D	83.D	84.A	85.B
86.C	87.A	88.B	89.A	90.D
91.D	92.A	93.B	94.C	95.A
96.D	97.C	98.C	99.A	100. B
101. B	102. A	103. A	104. B	105. A
106. A	107. C	108. D	109. B	110. C
111. D	112. E	113. C	114. A	115. D
116. D	117. E	118. B	119. C	120. D
121. D	122. D	123. D	124. E	125. D
126. A	127. D	128. D	129. D	130. A
131. B	132. C	133. B	134. E	135. D
136. B	137. C	138. D	139. C	140. E
141. C	142. D	143. D	144. C	145. D
146. D	147. C	148. C	149. C	150. B
151. B	152. C	153. D	154. A	155. B
156. D	157. C	158. E	159. D	160. D
161. E	162. A	163. B	164. B	165. D
166. E	167. E	168. D	169. B	170. C
171. A	172. E	173. C	174. C	175. C
176. D	177. D	178. E	179. B	180. B
181. E	182. A	183. C	184. D	185. C
186. A	187. C	188. B	189. B	190. C
191. B	192. A	193. A	194. D	195. A
196. A	197. B	198. A	199. C	200. A
201. C	202. D	203. A	204. B	205. B
206. A	207. D	208. A	209. C	210. B
211. C	212. B	213. C	214. C	215. A
216. D	217. A	218. A	219. C	220. C
221. D	222. D	223. B	224. C	225. B
226. C	227. C	228.	229.	230.

Blood stains

1-We can distinguish sex by blood stain from {Final2025}

A-Chromatin body B-Precipitin test

C-Characterstic shape of male rbs's D-Microscopic

2- About microscopic blood examination? {kasr}{Mid2025}

A- Can be done in fresh blood samples only B- Is a good-ve test

C- Can be done in dry stains D- Can't differentiate between species

3-Hemoglobin and its derivatives give 2 absorption bands between D and E lines in spectroscopic test, except {kasr}{Mid2024}

a) Oxyhemoglobin. b) Reduced hemoglobin.

c) Carboxy hemoglobin. d) Methemoglobin.

4- To confirm that unknown old dry stain is a blood one of the following must be done: {Final2021}

a. Microscopical examination b. Microchemical tests

c. Spectroscopical examination d. Both b and c

5-A father has blood group A and The mother has blood group AB, their children are not likely to have {Formative2022}

a) AB b)B c)A d) O

6- Father with blood group (O) has children with blood groups except {Mid2024}

A. AB B. O C. B D. A

7- Most hazardous preliminary test for blood stain {Mid2024}

A. Guiacum B. Kastle mayer C. Benzidine D. Teichmanne

8-About Teichmann test, all the following are TRUE EXCEPT {Mid2023}

a) Need haemoglobin b) Dark brown

c) Rosette cluster d) It is a confirmatory test

9-Which of the following tests used in blood origin discrimination? {Mid2023}

a) Teichmann test b) Phenolphthalein c) Spectroscopical test d) Precipitin

10- In disputed paternity, blood group examination helps in which of the following {Final2023}{Formative2023}{Qena}

A- Identification of possible father and mother B- Confirmation that certain person is father.

C- Confirmation that certain person isn't father D- None of above

11- All of the following about teischmann test is true except {Formative2023}

a) Haemin crystals b) Depend on presence of hemoglobin

c) Confirmatory for blood stain. d) Arranged in clusters or rosettes

12- To prove that the stain is blood we need : {Formative2023}

a. Precipitin test b. Kastle Mayer test c. Takayama test d. Guaiacum test

13- Takayama test is confirmatory to a blood stain as it depends on the presence of {قديم}

A- oxidase enzyme B- dehydrogenase enzyme C- Albumin D- Hemoglobin

14-Preliminary (oxidase) tests for blood stains are considered: {مهم}

A) Confirmatory tests B) Good Positive tests

C) Good Negative tests D) Genetic tests

15- Takayama test is a confirmatory test for blood stain and proves it is of human origin {قديم}

A- true B- False

16- Blood grouping alone can establish paternity {قديم}

A- True B- False

17- In a scene of crime unknown fresh stain was found. It was brownish red in color and gave +ve reaction for oxidase test. This stain is {قديم}{Qena}

A- Human stain B- may or may not be blood

C- Animal stain D- can't be identified

18- The chemical structure of crystals formed by takayama test are {قديم}

A- Haemin crystals B- Reduced hemoglobin

C- Haemochromogen crystals D- Carboxyhemoglobin

19- The crystals produced by the reaction between the blood and Takayama reagent are {قديم} {Qena}

A- Needle shaped B- Salmon pink rosettes C- Small rhombic D- a & c

20-To confirm the presence of blood in a given stain, we rely on the following except: {Qena}

a-Benzedine test. b-Teichman test.

c- Microscopical examination. d-Takayama test.

21-Precipitin test used to confirm that the unknown stain is a blood stain {Qena}

a. True b. False

22-Preliminary blood tests include all of the following, except: {kasr}

a. depend on presence of haemoglobin b. depend on presence of oxidase enzyme

c. They are good-ve tests d. They based on color changes

23-All about precipitin test is true, except: {kasr}

a. It's antigen antibody reaction b. It determines origin of the protein in tissues

c. Confirmatory test for blood d. Antihuman serum must be potent

24-Father(O-group) can have child of those groups, except: {kasr}

a. A b. B c.AB d. O

25-Disputed paternity can be solved by all of the following, except: {kasr}

a. DNA finger prints b. Finger prints c. ABO system d. Facial features

26-Microscopic examination of fresh human blood is showing: {kasr}

a. Oval non-nucleated RBCs b. Nucleated RBCs

c. Circular non-nucleated d. None of the Above

27-Agglutinogens that can be detected in blood concerning the ABO system are: {kasr}

a. A b. B c. AB d. A and B

28-We can know if the blood sample from a male or female by: {kasr}

a.Chromatin b. Definite nuclear shape in male WBCs

c. Microchemical blood test d. Spectroscope

29-Precipitin test: {kasr}

a. Can determine the origin of any tissue

b. Can determine the type of protein in blood

c. Can determine whether the protein is blood or not

d. Can't determine origin of any extract of any tissue

30-Teichman haemin crystals are: {kasr}

a. Needle shaped b. Octa- and tetra-hydral crystals

c. Large brown rhombic d. Salmon pink large rhombic

31- Takayama hemochromogen crystals are: {kasr}

a. Large brown rhombic b. Needle shaped feathers

c. Brown needle shaped d. Salmon pink large rhombic

32-Old blood can be washed by water. {kasr}

a. true b. false

33-Microscopic examination can be done in old stain. {kasr}

a. true b. false

34-Spectroscopic tests can diagnose poisoning. {kasr}

a. true b. false

35-Precipitin test is a confirmatory test of blood. {kasr}

a. true b. false

36-Stain extract in precipitin test must be diluted to avoid group reaction. {kasr}

a. true b. false

37-M and N system can be used to differentiate between 2 persons of similar ABO groups. {kasr}

a. true b. false

38- Father of AB may have a child with O group. {kasr}

a. true b. false

39-Blood grouping can be done from any secretions other than blood as saliva or semen. {kasr}

a. true b. false

40-Hemolytic transfusion reaction occurs due to destruction of donors RBCS. {kasr}

a. true b. false

41-Pre- and post-transfusion samples in hemolytic blood transfusion are not of value. {kasr}

a. true b. false

42-Blood transfusion with different M and N system has no complications. {kasr}

a. true b. false

43-According to Bernstein theory A parent mating with a B parent can produce: {kasr}

a. A child b. B child c. AB child d. All of the above

44-Parents with MN and M blood groups can have child with blood group: {kasr}

a. MN b. MN or M c. MN or N d. M or N

45- Regarding human RBCs one of the following is not true:

a. Biconcave discs b. Non-nucleated c. Oval d. Form rouleaux

46- Camel RBCs are characterized by all the followings Except:

a. Round. b. Oval. c. Non-nucleated.

d. Type of mammalian blood. e. Do not form roulaux.

47- Frog RBCs are not:

a. Large. b. Nucleated. c. Type of non-mammalian blood.

d. Circular. e. Oval.

48-The most common blood group in humans is:

A) AB B) B C) A D) O

49- Teichman test is positive if the following crystals are detected:

a) Pink needle shaped. b) Brown rhombic shaped.

c) Brown feather shaped. d) Pink rosettes shaped.

50- Takayama test gives positive results by chemical formation of:

a) Haematin Hcl. b) Reduced hemoglobin..

c) Haemochromogen. d) Carboxy hemoglobin.

51- On spectroscopic examination; the spectrum that is exclusively present in fresh oxygenated stain is:

a) Two bands between D&E lines. b) One broad band between D&E lines.

c) One fine band between D&E lines. d) Two bands between D&E lines shifted to the right.

52- Haemochromogen crystals are:

a) Brown and rhombic. b) Regular and evanescent

c) Pink needle shaped. d) Salmon pink and spherical.

53-We can know if the blood sample from male or female by

a. Microchemical blood test b. Spectroscope

c. Chromatin d. Definite nuclear shape in male WBCS

54-The positive result in the Kastle-Meyer test is:

a. Green color. b. Pink color. c. Brown color. d. Blue color.

55-In the Takayama test, the positive result is:

a. Green color. b. Black color c. Pink needle-shaped crystals d. Brown rhombic crystals

56-The positive result in the Benzidine test is:

a. Blue color. b. Green color. c. Pink color. d. Brown color

57-Preliminary tests for blood detection depend on the presence of:

a. Hemoglobin. b. Antibodies in blood. c. Oxidase enzyme in blood. d. Iron.

58-Mammalian red blood cells (e.g., camel) are:

a. Rounded and nucleated. b. Rounded and non-nucleated.

c. Oval and nucleated. d. Oval and non-nucleated

59-Non-mammalian red blood cells (e.g., Frogs) are:

a. Rounded and non-nucleated. b. Oval and non-nucleated.

c. Oval and nucleated. d. Rounded and n

60-Micro-chemical tests depend on the presence of:

a. Antigens. b. Antibodies. c. Oxidase enzyme. d. Hemoglobin

61-In the Teichmann test, the positive result is:

a. Brown rhombic crystals. b. Green color

c. Black color. d. Pink needle-shaped crystals

1. A	2. A	3. B	4. D	5. D
6. A	7. C	8. C	9. D	10.C
11.D	12.C	13.D	14.C	15.B
16.B	17.B	18.C	19.B	20.C
21.B	22.A	23.C	24.C	25.B
26.C	27.D	28.A	29.A	30.C
31.B	32.B	33.B	34.A	35.B
36.B	37.A	38.B	39.A	40.A
41.B	42.A	43.D	44.B	45.C
46.A	47.D	48.D	49.B	50.C
51.A	52.C	53.C	54.B	55.C
56.A	57.C	58.D	59.C	60.D
61.A	62.	63.	64.	65.

Injuries due to physical agents

1- delayed cause of death in case of burn? {Mid2025}

A- fat embolism B- sympathetic shock C- renal failure D- acute edema of epiglottis

2-Burn in adult man involving head, neck, chest and both arms. it is expected to: {Final2021}{Final2025}

a. Be of good prognosis. b. Threat life c. Cause disability d. Heal with scars.

3-Cause of death in dry burn in day 12 after burn {Formative2024}

a) Hemorrhage b) Rupture of curling ulcer

c) Neurogenic shock d) Suprarenal hemorrhage

4- Death at 5th day after burn is due to {Mid2024}

a) suprarenal hemorrhage b) septicemia c) asphyxia

5- Extent of burn in Charring of both lower limbs with genitalia is {Mid2024}

A. 37 B. 36 C. 18 D. 16

6- Pugilistic attitude is due to : ……. {Mid2024}{Final2025}

a) Coagulation of muscle proteins b) Putrefaction c) Rigor mortise d) Cadaveric spasm

7- Dry burn is caused by: {Final2023}{Formative2023}{Qena}

A- Hot liquid or stream B- Flame or hot metals

C- Deep X-ray or U.V rays D- Strong acid or alkali

8-The most dangerous degree of burn {قديم}{Formative2023}{Mid2023}

a) 1st degree b) 2nd degree c) 3rd degree d) 6th degree

9-A person died in a hospital 2 weeks after burning of his abdominal and chest walls and upper extremities, the most probable cause of death is {Formative2023}{Final2023}

a. Traumatic asphyxia b. Pulmonary fat embolism

c. Perforation of an acute duodenal ulcer d. Suprarenal haemorrhage

10-An adult male died 12 hours after 2nd degree burn of lower limbs, the expected cause of death is: {Mid2021}

a. Sever hypovolemia. b. Local sepsis

c. Acute renal failure d. Supra renal hemorrhage

11-Burn in adult man involving head, neck, chest and genitalia is expected to {Qena}

A. Be of good prognosis B. Threat life C. Cause disability D. Heal with scars

12- Neurogenic shock is the cause of death in ..... degree burn. {Final2021}

a. First b. Second c. Third d. Fourth

13-All of the following are TRUE about Curling's ulcer EXCEPT: {Final2021}

a. Rupture occurs at the 12th day.

b. It is due to devitalization of the mucous membrane.

c. It is due to absorption of the burn toxins which is inhaled during the fire.

d. It is a duodenal ulcer.

14- Thermal fracture due to severe head burn is characterized by the following, EXCEPT: {Final2021}

a. Extradural hematoma is large and firm, b. Scalp wounds are absent,

c. Brain is small and shrunken. d. Only fissured fracture.

15-Heat Exhaustion is caused by {قسم}

A) excessive loss of sodium chloride B) effect of heat on cardiac muscle

C) depletion of ATP stores in cardiac muscle D) effect of heat on the head

16- In thermal fractures: the following are true except: {Qena}

a) The brain is edematous b) The extradural hematoma is dry and friable

c) The body shows signs of burn d) It is a fissure fracture

17- Cause of death in the 5th day after burn is …….. {Mid2022}

A- Rupture of acute duodenal ulcer B- Pulmonary fat embolism

C- Hemorrhage in the suprarenal glands D- Neutrogenic. shock

18- Choose the wrong answer regarding a case of traumatic asphyxia: {Qena}

a) Congestion of face, neck and shoulders.

b) Petechial hemorrhages in face and conjunctiva.

c) Fracture of laryngeal cartilage.

d) Swelling of face and lips.

19-Pugilistic attitude is due to: {Qena}

A. Loss of water from the muscles B. Loss of potassium from the muscles

C. Loss of sodium from the muscles D. Coagulation of proteins of the muscles

20- Adult male was burnt, on the 12th day after burn he died; death is most probably due to {قديم}{Qena}

A- Acute edema of glottis B- Pulmonary fat embolism

C- Ruptured Curling ulcer D- Suprarenal haemorrhage

21-2nd degree burn is the most dangerous degree {Formative2025}

a. True b. False

22- "Choose the FALSE statement": Absent current marks are found in {Final2022}

A- Contact over a large body area B- Volt is very high.

C- Time of contact is only few seconds. D- Arc current

23- Thermal hematoma should be {قديم}{Qena}

A- Extradural, soft, not related to the site of burn, brownish

B- Extradural, firm, reddish, opposite to the site of trauma

C- Subdural, firm, reddish, opposite to the site of trauma

D- Subdural, soft, not related to the site of burn, brownish

24- Very high body temperature is an important sign of heat exhaustion {قديم}

A- True B- False

25- Postmortem burn is characterized by : {Qena}

a) The vesicles are filled with fluid rich in albumin and chloride

b) There is tissue reaction.

c) The percentage of COHb is 60%.

d) The absence of fine carbon particles in the traches and the bronchi

26-Ante mortem burn is characterized by:- {Qena}

a) Small vesicles. b) No sepsis. c) Soot in air passages. d) None of the above.

27-adults male was burnt, on the 5th day burn he died; death : is most probably due to {Qena}

A. acute edema of glottis B. pulmonary fat embolism

C. ruptured curling ulcer D. suprarenal hemorrhage

28-An ante mortem scaled is characterized by: {Qena}

A. Destruction of the whole skin B. Redness and vesicle formation

C. Thick scar formation

29-Pugilistic attitude is present whether a living or dead body is burnt {Qena}

a. True b. False

30- curling ulcer occurs at the 12th day of burn {Qena}

a. True b. False

31-Heat hyperpyrexia (stroke) is due to {Qena}

A. Excessive loss of sodium chloride B. Effect of heat on cardiac muscle

C. Depletion of ATP stores in skeletal muscles D. Effect of heat on the head

32-In electrocution asphyxia is caused by: {Qena}

a. Contraction of the chest muscles b. Relaxation of the chest muscles.

c. Paralysis of the chest muscles. d. Fasciculation of the chest muscles.

33-Death by electrocution may occur as a result of {Qena}

a. Ventricular fibrillation. b. Violent convulsions.

c. Central nervous system injury. d. Any of the above.

34- Electrocution in a bath tub, absent skin effects is due to {Qena}

a- large surface area b- Diminished skin resistance

c- Amount of heat produced is low d- all of the above

35-skin metallization is found {Qena}

a- at the exit of electric injury b- with low voltage current

c- with arc current d- None of the above

36-Heat cramps are due to: {Qena}{kasr}

a-Stoppage of sweating b-Hyperthermia

c-Paralysis of the medullary temperature regulating center d-Salt loss

37-Classical triad of heat stroke consists of all the following except: {Qena}

a-Neurologic disturbance b-Hyperthermia c-Hypotension d-moist skin

38-Heat haematoma is located between which of the following. {Qena}

A. Brain and meninges B. Dura mater and arachnoid

C. Galea aponeurotica and skull D. Skull and dura mater

39-Pugilistic attitude is seen in death due to which of the following: {Qena}

A. Bum B. Drowning C. Hanging D. Strangulation

40- A 70 year-old man was admitted to the hospital suffering from burns. The prognosis was critical due to the following except: {Qena}

a. The age of the man b. The burn was of the third degree

c. The extent was 40% of total body surface area d. The burn was in the extremities

41- All of the following are true concerning corrosive burn except: {Qena}

a. Caused by concentrated acids and alkalis b. Produces both chemical and thermal injuries

c. Degree of burn is first and second d. Healing leads to a disfiguring scar

42- Fatal burn occurs if {Qena}

a. Burn is more than 1/3 body surface area b. Burn affects the extremities

c. Bum is of the 2nd degree d. None of the above

43- Early causes of death in burns do not include: {Qena}

a. Shock b. Laryngeal edema c. Fat embolism d. Renal failure

44- Delayed causes of death in burns include: {Qena}

a- Shock. b- Pulmonary edema. c- Acute renal failure. d- Fat embolism.

45-An adult male died in the first 24 hours after burn of lower limbs, the expected cause of death is:- {Qena}

a. Liver cell failure. b. Parasympathetic shock.

c. Edema of the glottis. d. Ventricular fibrillation.

46-Which one of the following is a character of postmortem burn ? {Merit}

a. Absence of erythema b. Presence of hemoconcentration

c. Presence of COHB d. Presence of soot

47- All are true about electrocution except: {Qena}{kasr}

a) Direct current produces greater damage as compared to alternating current

b) Injuries are greater when associated with moist contact

c) Injuries are greater when body is partially earthed

d) High voltages throw the victims clear

48- Alternating current is more dangerous than direct one. {Qena}

a. True b. False

49- Passage of electric current across the chest and abdomen causes death due to: {Qena} تاكد

a. Central asphyxia. b. Peripheral asphyxia.

c. Ventricular fibrillation. d. Cerebral anoxia.

50-All the following are true about post-mortem appearances of electrocution, Except: {Qena}

a-Early appearance of rigor mortis. b-Generalised congestion.

c-Internal picture of asphyxia. d-Absent hypostasis

51-Sweating is absent in

a. Heat exhaustion b. Heat cramps c. Heat stroke d. Heat collapse

52-Which condition is characterized by severe and painful cramps of voluntary muscles due to rapid dehydration caused by profuse sweating in high temperatures?

a. Heat syncope b. Heat cramps c. Heat exhaustion d. Heat stroke

53-Resuscitation efforts should be continued in apparent electrocution fatalities: {Qena}

a. A maximum of 15 minutes. b. A maximum of 1 hour.

c. Until the appearance of definite post mortem changes. d. A maximum of 4-6 minutes.

54-The common agent causing scalds is:

A) Fire flame B) Boiling water C) Acid D) Electric current

55-In a fire accident a body was found dead within 30 minutes from the start of fire. You can expected mechanism of death to be: {Qena}

a. rupture of Curling ulcer. b. Pneumonia or broncho-pneumonia

c. Neurogenic shock d. Hemoconcentration

56-Singeing of hair is seen in the following conditions, except: {kasr}

a. Dry burn b. Close range firearm injury

c. Moist burn d. All of the above

57- Heat hyperpyrexia (stroke) is due to: {kasr}

a. Salt loss. b. Cardiac failure.

c. CNS stimulation. d. Degeneration of heat regulating centre.

58- In burns, all the following are true except: {kasr}

a. They may cause permanent infirmity.

b. They are commonly accidental.

c. They may cause shortening of muscles.

d. Mortality rate depends on the degree rather than the extent.

59- In charred body, sure sign of ante-mortem burn is: {kasr}

a. Cyanosis of finger nails. b. Soot in respiratory passages.

c. Congestion of internal organs. d. Edema of the brain.

60- One of the delayed causes of death from burn is: {kasr}

a. Asphyxia. b. Sympathetic shock.

c. Acute supra-renal insufficiency d. Crush syndrome.

61- According to the "rule of nine", burns of both upper limbs account for: {kasr}

a. 9%. b. 18%. c. 27%. d. 36%.

62- All are true concerning scalds, except: {kasr}

a. Heals leaving no or thin scar. b. Spreads from above downwards in streaks.

c. Shows no soot in air passages. d. Dangerous if it is of the 6th degree.

63- A burn may be dangerous if affecting: {kasr}

a. The back. b. The upper limbs. c. 1/3 of body surface area. d. Perineum.

64- Scalds are caused by: {kasr}

a. Hot liquid. b. Hot steam. c . Strong acid. d. Both a and b.

65- Chemical corrosion is characterized by all of the following, except: {kasr}

a. Absent Co-Hb in blood. b. Thick scar.

c. Absent soot in air passages d. Small vesicles.

66- Heat hematoma is present in: {kasr}

a. Extradural space. b. Subdural space. c. Subarachnoid space. d. Intracerebral tissues.

67- According to Dupuytren classification, full skin thickness is involved in: {kasr}

a. First degree burn. b. Second degree burn.

c. Third degree burn. d. Fourth degree burn.

68- In heat splits, all of the following are true, except: {kasr}

a. They are due to marked contraction of heated skin.

b. They are seen over extensor surfaces.

c. They are accompanied by bleeding in deeper tissues.

d. There is no vital reaction around their margins.

69- In first 6 hours after burn, death can occur due to: {kasr}

a. Neurogenic shock. b. Oligemic shock. c. Septic shock. d. Toxemic shock.

70- Oligemic shock in cases of burn results from: {kasr}

a. Severe pain. b. Loss of plasma from burnt area.

c. Histamine release. d. Burn toxins.

71- Toxemic shock in cases of burn results from: {kasr}

a. Tissue destruction. b. Histamine release. c. Capillary dilatation. d. All of the above.

72- In burns, curling ulcer is due to: {kasr}

a. Smoke inhalation. b. Accumulation of plasma in vesicles.

c. Suprarenal hemorrhage. d. Perforation of duodenal ulcer.

73- Suprarenal failure following burn is due to: {kasr}

a. Hemorrhage. b. Cardiac failure. c. Hepatic failure. d. Hormonal disturbance.

74- Death by electrocution may occur as a result of: {kasr}

a. Central asphyxia b. Ventricular fibrillation.

c. Peripheral asphyxia. d. All of the above.

75- In electrocution, peripheral asphyxia is caused by: {kasr}

a. Contraction of respiratory muscles. b. Paralysis of chest muscles.

c. Relaxation of chest muscles. d. None of the above.

76- Asphyxia resulting from burns can be due to: {kasr}

a. Inhalation of irrespirable gases. b. CO poisoning.

c. Traumatic asphyxia. d. All of the above.

77- Higher than normal postmortem temperature may be found in persons dying of: {kasr}

a. Heat stroke. b. Drowning. c. Burn. d. All of the above

78- Heat splits could not be differentiated from ante-mortem cut wounds. {kasr}

a. true b. false

79- Vesicles are present in chemical burns. {kasr}

a. true b. false

80- Soot is present in scalds{kasr}

a. true b. false

81- Neurogenic shock may be the cause of death from electrocution. {kasr}

a. true b. false

82- Electrocution leads to ventricular fibrillation. {kasr}

a. true b. false

83- Humidity prevents electric current from passing through the body. {kasr}

a. true b. false

84- In corrosions, hairs are eaten and maybe discolored. {kasr}

a. true b. false

85- Charring occurs in the 6th degree in case of scalds. {kasr}

a. true b. false

86- In corrosions, CoHb is present in the blood. {kasr}

a. true b. false

87- Vesicles are tense and filled with serum in post mortem burns. {kasr}

a. true b. false

88- Hemo-concentration is present in ante mortem burns. {kasr}

a. true b. false

89- Depth of burns is classified by the "rule of nine".{kasr}

a. true b. false

90- Wilson's classification is classified by the degree of burn. {kasr}

a. true b. false

91- Dupuytren classification depends on the thickness of the burnt skin. {kasr}

a. true b. false

92- In the "rule of nine", each lower limb is 18%. {kasr}

a. true b. false

93- Heat cramps are rapidly relieved by salt administration. {kasr}

a. true b. false

94- Symptoms of heat exhaustion (syncope) are all of the following, except: {kasr}

a. Rapid weak pulse. b. Low blood pressure.
c. Fever and convulsions. d. Pale and moist skin.

95- Heat hematoma is characterized by all of the following, except: {kasr}

a. Chocolate brown in color. b. Is an extradural hematoma.
c. Accompanies thermal fracture. d. Brain is congested.

96- Burns produced by flame are characterized by the following Except:

a. Roasted patches of skin. b. Singing of hair. c. Presence of vesicles.

d. Whitening of skin. e. Wet clothes.

97- Burns produced by application of hot metals are characterized by the following Except:

a. Whitening of the skin. b. Presence of vesicles on direct contact.

c. Roasting & charring of tissues. d. Singing of hair. e. None of the above.

98- Scald produced by application of hot liquid is characterized by the following Except:

a. Sodden & roasted. b. Presence of vesicles along the coarse of running liquid.

c. Clothes are wet. d. The scar is thin e. None of the above.

99- Chemical burns produced by application of acid or alkali are characterized by the following Except:

a. Redness of the skin. b. Discoloration of skin c. Only 1st, 2nd and 3rd degrees.

d. No vesicles. e. Only 1st, 3rd and 4th degrees.

100- 1 degree burn is characterized by:

a. Vesicles. b. Erythema. c. Patchy coagulation.

d. Destruction of whole skin. e. Involvement of muscles.

101- 2nd degree burn is characterized by:

a. Vesicles. b. Erythema. c. Patchy coagulation.

d. Destruction of whole skin. e. Involvement of muscles.

102- 4th degree burn is characterized by:

a. Vesicles. b. Erythema. c. Patchy coagulation.

d. Destruction of whole skin. e. Involvement of muscles

103- 5th degree burn is characterized by:

a. Vesicles. b. Erythema. c. Patchy coagulation.

d. Destruction of whole skin. e. Involvement of muscles.

104- 6th degree burn is characterized by:

a. Vesicles. b. Erythema. c. Patchy coagulation.

d. Destruction of whole skin. e. Involvement of bones.

105- Rule of nine of Wallace is used for:

a. Estimation of the surface area of the body, which is burnt. b. Length of body.

c. Date of firing. d. Distance of firing. e. Age of bloodstain.

106- The most serious degree of burn is:

a. 15 degree. b. 2nd degree. c. 3rd degree.

d. 4th degree. e. 5th degree.

107- Death from burn within 6 hs is due to the following Except:

a. Secondary oligaemic shock. b. Neurogenic shock. c. Asphyxia.

d. Traumatic asphyxia.. e. Accidental injuries to vital organs.

108- Death from burn within 6-48 hs is due to the following Except:

a. Secondary oligaemic shock. b. Secondary toxaemic shock.

c. Oedema of the glottis. d. Pulmonary fat embolism.

e. Rupture acute duodenal ulcer.

109- Death from burn within 2-7 days is due to the following Except:

a. Suprarenal hemorrhage. b. Bronchopneumonia.

c. Inflammation of serous membranes. d. Tetanus. e. Asphyxia.

110- Death from burn after one week is due to the following Except;

a. Suffocation. b. Tetanus. c. Rupture duodenal ulcer.

d. Liver, Kidney and heart damage. e. c & d

111- The position of the body after death from burn is:

a. Pugilistic attitude. b. Extension of limbs. c. Opisthotonos position.

d. Emprosthotonos position. e. Pleurosthotonos position.

112- Thermal skull fracture in case of burn is:

a. Depressed fracture. b. Fissured fracture. c. Basal fracture.

d. Comminuted fracture. e. Cut facture

113- In thermal fracture the followings are true Except:

a. Brain is edematous

b. Extradural haematoma doesn't fill the space between brain and skull.

c. Fracture is not displaced. d. Body shows P.M. picture of death from burn.

e. None of the above.

114- P. M. picture of electrocution is the following Except:

a. Rapid rigor mortis. b. Marked hypostasis c. Presence of current marks.

d. Internal signs of asphyxia. e. None of the above.

115- N/E appearance of current marks includes the following Except:

a. Same size & shape as conductor.

b. Grayish white painless areas of aseptic necrosis without evidence of inflammation.

c. It varies from superficial circumscribed lesion to severe burn.

d. Full thickness tissue necrosis. e. Separation of cells in the form of slits.

116- Lightening syndrome is characterized by:

a. Loss of consciousness. b. Skin burn. c. Conductive deafness.

d. All of the above. e. A & c.

117-Dry burn is caused by:

a) Hot liquid or steam. b) Flame or hot metals

c) Deep x-rays or UV-rays. d) Strong acid or alkalies.

118- In dry burn:

a) The vesicles or blisters are present on the circumference of the burnt area.

b) Vesicles are abundant along the course of the burnt area.

c) No vesicles at all. d) Vesicles are filled with gas with little or no fluid.

119- In moist burn (scald):

a) The hair and clothes over the burnt area are singed.

c) Clothes are usually wet with sodden and bleached skin.

b) The skin is stained and corroded. d) The skin in dry, shriveled and may be charred.

e) None of the above.

120-In chemical burns, there is:

a) Roasted patches of skin or deeper part of the body.

b) Discolouration of the skin with ulcerated patches.

c) Sodden and bleached burnt area. d) Usually thin scar and no disfigurement.

121-The degree of moist burn (scald) according to old classification may be:

a) Any degree up to 6 degree. b) First or second degree only.

c) First, third or fourth degree only. d) From first to fourth degree.

122- The most dangerous site of burn is:

a) At the extremities. b) At head and neck. c) At abdominal wall and genitalia.

d) a and b e) band c.

123- In antemortem barn, all of the followings are true Except:

a) Presence of vital reaction. b) Presence of soot in the upper respiratory tract.

c) Presence of carboxy-haemoglobin in the blood. d) Presence of line of hyperemia. Vesicum

e) Vesicles are not tense & contain fluid poor in albumin & chloride

124- In postmortem burn, all of the followings correct Excepti

a) Absence of vital reaction. b) Absence of soot in the upper respiratory tract.

c) Vesicles contain albuminous fluid rich in chloride.

d) Concentration of carboxy-haemoglobin is low.

e) Other causes of death are usually present.

125-In thermal fracture, all of the followings are true Except;

a) The extradural haematoma does not fill the space between the brain and the skull.

b) The brain is oedematous. c) The body shows signs of death from burm.

d) It is a fissure fracture.

126-One of the followings may be the cause of death from burn within 6 hours:

a) Secondary oligaemic shock "haemoconcentration",

b) Secondary toxemic shock due to absorption of burn toxins.

c) Neurogenic shock "reflex vagal inhibition of the heart". d) Acute oedema of the glottis.

e) Suprarenal hemorrhage

127-A person died in hospital two weeks after burning of his abdominal and chest wall and upper extremities, the most probable cause of death is:

a) Traumatic asphyxia. b) Pulmonary fat embolism.

c) Perforation of an acute duodenal ulcer (Curling's ulcer),

d) Suprarenal haemorrhage. e) Secondary toxemic shock.

128-The most resistant body tissue to electric injury is:

a) Skin. b) Muscles and nerves. c) Bones.

d) Fatty areas. e) Blood or body fluid.

129- The best conductor of tissue to electric injury is:

a) Muscles and nerves. b) Skin. c) Blood and body fluids.

d) Bones. e) Fatty area.

130- Death by electrocution may occur as a result of:

a) Ventricular fibrillation. b) Asphyxia whether central or peripheral.

c) Cerebral anoxia. d) Cardiac arrest. e) All of the above.

131- In postmortem picture of electrocution, there is:

a) III-defined hypostasis. b) Rapid onset of rigor mortis.

c) Current marks at the site of entry of the current. d) a and b. e) b and c.

132- The current marks are absent in the following conditions Except:

a) If the contact of the current is over a large body area.

b) If the time of contact is only few seconds. c) If the volt is very low.

d) if the volt is high.

133-First-degree burn is characterized by:

A) Vesicles B) Erythema C) Muscle destruction D) Charring

134-Second-degree burn is characterized by:

A) Vesicles B) Erythema C) Muscle destruction D) Charring

135-According to Dupuytren's classification, blister formation is graded as

a. 1st degree b. 2nd degree c. 3rd degree d. 4th degree

136-For a burn to affect more than 50% of the body surface area. It must involve?

A. Both lower limbs and front of the trunk.

B. Both upper limbs and back of the trunk.

C. Head and neck with both front and back of the trunk.

D. Both the front and back of the trunk

137-A 35-year-old female suffered extensive burn injuries due to explosion of stove. She brought to hospital, and the physician examined her and said the burn affected more than 1/3 of her total surface area. Why did the physician say that?

A. Both lower limbs were burned.

B. Both upper limbs were burned.

C. The posterior trunk and right upper limb were burned.

D. The head, neck and anterior trunk were burned

138-Boiling water usually cause

A. Deep burns. B. Reddening and blistering C. Singing of hair D. Eating up of clothes

139-In a postmortem burn we can find

a. Line of redness b. Soot particles in the bronchi

c. High carboxyhemoglobin level in blood d. Vesicles

140-Third-degree burn involves:

A) Only epidermis B) Superficial dermis only

C) Destruction of skin exposing nerve endings D) Muscle only

141-Sixth-degree burn is characterized by:

A) Vesicles B) Erythema

C) Complete charring D) Destruction of skin exposing nerve endings

142-The most painful burn degree is:

A) First B) Second C) Third D) Sixth

143-Fourth-degree burn involves:

A) Epidermis only B) Dermis only

C) Whole skin layer destruction D) Subcutaneous tissue and muscles

144-Scalds are also known as:

A) Dry burns B) Moist burns C) Chemical burns D) Electrical burns

145-Burns affecting more than what percentage of body surface area are generally considered fatal?

A) 25% B) 20% C) 33% D) 50%

146-The most dangerous degree of burn is:

A) First degree B) Second degree C) Third degree D) Fourth degree

147-In adults, head and neck account for:

A) 5% B) 9% C) 18% D) 12%

148-Each lower limb represents:

A) 9% B) 18% C) 27% D) 8%

149-Each upper limb in the Rule of Nines represents:

A) 9% B) 18% C) 6% D) 12%

150-The anterior and posterior trunk together account for:

A) 9% B) 18% C) 27% D) 36%

151-In adults, perineum (genital area) represents:

A) 1% B) 9% C) 18% D) 8%

152-Supra-renal haemorrhage usually occurs around:

A) 1st day B) 3rd day C) 5th day D) 10th day

153-Vesicles in burns usually appear within:

A) Immediately B) 2–3 hours C) 24 hours D) 3 days

154-The most common cause of death within 6–48 hours is:

A) Sepsis B) Hypovolaemic shock C) Brain hemorrhage D) Neurogenic shock

155-Immediate cause of death in burns may include:

A) Sepsis B) Neurogenic shock C) Kidney failure D) Pneumonia

156-Current marks may be absent when:

A) Contact area is small B) Contact is prolonged

C) Contact is over a large body surface D) Voltage is very high

1. C	2. B	3. B	4. A	5. A
6. A	7. B	8. C	9. C	10.A
11.B	12.C	13.C	14.A	15.A
16.A	17.C	18.C	19.D	20.C
21.B	22.B	23.A	24.B	25.D
26.C	27.D	28.B	29.B	30.A
31.D	32.A	33.D	34.D	35.C
36.D	37.D	38.D	39.A	40.D
41.C	42.A	43.D	44.C	45.C
46.A	47.A	48.A	49.B	50.D
51.C	52.B	53.C	54.B	55.C
56.C	57.D	58.D	59.B	60.C
61.B	62.D	63.C	64.D	65.D
66.A	67.D	68.C	69.A	70.B
71.D	72.D	73.A	74.D	75.A
76.D	77.A	78.B	79.B	80.B
81.A	82.A	83.B	84.A	85.B
86.B	87.B	88.A	89.B	90.B
91.B	92.A	93.A	94.C	95.D
96.E	97.E	98.A	99.C	100. B
101. A	102. D	103. E	104. E	105. A
106. C	107. A	108. E	109. E	110. E
111. A	112. B	113. A	114. E	115. E
116. D	117. B	118. A	119. C	120. B
121. B	122. C	123. E	124. C	125. B
126. C	127. C	128. C	129. C	130. E
131. E	132. D	133. B	134. A	135. B
136. A	137. A	138. B	139. D	140. C
141. C	142. C	143. C	144. B	145. C
146. C	147. B	148. B	149. A	150. D
151. A	152. C	153. B	154. B	155. B
156. C	157.	158.	159.	160.

asphyxia

1- Fracture dislocation of cervical vertebrae occurs in which type of hanging? {Mid2025}

A- complete hanging B- incomplete hanging C- judicial hanging D- Typical hanging

2- Which type of embolism is most likely to occur with fracture of long bone? {Mid2025}

A- Fat embolism B- foreign body embolism C- air embolism D- Bullet embolism

3-Burkking is a type of {Final2025}

A-Traumatic asphyxia B-Postural asphyxia C-Smothering

4-Semilunar nail abrasions are found in relation to {Final2025}

A-Smothering B-Drowning C-Hanging D-Chocking

5-According to homicidal strangulation we can't find? {Final2025}

A-is present sign of respiration B-Deep marks

C-More than one twisting around neck D- Present of Wharton's jelly

6- Hydrocution is {Mid2022}{Mid2025}

A- Sudden impact in cold water B- Electrocution in water

C- Dry drowning D- Post-mortem drowning

7- In a case of drowning froth in the mouth is characterized by {Mid2024}{Formative2025} {kasr}{قسم}

A. Fine and whitish in color B. Offensive odor C. Blood stained D. Thick

8- The cause of death in submersion in fresh water was.... {Final2022}{Formative2024}

A- Ventricular fibrillation B- Heart failure C- Pulmonary edema D- All of the above

9- The cause of death in dry drowning is {Formative2023}

a) Heart failure b) Laryngeal spasm

c) Reflex vagal inhibition of the heart d) Ventricular fibrillation

10-Hanging with the feet touching the ground is seen in: {Formative2023}

a) Incomplete hanging b) Homicidal hanging c) Complete hanging d) Suicidal hanging

11--Which of the following causes asphyxia without pressure around neck anatomy: {Mid2023}

a) Gagging b) Hanging c) Ligature strangulation d) Throttling

12- Causes of death from manual strangulation include all of the following, except {Mid2024} {kasr}

a) Asphyxia. b) Reflex vagal inhibition. c) Brain anemia. d) Laryngeal spasm.

13- All the following are true regarding traumatic asphyxia, except {kasr}{Mid2024}

a) Accidental cases are the commonest.

b) There is deep cyanosis of the face, neck and upper part of chest.

c) Injury of vital organs may be a cause of death.

d) Petechial hemorrhages are rarely seen

14- Which of the following is wrong about postmortem picture of hanging ? {Mid2024}

A. Ligature mark is transverse and in lower neck B. Dribbling of saliva from corner of mouth

C. May be fracture of hyoid bone D. Bruises in muscles and subcutaneous tissue of the neck

15-While examining the airways of a cadaver they found froth and weed, the probable cause of death is {Mid2023}

a) Ante-mortem drowning b) Post-mortem drowning

c) Head injury d) None of the above

16- A male was found in hanging position. After taking him down and examination there was well established hypostasis fixed in the back. What is the position at the time of death? {Final2023}

A- supine B- Prone C- We can't detect.

17- Burking is..... {Final2022}

A- Throttling B- Traumatic asphyxia C- Postural asphyxia D- Both a & c

18- Condition in which the person remains in inverted position for a long time: {Final2023}

A- Postural asphyxia B- Traumatic asphyxia C- chocking D- Burking

19- Death occurs in cases of choking may be due to {Mid2021}

a. Obstruction of air passages b. Laryngeal spasm

c. Reflex vagal inhibition d. All of the above

20- A female was seen hanging from a fan with her feet touching the ground; the following features suggested antemortem hanging EXCEPT: {Final2021}

a. Hyoid bone fracture

b. Dark blue hypostasis,

c. Dripping of saliva from angle of mouth-

d. Bruising of subcutaneous tissues and muscles of the neck

21- A female was seen hanging from a fan with her feet touching the ground; the following features suggest that she died by hanging, except: {kasr}

a. Ligature mark low down in the neck. b. Dripping of saliva from angle of mouth.

c. Bruising of subcutaneous tissues and muscles of the neck. d. Hyoid bone fracture.

22- Inward fracture of hyoid bone and thyroid cartilage with neck muscle bruising suggests death due to: {Final2021}

a. Hanging b. Ligature strangulation c. Choking d. Manual strangulation

23- Which of the following is not TRUE about fresh water drowning: {Final2021}

a. Hypovolemia b. Hyperkalemia c. Haemolysis d. Ventricular fibrillation

24- The cause of death in immersion syndrome is: {Final2021}

a. Heart failure b. Laryngeal spasm

c. Reflex vagal inhibition of the heart d. Ventricular fibrillation

25- Three days after surviving person from drowning, he may suffer from restlessness and chest pain this condition is called {Final2022}

A- Dry drowning B- Reflex vagal inhibition C- Near drowning D- Anaemia

26-Cause of death in case of Choking include all of the following except {قسم}

A) asphyxia B) cerebral anaemia C) cardiac inhibition D)laryngeal spasm

27- The cause of death in dry drowning is {قديم}{Qena}

A- Head trauma B- Severe laryngeal spasm

C- Reflex vagal inhibition D- Bronchopneumonia & abscess

28- Silver spots present in violent asphyxia are seen in {قديم}{Qena}

A- In lungs B- Brain substance C- Subperitoneal D- Subcutaneous

29-Damaged intima of the carotid artery is most likely seen in deaths due to: {Qena}

a. Strangulation b. Drowning c. Hanging d. Choking

30- Drowning in sea water is characterized by all the following EXCEPT: {Qena}

A. Haemoconcentration. B. Plasma sodium level increases.

C. Pulmonary edema. D. Chloride level increases in right ventricle

31- Cutis anserina is a sure sign of drowning {قديم}{Qena}

A- True B- False

32- Garroting is a method of homicidal strangulation which is accomplished by {قديم}{Qena}

A- Placing one bamboo stick across the front of neck and one at the back, and tying both ends with a rope

B- Holding the neck of victim in the bend of the elbow

C- Compression of the neck by the hand

D- Throwing a ligature over the neck from behind and quickly tightening it

33-In deaths due to drowning, hypostasis usually occurs in: {Qena}

A. Back B. lower limbs C. Feet and hands D. Head, neck and upper chest

34- Petechial hemorrhages in asphyxial deaths are due to: {Qena}

A. Capillary bursting B. Arteriolar bursting C. Ruptured air sacs D. Ruptured venules

35-Which of the following features is indicative of ante-mortem drowning: {Qena}

A. Goose skin B. Grass and weeds grasped in the hand

C. Rigor mortis D. Washerwoman's feet

36-Smothering is diagnosed by {Qena}

A. Bruises and abrasions in the face B. Fractured teeth

C. Lacerated mucosa of cheek D. All of the above

37-Cases of violent asphyxia the hyoid is the mostly fractured by {Qena}

A. Smothering B. throttling C. Strangulation D. Hanging

38-Congestion of the face is one of the classical signs of asphyxia {Qena}

a. True b. False

39-Cutis anserina" or "Goose skin" is seen in: {Qena}

A. Drowning B. Firearm injury C. Lightening injury D. Strangulation

40-A patient is seen in casualty having froth from mouth and nostril which increases on chest compression. The diagnosis is {Qena}

A. Drowning B. Hanging C. Organophosphorous poisoning D. Strangulation

41-Which of the following features is indicative of ante-mortem drowning {Qena}

A. goose skin B. Grass and weeds grasped in the hand

C. Rigor mortis D. Washer womans feet

42-The best indicator of ante-mortem drowning is {Qena}

A. goose skin B. Froth in mouth and nostrils

C. Water in nose D. Washerwoman's feet

43-In asphyxial deaths, hypostasis is {Qena}

a- Well marked, deep blue and extensive. b-Ill marked, deep blue and extensive.

c- Well marked, pale blue and extensive. d-Ill marked pale blue and limited.

44-dead body was found with a rope mark around the neck, the case was dagnosed as ligature strangulation as examination revealed: {Qena}

a-General external and internal signs of asphyxia

b-The face was congested

c-The rope mark was horizontal and below the laryngeal prominence

d-The eyes were prominent with dilated pupils.

45- Absent extemal signs of throttling in: {Qena}

a- Mugging. b- Fabricated throttling.

c- Attack by one hand. d- Attack from behind.

46-Secretion of saliva is: {Qena}

a- A sign of ante mortem strangulation. b- A sign of ante mortem hanging.

c- A sign of ante mortem drowning. d- A sign of ante mortem throttling.

47-Odorless foam from a cadaver suggests: {Qena}

a- Putrefied body. b- Drowned body.

c- Ante mortem hanging. d-Post mortem submersion.

48- Silvery spots are due to: {Qena}

a- Rupture of capillaries. b- Rupture of air vesicles.

c- Rupture of venules. d- Increase intracapillary pressure.

49-At autopsy, a body is found to show intimal rupture of the carotid arteries. The most likely cause of death is: {Qena}

a-Drowning. b-Hanging. c-Strangulation. d-Choking.

50-Tardieu spots are due to: {Qena}

a- Decrease capillary permeability. b- Rupture of air vesicles.

c-Increase intracapillary pressure. d- Decrease blood coagulability.

51-Carotid artery is usually torn in: {Qena}

a-Hanging b- Strangulation. c-Throtling. d.Smothering.

52-Compression of the neck by the bend of the elbow is:- {Qena}

a- Mugging b- Burking c- Gagging d-Choking

53-In a case of hanging, hypostasis is found in: {Qena}

a. The shoulder blades. b. The head and neck.

c. The back of the body. d. The lower limbs.

54-The findings on neck area are extensive laceration of neck structure, tear in stemomastiod and fracture dislocation of C3-C4 vertebrae. This findings are present in : {Qena}

a- Accidental hanging. b- Judicial hanging. c- Suicidal hanging. d- Incomplete hanging

55-A dead body was found with a rope mark around the neck, the case was diagnosed as ligature strangulation as examination revealed: {Qena}

a. General external and internal signs of asphyxia

b. The face was congested

c. The rope mark was horizontal and below the laryngeal prominence

d. The eyes were prominent with dilated pupils.

56-Autopsy of victim of judicial hanging shows all of the following except: {Qena}

a. Fracture skull base b. Intimal rupture of carotid arteries

c. Fracture of hyoid bone d. Fracture dislocation of cervical vertebrae

57-One of the following is a sure external sign of drowning that can be found in postmortem examination: {قديم}{Formative2023}{Qena}

a. Goose skin b. Washer woman's hands

c. Peeling of the skin d. Fine froth at the mouth and nostrils

58- The following can't be suicidal: {قديم}

A- Hanging B- Firearm injury C- Head injury D- Throttling

59- Tardieu spots are seen in all the following conditions except: {Qena}

a- Hanging. b- Drowning. c- Strangulation. d- Traumatic asphyxia

60-Tardieu spots are petechial hemorrhage seen in {Qena}

A. Brain substance B. Subpleural C. Subperitoneal D. Subcutaneous

61- A fine leathery froth that comes from the nostrils on chest compression is diagnostic of death due to: {Qena}

A. Strangulation B. Hanging C. Morphine poisoning D. Drowning

62-The external sure signs of drowning are {Qena}

A. Cadaveric spasm of hand B. Froth of foul odor

C. Rapid cooling D. Hypostasis in head & shoulders

63-Antemortem hanging can be identified from postmortem suspension by {Qena}{قديم}

A. Hypostasis is most marked in the legs, hands, feet

B. The lead is inclined to the site opposite to the knot

C. The intima and media of the carotid arteries are lacerated

D. Fractured hyoid bone

64-Asphyxia can be diagnosed by {Qena}

A. Tardieu spots B. Fine froth un the air passages

C. Silver spots in lungs D. All of the above

65- Internal autopsy findings due to death from asphyxia include all of the following, except: {kasr}

a. Congestion of the mucosa of air passages. b. Tradieu spots.

c. Silvery spots. d. Red fluid blood.

66- Three days after saving a drowned person, he may suffer from: {kasr}

a. Haemolysis. b. Reflex vagal inhibition.

c. Bronchopneumonia. d. Hydraemia.

67- One of the following is a character of rope mark in cases of hanging: {kasr}

a. A complete circle is never seen if a double turn.

b. A complete circle is never seen if a running noose.

c. In case of knot it forms incomplete circle with minimal compression opposite to point of suspension.

d. Tails off as it ascends obliquely to the point of suspension.

68- All the following are true regarding drowning, except: {kasr}

a. Gulping of water, coughing and vomiting is rapidly followed by loss of consciousness.

b. In hypertonic sea water, the water is withdrawn by osmosis from plasma into the fluid of alveolar spaces in the lungs.

c. Pale hypostasis.

d. Peeling of epidermis takes 1 day after submersion to develop.

69- All the following is true regarding smothering, except: {kasr}

a. The victim is usually too feeble to offer resistance in homicidal cases.

b. There may be bruises on the mucosa of the cheeks, lips and gums.

c. Asphyxia is produced by obstruction of internal respiratory orifices.

d. An infant may be suffocated when it lies in prone position.

70- One of the following is true regarding traumatic asphyxia: {kasr}

a. Rib fractures are rare.

b. Asphyxia is due to blockage of the internal airways, usually between the pharynx and the bifurcation of the trachea.

c. Deep cyanosis of the face, neck and upper part of chest.

d. It is a self induced death.

71- Sitting on the chest and abdomen to prevent respiration is called: {kasr}

a. Burking. b. Overlying. c. Gagging d. Mugging.

72- All the following is true regarding post mortem picture of hanging, except: {kasr}

a. The thyroid cartilage may be fractured.

b. There may be bruising of subcutaneous tissues and muscles of the neck.

c. In case of running noose the ligature mark forms a complete ascending circle.

d. In case of knot, the ligature mark is symmetrical.

73- All the following is true regarding causes of death in hanging, except: {kasr}

a. Cerebral anemia due to stretch and narrowing of carotid arteries.

b. Asphyxia by mechanical obstruction of trachea.

c. Reflex vagal inhibition of the heart by pressure on carotid sinuses

d. Fracture dislocation of atlas and/or axis vertebrae in judicial hanging.

74- All the following is true regarding drowning, except: {kasr}

a. Atypical drowning may occur due to reflex cardiac inhibition.

b. Atypical drowning may occur due to head or other traumatic injuries.

c. Struggle for breathing and inhalation of water causes sure signs of drowning.

d. Floatation of the drowned body is earlier in fresh water.

75- The following is not a sure sign of drowning: {kasr}

a. Whitish, odourless , fine froth.

b. Pale, large, voluminous lungs.

c. Diatoms in the respiratory and alimentary passages.

d. Hypervolemia in the left side of the heart.

76- Silvery spots occur in this type of asphyxia: {kasr}

a. violent. b. Paralytic.

c. Tissue. d. All of the above.

77- The following is true regarding phases of drowning: {kasr}

a. Submersion is followed by struggle which subsides with exhaustion and drowning begins..

b. Breath holding lasts until carbon dioxide accumulation stimulates respiration resulting in inhalation of water.

c. Respiratory failure precedes heart failure in one-third of cases.

d. All of the above.

78- Ligature mark may form a complete circle in the following: {kasr}

a. Running noose. b. Double turn of the rope.

c. Ligature strangulation. d. All of the above.

79- In case of drowning, the lungs are: {kasr}

a. pale. b. Consolidated. c Small. d. All of the above

80- The upper part of the body is congested or cyanosed compared to the lower partin case of: {kasr}

a. Traumatic asphyxia . b. Overlying. c. Gagging. d. Mugging

81- Protrusion of tongue and eyes with dark foul bloody froth on mouth and nose occurs-in-cases of: {kasr}

a. Death from asphyxia. b. Normal death with starting putrefaction.

c. Death from drowning. d. Death of newly born infants.

82- Literally, asphyxia is a Greek word that means "no respiration".{kasr}

a. true b. false

83- Glistening air bubbles under the pleura are called "tardieu spots ".{kasr}

a. true b. false

84- Asphyxia produced by obstruction of external orifices by pressure of hand is called manual strangulation. {kasr}

a. true b. false

85- Hanging is a forin of violent asphyxia produced by pressure applied to the neck using a ligature causing uniform constriction. {kasr}

a. true b. false

86- Dark fluid blood occurs in cases of asphyxia. {kasr}

a. true b. false

87- Suicidal throttling is very rare. {kasr}

a. true b. false

88- Typical hanging is a medical term applied when the point of suspension is plac centrally over the front of the neck. {kasr}

a. true b. false

89- In typical hanging, the body is completely suspended. {kasr}

a. true b. false

90- Sitting on the chest and abdomen to prevent respiration is called mugging. {kasr}

a. true b. false

91- Putrefaction is rapid in cases of drowning. {kasr}

a. true b. false

92- In drowning, hypostasis occurs in the head, neck, shoulders and upper limbs. {kasr}

a. true b. false

93- The color is blue in these 2 conditions: lips in drowning and subconjunctival contusion after 3 days. {kasr}

a. true b. false

94- In hanging. asphyxia may occur due to mechanical obstruction of oropharynx. {kasr}

a. true b. false

95- In hanging, the main cause of death is reflex vagal inhibition. {kasr}

a. true b. false

96- In the 2nd stage of asphyxia, pupils are dilated and reactive. {kasr}

a. true b. false

97- The cause of death in dry drowning is reflex vagal inhibit.on. {kasr}

a. true b. false

98- In putrefied bodies, the bone marrow may aid in diagnosis of drowning{kasr}

a. true b. false

99-Cyanosis in asphyxial deaths is:

a. Not specific for all asphyxia deaths b- Specific for all asphyxial deaths.

c. Specific for strangulation. d -Specific for drowning.

100- Semilunar abrasions & rounded bruises around mouth and nose indicate a crime of:

a- Hanging. b- Strangulation. c- Smothering. d- Throttling.

101-Which of the following sites of contusions may indicate smothering?

a. Around the neck. b. Front of the chest.

c. Around the mouth and nostrils. d. Inner sides of the thighs

102-Silvery spots occurs due to

a) rupture of pleural capillary b) rupture of liver surface capillary

c) rupture of lung surface capillary d) rupture of unsupported sub-pleural air vesicles

103-Mechanical asphyxia caused by covering the head with a plastic bag is called

A. Choking asphyxia. B. Smothering asphyxia.

C. Drowning asphyxia. D. Throttling asphyxia

104-Regarding violent asphyxia, tick mark the right answer

a) external obstruction of mouth and nose is called chocking asphyxia

b) external obstruction of respiratory orifices is called smothering asphyxia

c) external pressure on the neck by hands is called hanging asphyxia

d) submersion of nose and mouth in any fluid is called traumatic asphyxia

105-Plastic bag was found beside a baby of two months in his crib. Nothing more could be found. The baby was died and discovered accidentally by the servant. There is no history of prematurely drug intake or any disease. The most possible cause of death is

A. Bacterial infection. B. Toxic gases. C. Suffocation. D. Metabolic disorders

106-The conclusive postmortem finding of death by drowning is?

A. Edematous lungs. B. Presence of water in respiratory passage.

C. Presence of diatoms in organs of the body. D. Congested lungs

107-Dry drowning is defined as

A. Drowning in sea water. B. Drowning of a dehydrated body.

C. Drowning where death is due to laryngospasm D. Drowning in fresh water.

108-Dribbling of saliva is a characteristic sign in

A. Suicidal strangulation. B. Homicidal strangulation

C. Antemortem Hanging D. Postmortem hanging.

109-Rope mark in hanging is commonly

A. Transverse & complete. B. Oblique & complete.

C. Oblique & incomplete. D. Transverse & incomplete

110-Which of the following is a charcteristic sign in strangulation asphyxia

a)ligature mark is an evidence of post mortem suspension.

b)ligature mark is transverse .

c)ligature mark will show a raising peak to a suspension point .

d) ligature mark is asymmetrical

111-In case of hanging, if the point of suspension lying at the side of the neck it is called

a) complete haning b) incomplete haning c) atypical haning d) typical haning

112- All of the followings are external signs of postmortem picture of asphyxia Except:

a. Deep bluish discoloration of the lips, ears and finger nails.

b. Protruded, swollen and sometimes bruised and bitten tongue.

c. Engorged, deeply congested and emphysematous lungs.

d. Postmortem lividity is well developed and is dark blue in colour.

e. Prominent eye balls.

113- Types of violent asphyxia are:

a. Drowning, throttling, cremation and overlying.

b. Drowning, throttling, hanging and strangulation.

c. Hanging, drowning, embalming and smothering.

d. Strangulation, hanging, embalming and drowning.

114- Drowning means:

a. Unlawful killing of a newly-born live born, viable infant.

b. Prevention of the passage of air to the lung by submersion of mouth and nostrils under water or other fluid media.

c. A modification of putrefaction.

d. Chocking by a bolus of food, leading to complete obstruction of the larynx.

e. All of the above

115- In fresh water drowning, death occurs in about:

a. 4-5 seconds. b. 4-5 minutes. c. 8-12 minutes.

d. ½-1 hour. e. 10-15 seconds.

116- Conditions of atypical drowning include:

a. Dry drowning, immersion syndrome and near drowning.

b. Dry drowning, immersion syndrome and adipocere formation.

c. Dry drowning, immersion syndrome and maceration.

d. Dry drowning, immersion syndrome and rigor mortis.

e. Current mark, embalming and rifling marks.

117- All of the followings are probable signs of drowning Except:

a. Goose skin.

b. Separation of the epidermis of the hands and the feet.

c. Fine froth of the mouth and the nose

d. Washer women's hands

e. The skin is wet, cold, clammy and pale.

118- The epidermis of the hands and the feet is separated in the form of gloves and stocking after:

a. 2 hours. b. 2 months. c. 2 minutes. d. 2 weeks. e. 2 days.

119- Death from drowning in salt water is due to:

a. Haemorrhage. b. Ventricular fibrillation.

c. Cardiac failure and standstill. d. Uraemia. e. Cholemia.

120- In fresh water drowning, heart is submitted to the effect of:

a. Hypervolaemia, anoxia, hypernatremia and hypokalemia.

b. Hypovolaemia, anoxia, potassium excess and sodium deficit.

c. Hypervolaemia, anoxia, potassium excess and sodium deficit.

d . Hypervolaemia, anoxia, hypokalemia and increased chloride.

e. Hypervolaemia, hypokalemia & decreased chloride.

121- Sure external signs of drowning are:

a. Water in stomach and intestine. b. Fine froth at the mouth and the nose.

c. Diatoms in tissues. d. Cadaveric spasm of the hand. e. b & d.

122- Froth of drowning is formed of:

a. Water, air and CO2. b. Water, air and mucous.

c. Water, blood and mucous d. Water, sodium and air e. All of the above.

123- In hanging, the neck is:

a. Separated due to the upward pulling of the ligature.

b. Shortened due to the upward pulling of the ligature.

c. Stretched due to the upward pulling of the ligature.

d. Twisted due to the upward pulling of the ligature.

c. Rotated due to the upward pulling of the ligature.

124- Fracture dislocation of the cervical vertebrae occurs in:

a. Atypical drowning. b. Dry drowning. c. Traumatic asphyxia.

d. Judicial hanging. e. Partial hanging.

125- In hanging, asphyxia is due to:

a. Compression by the rope on the neck from outside.

b. Blocking of the air passage by the root of the tongue.

c. Prevention of chest and abdominal movement.

d. Closure of the external respiratory opening.

e. Filling of the respiratory passages with water.

126- Ligature mark due to hanging is situated:

a. Below the thyroid cartilage. b. At the hyoid bone.

c. At the level of the thyroid cartilage. d. At the clavicle.

e. High up in the neck above the thyroid cartilage.

127- Diatoms are:

a. A class of macroscopic unicellular algae. b. A class of datura plant.

c. Poisonous fish.

d. A class of microscopic unicellular algae suspended in water.

128- Chocking is a type of:

a. Atypical drowning. b. Contused wound.

c. Condition replacing putrefaction. d. Condition simulating rigor mortis

e. Violent asphyxia.

129- For asphyxial death by throttling to occur, the pressure must be applied for at least

a. 6 minutes. b. 2 hours. c. 2 minutes. d. 10 minutes. e. One hour.

130-Types of suffocation are:

a. Smothering, chocking and traumatic asphyxia.

b. Smothering, cadaveric spasm and chocking.

c. Chocking, heat and cold stiffness.

d. Traumatic asphyxia, adipocere formation and lightening.

e. Smothering, chocking and hanging.

131- Overlying is considered as:

a. Homicidal throttling of an infant. b. Accidental smothering of an old person.

c. Accidental smothering of an infant. d. Homicidal smothering of an infant.

e. An infanticide

132- The following are external signs of death from asphyxia Excent:

a. Swollen, bluish face. b. Prominent eye balls.

c. ill defined P.M. lividity d. Protruded swollen tongue.

e. Bloody froth from mouth and nose.

133- The following may occur in a person drowned in salt water Except

a. Progressive hypovolaemia. b. Haemconcentration. c. Swelling of RBCS.

d. increased CT concentration in left side of the heart.

e. Death from heart failure within 8-12 min.

134-In case of dry drowning death is usually due to:

a. Obstruction of the air passage by inhaled fluid. b. Aspiration pneumonitis.

c. Dehydration d . Laryngeal spasm. e. Vagal inhibition of the heart.

135-Sure external signs of death from drowaing include:

a. Presence of woods & mud in the tightly clenched hand

b. Presence of Fine, white froth at the mouth & nose. c. Washer women's hands.

d. All of the above. e. a & b only.

136- If death is due to asphyxia in case of drowning in running water hypostasis is:

a. Dark blue in colour. b. Well developed.

c. Usually seen in the upper half of the body

d. All of the above. e. None of the above

137- Postmortem findings in lungs in case of drowning include the following

a. Large filling the chest cavity. b. Show the impressions of ribs upon them.

c. With congested surface. d. Show subpleural Tardieu spots

e. Show subpleural Silvery spots.

138- Semilunar abrasions & rounded bruises on front & sides of the neck indicates:

a. Smothering. b. Throttling, c. Strangulation.

d. Hanging e. Traumatic asphyxia.

139- Horizontal & complete ligature mark which is situated high up indicates death due to: neck

a. Strangulation. b. Hanging using a running noose. c. Hanging using a loop.

d. Hanging using a running noose with double circle. e. a & b

140-Ligature mark in case of hanging by a loop is:

a. Oblique. b. Deficient opposite the site of suspension.

c. Deepest at the site of suspension. d. All of the above. Deepest at the s

e. None of the above.

141- Ligature mark in of strangulation is:

a. Complete b. Asymmetrical c. Transverse

d. Situated high up in the neck. e. a & c only.

142- The causes of death in case of strangulation include the following Except:

a. Cerebral anoxia. b. Cerebral apoplexy.

c. Fracture dislocation of the cervical vertebra.

d. Reflex vagal inhibition of the heart. e. Asphyxia.

143- The causes of death in case of throttling include the following:

a. Cerebral anoxia. b. Cerebral apoplexy. c. Asphyxia.

d. All of the above. e. a & c only.

144- At autopsy fractured cornu of hyoid bone with outwards displacement of fractured ends indicates death from:

a. Hanging b. Strangulation. c. Throttling

d. All of the above. e. a & b only

145- The following are pathological causes of asphyxia Except:

a- Bilateral pneumothorax. b- Diphtheria. c- Poliomyelitis.

d- Acute morphine poisoning. e- Tumors in the air passage.

146- P.M. picture of asphyxia includes all Except:

a- Swollen face. b- Deep bluish discolouration of finger nails.

c- Protruded tongue. d- Bloody froth from nose and mouth.

e- Limited postmortem lividity.

147- Internal signs of asphyxia include all Except:

a- Blood stained froth in trachea and bronchi. b- Subpleural Tardieu spots.

c- Dark blood. d- Distended right side of heart with dark blood. e- Pale viscera.

148- Violent asphyxia includes all Except:

a- Drowning. b- Throttling. c- Electrocution. d. Hanging. e- Suffocation.

149- The following are types of atypical drowning Except:

a- Dry drowning. b- Salt water drowning. c- Immersion syndrome.

d- Near drowning. e- Submersion of unconscious.

150- The following is true about fresh water drowning Except:

a- Large amount of water pass to circulation. b- Swelling of RBCs occurs.

c- There is hyperkalemia. d- There is increase in chloride concentration in left side heart

e- Death due to ventricular fibrillation occurs in 4-5 minutes.

151- Hydrocution is another name of:

a- Dry drowning. b- Immersion syndrome. c- Near drowning.

d- Submersion of unconscious. e- Fresh water drowning.

152- The best type of drowning responding to resuscitation is:

a- Typical drowning. b- Dry drowning. c- Immersion syndrome.

d- Near drowning. e- Submersion of unconscious.

153- In P.M. picture of drowning the two sure external signs are:

a- Fine froth and cadaveric spasm of the hand.

b- Coarse froth and cadaveric spasm of the hand. c. Washer woman hand and Goose skin.

d-Cadaveric spasm of the hand and cutis anserina. e- Coarse froth and goose skin

154- All the followings are true about P.M.P of drowning Except:

a- Delayed rigor mortis. b- Early cooling of the body.

c- Floating of the body occurs in 5-8 days in summer.

d-Floating of the body occurs in 10-16 days in winter. e- Delayed putrefaction.

155- All are true about diatoms Except:

a- They are unicellular aigae suspended in water. b- They have siliceous cell wall.

c- They resist putrefaction. d- They can be destroyed by acid.

e-They can be found in tissues.

156- Blood in case of salt water drowning shows the following Except:

a- Haemoconcentration.. b- Crenated RBCs.

c- Hyperchloremia in left side of heart. d- Hypomagnesaemia in left side of heart.

e- Increased blood viscosity.

157- Sure signs of drowning include:

a- Cadaveric spasm of hand and washer women's hand.

b- Fine froth at the mouth and nose and Goose skin.

c- Wet cold clammy skin and hypostasis in the upper part of body.

d- Water in the middle ear and unpalatable water in the GIT.

e- Fine froth and washer women's hand.

158- A delayed cause of death in case of hanging is:

a- Asphyxia. b- Cerebral congestion. c- Oedema of the glottis.

d- Fracture dislocation of cervical vertebrae. e- Shock.

159- Immediate causes of death in case of hanging include all Except:

a- Coma due to cerebral anoxia b- Asphyxia. c- Cerebral congestion.

d- Shock. e- Acute pulmonary oedema.

160- In judicial hanging the most common fractured cervical vertebra is:

a- CI. b- C2. c- C3. d- C4. e- C5.

161- As regards P.M. picture of hanging all are true Except:

a- The neck is stretched. b- The head is inclined to the side of the knot.

c- The face is usually pale. d- Saliva may be found dribbling from corner of mouth.

e- P.M. lividity is most marked in dependent parts.

162- The following fractures can occur in hanging Except:

a- C2. b- C3. c- C4.

d- Inwards fracture of hyoid bone. e- Outwards fracture of hyoid bone.

163- All the following suggests suicidal hanging Except:

a- History of financial troubles. b- Signs of trials of other forms of suicide.

c- Suicide note. d- Gagged mouth.

e- The scene of hanging is quite and undisturbed.

164- The following suggests homicidal hanging Except:

a- Presence of signs of struggle. b- Evidence of stupefaction by drugs.

c- The knot is tied on the back of the neck. d- Presence of contact flattening.

e- The mouth is gagged.

165- Strangulation and hanging share the following Except:

a- Both are types of violent asphyxia.

b- Interference with respiration occurs by constriction on neck.

c- Death may occur due to reflex vagal stimulation.

d- Oedema of glottis may cause delayed death.

e- Constricting force is applied by body weight.

166- The following injuries occur in strangulation Except:

a- Laryngeal cartilage. b- Tracheal rings. c- Carotid arteries.

d- Inwards fracture of hyoid bone. e- Outwards fracture of hyoid bone..

167- The following suggests homicidal strangulation Except:

a- The knot is tied on the nape. b- The mouth is gagged. c- No signs of struggle.

d- The limbs are tied. e- Circumstantial evidence of homicide.

168- The following suggests suicidal strangulation Except:

a- Suicide note. b- The knot is usually in front. c- No signs of violence.

d- The limbs are tied. e- Material of ligature is readily available.

169- Throttling is:

a- Type of violent asphyxia due to constriction of neck by hands.

b- Type of violent asphyxia due to constriction of neck by ligature.

c- Type of violent asphyxia due to suspension of body weight by ligature around the neck.

d- Type of violent asphyxia due to mechanical obstruction to air passage by means other than neck constriction.

e- Type of violent asphyxia due to prevention of air passage by submersion under water.

170- Causes of death in throttling include all Except:

a- Asphyxia. b- Reflex vagal inhibition of heart. c- Cerebral anoxia.

d. Air embolism. e- Pressure on carotid sinus.

171- External signs suggesting throttling include all Except:

a- Marks of bruising on the front of neck.

b- A single bruise appears on one side when one hand is used.

c- Multiple bruises appear on either side of neck when using both hands.

d- General signs of asphyxia. e- Ligature marks.

172- The following is true about homicidal throttling Except:

a- It is a common form.

b- The victims are usually infants, women or children.

c- A woman may be sexually assaulted before throttling.

d- Adults may be throttled when under influence of drugs.

e- For asphyxial death by throttling pressure must be applied for at least 5 minutes.

173- The following are types of suffocation Except:

a- Smothering. b- Chocking c-Throttling.

d-Overlying. e-Traumatic asphyxia.

174- Smothering is:

a- Type of violent asphyxia due to closing external respiratory orifices by hands or any other soft materials. .

b- Type of violent asphyxia due to occlusion of air passage from inside

c-Type of violent asphyxia due to mechanical compression of chest.

d-Type of violent asphyxia due to constriction of neck by hands.

e-Type of violent asphyxia due to constriction of neck by ligature..

175- Chocking is:

a-Type of violent asphyxia due to closing external respiratory orifices by hands or any other soft materials.

b- Type of violent asphyxia due to occlusion of air passage from inside.

c-Type of violent asphyxia due to mechanical compression of chest.

d- Type of violent asphyxia due to constriction of neck by hands.

e-Type of violent asphyxia due to constriction of neck by ligature.

176- Traumatic asphyxia is:

a- Type of violent asphyxia due to closing external respiratory orifices by hands or any other soft materials.

b-Type of violent asphyxia due to occlusion of air passage from inside.

c- Type of violent asphyxia due to mechanical compression of chest.

d-Type of violent asphyxia due to constriction of neck by hands.

e- Type of violent asphyxia due to constriction of neck by ligature.

177- Strangulation is:

a- Type of violent asphyxia due to closing external respiratory orifices by hands or any other soft materials.

b- Type of violent asphyxia due to occlusion of air passage from inside.

c- Type of violent asphyxia due to mechanical compression of chest.

d- Type of violent asphyxia due to constriction of neck by hands.

e- Type of violent asphyxia due to constriction of neck by ligature.

178- Hanging is:

a-Type of violent asphyxia due to closing external respiratory orifices by hands or any other soft materials.

b-Type of violent asphyxia due to occlusion of air passage from inside.

c- Type of violent asphyxia due to mechanical compression of chest.

d- Type of violent asphyxia due to constriction of neck by hands.

e- Type of violent asphyxia by suspension of body weight by a ligature around the neck.

179- Accidental smothering occurs in the following Except:

a- Among drunkers who may fall in bins of flour.

b- An infant born with membrane covering his nose and mouth.

c- Children playing with plastic bags. d- Angioneurotic oedema of glottis.

e- Infant turns into the prone position.

180- Overlying is:

a- Accidental smothering of infant by its mother rolled over it during sleep.

b- Accidental smothering of infant born with membrane covering his nose and mouth.

c- Accidental smothering of children playing with plastic bags. d- Accidental chocking.

e- Accidental smothering of infant turns into the prone position.

181- Causes of death in case of chocking include the following Except:

a- Reflex vagal inhibition of the heart. b- Asphyxia. c- Laryngeal spasm.

d- Pulmonary fat embolism. e- Pulmonary infection.

182- P.M.P. of chocking may reveal all Except:

a- External signs of asphyxia.

b- The tongue forced back against posterior pharyngeal wall in case of epilepsy.

c- Bruises or bite marks in tongue in epileptics. d- Foreign body in air passages.

e- Engorgement of head and neck.

183- Causes of traumatic asphyxia include all the followings Except:

a- Fall of car on a technician working under it. b- Fall of part of building on victim's chest

c- Burking. d- Overlying e- A victim crushed in a crowd.

184- P.M.P. of traumatic asphyxia reveals the following Except:

a- Signs of asphyxia, b- Engorgement of head and neck.

c- Deep cyanosis and multiple petichea. d. ligature marks

e. line of demarcation between upper discoloured upper portion and lower normal part of body

185-Tardieu spots are:

A) rupture of the unsupported subpleural air vesicles B) Skin blisters

C) Subserous petechial hemorrhages D) Bone hemorrhages

186-Silvery spots are:

A) rupture of the unsupported subpleural air vesicles B) Skin blisters

C) Subserous petechial hemorrhages D) Bone hemorrhages

187-……..is a type of violent asphyxia caused by constriction of the neck by pressure from the hands

a. throttling b. Hanging c. Smothering d. Ckoking

188-……is suspension of the body by a ligature around the neck

a. throttling b. Hanging c. Smothering d. Ckoking

189-Saliva dribbling from the corner of the mouth occurs in:

A) Smothering B) throttling C) Hanging D) Drowning

190-…….is a form of violent asphyxia caused by the obstruction of the passage of air into the respiratory tract by closing the external respiratory orifices by hand

A) Smothering B) throttling C) Hanging D) Drowning

191-……..is a form of asphyxia caused by occlusion of the air passage from the inside

a. Drowning b. Hanging c. Smothering d. Ckoking

192-……..is a form of asphyxia that refers to compression of the chest and abdomen, preventing the respiratory movement

a. throttling b. Hanging c. Smothering d. Traumatic asphyxia

193-A victim shows Petechial hemorrhages ,Cyanosis , Evidence of chest compression , No neck injuries .Which type of asphyxia is this?

A) Smothering B) throttling C) Burking D) Hanging

194-……. is a condition in which a person remains in an inverted position (the whole body or the upper half) for a long time

a. throttling b. Hanging c. Traumatic asphyxia d. Postural asphyxia

1. C	2. A	3. A	4. A	5. D
6. A	7. A	8. A	9. B	10.A
11.A	12.D	13.D	14.A	15.A
16.A	17.B	18.A	19.D	20.B
21.A	22.D	23.A	24.C	25.C
26.C	27.B	28.A	29.C	30.D
31.B	32.A	33.D	34.D	35.B
36.D	37.B	38.A	39.A	40.A
41.B	42.B	43.A	44.C	45.A
46.B	47.B	48.B	49.B	50.C

51.A	52.A	53.D	54.B	55.C
56.A	57.D	58.D	59.B	60.B
61.D	62.A	63.A	64.D	65.D
66.C	67.D	68.D	69.C	70.C
71.A	72.A	73.B	74.D	75.C
76.A	77.D	78.D	79.A	80.A
81.A	82.B	83.B	84.B	85.B
86.A	87.A	88.B	89.A	90.B
91.B	92.A	93.B	94.A	95.B
96.B	97.B	98.A	99.A	100. C
101. C	102. D	103. B	104. B	105. C
106. C	107. C	108. C	109. C	110. B
111. C	112. C	113. B	114. B	115. B
116. A	117. C	118. D	119. C	120. C
121. E	122. B	123. C	124. D	125. B
126. E	127. D	128. E	129. C	130. A
131. C	132. C	133. C	134. D	135. E
136. E	137. C	138. B	139. B	140. A
141. E	142. C	143. E	144. E	145. D
146. E	147. E	148. C	149. B	150. D
151. B	152. B	153. A	154. A	155. D
156. D	157. D	158. C	159. E	160. B
161. C	162. D	163. D	164. D	165. B
166. D	167. C	168. C	169. A	170. D
171. E	172. E	173. C	174. A	175. B
176. C	177. E	178. E	179. D	180. A
181. D	182. E	183. D	184. D	185. C
186. A	187. A	188. B	189. C	190. A
191. D	192. D	193. C	194. D	195.

Rape and sexual offences

1-Signs of virginity except {Final2025}

A-Vagina has smooth walls B-Firm labia majora

C-Rosy aerola and small nipples D-Intact posterior commissure

2-The most common cause of impotence {Mid2025}

A-general disease B-psychological C-local disease D-congenital anomaly

3- The condition of true consent is the following except {Mid2024}

a) under threat b) female is conscious c) above 18 years old d) sane

4-in this condition the consent for sexual intercourse is valid,when the female age was above {Formative2025}

a) 14 years b) 12 years c) 18 years d) 16 years

5- A 13-year-old female was raped, the victim was brought to emergency department for medical examination, All the following were required EXCEPT {Mid2022}{Final2022}

A- Consent taken from the victim. B- Emergency treatment

C- Collection of all forensic samples D- Detailed history

6- Edges or recent hymeneal tear are characterized by all of the following EXCEPT: {Final2023}{Formative2024}

A- edematous B- painless C- congested D- Bleeding on touch

7-Age of consent in rape: {Formative2022}

a) 18 year b) 21 years c) 16 years d) none of the above

8- Consent for examination in case of rape is: {Final2021}{Qena}

a. 18 years b. 21 years c. 16 years d. 19 years

9- According to the Egyptian law, the victim of rape could be {Final2022}

A- Male B- Female C- Passive sodomist D- Any of the above

10-Imperforate hymen has medico legal importance: {Formative2022}{قديم}

a) True b) False

11- The Most important sign of defloration is: {Final2021}

a. Enlarged nipple. b. Dilatation of vaginal wall

c. Enlarged breasts. d. Ruptured hymen

12- A 24-year-old male married a female of 14 years old. This is considered rape because {Final2022}

A- No consent B- Age is less than 18 years. C- Age is 21 years. D- None of the above

13- Minimum age of lade to give valid consent for sexual intercourse is {Final2023}{Formative2023}

A- 12Y B- 14Y C- 16Y D- 18Y

14- A young 20 years old female claimed rape since 4 days she was considered consenting because تاكد {قديم}

A- Old hymenal tear B- Nail abrasions on the shoulders covered by soft scab

C- Pregnancy test is positive D- None of the above

15- Intact hymen may rupture by sexual intercourse except: {Qena}

a. Septate b. Dentate c. Annular d. Imperforate

16-Age of free consent for rape in female: {Qena}

a. 18 years b. 21 years c. 16 years d. 19 years

17-free consent in rape is considered in {Qena}

A. 16 year old female B. Unconscious female C. Under threats D. None of the above

18- A habitual sodomist is diagnosed by all of the following, except: {kasr}

a. Wasting of gluteal fat. b. Deeply seated dilated anal orifice.

c. Warts around anus. d. Hyperreflexia of anal sphincter.

19- Concerning incest, all of the following are false, except: {kasr}

a. It is an unnatural sexual offence

b. The age of consenting female is 18 years.

c. Sexual activity between a brother and his sister is an example.

d. It is a non contact sexual activity.

20- The aim of examining a raped victim is: {kasr}

a. Providing medical care. b. Obtaining medical evidences.

c. Management of sexually transmitted diseases. d. All of the above.

21- The offender of rape is set free if he proved that: {kasr}

a. He is impotent. b. He is only 16 years old.

c. He is emotionally unstable. d. He is syphilitic.

22- All of the following are consistent with habitual passive sodomist, except: {kasr}

a. Funneling of anal orifice. b. Distorted anal sphincter.

c. Anal warts are common. d. He is not liable to punishment.

23- Tribadism: {kasr}

a. Is a punishable offence. b. Is a natural sexual offence.

c. Sexual activity between two females. d. All of the above.

24- Masochism is a sexual perversion that refers to: {kasr}

a. Enjoying receiving painful stimulus from the partner.

b. Enjoying inflicting painful stimulus on the partner.

c. Male homosexuality.

d. Oral sex activity.

25- Bestiality is sexual intercourse between: {kasr}

a. A man and an animal b. Two males c. Two females. d. A man and a dead body.

26- Accepted sure sign of virginity is: {kasr}

a. Firm rounded labia majora. b. Intact posterior commissure.

c. Narrow vagina. d. Intact hymen.

27- Dentate intact hymen is:

a. Folded edges. b. Thickened.

c. The edge reaches the vaginal wall. d. Opaque to transillumination.

28- A sexual relation between a teacher and his pupil is: {kasr}

a. Insect. b. Pedophilia. c. Bestiality d. Necrophilia.

29- Sexual intercourse with dead bodies is: {kasr}

a. Necrophilia. b. Pedophilia. c. Necrophagia. d. Bestiality.

30- Natural sexual offences do not include: {kasr}

a. Rape. b. Incest. c. Tribadism. d. None of above.

31- Anal intercourse with a female is: {kasr}

a. Masochism. b. Buggery. c. Sodomy. d. Sadism.

32- Any type of hymen is ruptured by the first intercourse, except: {kasr}

a. Crescentic. b. Fimbriate. c. Elastic central. d. Cribriform.

33- Fetishism is: {kasr}

a. Enjoying painful stimuli.

b. Exposure of genitalia.

c. Sexual gratification by sight or contact with female articles.

d. Inflicting pain to sexual partner.

34- Sodomy is a sexual relation between: {kasr}

a. A father and his daughter. b. Two sisters.

c. A sister and a brother. d. Two brothers.

35- All of the following are correct about elastic hymen, except: {kasr}

a. It is elastic and dilatable.

b. It allows intercourse without being ruptured.

c. It allows vaginal delivery without being ruptured.

d. Its opening may be annular or dentate.

36-Rape can be excluded in a virgin by:

a. Intact annular hymen. b. Absence of sperms in vaginal fluid.

c. Absence of signs of general violence. d. None of the above.

37- The surest manifestation of sodomy is:

a. Dilated patulous anus. b. Semen in the anal canal.

c. The passive sodomist assumés spontaneously the knee chest position on examination.

d. Gonorrheal proctitis..

38- Minimum age of a boy to be charged for rape is: {kasr}

a. 14 yrs. b. 16 yrs. c. 18 yrs. d. no defined limit

39- Minimum age of a lady to give a valid consent for sexual intercourse is: {kasr}

a. 12 years. b. 14 years. c. 16 years. d. 18 years.

40-General violence and resistance are maximum when the victim {قسم}

A) prepubertal B) married C)adult virgin D)7 years girl

41- Rape is a natural sexual offence. {kasr}

a. true b. false

42- The aim of examining a raped victim is only for obtaining medicolegal evidence. {kasr}

a. true b. false

43- Habitual passive sodomist is not liable to punishment. {kasr}

a. true b. false

44- Maximum general signs of violence and resistance are foond in case the raped victim is an adult virgin. {kasr}

a. true b. false

45- Lesbianism is a punishable offence. {kasr}

a. true b. false

46- Elastic hymen allows vaginal delivery without being ruptured. {kasr}

a. true b. false

47- General signs of violence and resistance are maximum in case the raped victim is a married female. {kasr}

a. true b. false

48- Alleged impotence is always accepted by court as a reason for divorce. {kasr}

a. true b. false

49- Hair examination is important in cases of rape. {kasr}

a. true b. false

50- Maximum punishment of the offender occurs when the raped female is below 14 years{kasr}

a. true b. false

51-Raped 17 years old girl ..The most important Sign is: {Qena}

A-lacerated hyemen

B-Breasts: firm, hemispherical showing small nipples

C-Vagina: narrow with approximated walls and rugose mucosa.

D-Intact posterior commissure.

52-Which one of the following is a character of valid consent in cases of sexual offences?

a. Age more than 18 years b. Mentally retarded

c. Under phyical threat d. Under effect of drugs

53-The most common cause of impotence in males is

A. Sterility B. Tabes dorsalis C. Dysparonea D. Psychological trauma

54-Intact posterior commissure and fourchette indicates

A. False virgin female. B. Recent pregnancy. C. True virgin female. D. Sadism.

55-Which type of hymen may be of a higher medicolegal importance and the case may be diagnosed as pregnancy.

A. Imperforated. B. Dentate. C. Septate. D. Cribriform.

56-Anal swab is necessary to search for any seminal fluid in case of

A. Masochism B. Buggery. C. Incest. D. Sadism.

57-Recent hymen rupture is characterized by

a. Absence of pain b. Absence of edema c. Trans-opaque d. Tranlucent

58-All are signs of virginity EXCEPT:

A) Intact hymen B) Intact fourchette

C) Firm labia majora D) Lacerated posterior commissure

59-A typical sign of virginity is:

A) Torn hymen B) Intact hymen with smooth edges

C) Wide vaginal opening D) Flattened labia

60-Which of the following may cause false diagnosis of pregnancy?

A) Semilunar hymen B) Imperforate hymen

C) Cribriform hymen D) Annular hymen

61-Which of the following is NOT a sign of virginity?

A) Intact hymen with smooth edges B) Intact posterior commissure

C) Narrow vagina with rugose mucosa D) Wide vaginal opening

62-The most common type of hymen is:

A) Cribriform B) Annular C) Semilunar (crescentic) D) Imperforate

63-Elastic annular hymen may cause medicolegal issues because it:

A) Always ruptures in intercourse B) Does not rupture easily during intercourse

C) Causes infection D) Is always absent

64-Hematocolpos due to imperforate hymen may be mistaken for:

A) Tumor B) Pregnancy C) Liver disease D) Stroke

1. A	2. B	3. A	4. C	5. A
6. B	7. A	8. B	9. B	10.A
11.D	12.B	13.D	14.D	15.C
16.A	17.D	18.D	19.C	20.D
21.A	22.D	23.C	24.A	25.A
26.D	27.A	28.B	29.A	30.C
31.B	32.C	33.C	34.D	35.C
36.D	37.B	38.A	39.D	40.B
41.A	42.B	43.B	44.B	45.B
46.B	47.A	48.B	49.A	50.B
51.A	52.A	53.D	54.C	55.A
56.B	57.D	58.D	59.B	60.B
61.D	62.C	63.B	64.B	65.

pregnancy, delivery and abortion

1-we can differentiate sex between male and female at {Final2025}

A-6th month B-4th month C-5th month D-3rd month

2-In nulliparous women the external os is rounded {Formative2025}

a) True b) False

3-The commonest complications following criminal abortion are all except: {Formative2024} {Qena}

a) Cerebral hemorrhage b) Sepsis c) Neurogenic shock d) Bleeding

4- Sure sign of pregnancy in living {Final2023}

A- Palpitation of fetal parts and movements B- Changes in genital tract

C- amenorrhea D- Linea nigra

5- On carrying therapeutic abortion, the doctor shouldn't {Final2023}

A- Obtain written consent from husband. B- Consult specialist to give his agreement.

C- Do it skillfully and without hurry D- Do the operation in private hospital.

6- Sex of fetus differentiated at {Mid2022}

A- 3rd month B- 4th month C- 5th month D- 6th month

7-The uterus reaches the umblicus at {Final2025}

A-6th month B-4th month C-5th month D-3rd month

8- The following substance can lead to reflex uterine contraction: {Mid2021}

a. Prostaglandins b. Ergometrine c. Castor oil d. oxytocin

9-The following substance can lead to reflex uterine contraction:

a. croton oil b. oxytocin. c. Prostaglandins d. Ergometrine

10- On carrying therapeutic abortion, the doctor should not: {Final2021}

a. Consult agreement a specialist to give his b. Carry the operation in a licensed clinic.

c. Have a written consent of the woman. d. Have written consent of the husband.

11- Secondary hemorrhage which may occur few days after abortion is due to: {Formative2023}

a) Hypertension. b) Sepsis. c) Hypersensitivity to amniotic fluid. d) None of the above.

12- One of the following is not the immediate cause of death in criminal abortion: {Formative2023}

a. Hemorrhage b. Septic instrumentation

c. Reflex vagal inhibition of the heart d. Air embolism

13- The low considers the shortest period of pregnancy is: {Formative2023}

a) 7 months b) 6 months c) 4 months d) 5 months

14- Which is TRUE about postpartum changes of uterus? {Final2022}

A- Immediately the uterus is 1Kg and the length 28cm.

B- One week, the uterus is 475g and the length 12cm.

C- Two week, the uterus is 375g and the length 10cm.

D- Six week the uterus is 100g and the length 6cm.

15- The earliest test to predict pregnancy in a living woman {Mid2024}

a) B- HCG level in serum b) US c) chorionic cells d) Ovulation test

16- Therapeutic abortion is not allowed to be done for a mother with: {kasr}{قسم}

a. Uncontrolled diabetes mellitus. b. Illegal pregnancy.
c. Cancer breast. d. Renal failure.

17- The fundal level is detected at the level of the umbilicus in: {kasr}{قسم}

a. 4 month. b. 5th month. c. 6th month. d. 7th month.

18-the commonest complications following criminal abortion are; except {Qena}

A. neurogenic shock B. bleeding C. arterial air embolism D. acute poisoning

19- The commonest complication following criminal abortion are the following except {Qena}

a) Neurogenic shock b) Bleeding c) fat embolism d) Acute poisoning

20- A nulliparous uterus is characterized by {قديم}{Qena}

A- The cavity is globular B- The external cervical os is transverse slit

C- Absence of arbora vitae D- The length of the body equals the cevix

21-Non- professional persons usually use the following methods for induction of abortion except: {Qena}

a- Introduction of a foreign body. b-Flushing the uterus with antiseptic solution.

c- Dilatation of the cervix by catheters. d-The woman may introduce abortion pastes

22-The following are signs of old delivery except {Qena}

A. Soft lax breasts B. Linea nigra and stria albicans of abdominal wall

C. The external os is closed and rounded D. Dark nipple and areola

23-After delivery the uterus regains its original size {Qena}

A. 1 week after delivery B. 2 weeks after delivery

C. 6 weeks after delivery D. Immediately after delivery

24-arbor vitae are sign of nulliparity {Qena}

a. True b. False

25-arbor vitae are sign of virginity {Qena}

a. True b. False

26-Cervical mucosa of multipara show arbora vitae

a. True b. False

27-The law considers the shortest period of pregnancy is 6 months {Qena}{قديم}

a. True b. False

28-intact hymen is always an indication of virginity {Qena}

a. True b. False

29-Early causes of death in criminal abortion are the following except: {Qena}

a- Air embolism. b- Neurogenic shock. C-Septicemia d- Hemorrhage.

30-Indication of Legal or therapeutic abortion includes the following except: {Qena}

a. Save the mother's life.

b. Decompensated heart disease.

c. Toxemia of pregnancy when conservative treatment fails.

d. Written consent from the mother

31- Venous air embolism occurs after: {kasr}

a. Criminal abortion. b. Gas gangrene. c. Barotrauma. d. Artificial pneumothorax.

32-What is a spontaneous abortion ? {Merit}

a. Abortion caused by medical intervention b. Abortion caused by fetal malformations

c. Abortion that occurs without interference d. Abortion due to maternal infections

33-In therapeutic abortion, the followings must be done except {قديم}{Qena}

a) The medical men consult another specialist

b) Obtain oral consent from the husband

c) Maintain adequate medical record about the case

d) It should be done in a general hospital

34- Arbor vitae is an indication of virginity {قديم}

A- true B- False

35-precaution of Legal or therapeutic abortion includes the following except: {Qena}

a- Consult another specialist and obtain his written opinion.

b- Obtain an oral consent from the woman and herhusband.

c- Maintain adequate records about the case.

d-Perform the induction of therapeutic abortion in a hospital.

36-Abortion is legally defined as expulsion of the contents of gravid uterus: {Qena}

a-Before viability. b-In the 1st trimester. c-In the 2nd trimester. d-Before full term

37- The most accurate test for diagnosis of pregnancy is: {kasr}

a. Gravindex test. b. Complete blood picture.

c. Ascheimzondek test. d. B-subunits of HCG.

38- One week after delivery, all of the following are true, except: {kasr}

a. The cervix admits one finger. b. The uterus is 500 gm in weight.

c. placental site is 6 cm in diameter. d. The fundus of the uterus is at the level of the pubis.

39- In nulliparous woman, the external os is: {kasr}

a. Transverse. b. Rounded. c. Longitudinal. d. None of the above.

40- The common ecbolic drug used to induce abortion is: {kasr}

a. Croton oil. b. Colocynth. c. Prostaglandin. d. Castor oil..

41- A female is examined for pregnancy in all of the following conditions, except: {kasr}

a. Inheritance. b. Impotent husband. c. Disputed paternity. d. Rape.

42- The following is a sure sign of pregnancy: {kasr}

a. Engorged breast. b. Enlargement of the abdomen.

c. Palpation of fetal parts. d. Soft cervix.

43- The legal shortest duration of pregnancy is: {kasr}

a. 4 months. b. 5 months. c. 6 months. d. 7 months.

44- After delivery, the fundal level reaches the symphysis pubis by the end of{kasr} تاكد

a. 1st week. b. 2nd week. c. 3rd week. d. 4th week.

45- The uterus of multiparous female has all of the following features, except: {kasr}

a. The length of the uterus is 3 inches. b. The cavity is triangular.

c. The uterine wall is thin. d. The external cervical os is transverse.

46- One week after delivery, the external cervical os admits: {kasr}

a. One finger. b. Two fingers. c. Three fingers. d. Four fingers.

47- Spontaneous abortion represents about ------% of all pregnancies: {kasr}

a. 10-25%. b. 30-45% c. 50-65%. d. 70-85%.

48- All of the following are common causes of spontaneous abortion, except: {kasr}

a. Uterine anomalies. b. Hypertension of the mother.

c. Illegal pregnancy. d. Fetal anomalies.

49- Oxytocin can induce abortion due to: {kasr}

a. Direct ecbolic effect. b. Local violent effect.

c. Drastic purgative effect. d. General protoplasmic effect.

50- The following substance can lead to reflex uterine contraction: {kasr}

a. Prostaglandins. b. Ergometrine. c. Castor oil. d. Oxytocins.

51- Parasympathetic shock in criminal abortion is due to: {kasr}

a. Haemorrhage. b. Sudden dilatation of the cervix.

c. Sepsis. d. DIC.

52- All of the following are complications of abortion, except: {kasr}

a. Neurogenic shock. b. Haemorrhage. c. Amniotic embolism. d. Arterial embolism.

53- The obstetrician who carries out a therapeutic abortion has to do all of the followings, except: {kasr}

a. Consult a specialist to give his agreement. b. Carry the operation in a licensed clinic.

c. Have a written consent of the woman. d. Have a written consent of the husband.

54-The following method is effective in inducing abortion to any female: {kasr}

a. Carrying heavy weights. b. Violent exercises.

c. Jumping from heights. d. None of the above.

55- Medicolegal condition in which a woman is examined for signs of recent delivery is: {kasr}

a. Inheritance. b. Infanticide. c. Interchange of infants. d. All of the above.

56- Fundal level of the uterus reaches xiphoid process at the 10th lunar month of pregnancy. {kasr}

a. true b. false

57- Laboratory investigations must be done in cases of abortion. {kasr}

a. true b. false

58- Neurogenic shock is one of the complications of abortion. {kasr}

a. true b. false

59- Lead can produce abortion by one mechanism only. {kasr}

a. true b. false

60- One week after delivery, the cervix admits 1 finger. {kasr}

a. true b. false

61- Violent exercises always lead to abortion {kasr}

a. true b. false

62-22years old female was examined by a medicolegal expert for diagnosis of alleged pregnancy. She complained from amenorrhea and abdominal pain. Which one of these signs are probable signs of pregnancy

a- Hearing of foetal heart sounds b- Abdominal enlargement

c- Positive pregnancy test d- Palpation of foetal parts

63-Palpation of fetal parts and movements start to take place at?

A. The end of 3th month of pregnancy B. The end of 4th month of pregnancy

C. The end of 2th month of pregnancy D. The end of 6th month of pregnancy

64-Abortion which only indicated to save mother life is named?

A. Therapeutic abortion. B. Criminal abortion. C. Natural abortion D. Illegal abortion

65-Therapeutic abortion is

a- Termination of pregnancy for any reason other than saving the mother life.

b- Indicated to save mother life.

c- Occurred without any induction procedures.

d- Done in the clinic

66-24 years pregnant female went to clinic to perform abortion for her illegal pregnancy. This type of abortion is defined as

A. Occurs without any induction procedures. B. Indicated to save mother life.

C. Termination of pregnancy for any reason other than saving the mother life.

D. Lawful abortion

67-Uterine cavity in parous female is

A. Triangular B. Globular C. Rectangular D. Pentagonal

68-What can be diagnosed using Sonar (U/S) during pregnancy?

a. Gestational age b. Bone density c. Blood pressure d. Hormonal levels

69-The followings are sure signs of pregnancy Except:

a- Inspection of foetal movements b- Palpation of foctal parts

c- Auscultation of foetal heart sounds d- Amenorrhea

70- The followings are probable signs of pregnancy Except:

a- Amenorrhea b- Morning sickness

c- Palpation of foetal parts d- Increase size of uterus

71- In pregnancy the followings are correct Except:

a- The fundus reaches the umbilicus at the end of 6th month

b- The fundus is present midway between umbilicus and xiphisternum at the end of 7th month

c- The fundus is present 3 fingers below xiphoid process at the beginning of 9th month

d- The fundus reaches xiphisternum at the end of 8th month.

72- The fundus of pregnant uterus reaches its highest level at:

a- 6th month b- 7th month c- 8th month d- 9th month

73- Legally, the longest period of pregnancy is:

a. 9 months b-10 months c- 11 months d-12 months

74- The normal period of gestation is:

a- 280 days b- 40 weeks c- 10 menstrual cycles d- All of the above

75- The followings are indications of therapeutic abortion Except:

a- Decompansated heart failure b- Advanced hypertension

c- Ectopic pregnancy d- Illegal pregnancy

76- In therapeutic abortion, the followings must be done Except:

a- The medical men must consult another specialist

b- Obtain oral consent from the husband

c- Maintain adequate records about the case d- Abortion done in hospital

77- The following abortifacient drugs are acting directly on the uterus Except:

a- Ergot b- Croton oil c- Lead d- Oxytocin

78- The following abortifacient drugs are acting indirectly on the uterus Except:

a- Cantharides b- Castor oil c- Oil of savin d- Colocynth

79- In criminal abortion:

a- Local violence is the most dangerous

b- General violence is the least dangerous

c- General violence succeed only in susceptible women

d- All of the above

80- Ecbolics include all of the followings Except:

a- Ergot b- Quinine c- Lead d- Croton oil

81- Criminal abortion may be induced by:

a- The woman herself b- Midwives c- Medical men d- All of the above

82- The followings are immediate causes of death in criminal abortion Except:

a- Hemorrhage b- Air embolism

c- Reflex vagal inhibition of the heart d- Septic instrumentation

83- All of the followings are sure signs of recent delivery Except:

a- Congested vulva b- Rapid week pulse

c- Breasts are soft and lax d- Luchia is bloody in the 1" 5 days

1. B	2. A	3. A	4. A	5. D
6. B	7. A	8. C	9. A	10.B
11.B	12.B	13.B	14.C	15.A
16.B	17.C	18.C	19.C	20.D
21.C	22.C	23.C	24.A	25.B
26.B	27.A	28.B	29.C	30.D
31.A	32.C	33.B	34.B	35.B
36.D	37.D	38.D	39.B	40.C
41.B	42.C	43.C	44.B	45.B
46.A	47.A	48.C	49.A	50.C
51.B	52.D	53.B	54.D	55.D
56.B	57.A	58.A	59.B	60.A
61.B	62.B	63.B	64.A	65.B
66.C	67.B	68.A	69.D	70.C
71.C	72.C	73.D	74.D	75.D
76.B	77.B	78.C	79.D	80.D
81.D	82.D	83.C	84.	85.

Infanticide

1- A respired lung show {Mid2025}

A- Sharp edges B- brown color C- mottled appearance D- solid apperance

2-Umbilicus is formed after {Final2025}

A-2 weeks B-1 week C-3 days D-1 day

3-Shaken baby syndrome present with all the following except {Final2025}

A-Pelvic fracture B-Retinal hemorrhage C-Encephalopathy D-Sub dural hemorrhage

4-Method to determine how long infant lived after death? {Final2025}

A-Umbilical changes B-Hydrostatic test C-Static test

5- The most under reported type of child abuse {Mid2022}{Mid2025}

A- Child neglect B- Physical abuse C- Emotional abuse D- Sexual abuse

6- Shaken baby syndrome diagnosed by the following EXCEPT {Mid2024}{Final2023}

a) Subdural hemorrhage b) Retinal hemorrhage c) Pelvic fracture d) Brain edema

7-Ring of hyperemia appears 1 day after delivery of infant around the base of umblical cord {Formative2025}

a) True b) False

8- A newly born infant age is {Final2021}{Final2023}{Formative2024}

A- Less than 1 week B- Less than 2 week

C- Less than 1 months D- Less than 3 months

9- Hydrostatic floatation test depends upon {قديم}{Mid2024}{kasr}

a) Change in mass. b) Change in specific gravity.

c) Change in weight. d) Change in size

10- Neglecting tying the cord of a new born may cause death from {Mid2024}{kasr}

a) Hemorrhage. b) Air embolism. c) Sepsis. d) Amniotic fluid embolism.

11- A fetus is considered viable following the of {kasr}{Final2022}{Final2023}{Mid2024}

a) 5th intrauterine month. b) 6th intrauterine month.

c) 7th intrauterine month. d) 8th intrauterine month.

12-In the Egyptian law, the age of an infant in the crime of Infanticide is {Formative2022}

a)1 year b) 6 months c)21 days d) 15 days

13-Healing of umblical stump occur at: {Formative2022}

a) immediately after birth b) 3 days c) 14 days d) none of the above

14-Regarding changes in umbilical cord, tick mark the wrong statement: {Qena}

a. Ring of hyperemia starts in 24 hours b. Ulceration in the ring in 72 hours

c. The stump falls down after 2 weeks d. The umbilicus is well formed after 2 weeks

15-Act of omission includes: {Formative2022}

a) Strangulation of infant b) Leaving the infant uncovered

c) Stabbing of infant d) All of the above

16- Act of omission in case of infanticide is {Final2023}{قديم}

A- Cut throat B- Drowning asphyxia C- Homicidal head injury D- None of the above

17- In a case of infanticide, the mother alleged that the infant died by accidental strangulation by the umbilical cord. She was a liar because. {Mid2021}{Qena}

a. Signs of respiration are absent. b. Wharton's jelly was normal.

c. cord laceration was found. d. cord is longer than normal.

18- The weight of the lung in a case of infanticide is estimated by {Mid2021}

a. Pedallic test b. Static test c. Hydrostatic test d. None of the above

19- Accidental fracture due to precipitate labour in a case of infanticide is characterized by: {Final2021}

a. Parietal or frontal region b. Fissure fracture

c. Absence of caput succedaneum d. All the above

20- Formation of umbilicus occurs at {Final2022}

A- 1 week B- 2 weeks C- 3 days D- 10 days

21- At birth, stillborn shows {Final2022}

A- Rigor mortis B- Algor mortis C- Maceration D- Putrefaction

22- Estimation of the period of survival of live birth infant depends on all of the following except {قديم}{Qena}{kasr}

A- Changes in the umbilical vessels B- Hydrostatic test

C- Closure of foramen ovale D- Stomach bowel floatation test

23- Estimation of the period of survival of live-birth infant depends on the following: {kasr}

a. Changes in the umbilical vessels. b. Hydrostatic test

c. Static test. d. Microscopic appearance of the lung.

24- In case of non respired lung it might be found {قديم}

A- Solid in consistency B- alveoli lined by flat epithelium C- Purple in color

D- Sink by hydrostatic test E- All of the above

25- The presence of well formed stool is diagnostic of viability {قديم}

A- True B- False

26-Shaken baby syndrome is characterized by the following except: {Qena}

a. Retinal hemorrhage. b. Subdural hemorrhage.

c. Subarachnoid hemorrhage. d. Depressed comminuted fracture.

27-Multiple injuries of different times of infection and healing in X-ray of a child arises suspicion of

A. Physical abuse. B. Mental abuse. C. Sexual abuse. D. Malnutrition

28-Head injury associated with precipitate labour is commonly

A. Fissure fracture. B. Cut fracture. C. Depressed fracture. D. Comminuted fracture

29-When performing a hydrostatic test, a respired lung will {Merit}

a. Show crepitation on pressure b. Float in water

c. Remain at the bottom of water d. Sink in water

30-Which of the following is a macroscopic characteristic of a respired lung? {Merit}

a. Firm and solid consistency b. Large size, not covering the thymus and heart

c. Large size, filling the chest cavity d. Uniform purple color

31-Wight of the respired lung: {مهم}

a. 1/60th of the body weight b. 1/35th of the body weight

c. 1/20th of the body weight d. 1/70th of the body weight

32- Partially respired lung is characterized by the floatation of: {kasr} تاكد

a. Whole lung. b. Upper lobe. c. Upper middle lobes. d. Middle and lower lobes.

33- The alveoli of a non respired lung are characterized by being: {kasr}{قسم}

a. Collapsed. b. Lined with flattened epithelium.

c. Distended. d. All of the above.

34- The alveoli of a respired lung are characterized by all of the following, except: {kasr}

a. Collapsed. b. Lined with flattened epithelium. c. Distended. d. None of the above.

35- The weight of respired lungs is: {kasr}

a. 40 grams. b. 50 grams. c. 60 grams. d. 80 grams.

36- The weight of non respired lungs is: {kasr}

a.40 grams. b. 50 grams. c. 60 grams. d. 80 grams.

37- Non respired lungs may float due to: {kasr}

a. Putrefaction. b. Artificial inflation. c. All of the above d. None of the above

38- Respired lungs may sink due to all of the following causes, except: {kasr}

a. Putrefaction. b. Atelectasis. c. Pneumonia. d. Congenital syphilis.

39- All of the following are natural causes of death of a newly born infant, except: {kasr}

a. Precipitate labor. b. Difficult labor. c. Choking. d. Congenital malformation.

40- Respired lungs may sink due to the following causes: {kasr}

a. Putrefaction. b. Atelectasis.

c. Artificial inflation d. Erythroblastosis fetalis.

41- Non respired lungs may float due to the following causes, except: {kasr}

a. Putrefaction. b. Atelectasis. c. Artificial inflation. d. All of the above.

42- Natural causes of death of newly born infant may be due to: {kasr}

a. Drowning b. Difficult labor. c. Choking. d. Head injuries.

43- The role of forensic pathologist in a case of infanticide is to: {kasr}

a. Identify the child. b. Estimate the maturity and viability of the child.

c. Estimate whether born alive or stillbirth. d. All of the above.

44- In homicidal strangulation by the umbilical cord, the following characters are seen: {kasr}

a. Displaced Wharton's jelly. b. More than one turn of the cord around the neck.

c. Deep constriction mark around the neck. d. All of the above.

45- A ring of hyperemia appears around the base of the umbilical cord at: {kasr}

a. 1 week. b. 2 weeks. c. 3 days. d. 1 day.

46- Umbilical vessels are shrunken and filled with red clot at: {kasr}

a. 2 days. b. 2 weeks. c. 1 week. d. 3 weeks.

47- Umbilical stump falls off by: {kasr}

a. 1 week b. 2 weeks. c. 3 days. d. 10 days.

48- In homicidal strangulation by the umbilical cord, all characters may be found except: {kasr}

a. Uniform Wharton's jelly. b. More than one turns of the cord around the neck.

c. Deep constriction mark around the neck. d. Abrasions and bruises around the neck.

49- Complete organization of umbilical vessels occurs at: {kasr} تاكد

a. 2 days. b. 2 weeks. c. 1 week. d. 3 weeks.

50- Neglecting the tying of the cord of a new born may cause death from: {kasr}

a. Sepsis. b. Bleeding. c. Starvation. d. Hypothermia

51- All of the following are true regarding infant head injury during the course of precipitate labor {kasr}

a. The mother is usually multipara. b. The infant head shows huge caput.

c. Skull fractured at the frontal area. d. No moulding of skull bones.

52- Skull fracture produced during the course of precipitate labor is commonly: {kasr}

a. Depressed fracture. b. Polar fracture

c. Comminuted fracture. d. Ring fracture.

53- In a new born (2 weeks), complete organization of the umbilical vessels is present. {kasr}

a. true b. false

54- There is no charge of murder if the new born is found dead and macerated. {kasr}

a. true b. false

55- Naked eye examination of a respired lung of new born shows solid consistency. {kasr}

a. true b. false

56- Hydrostatic floatation test depends upon change in weight of the lung. {kasr}

a. true b. false

57- Complete closure of foramen ovale occurs 1 week after birth. {kasr}

a. true b. false

58- A new born may die naturally from starvation. {kasr}

a. true b. false

59- Neglecting tying the cord of a new born may cause death from hemorrhage. {kasr}

a. true b. false

60- In homicidal strangulation by the umbilical cord. Wharton's jelly is not uniform. {kasr}

a. true b. false

61- Forceps delivery results in depressed fracture of the skull. {kasr}

a. true b. false.

62- Skull fracture produced during the course of precipitate labor is commonly located in frontal bone. {kasr}

a. true b. false

63- The newborn is an infant in the first month of life. {kasr}

a. true b. false

64- On estimating the age of a dead new born, we rely on hydrostatic floatation test. {kasr}

a. true b. false

65- The following are external signs of live birth Except:

a. Falling down of umbilical stump.

b. Desquamation of the skin begins in the skin of chest & abdomen.

c. Presence of antemortem injuries.

d. Presence of dark green meconium in the infant's wrappings.

66- The umbilical stump falls down:

a. l day after birth. b. 2 days after birth. c. 1 week after birth

d. 2 weeks after birth. e. None of the above.

67- Desquamation of the skin begins in the skin of chest & abdomen in newly born infant:

a. 2-3 hours after birth. b. 14 hours after birth. c. 2-3 days after birth.

d. 14 days after birth.. e. None of the above.

68- After full respiration; the chest wall of newly born infant:

a. Is arched or drum-shaped. b. Has circumference less than that of the abdomen.

c. Has a narrow intercostal space d. All of the above e. None of the above.

69- Before respiration the highest point of the curve of the diaphragm is found at the level of

a. The 2 nd or 3rd rib. b. The 4th or 5th rib c. The 6th or 7th rib

d. The 8th or 9th rib e. The 10th or 11 th rib.

70- After full respiration the highest point of the curve of the diaphragm is found at the level of:

a. The 2 nd or 3rd rib. b. The 4th or 5th rib c. The 6th or 7th rib

d. The 8th or 9th rib e. The 10th or 11 th rib.

71- Lungs before respiration:

a. Are large. b. Occupy most of the chest cavity.

c. Exude frothy blood on section. d. Are mottled in appearance.

e. Have sharp margins.

72-Lungs after respiration are characterized by the following Except:

a. Have rounded margins. b. Are large.

c. Uniformly reddish brown in colour. d . Spongy & elastic.

e. Have distended air vesicles lined with flattened epithelium.

73- On microscopic examination of the lungs of newly born infant after full respiration:

a. Alveoli are collapsed, lined with flattened epithelium.

b. Alveoli are collapsed, lined with columnar epithelium.

c. Alveoli are distended, lined with flattened epithelium.

d. Alveoli are distended, lined with columnar epithelium.

74- Hydrostatic test is based on:

a. Weight of the lungs. b. Elasticity of the lungs. c. Specific gravity of the lung.

d. Size of the lungs. e. None of the above.

75- The specific gravity of the lung after full respiration:

a. Is decreased. b. Is increased. c. Is not changed. d. Is 950. e. a & d.

76- In hydrostatic test, floating lung pieces due to presence of putrefactive

a. Can not be differentiated from floating lung pieces due to presence of air of respiration.

b. Can be differentiated from floating lung pieces due to presence of resic of respiration by static (Foder's) test.

c. Sink when firmly squeezed in a towel.

d. Continue to float when firmly squeezed in a towel.

e. None of the above.

77- In stomach & bowel floatation test, floatation of the lower half of the intestine indicates:

a. No respiration. b. Continuous respiration for about 2 hours after birth.

c. Continuous respiration for about 4 hours after birth.

d. Continuous respiration for about 6-8 hours after birth.

e. Continuous respiration for about 10-12 hours after birth.

78- The umbilical vein becomes fibrosed & forms the ligamentum teres:

a. Immediately after birth. b. In about 6 hours after birth.

c. In 1 week after birth. d. In 2 weeks after birth. e. 6-8 weeks after birth.

79- Foramen ovale is gradually obliterated:

a. Immediately after birth. b. In about 6 hours after birth. c. In 1 week after birth.

d. In 2 weeks after birth. e. 6-8 weeks after birth.

80- Functional closure of ductus arteriosus occurs:

a. Immediately after birth. b. In about 6 hours after birth. c. In 1 week after birth.

d. In 2 weeks after birth. e. 6-8 weeks after birth.

81- In newly born infant, fracture 2ry to precipitate labour is characterized by

a. Present usually at temporal or occipital region. b. Usually depressed & extensive.

c. Caput succedaneum may be present. d. Irregularly torn umbilical cord.

82- In newly born infant, fracture 2ry to precipitate labour is characterized by

a. Present usually at parietal or frontal region. b. Usually fissure.

c. Examination of the umbilical cord shows that it's irregularly torn. d. All of the above.

83- In newly born infant, homicidal skull fracture is characterized by:

a. Present usually at parietal or frontal region. b. Usually fissure.

c. Examination of the umbilical cord shows that it's irregularly torn.

d. All of the above. e. None of the above.

84- A sign of negligence in case of infanticide is:

a. Presence of well formed yellow stool.

b. Presence of colostrum corpuscles or digested milk on M/E of gastric contents.

c. Tightly ligated umbilical cord.

d. Leaving mucus from the maternal passages inside the mouth & nose of the infant.

e. All of the above.

85- In case of accidental strangulation of newly born infant by umbilical cord:

a. The cord twisting around neck is usually once. b. Constriction marks are mild.

c. Wharton's jelly is normal. d. All of the above. e. None of the above.

86- In case of homicidal strangulation of newly born infant by umbilical cord:

a. The cord twisting around neck is usually once. b. Constriction marks are mild.

c. The umbilical cord is not lacerated. d. Wharton's jelly is usually displaced.

e. Signs of respiration are usually absent.

87- The lungs do not float in water in the following conditions:

a. Artificially inflated lungs of an infapt which died during labour.

b. Putrefied still born infant. c. Homicidal strangulation. d. None of the above.

88- The infant may die accidentally during labour (or shortly after) due to :

a. Cerebral haemorrhage. b. Strangulation by the umbilical cord.

c. Drowning. d. Any of the above.

89- In hydrostatic floatation test, the following is true Except:

a. Floatation of lungs is an absolute evidence of respiration

b. In case of advanced putrefaction, respired lungs may not float after compression.

c. The respired lungs, in certain conditions, may sink in water.

d. The lungs of a still born infant, after a trial of resuscitation, may float in water.

90-Respired lung of a newborn baby is characterized by all of the following except

a. Pink mottled color b. Weighs 60 grams

C. Solid in consistency d. crepitation on rubbing

91-Non-Respired lung of a newborn baby is characterized by

a. crepitation on rubbing b. Weighs 60 grams

C. Solid in consistency d. Pink mottled color

92-Transformation of the umbilical vessels into fibrous band denotes that the infant lived for

a. 4-6 weeks b. 8-10 weeks c. 6-8 weeks d. 2-4 weeks

93-Maceration is characterized by the following except:

a mobile skull bones and loose limbs

b. brownish discoloration of the skin

c. is a destructive aseptic process appears 2 to 3 hours after death

d. Maceration includes characteristic rancid smell

94-The following are true regarding precipitate labour as a cause of death in infanticide, except

a. Multiparous mother

b. Site of fracture never to be in the temporal or occipital bone

c. Nature of fracture never to be depressed or comminuted

d. Umbilical cord usually cut regularty

95-complete desquamation of the skin denotes that the infant lived for

a. Three weeks b. Four weeks c. One week d. Two weeks

96-Shaken baby Syndrome (SBS) is typically diagnosed by a "triad" of: .....

a. retinal hemorrhage, brain edema and Cranial hemorrhage

b. retinal hemorrhage, brain edema and Extradural hemorrhage.

c. retinal hemorrhage, brain edema and Subarachnoid hemorrhage

d. retinal hemorrhage, brain edema and Subdural hemorrhage

1. C	2. A	3. A	4. A	5. D
6. C	7. A	8. B	9. B	10.A
11.B	12.D	13.C	14.C	15.B
16.D	17.C	18.B	19.D	20.B
21.C	22.B	23.A	24.D	25.B
26.D	27.B	28.A	29.B	30.B
31.B	32.A	33.A	34.A	35.D
36.A	37.C	38.A	39.C	40.B
41.B	42.B	43.D	44.D	45.D
46.A	47.A	48.A	49.B	50.B
51.D	52.B	53.A	54.A	55.B
56.B	57.B	58.B	59.A	60.A
61.A	62.A	63.A	64.B	65.D
66.C	67.C	68.A	69.B	70.C
71.E	72.C	73.C	74.C	75.E
76.C	77.D	78.E	79.D	80.B
81.D	82.D	83.E	84.D	85.D
86.D	87.D	88.D	89.A	90.C
91.C	92.C	93.C	94.D	95.D
96.D	97.	98.	99.	100.