RESPIRATORY MCQ

AL HARRIF

{PART 2}



وَمَا تَوْفِيقِي إِلَّا بِاللَّهِ

استعن بالله ولا تعجز

اللَّهمَّ لا سَهلَ إلَّا ما جَعَلتَه سَهلًا، وأنتَ تَجعَلُ الحَزْنَ إذا شِئتَ سَهلًا

ملحوظة : هذه المذكرة شغل خاص بتيم الحريف ولا نسامح في سرقتها او اخذ اي اسئلة منها

القناة الخاصة بالحريف

https://t.me/ALHARRIF11

للتواصل تيليجرام

01112821905

Department	Lectures	Pages	Answers
	Restrictive lung diseases	3	7
Pathology	Pulmonary infections	8	22
	Pulmonary tumors	22	32
	Bronchitis , Bronchiectasis , asthma , emphysema	32	41
	Trachea	41	46
Anatomy	Lungs and pleura	46	54
	Embryology	55	58
Parasitology	Parasitology	59	63
	Pneumonia	63	65
Pharmacology	Antitussive drugs	66	69
	Drugs used in bronchial asthma	69	76

Pathology

Restrictive lung diseases

1- A man working in coal mines for many years. Now, he suffers from heart failure. the most possible cause is: {ثناء}{Mid2023}{Summar2024}{سؤال في المحاضرة}

A. Systemic hypertension. B. Pulmonary hypertension. C. Toxic myocarditis.

D. Fibrinous pleurisy. E. Coronary spasm.

2-Patient work in coal men's for many years now he suffered from heart failure the most common cause is {سؤال في المحاضرة}

A.systemic HTN B . pulmonary HTN C.toxic myocarditis

D.Fibrinous pleurisy E. Coronary spasm

3- Bagassosis is Interstitial lung disease due to inhalation of {Final2023}

a. Cotton particles b. Cane sugar particles c. Silica particles d. Carbon particles

4-Asbestosis is. {Formative2024}

a) Complicated by mesothelioma b) One of obstructive lung diseases

c) Not increase risk of bronchogenic carcinoma

d) lung disease resulting from inhalation of coal dust particles

5-Asbestosis is complicated by {Formative2024}

A. Bronchogenic carcinoma B. Mesothelioma malignant regolatura,

C. Cor-pulmonale D. All of above

6- Hyaline membrane diseases in infant showing: {Formative2022}{Merit}

a-alveolar spaces are slit like b- No crepitations

c- Still birth infant d- Dark red lung that sinks in water

7- Total atelectasis is characterized by: {Summar2024}

a. Premature baby. b. Of diabetic Mother

c. Think eosinophilic membrane lining the alveoli.

d. Blue lung with slit like spaces of the alveoli

8- The suppurative lung diseases include all of the following except: {Summar2024}

a. Lung abscess& pneumonia b. Bronchiectasis & lung abscess

c. Emphysema & Sarcodosis. d. Empyema & Bronchiectasis

9- Suppurative lung diseases include all EXCEPT: {شتاء}

A. Bronchiectasis B. Bronchial asthma C. Lung abscess

D. Gangrene E. Empyema

10- Suppurative lung diseases include all EXCEPT: {Merit}

A. Bronchiectasis B. Lung abscess C. Gangrene D. Emphysema

11- Mesothelioma can arise on top of {Formative2022}

a- Coal worker pneumoconiosis B-Asbestosis c- Byssinosis d- Bagassosis

12- Coal Worker's pneumoconiosis cause all the following EXCEPT: {Final2022}

a. Bronchogenic Carcinoma

13-One of the following is an example of pneumoconiosis:

A. Anthracosis B. Asbestosis C. Sarcoidosis D. Tuberculosis

14-A 66-years-female complained of dyspnea for 3 years. She has a long history of working in Asbestos factory till retirement. X-ray chest showed pleural effusion and pleural thickening. A biopsy from the thickened pleura showed nests and acini formed of neoplastic epithelial cells in a atypical spindle cell stroma. What is the diagnosis? {قسم}

A. Squamous cell carcinoma. B. Adenocarcinoma. C. Metastatic carcinoma

D. Mesothelioma. E. Fibrosarcoma

15- Dust disease is a synonym for: {Mid2021}

a. Pneumonia. b. Pneumoconiosis. c. Pulmonary tuberculosis.

d. Empyema. e. Bronchiectasis.

16- Hyaline membrane disease is NOT characterised by: {ثناء}{Merit}

A. Enlarged fleshy lungs B. Pulmonary emphysema

C. Pink fibrinous material lining the alveoli D. The lungs sink in water

E. Collapsed alveoli

17- Malignant pleural mesothelioma is characterised by all EXCEPT: {ثناء}{Merit}

A. It is related to heavy exposure to asbestos

B. It appears as diffuse thickening of the pleura

C. It is NOT associated with pleural effusion

D. It may be of the sarcomatoid or epithelial type

E. It arises from visceral or parietal pleura

18- Malignant mesothelioma is predisposed to by: {ثناء}{Merit}

A. Silicosis B. Asbestosis C. Anthracosis

D. All of the above E. None of the above

19- Multiple foreign body granulomas composed of silica particles surrounded by macrophages, foreign body giant cells, and fibrosis is a characteristic feature of: {Merit}

A. Anthracosis B. Byssinosis C. Bagassosis D. Silicosis

20- A male patient 55 years old who has been working as an engineer in an insulator (asbestos) factory for 10 years started to complain of pain in the chest , shortness of breathing (dyspnea) and persistent cough .Later he developed loss of the appetite , fatigue and unusual loss of

weight. Biopsy from the lung revealed malignant epithelioid and sarcomatoid cells .what is the most possible diagnosis? {Merit}

A. Bronchogenic carcinoma B. Mesothelioma C. Carcinoid D. Small cell carcinoma

21- A patient is working in a factory using asbestos. After several years, he suffered from chest pain.. X ray chest shows diffuse thickening of the pleura. The most possible diagnosis is: {ثناء}{Merit}

A. Bronchogenic carcinoma. B. Malignant mesothelioma.

C. Metastatic tumor of the pleura. D. Fibrinous pleurisy. E. Pneumoconiosis.

22- Mesothelioma does NOT arise from: {ثناء}{Merit}

A. Pleura B. Peritoneum C. Mesentery D. Tunica vaginalis

23-..... is the term used for lung diseases caused by inhalation of dust, mostly at work {Merit}

A. Bronchial asthma B. Emphysema C. Pneumoconiosis D. Pneumonia

24- Coal macules in simple coal workers' pneumoconiosis are composed of aggregates of: {Merit}

A. Eosinophils B. Lymphocytes C. Dust laden macrophage D. Pus cells

25- ..... is a large group of diffuse lung disease which is characterized by reduced expansion of lung parenchyma with decreased total lung capacity. {Merit}

A. Restrictive lung diseases B. Chronic bronchitis C. Emphysema D. Pneumonia

26- The major common clinical manifestations of interstitial lung diseases Don't include {Merit}

A. Exertional dyspnea B. Wheezing

C. Non-persistent productive cough D. Tachypnea

27- .....mean Sudden, progressive form of respiratory failure characterized by severe dyspnea, refractory hypoxia and diffuse bilateral lung infiltrate {Merit}

A. COPD B. ARDS C. ILDs D. Pulmonary hypertension

28- Interstitial lung diseases with predominant granulomatous reaction include: {Merit}

A. sarcoidosis B. pneumoconiosis C. Goodpasture's syndrome D. Anthracosis

29-A 74-year-old man dies after a 4-day hospital course with a clinical diagnosis of adult respiratory distress syndrome. At autopsy a pathologic diagnosis of diffuse alveolar damage is rendered. Which of the following microscopic findings of the lung tissue is most expected at autopsy?

a. alveolar hyaline membrane formation b. eosinophilic inflammatory infiltrates

c. hemorrhagic infarction d. pleural effusion and fibrous pleuritis

30-A female infant is born prematurely at 28 weeks' gestation. Shortly after birth, she shows signs of dyspnea, cyanosis, and tachypnea. She is placed on a ventilator for assisted breathing, and a diagnosis of neonatal respiratory distress syndrome (hyaline membrane disease) is made. Which of the following is the cause of this syndrome?

a. Bronchopulmonary dysplasia b. Necrotizing enterocolitis

c. Patent ductus arteriosus d. Lack of fetal pulmonary maturity and deficiency of surfactant

31-The characteristic lung lesion of silicosis is:

a. Small round hyaline fibrous nodule b. Bronchiectasis c. Emphysema d. Diffuse fibrosis

32- Bagassosis is.....: {Merit}

A. Coal worker pneumoconiosis B. Cane sugar fibers pneumoconiosis

C. Cotton fibers pneumoconiosis D. Silica dust pneumoconiosis

1. B	2. B	3. B	4. A	5. D
6. D	7. D	8. C	9. B	10.D
11.B	12.A	13.B	14.D	15.B
16.B	17.C	18.B	19.D	20.B
21.B	22.C	23.C	24.C	25.A
26.B	27.B	28.A	29.A	30.D
31.A	32.B	33.	34.	35.

Pulmonary infections

1-During the stage of ..... Lobar pneumonia, the inflammatory cells in the alveolar spaces are abundant and have healthy appearance. {Formative2024}

a) Resolution b) Grey hepatization. c) Red hepatization. d) Congestion.

2-During the stage of.....in Lobar pneumonia, the alveolar spaces contain serous exudate, large number of pneumococci, but only few polymorphs. {Formative2024}

a) Resolution. b) Grey hepatization. c) Red hepatization. d) Congestion.

3-Complications of Emphyema include all except: {3rd tral2024}

a. Increased residual air b. Barrel shaped chest c. Bronchogenic carcinoma

4- Inflammation in bronchopneumonia is: {Formative2022}{Merit}{ثناء}{كتاب القسم}

A. Suppurative B. Catarrhal C. Fibrmous D. Serous E. Non-bacterial

5- The lung tissue has a liver-like consistency in: {ثناء}{كتاب القسم}

A. Lobar pneumonia B. Bronchopneumonia C. Bronchiectasis

D. Bronchogenic carcinoma E. Bronchial asthma

6- Primary tuberculosis means: {Mid2021}

a. The host produces no immune reaction against tubercle bacilli

b. The patient is NOT previously infected by tuberculosis

c. The site of tuberculous infection is NOT known

d. The tubercle bacilli produce no hypersensitivity reaction

e. None of the above.

7- Ghon's focus occurs in: {Final2021}

a. Tonsil. b. Intestine. c. Lung. d. Larynx. e. All of the above.

8-.....is a component of primary pulmonary tuberculous complex. {Formative2022}

A. Ghon's focus B. Chronic fibrocaseous pulmonary tuberculosis.

C. Tuberculous bronchopneumonia. D. Secondary amyloidosis.

9-Ghon's focus is seen in which of the following lung diseases:

a. Miliary tuberculosis b. Secondary tuberculosis c. Bronchopneumonia

d. Tuberculous pleurisy e. Primary tuberculosis

10-Predominant interstitial inflammation is characteristic of pneumonia caused by:

a. Histoplasma capsulatum b. Staph aureus

c. Mycoplasma pneumonia d. Legionella pneumophila

11- In Viral Pneumonia, the inflammatory infiltrate occurs in:{Final2021}{3rd trial2022}{قسم}{ثناء}

a. Alveolar lumen. b. Alveolar wall. c. Bronchial lumen.

d. Bronchial wall. e. Interstitial tissue.

12- The following is NOT a cause of lung abscess: {ثناء}

A. Pneumonia B. Pyaemia C. Bronchitis

D. Bronchogenic carcinoma E. Infarction

13-In viral interstitial pneumonia, the inflammatory infiltrate occurs in: {قسم}

A) Alveolar lumen. B) Bronchial lumen C) Bronchial wall

D) Interstitial tissue of the lung. E)Alveolar wall.

14-In primary atypical pneumonia, the inflammatory infiltrate occurs in; {Formative2022}

a. Alveolar lumen b. Alveolar wall c. Bronchial lumen d. Interstitial tissue

15-viral pneumonia is:

a)Lobar Pneumonia b) Lobular Pneumonia

c) Interstitial Pneumonia d) Giant cell pneumonia.

16- Liver like consistency occurs in: {Mid2023}

a) bronchopneumonia b) lobar pneumonia

c) bronchogenic carcinoma d) Bronchiectasis

17- Patchy suppurative inflammation of the bronchioles and surrounding lung alveoli is named..... {Summar2022}

a- Lobar pneumonia. b- Septic bronchopneumonia.

c- Viral pneumonia. d- Tuberculous bronchopneumonia.

18- Patchy suppurative inflammation include bronchial space and alveoli ? {Final2022}

a. Septic pneumonia

19-In lobar pneumonia, inflammatory cells and RBCs filled the alveolar spaces and this is called. {قسم}

A. Red hepatization. B. Congestion. C. Abscess formation

D. Gray hepatization. E. Granulomatous lesion.

20-In lobar pneumonia, the alveolar spaces are filled with RBCs is called…. {قسم}

A. Red hepatization. B. Congestion. C. Abscess formation

D. Gray hepatization. E. Granulomatous lesion.

21-Inflammation in lobar pneumonia is called… {قسم}

A. Acute serous inflammation. B. Acute hemorrhagic inflammation.

C. Acute suppurative inflammation D. Acute membranous inflammation.

E. Acute fibrinous inflammation

22- Inflammation in lobar pneumonia is: {ثناء}

A. Suppurative B. Catarrhal C. Fibrinous D. Serous E. Non-bacterial

23-Lobar pneumonia is a type of inflammation called: {قسم}

A)Catarrhal. B)Fibrinous. C)Serous. D)Suppurative. E)Sero-fibrinous.

24- The causative organism of pneumonia can be: {ثناء}

A. Virus B. Bacteria C. Fungus D. Parasite E. All of the above

25- pneumococci is the causative organism of;

a- lobar pneumonia b- lobular Pneumonia

c-interstitial Pneumonia d- Giant cell pneumonia

26-Bronchopneumonia is defined as…….. {قسم}

A. Acute serous inflammation. B. Granulomatous inflammation.

C. Acute membranous inflammation. D. Chronic non specific inflammation.

E. Acute suppurative inflammation

27-Lung abscess is a complication of……. {قسم}

A. Bronchial asthma. B. Bronchopneumonia. C. Interstitial pneumonia.

D. Chronic bronchitis. E. Emphysema.

28- Aspiration of infected material during anesthesia may lead to: {ثناء}

A. Bronchiectasis. B. Bronchopneumonia. C. Lung abscess.

D. Bronchial asthma. E. Emphysema.

29-A 12-years old child complained of cough, dyspnea and weight loos for 3 weeks. MRI imaging showed a Lt Lung small lesion at the lower margin of the upper lobe with enlarged hilar lymph node. A biopsy from the lung focus showed Langhans's giant cell epithelioid granuloma. What is the diagnosis? {قسم}

A.Lobar pneumonia. B.Bronchopneumonia. C.Bronchiectasis.

D. Pulmonary tuberculosis. E. Lung abscess.

30- One of the following describes pneumonia: {Merit}

a. Patchy or diffuse inflammation of lung with consolidation

b. Suppurative inflammation of both lunges

c. Infection that involves both lung tissue and adjacent pleura

d. Infection of small bronchioles

31- Pneumonia can be classified anatomically into: {Merit}

a. Bronchopneumonia b. Aspiration pneumonia

c. Hypostatic pneumonia d. Tuberculous pneumonia

32- Lobar pneumonia can be defined as: {Merit}

a. An acute diffuse fibrinous inflammation affecting one or more lobes

b. An acute suppurative inflammation affecting one or more lobes

c. A chromic non-specific inflammation affecting one or more lobes

d. Acute membranous inflammation affecting one or more lobes

33- When would you expect the stage of red hepatization occurs? {Merit}

a. 2nd to 4th day from the beginning of the illness

b. It occurs in the first day due to acute inflammation of lung

c. It occurs 1-3 weeks from the beginning of the illness

d. It occurs at 5th-8th day

34- What is mean by hepatization? {Merit}

a. It refers to liver-like consistency of the affected lobe on cut section

b. The lung is transformed into dark red colour similar to liver in all stages of the disease

c. The lung tissue is soft in consistency & shows wide areas of hemorrhage & necrosis

d. The lung shows marked shrinking, fibrosis, hemosiderin pigment and hard in consistency

35- One of the followings can be a complication for lobar pneumonia: {Merit}

a. Failure of resolution leading to lung fibrosis

b. Lung gangrene is a very common complication

c. Development of squamous cell carcinoma

d. Bronchiectasis occurs commonly & frequently

36- When would you expect the stage of grey hepatization occurs? {Merit}

a. It occurs at 5th-8th day Microscopic of bronchopneumonia

b. 2nd to 4th day from the beginning of the illness

c. It occurs in the first day due to acute inflammation of lung

d. It occurs 1-3 weeks from the beginning of the illness

37- What is the definition of bronchopneumonia? {Merit}

a. Patchy suppurative inflammation of bronchioles & the surrounding lung alveoli

b. Fibrinous inflammation of the bronchioles and the surrounding lung alveoli

c. Diffuse suppurative inflammation of the lung alveoli only

d. Granulomatous inflammation of the bronchioles and the surrounding lung alveoli

38- In bronchopneumonia, what are the most commonly affected parts in the lungs? {Merit}

a. The lower lobes due to gravitation of secretions b.The upper lobes

c.The right lung d.The left lung

39- Which of the following can detected grossly in bronchopneumonia? {Merit}

a.Multiple consolidated yellowish patches exuding pus on pressure

b.Cut section is dry, grey, granular & firm and involving whole lobe

c.Inflammatory process is limited to bronchi

d.The lung shows diffuse congestion

40- What is meant by interstitial pneumonia? {Merit}

a.Patchy inflammation, largely confined to interstitial tissue of the lungs without any alveolar exudate

b.Patchy suppurative inflammation of bronchioles & the surrounding lung alveoli

c.An acute suppurative inflammation affecting one or more lobes

d.Diffuse inflammation & destruction of alveoli only

41- On doing x-ray for a 60-year-old patient, bronchopneumonia was suggested Which of the following features can be detected in such case? {Merit}

a. Both lungs show mottled, focal opacities, principally in the lower lobes

b. Diffuse opacities and enlargement of the size of both lungs

c. Single lesion involving the upper lobe of left lung

d. Multiple rounded lesions infiltrating the lung tissue

42- Which of the following can lead to interstitial pneumonia? {Merit}

a. Viral infections as influenza or measles

b. Staphylococcus aureus

c. Klebsiella Rhinoscleromatis

d. Bacterial infections

43- Microscopically, what is the characteristic feature in interstitial pneumonia? {Merit}

a. Patchy interstitial inflammation & the alveoli are compressed without alveolar necrosis

b. Diffuse suppurative inflammation of bronchioles & the surrounding alveoli

c. The patchy areas are oozing yellowish pus fluid on cut section

d. Alveoli shows emphysema

44- What are the main pathological features that could be detected in influenza? {Merit}

a.Catarrhal rhinitis, sinusitis, nasopharyngitis, laryngitis, catarrhal bronchitis and interstitial bronchopneumonia

b. Diffuse suppurative inflammation of bronchioles & the surrounding alveoli

c. Only involvement of sinuses & bronchi

d. Diffuse inflammation of both lungs with marked destruction of alveoli & fibrosis

45- Which of the following sequence is true about lobar pneumonia? {Merit}

a. Congestion, red hepatization, grey hepatization & resolution

b. Red hepatization, grey hepatization, congestion, resolution

c. Congestion, grey hepatization, red hepatization, resolution

d. Grey hepatization, resolution, congestion, red hepatization

46- The affected lobe in the stage of congestion in pneumonia looks: {Merit}

a. Dark red, enlarged, heavy, congested with exudation of frothy fluid

b. Red, consolidated, airless & has liver-like consistency

c. Grey, consolidated & has liver-like consistency

d. Yellow, soft & normal in size

47- In the stage of grey hepatization, the alveolar spaces contain: {Merit}

a. Excess PMNLs, macrophages, dead bacteria, fibrin clumps & hemolyzed blood

b. An acute suppurative inflammation affecting one or more lobes

c. A chromic non-specific inflammation affecting one or more lobes

d. Acute membranous inflammation affecting one or more lobes

48- In stage of red hepatization, which type of inflammation present in pleura? {Merit}

a. Sero-fibrinous b. Suppurative c. Serous d. Fibrinous

49- In the stage of red hepatization, the hilar lymph nodes are: {Merit}

a. Enlarged due to lymphadenitis b. Not affected & look normal

c. Decreased in size due to fibrosis d. Consolidated & have liver-like consistency

50- What is the definition of bronchopneumonia? {Merit}

a. Patchy suppurative inflammation of bronchioles & the surrounding lung alveoli

b. Fibrinous inflammation of the bronchioles and the surrounding lung alveoli

c. Diffuse suppurative inflammation of the lung alveoli only

d. Granulomatous inflammation of the bronchioles and the surrounding lung alveoli

51- What is the type of inflammation in bronchopneumonia? {Merit}

a. Suppurative b. Fibrinous c. Sero-fibrinous d. Catarrhal

52- Which of the following occurs in severe cases of interstitial pneumonia? {Merit}

a. Interstitial fibrosis leading to honey comb lung

b. Hyaline membrane formation, fibrin deposition & hyperplastic alveoli

c. Consolidation & hepatization

d. Red hepatization

53-An old man complains of fever and dyspnea. Chest X ray shows multiple patches of consolidation scattered all over the lung. The most likely diagnosis is:

a. Secondary tuberculosis b. Bronchopneumonia c. Lobar pneumonia d. Lung abcess

54-Pneumonia is best defined as:

a. Inflammation of the trachea b. Inflammation of the alveoli and lung parenchyma

c. Bronchial inflammation only d. Pleuritis

55-The most common causative organism of lobar pneumonia is:

a. Klebsiella pneumonia b. Staphylococcus aureus

c. Streptococcus pneumonia d. Pseudomonas aeruginosa

56-In the stage of resolution of Lobar pneumonia:

a. Exudate is organized into fibrous tissue b. Exudate is enzymatically digested and cleared

c. New infection occurs d. Necrosis develops

57-Which of the following is a gross feature of red hepatization?

a. Lung is airless and liver-like in consistency b. Lung is spongy and red

c. Lung is shrunken d. Lung is full of necrotic tissue

58-Lobar pneumonia is characterized by

a. Patchy consolidation of multiple lobules b. Diffuse interstitial thickening

c. Consolidation of an entire lobe d. Necrosis and cavity formation

59-The first stage of lobar pneumonia is:

a. Red hepatization b. Gray hepatization c. Congestion d. Resolution

60-The second stage of lobar pneumonia is:

a. Resolution b. Gray hepatization c. Red hepatization d. Organization

61-In which stage are alveolar capillaries engorged, and fluid with few neutrophils is present?

a. Red hepatization b. Gray hepatization c. Congestion d. Resolution

62-The stage of red hepatization is characterized by:

a. Increased fluid only b. Fibrin, red cells, and neutrophils in alveoli

c. Replacement of exudate by macrophages d. Collapsed alveoli

63-A common complication of lobar pneumonia if unresolved is:

a. Carnification b. Pneumothorax c. Laryngeal edema d. All of above

64-Gross appearance of the lung in the stage of congestion:

a. Firm and gray b. Heavy and dark red c. Shrunken and fibrotic d. Yellow and necrotic

65-Microscopic features of the congestion stage include:

a. Fibrin-rich exudate filling alveoli

b. Engorged alveolar capillaries with few neutrophils and fluid in alveoli

c. Disintegration of red cells d. Proliferation of fibroblasts

66-The stage of red hepatization in lobar pneumonia lasts for:

a. 1–2 hours b. 12–24 hours c. 2–4 days d. 7–10 days

67-The stage of congestion in lobar pneumonia lasts for:

a. Few hours only b. first 24-48 hours c. 2–3 days d. 4–7 days

68-The stage of gray hepatization in lobar pneumonia lasts for:

a. Less than 24 hours b. 2–3 days c. 4–8 days d. 10–14 days

69-Which of the following is a common respiratory symptom of lobar pneumonia?

a. Sudden nasal congestion b. Progressive hoarseness

c. Productive cough with pleuritic chest pain and dyspnea d. Chronic stridor

70-Which of the following is NOT a complication of lobar pneumonia?

a. Empyema b. Lung abscess c. carnification. d. Pulmonary edema

71-Bronchopneumonia is characterized histologically by:

a) Alveolar exudate involving a whole lobe

b) Patchy acute inflammation centered around bronchioles

c) Granulomatous inflammation

d) Fibrosis

72-Bronchopneumonia primarily affects:

a) Entire lobe of lung b) Patchy areas around bronchi and bronchioles

c) Interstitium only d) Pleura

73-Which of the following is NOT a complication of lobular pneumonia?

a) Lung abscess b) Empyema c) Bronchiectasis d) Pulmonary embolism

74-Lobar pneumonia is …… but bronchopneumonia is ……..

a) diffuse consolidation of an entire lobe; patchy consolidation around bronchioles

b) patchy consolidation around bronchioles; diffuse consolidation of an entire lobe

c) interstitial inflammation; alveolar inflammation

d) chronic; acute

75-The type of lobar pneumonia is …… but of bronchopneumonia is …….

a) Fibrinous, suppurative b) Suppurative, fibrinous

c) Granulomatous, fibrinous d) Suppurative, granulomatous

76-Lobular pneumonia is also called:

a) Lobar pneumonia b) Bronchopneumonia

c) Interstitial pneumonia d) Viral pneumonia

77-Which of the following is a characteristic histological feature of interstitial pneumonia?

a) Neutrophilic alveolar exudate b) Thickening of alveolar septa by inflammatory cells

c) Granuloma formation d) Cavitation

78-The most common cause of interstitial pneumonia is:

a) Bacterial infection b) Viral infection c) Fungal infection d) Parasitic infection

79-The causative agent of pulmonary tuberculosis is:

a) Mycobacterium leprae b) Mycobacterium tuberculosis

c) Streptococcus pneumonia d) Klebsiella pneumonia

80-The characteristic granuloma of tuberculosis is called:

a) Caseating granuloma b) Non-caseating granuloma

c) Foreign body granuloma d) Suppurative granuloma

81-The most characteristic lesion of secondary TB is:

a) Ghon focus b) Cavitary lesion with caseation

c) Non-caseating granuloma d) Empyema

82-Exogenous secondary pulmonary tuberculosis occurs due to:

a) Reactivation of dormant bacilli in the lung

b) Reinfection from an external source in a previously sensitized person

c) Primary infection in infants d) Congenital transmission

83-Endogenous secondary pulmonary tuberculosis is caused by:

a) Primary infection with M. tuberculosis b) Reinfection from external source

c) Reactivation of dormant bacilli from a previous primary infection

d) Congenital transmission

84-Which of the following is NOT a possible fate of a primary tuberculosis lesion?

a) Healing b) Progression to secondary (post-primary) TB

c) Hematogenous dissemination (miliary TB) d) Transformation into bronchogenic carcinoma

85-The primary complex of tuberculosis consists of:

a) Ghon focus + lung cavity + pleural effusion

b) Ghon focus + lymphangitis + lymphadenitis

c) Caseating granuloma + lung abscess + pleural thickening

d) Tuberculoma + cavity + calcification

86-Lung abscess is best defined as:

a) A solid granuloma in the lung

b) Localized area of suppurative necrosis of lung tissue and formation of cavities

c) Accumulation of fluid in the pleural space

d) Diffuse interstitial pneumonia

87-Clinical features of lung abscess include:

a) Dry cough, no fever b) High fever, copious foul-smelling purulent sputum

c) Sudden hemoptysis without infection d) Asymptomatic always

88-A common extrapulmonary complication of lung abscess is:

a) Brain abscess due to septic emboli b) Acute pancreatitis

c) Liver cirrhosis d) Renal failure

89-A 46-year-old woman presents with fever, hemoptysis, weight loss, and night sweats. She has never smoked. A chest radiograph reveals apical lesions with cavitation in the left lung. A purified protein derivative (PPD) test is placed, and 48 hours later an 18-mm wheal develops. Sputum cultures reveal numerous acid-fast organisms. This patient is put on contact precautions, and a regimen for tuberculosis is started. Which of the following disorders does this patient most likely have?

a. Primary tuberculosis, characterized by the Ghon complex

b. Secondary tuberculosis, resulting from activation of a prior Ghon complex, with spread to a new pulmonary site

c. Congenital immunodeficiency

d. Miliary tuberculosis of lung with seeding of distal organs

1. C	2. D	3. C	4. A	5. A
6. B	7. C	8. A	9. E	10.C
11.E	12.C	13.D	14.D	15.C
16.B	17.B	18.A	19.D	20.A
21.E	22.C	23.B	24.E	25.A
26.E	27.B	28.C	29.D	30.A
31.A	32.A	33.A	34.A	35.A
36.A	37.A	38.A	39.A	40.A
41.A	42.A	43.A	44.A	45.A
46.A	47.A	48.A	49.A	50.A
51.A	52.A	53.B	54.B	55.C
56.B	57.A	58.C	59.C	60.C
61.C	62.B	63.A	64.B	65.B
66.C	67.B	68.C	69.C	70.D
71.B	72.B	73.D	74.A	75.A
76.B	77.B	78.B	79.B	80.A
81.B	82.B	83.C	84.D	85.B
86.B	87.B	88.A	89.B	90.

Pulmonary tumors

1- The most favorable adenocarcinoma prognosis is: {3rd trial2022}{Final2022}{Summar2024}

a. Micropapillary b. Papillary c. Lepidic predominant d. Solid

2-Which is not correct as regard small cell carcinoma: {Formative2024}

a) Late metastatic b) Highly malignant& highly aggressive

c) neuroendocrine tumor d) Incurable by surgery

3-Patients with renal cell carcinoma may present with: {Formative2024}{قسم}

a) Hypertension. b) Liver metastasis.

c) Gross proteinuria. d) Canon ball lung metastasis.

4- All of the following are diagnostic for Adenocarcinoma in situ except {Mid2023}

a) Solitary lesion b) pure lepidic growth c) no invasion d) more than 3 cm

5- well differentiated neoplasms characterized by 2-10 mitosis per 2 mm2, and foci of necrosis is {Final2023}

a. Atypical carcinoid b. Typical carcinoid

c. Small cell neuroendocrine d. Large cell neuroendocrine

6- The most important Oncogenes in pathogenesis of lung cancer. {Summar2024}

a. EGFR &p53 b. EGFR&K-ras c. p53&K-ras d. p53

7- Renal cell carcinoma is common in: {Mid2021}{قسم}

a. Males at 20-40 Y. b. Females at 20-40 Y. c. Males at 40-60Y.

d. Children less than 4 Y. e. Males at 10-30 Y.

8- Cannon ball appearance of the lung is: {Summar2022}

a- small nodules of metastatic RCC b- nodules of metastatic RCC

c- small nodule of primary adenocarcinoma d- nodule of primary adenocarcinoma

9- Cannon-Ball metastases arise from: {ثناء}

A. Hepatocellular carcinoma B. Renal cell carcinoma C. Prostatic carcinoma

D. All of the above E. None of the above

10- Cannon ball metastases in the lung arise from: {ثناء}

A. Renal cell carcinoma. B. Testicular tumors. C. Choriocarcinoma.

D. All of the above. E. None of the above.

11- Cannon Ball Appearance is.... {Final2022}

a. Larg Nodule from Metastatic RCC

12- ……. is an aggressive malignant tumor of lung with frequent mitosis: {Mid2021}

a. Squamous cell carcinoma b. Adenocarcinoma c. In situ lung carcinoma

d. Small cell carcinoma e. Carcinoid tumor

13- Appears more commonly as a peripheral lung mass : {Final2021}{Formative2022}

a. Squamous cell carcinoma b. Adenocarcinoma c. Oat cell carcinoma

d. Undifferentiated carcinoma e. Metastatic carcinoma

14-Oat cell carcinoma is: {Formative2024}

a) Adenocarcinoma b) small cell carcinoma

c) large cell carcinoma d) Squamous cell carcinoma

15-…….is an example for small cell carcinoma of the lung {Formative2022}

a. Squamous cell carcinoma b. Adenocarcinoma

c. Oat cell carcinoma d. Undifferentiated carcinoma

16- Oat cell carcinoma is a subtype of: {ثناء}

A. Squamous cell carcinoma B. Adenocarcinoma C. Small cell carcinoma

D. Large cell carcinoma E. Giant cell carcinoma

17- The commonest malignant tumor of the lung is: {Final2021}

a. Squamous cell carcinoma of the lung b. Adenocarcinoma of the lung

c. Small cell carcinoma of the lung d. Large cell carcinoma of the lung

e. Metastatic carcinoma to the lung

18- The commonest tumor of the lung is: {ثناء}{Merit}

A. Bronchial carcinoid B. Bronchogenic carcinoma C. Metastatic tumor

D. Connective tissue tumors E. Lymphoma

19- Atypical adenomatous hyperplasia preceded to :

A . pulmonary adenocarcinoma B.pulmonary adenoma

C.pulmonary carcinoma D.metastasis adenocarcinoma

20- The most common tumor of the lung is {Formative2022}{Merit}

A. Metastatic tumor B. Large cell carcinoma

C. Adenoma D. Adenosquamous carcinoma

21- Atypical adenomatous hyperplasia of the lung is a precursor lesion to {Formative2022} {Merit}

A. Squamous cell carcinoma B. Small cell neuroendocrine carcinoma

C. Adenocarcinoma D. Pleomorphic carcinoma

22- Not from the character of small cell lung cancer:

A- Small cell lung cancer is a neuroendocrine tumor. B- Arising from Kulchitsky cells.

C- It typically arises centrally in the lung from bronchi. D- Not associated with smoking.

23-A 71-years-old man complained of cough and hemoptysis for 2 weeks. He has a long history of cigarette smoking. MRI imaging showed Rt lung mass about 4x5cm, infiltrating the main bronchus. What is the possible diagnosis? {قسم}

A.Lung abscess. B.Bronchopneumonia. C.Bronchogenic carcinoma.

D. Bronchiectasis. E. Emphysema.

24- The most important risk factor of bronchogenic carcinoma is: {ثناء}{Merit}

A. Smoking B. Asbestos C. Air pollution D. Radiation E. Pulmonary scars

25- Diagnostic criteria for lung adenocarcinoma in situ include all except.....: {Merit}

A. Pure lepidic growth B. No invasion C. Solitary adenocarcinoma D. Tumor size >3cm

26- The most common primary lung cancer in the overall population is..... {Merit}

A. Adenocarcinonma B. large cell neuroendocrine carcinoma

C. Carcinoid tumor D. Mesothelioma

27- Grade 1 adenocarcinoma of the lung is characterized by..... {Merit}

A. acinar or papillary predominant , with no or < 20% high grade pattern

B. any pattern with 20% or more high grade pattern

C. lepidic, predominant, with no or < 20% high grade pattern

D. lepidic predominant, with > 30% high grade pattern

28- Main histologic patterns of pulmonary adenocarcinoma Don't include: {Merit}

A. carcinoid B. Lepidic C. Papillary D. Acinar

29-The commonest malignant tumor of the lung is: {قسم}

A)Pulmonary carcinoid. B)Large cell carcinoma.

C)Adenocarcinoma of the bronchial mucus glands. D)Small cell carcinoma.

E)Metastasis.

30- The commonest malignant tumor of the pleura is: {Merit}

A. Angiosarcoma B. Synovial sarcoma

C. Mesothelioma D. Epithelioid hemangioenothelioma

31-An aetiologic factor for development of pleural mesothelioma is:

a. Asbestosis b. Bronchiectasis c. Emphysema d. Smoking e. Silicosis

32-A 67-years-old woman complained of dyspnea, chest pain and dry cough for 3 weeks. X-ray showed a small mass 4x3cm, at the periphery of the Lt lower lobe of the lung with hemorrhagic

pleural effusion. A biopsy from the mass showed neoplastic epithelial cells, lining the alveolar walls. What is the diagnosis? {قسم}

A. Squamous cell carcinoma. B. Large cell carcinoma. C. Adenocarcinoma.

D. Carcinoid tumor. E. Small cell carcinoma.

33-In small cell carcinoma of the lung, patients may present with myasthenia gravis or clupping of fingers. This unusual presentation is called…. {قسم}

A. Cushing syndrome. B. Paraneoplastic syndrome. C. Conn syndrome

D. Peripheral neuritis. E. Addison syndrome.

34-Which of the following statement is true about Small Cell Carcinoma

A. It is not associated by paraneoplastic syndrome

B. It is located at the periphery

C. It is characterised by lymph node invasion and/or distant metastasis at diagnosis

D. It has good prognosis

35-A 76-years-old man complained of dyspnea and productive cough with hemoptysis for 2 months. X ray chest showed a central large soft tissue mass in the Rt main bronchus 5x6 cm, with enlarged hilar LN. A biopsy from the mass showed cell nests and solid sheets of neoplastic epithelial cells, in a fibrous tissue stroma. What is the diagnosis? {قسم}

A. Squamous cell carcinoma. B. Large cell carcinoma. C. Carcinoid tumor.

D. Adenocarcinoma. E. Small cell carcinoma.

36-What is the cause of enlargement of the hilar lymph nodes? {قسم}

A. Acute lymphadenitis. B. Chronic non specific lymphadenitis.

C. Metastasis to the LN. D. Tuberculous lymphadenitis.

E. Reactive hyperplasia of LN.

37-A 73-years-old man complained of cough and hemoptysis for 3 weeks. He had a long history of smoking. X-ray chest showed a central mass in the main bronchi about 3x4cm, with enlarged hilar LN. A biopsy from the mass revealed a tumor formed of small round neoplastic cells with round hyperchromatic nuclei and scanty pale cytoplasm, arranged in nesting pattern, with areas of necrosis and mitosis. What is the diagnosis of this case? {قسم}

A. Squamous cell carcinoma. B. Large cell carcinoma. C. Carcinoid tumor

D. Small cell carcinoma. E. Adenocarcinoma.

38-What is the tumor marker that confirm the diagnosis? {قسم}

A. Chromogranin and synaptophysin. B. Cytokeratin and CEA.

C. CD2-3 and CD20 D. Vimentin and Desmin. E. α-fetoprotein.

39- The most aggressive type of bronchogenic carcinoma is: {ثناء}{Merit}

A. Squamous cell carcinoma B. Adenocarcinoma C. Small cell carcinoma

D. Large cell carcinoma E. Giant cell carcinoma

40- The following is NOT true for bronchogenic squamous cell carcinoma: {ثناء}{Merit}

A. Most common in males B. Centrally located C. Rapid rate of local growth

D. The most aggressive histologic type E. Closely related to smoking

41- Pulmonary small cell carcinoma is characterized by all EXCEPT: {Merit}

A. It is the most aggressive type B. Strongly related to smoking

C. Mostly central D. NOT associated with hormone production

42- The following is NOT true for the usual pulmonary adenocarcinoma: {ثناء}

A. Equal frequency in males and females B. Peripherally located

C. NOT related to scarring D. Slower rate of growth

E. Less related to smoking

43- The pulmonary tumor which appears as pneumonia-like consolidation is: {ثناء}

A. Squamous cell carcinoma B. Bronchiolo-alveolar carcinoma

C. Small cell carcinoma E. Bronchial carcinoid

D. Large cell carcinoma

44- Chromogranin is a histologic marker of: {ثناء}

A. Squamous cell carcinoma B. Adenocarcinoma C. Small cell carcinoma

E. Giant cell carcinoma D. Large cell carcinoma

45- The following tumor shows neuroendocrine differentiation: {ثناء}{Merit}

A. Squamous cell carcinoma B. Adenocarcinoma C. Small cell carcinoma

D. Large cell carcinoma E. Giant cell carcinoma

46- Pulmonary small cell carcinoma is characterised by all EXCEPT: {ثناء}

A. It is the most aggressive type B. Strongly related to smoking

C. Mostly central D. NOT associated with hormone production

E. Metastasizes widely

47- Bronchial carcinoid may spread by blood to: {ثناء}

A. Liver B. Brain C. Bone D. All of the above E. None of the above

48- Smoking may cause all EXCEPT: {ثناء}{Merit}

A. Emphysema. B. Bronchial carcinoid. C. Bronchogenic carcinoma.

D. Carcinoma of larynx. E. Carcinoma of the tongue.

49- The commonest site of metastasis from bronchogenic carcinoma is: {ثناء}

A. Adrenal gland B. Liver C. Brain D. Bone E. Kidney

50- Giant cell carcinoma is a subtype of: {ثناء}

A. Squamous cell carcinoma B. Adenocarcinomas C. Small cell carcinoma

D. Large cell carcinoma E. Bronchial carcinoid

51-Which of the following tumour is not related to smoking?

A. Adenocarcinoma B. Squamous cell carcinoma

C. Large cell carcinoma D. Small Cell carcinoma

52- .....is a lung cancer which is strongly associated with cigarette smoking, centrally located and characterized by presence of intercellular bridge : {Merit}

A. Adenocarcinoma B. Squamous cell carcinoma

C. Mesothelioma D. Large cell carcinoma

53- ..... Is a well differentiated lung tumor characterized by 2-10 mitosis per 2mm2 and foci of necrosis? {Merit}

A. Small cell neuroendocrine carcinoma B. large cell neuroendocrine carcinoma

C. Typical carcinoid D. Atypical carcinoid

54-P53 is the most important Oncogenes in pathogenesis of lung cancer. {سؤال في المحاضرة}

A. True B.False

55-CIS is better prognosis than minimally invasive adenocarcinoma {سؤال في المحاضرة}

A. True B.False

56-Pancoast's tumor is a: {ثناء}

A. Benign pulmonary tumor B. Lung cancer NOT related to smoking

C. Apical lung cancer D. Basal lung cancer

E. Metsatatic pulmonary tumor

57-A female patient is working in a factory using asbestos. After 17 years, she suffered from chest pain. X ray chest shows diffuse thickening of the pleura. The most possible diagnosis is: {Dr.AFAF}

A.Bronchogenic carcinoma. B.Malignant mesothelioma.

C.Metastatic tumor of the pleura. D.Fibrinous pleurisy.

58-Malignant mesothelioma of the pleura did not {Dr.AFAF}

A. Related to heavy exposure to asbestos. B. Appeared as multiple nodules in the pleura.

C. Associated with pleural effusion. D. Composed of sarcomatoid and epithelial cells.

59-……..is not a common site of metastasis from bronchogenic carcinoma {Dr.AFAF}

A. Liver B. Brain C. Bone D. Kidney.

60-Pancoast's tumour is a: {Dr.AFAF}

A. Benign pulmonary tumour. B. Apical lung cancer

C. Basal lung cancer D. Metastatic pulmonary tumour.

61-Pulmonary small cell carcinoma is not characterized by……{Dr.AFAF}

A. Strongly related to smoking B. Mostly central

C. Associated with hormone production D. Slow rate of growth.

62-The most important risk factor of bronchogenic carcinoma is: {Dr.AFAF}

A. Smoking B. Asbestos. C. Air pollution D. Pulmonary scars

63-The commonest tumour of the lung is: {Dr.AFAF}

A. Bronchial carcinoid B. Bronchogenic carcinoma C. Metastatic tumour D. Lymphoma.

1. C	2. A	3. D	4. D	5. A
6. B	7. C	8. B	9. B	10.D
11.A	12.D	13.B	14.B	15.C
16.C	17.E	18.C	19.A	20.A
21.C	22.D	23.C	24.A	25.D
26.A	27.C	28.A	29.E	30.C
31.A	32.C	33.B	34.C	35.A
36.C	37.D	38.A	39.C	40.D
41.D	42.C	43.B	44.C	45.C
46.D	47.A	48.B	49.A	50.D
51.A	52.B	53.D	54.B	55.A
56.C	57.B	58.B	59.D	60.B
61.D	62.A	63.C	64.	65.

Bronchitis , Bronchiectasis , asthma , emphysema

1- Chronic obstructive lung diseases include the followings except: {Summar2024} {3rd tral2024}

a. Bronchiectasis b. Asthma c. Emphysema d. Empyema

2- Chronic inflammatory airways disease that manifested clinically by paroxysms and recurrent episodes of wheezing, breathlessness, chest tightness, and cough is called: {Formative2022} {Merit}

A. emphysema B. chronic bronchitis C. Bronchial asthma D. Rhinitis

3- Chronic bronchitis is: {Summar2024}

a. Persistent cough with sputum for at least 3 months, in at least 2 consecutive years

b. Persistent cough without sputum for at least 3 months, in at least 2 consecutive years.

c. Persistent cough with sputum for at least 2 months, in at least 3 consecutive years

d. Persistent cough with sputum for at least 3 months, in at least 3 consecutive years.

4- Charcot- Leyden crystals are diamond shaped crystals present in cases: {Mid2021}{Merit}

a. Lung abscess b. Bronchial asthma c. Emphysema

d. Pneumonia e. Bronchiectasis

5-Bronchial asthma is characterized by all except: {3rd tral2024}

a. Brochoconstriction b. Increased mucous production

c. Hypertrophy of bronchial muscles d. Predominance of neutrophilic infiltrate

6- The commonest Cause of emphysema is: {Mid2021}

a. Congenital. b. Smoking. c. Alpha 1 antitrypsin deficiency. d. Allergy.

7- The presence of persistent productive cough for at least 3 consecutive months in at least 2 consecutive years mean that the patient is suffering from: {Final2021}{Merit}

a. Bronchogenic carcinoma b. Bronchiectasis c. Laryngitis

d. Chronic bronchitis e. Pulmonary tuberculosis

8- Which type of emphysema show over-distention of air spaces in proximal parts of the acini, formed by respiratory bronchioles, while distal alveoli are spared? {Final2021}{Merit}

a. Centriacinar emphysema b. Paraseptal emphysema c. Irregular emphysema

d. Panacinar emphysema. e. All of the above

9-The diagnostic feature of chronic bronchitis in the trachea and larger bronchi is: {3rd trial2022}{Mid2023}{Merit}

a-Chronic inflammatory cell infiltrate b-Increased vascularity in submucosa

c-Enlargement of the mucus-secreting glands d-Acute inflammatory cell infiltrate

10- A man has persistent cough with expectoration of copious amounts of foul-smelling, purulent sputum, the most possible diagnosis is {Final2023}{Merit}

a. Bronchiectasis b. Emphysema c. Pneumonia d. Asthma

11- Types of bronchial asthma include: {Summar2022}{Formative2024}{Merit}

a- Panacinar b- Atopic c- cenrtilobular d- paraseptal

12- Types of bronchial asthma include all of the following except: {Formative2022}

A. Panacinar B. Atopic C. Intrinsic D. None of the above

13- The most important etiological factor responsible for the majority of cases of chronic bronchitis is: {Merit}

A. Cigarette smoking B. Genetic factors C. Infection D. alpha 1 antitrypsin deficiency

14- Most important etiological factors responsible for the majority of cases of chronic bronchitis are: {Merit}

A. Smoking and atmospheric pollution B. Smoking and alpha 1 antitrypsin deficiency

C. Bronchial infection and bronchial obstruction D. Genetic predisposition

15- ..... is a commonly used clinical terms in which there is chronic, partial or complete, obstruction to the airflow at any level from trachea to the smallest airways resulting in functional disability of the lungs: {Merit}

A. COPD B. Restrictive lung diseases C. ARDS D. NRDS

16- The major diffuse obstructive pulmonary disorders Don't include the following {Merit}

A. Bronchial asthma B. Bronchiectasis C. Emphysema D. Pneumoconiosis

17- permanent over distention of the air spaces distal to the terminal bronchioles with destruction of their walls and of the alveolar septa without significant fibrosis mean: {Merit}

A. Bronchiectasis B. Emphysema C. Bronchial asthma D. Lung abscess

18- The etiological factors of bronchiectasis Don't include: {Merit}

A. Bronchial obstruction B. Bronchial infection

C. congenital abnormality D. familial and genetic factors

19-Emphysema is caused by……. {قسم}

A. α- 1 Antitrypsin deficiency. B. Loss of the elastic recoil of the lung.

C. Chronic interstitial inflammation. D. Hyperreactive bronchi and bronchioles.

E. Acute fibrinous inflammation.

20- α antitrypsin deficiency plays a role in the pathogenesis of: {ثناء}{Merit}

A. A. Lung abscess B. Pulmonary emphysema C. Pulmonary collapse

D. All of the above E. None of the above

21- Antitrypsin deficiency may be the cause of: {ثناء}{Merit}

A. Atherosclerosis. B. Emphysema. C. Bronchial asthma.D.

D. Diffuse glomerulonephritis. E. Inflammatory bowel disease.

22-Which of the following is true about centriacinar emphysema:

a. α1-antitrypsin deficiency plays a major role in its pathogenesis

b. It affects the alveoli and spares the bronchioles

c. It is the main type in smokers

d. All of the above

23- Pathogenesis of Emphysema include {Merit}

A. Protease-antiprotease theory B. Infection

C. Hypersensitivity reaction D. Autoimmune reaction

24- Regarding to Pathogenesis of bronchectasis which of the following is false? {Merit}

A. Bronchial obstruction B. Congenital abnormality

C. Bronchial infection D. Protease-antiprotease theory

25- In emphysema, there is an excess of: {Merit}

A. alpha 1 antitrypsin B. Anti-elatase C. Elastase D. collagenase

26- Partial bronchial obstruction leads to: {Merit}

A. Emphysema B. Alveolar collapse C. Chronic bronchitis D. Pneumonia

27-Reversible bronchoconstriction occur in the following disease

A. Bronchiectasis B. Chronic bronchitis C. Emphysema D. Asthma

28- The histologic features of bronchiectasis include all EXCEPT: {ثناء}{Merit}

A. Dilation of the bronchi and bronchioles

B. Destruction of the bronchial wall

C. The bronchial lumen is filled with pus

D. The bronchial wall is infiltrated by many eosinophils

E. The intervening lung tissue shows fibrosis

29-The inflammatory cellular infiltrate in bronchial asthma consists mainly of: {ثناء}{Merit}

A. Lymphocytes B. Plasma cells C. Eosinophils

D. Polymorphs E. Histiocytes

30- Complete bronchial obstruction leads to: {ثناء}{Merit}

A. Emphysema B. Alveolar collapse C. Chronic bronchitis

D. Pneumonia E. Bronchial asthma

31- The distinctive feature in the pathogenesis of chronic bronchitis is: {Merit}

A. Hypo- secretion of mucus B. Hyper-secretion of mucus

C. Hyperplasia of the bronchial muscle. D. Destruction of elastic tissue

32- The mucosal lining of the larger airways in case chronic bronchitis Don't show: {Merit}

A. Thickening B. Hyperemia C. Edema. D. Atypia

33- Regarding to Sequelae of chronic bronchitis which of the following is false: {Merit}

A. Secondary infection B. Chronic bronchitis C. Emphysema D. Lung cancer

34- Partial bronchial obstruction leads to: {ثناء}

A. Emphysema B. Alveolar collapse C. Chronic bronchitis

D. Pneumonia E. Bronchial asthma

35-Bronchiectasis is characterized histologically by……. {قسم}

A. Acute inflammatory cells and RBCs filling the alveolar lumina.

B. Chronic inflammation in the interstitial tissue of the lung.

C. Acute suppurative inflammation & formation of a cavity filled with pus.

D. Overdistension of the lung with destruction of the alveolar wall.

E. Permanent dilatation of the bronchioles with suppurative inflammation

36-In bronchial asthma there is……. {قسم}

A. α- 1 Antitrypsin deficiency with alveolar wall destruction.

B. Loss of the elastic recoil of the lung with fibrosis.

C. Chronic interstitial inflammation & consolidation.

D. Hyperreactive bronchi and bronchioles with ↑mucus secretion.

E. Acute fibrinous inflammation with consolidation

37-A 49-years-old heavy smoker, driver complained of cough, wheezing and dyspnea for 3 weeks. On physical examination there was mild cyanosis, weak heart sounds and overdistended both lungs. X-ray showed hyperinflation of both lung that encroached on the heart. What are the diagnostic features on lung biopsy of this case? {قسم}

A. Dense acute inflammatory cells and RBCs filling the alveolar lumen.

B. Overdistended alveoli with rupture & compression of alveolar wall

C. Dilated bronchioles with inflammation and destruction of its wall.

D. Chronic inflammatory cell infiltration in the interstitial lung tissue.

E. Dilated bronchi with chronic inflammatory cells and mucus glands hyperplasia

38-A 46-years-old man suffered from chronic dry cough, dyspnea and cyanosis. A clinical examination revealed a barrel-shaped chest with central cyanosis. A biopsy from the lung showed distended lung alveoli with destruction of the alveolar septa. What is the diagnosis? {قسم}

A.Emphysema. B.Bronchopneumonia. C.Chronic bronchitis.

D. Bronchogenic carcinoma. E. Lobar pneumonia.

39-A 46-years-old man complained of fever, chronic cough with purulent sputum for 3 weeks. MRI imaging showed bilateral basal lung lesions with destruction of the lung tissues. The diagnosis of this condition is……..

A.Lung abscess. B.Bronchiectasis C.Bronchopneumonia.

D.Lobar pneumonia E.Tuberculosis

40- A child is suffering from fever with purulent sputum. X ray chest shows bilateral basal lung lesion with destruction of lung tissue. The most possible diagnosis is: {ثناء}{Merit}

A. Lung abscess. B. Bronchiectasis. C. Septic bronchopneumonia.

D. Bronchogenic carcinoma. E. Emphysema.

41-The histopathological features of bronchiectasis include all except: {قسم}

A)Dilatation of the bronchi and bronchioles.

B)Destruction of the bronchial walls.

C)The bronchial wall is infiltrated by eosinophils.

D) The bronchial lumen is filled with neutrophils and cell debris.

E) The interstitial lung tissue showed fibrosis.

42- All of the following are features of bronchiectasis EXCEPT: {ثناء}{Merit}

A. Permanent dilation of bronchi and bronchioles. B. Apical in location.

C. Chronicnecrotizing suppurative inflammation.

D. Patient complains of cough with purulent sputum.

E. May be complicated bysepticemia.

43-A 60-year-old heavy smoker woman presents with chronic productive cough that has been present for three consecutive months over the past two consecutive years. On physical examination, her skin has a bluish tinge, and she is overweight. The patient is diagnosed with chronic bronchitis. Which of the following is the most likely histologic finding in this patient's lungs?

a. Dilation of air spaces with destruction of alveolar walls

b. Permanent bronchial dilation with bronchi filled with mucus and neutrophils

c. Bronchial smooth muscle hypertrophy with proliferation of eosinophils

d. Hyperplasia of bronchial mucus-secreting submucosal glands

44-A 55 year old man had gradual increasing dyspnea. He is heavy smoker. He had a barrel shaped chest. His chest x ray revealed a bilateral hyperinflation of lungs more in the upper lobes. Which of the following points contributes in the pathogenesis of his lung disease?

a. Decreased ciliary motility b. Release of elastase from the neutrophils

c. Impaired hepatic formation of alpha1 antitrypsin

d. Recruitment of eosinophil in bronchial mucosa

45-A child presents with fever and cough with abundant purulent sputum. Chest X ray shows bilateral and basal lesion characterized by diffuse dilation of the bronchi which are filled with pus with destruction of the intervening lung tissue. What is the most likely diagnosis?

a. Bronchiectasis b. Emphysema c. Bronchial asthma d. Chronic bronchitis

46-A 46-year-old man complains of progressive dyspnea and cough. He has been hospitalized multiple times over the last 2 years for respiratory distress. Bronchoscopy is performed with biopsy of the lung. Histologic analysis reveals large airspaces distal to the terminal bronchioles. Which of the following is the most likely diagnosis?

a. Bronchitis b. Emphysema c. Sarcoidosis d. Bronchiectasis

47-Which of the following characterizes emphysema:

a. Barrel shaped chest b. Pulmonary collapse

c. Curshmann's spiral in the sputum d. Consolidation

48-Which of the following represent the histological findings of a case of bronchiectasis:

a. Dilated air spaces with destruction of alveolar wall

b. Hyperplasia of bronchial submucosal glands

c. Bronchial smooth muscle hypertrophy, Curschmann spirals and infiltration by eosinophils

d. Abnormally dilated bronchi filled with mucus and neutrophils

49-Which of the following is the most likely histologic finding in a patient with bronchial asthma:

a. Hyperplasia of bronchial mucus-secreting submucosal gland

b. Bronchial smooth muscle hypertrophy with proliferation of eosinophils

c. Dilation of air spaces with destruction of alveolar walls

d. Permanent bronchial dilation with bronchi filled with mucus and neutrophils

50-Which of the following best describes extrinsic (allergic) asthma?

a. Occurs without any identifiable trigger

b. Triggered by allergens and associated with atopy

c. Common in adults with no family history

d. Caused primarily by aspirin intake

51-Which immunologic mechanism is primarily involved in atopic asthma?

a. Type II hypersensitivity b. Type III hypersensitivity

c. Type I hypersensitivity d. Type IV hypersensitivity

1. D	2. C	3. A	4. B	5. D
6. B	7. D	8. A	9. C	10.A
11.B	12.A	13.A	14.A	15.A
16.D	17.B	18.D	19.A	20.B
21.B	22.C	23.A	24.D	25.C
26.A	27.D	28.D	29.C	30.B
31.B	32.D	33.D	34.A	35.E
36.D	37.B	38.A	39.B	40.B
41.C	42.B	43.D	44.B	45.A
46.B	47.A	48.D	49.B	50.B
51.C	52.	53.	54.	55.

Anatomy

Trachea

1- The trachea ends at level between……..and…….{3rd tral2024}

a.2nd and 3rd b.3rd and 4th c.4th and 5th d. 5th and 6th

2- As regard to the trachea, it begins at..... {Summar2024}

a. the lower border of cricoid cartilage at the level of C6 vertebra.

b. the level of the sternal angle

c. the level of epiglottis d. the level of upper border of thyroid cartilage

3-All of the following statements correctly apply to the left main bronchus EXCEPT {Formative2024}

a) It passes anterior to the esophagus.

b) It is wider, shorter and runs more vertically than the right main bronchus.

c) It arises at the level of the sternal angle.

d) It contains c-shaped rings of hyaline cartilage.

4-The following are true regarding the trachea EXCEPT:

a. lies anterior to esophagus b. left main bronchus is wider than right

c. Begins at level of C6 d. Measures about 10 cm in adults

5-The crown of a very carious tooth suddenly fractures while the patient is standing eating at a take-away food outlet and a fragment is inhaled. It is more likely to enter the

a) Right or left lung because there are no factors predisposing to the fragment going in one particular direction.

b) Right lung or left lung because the two main bronchi are of equal size and at the same angulation.

c) Right lung because the right main bronchus is wider and more vertical than the left.

d)Left lung because the left main bronchus is wider and more vertical than the right

6-Aly, a 5-year-old boy, had been playing with his little race cars.Suddenly, he put a wheel from one of the cars in his mouth and began choking and coughing. Where in the tracheobronchial tree is the most common site for a foreign object to lodge?

a) The right primary bronchus b) The left primary bronchus

c) Carina of the trachea d) Beginning of the trachea

7-Regarding trachea, following are true except: {Merit}

A. Divides at level of lower border of the 4th thoracic vertebra (sternal angle)

B. Reinforced by complete cartilaginous rings C. Anterior relation of oesophagus

D. Supplied by inferior thyroid artery in the neck E. Posterior relation of arch of aorta

8-Regarding the right main bronchus, followings are true EXCEPT: {Merit}

A. Wider than the left bronchus

B. Foreign bodies more likely to lodge in this tract

C. Right upper lobar bronchus is given before it enters the lung

D. More vertical than the left bronchus

E. Begins at the level of 6th thoracic vertebra

9-The trachea begins at the level of the:

A. C3 vertebra B. C4 vertebra C. C6 vertebra D. T1 vertebra

10-The trachea ends by bifurcating into bronchi at the level of:

A. T2 vertebra B. T4/T5 intervertebral disc C. T6 vertebra D. C7 vertebra

11-The trachea is a continuation of the:

A. Laryngopharynx B. Esophagus C. Larynx D. Nasopharynx

12-The number of cartilaginous rings in the trachea is approximately:

A. 8–10 B. 12–14 C. 16–20 D. 22–28

13-The tracheal rings are:

A. Complete circular rings B. U-shaped and open anteriorly

C. Incomplete posteriorly D. Made of bone

14-The trachea is located anterior to which structure?

A. Aorta B. Esophagus C. Thoracic duct D. Vertebral column

15-The right main bronchus is:

A. Longer, narrower, and more horizontal B. Shorter, wider, and more vertical

C. Equal in length and angle as the left D. Absent in some individuals

16-Inhaled foreign bodies are more likely to enter the:

A. Left main bronchus B. Right main bronchus C. Carina D. Larynx

17-Venous drainage of the trachea is mainly into the:

A. External jugular vein B. Internal jugular vein

C. Brachiocephalic vein D. Inferior thyroid vein

18-How many bronchopulmonary segments are typically present in each lung?

A. 4 B. 5 C. 10 D. 12

19-Which of the following marks the beginning of the respiratory zone of the lung?

A.Terminal bronchiole B. Respiratory bronchiole C. Alveolar duct D. Alveolar sac

20-Which of the following is the last part of the conducting zone of the respiratory tract?

A. Respiratory bronchiole B. Terminal bronchiole C. Alveolar duct D. Alveolar sac

21-The open part of C-shaped tracheal rings faces:

A) Anteriorly B) Laterally C) Posteriorly D) Superiorly

22-Laterally, the trachea is related to:

A) Sternum B) Lobes of thyroid gland C) Esophagus D) Thymus

23-In children, which structure may lie anterior to the trachea?

A) Thymus B) Esophagus C) Sternocleidomastoid D) Aortic arch

24-All of the following lie anterior to the trachea EXCEPT:

A) Thyroid isthmus B) Sternum C) Esophagus D) Inferior thyroid veins

25-The trachea begins at the level of:

A) C6 vertebra B) C4 vertebra C) T1 vertebra D) Sternal angle (T4–T5)

26-The trachea ends at the level of:

A) Sternal angle (T4–T5) B) C6 vertebra C) C7 vertebra D) Xiphoid process

27-The trachea connects the:

A) Pharynx to larynx B) Larynx to bronchi

C) Nasal cavity to pharynx D) Bronchi to alveoli

28-Veins from the trachea drain into:

A) Superior thyroid veins B) Brachiocephalic vein

C) Internal jugular vein D) Inferior thyroid veins

29-The trachea is primarily composed of:

A) Fibrocartilaginous rings B) Smooth muscle C) Bone D) Elastic tissue

30-Approximate length of the adult trachea:

A) 5–7 cm B) 10–12 cm C) 15–18 cm D) 20–22 cm

31-Anterior to the trachea lies:

A) Esophagus B) Thyroid isthmus

C) Recurrent laryngeal nerve D) Common carotid artery

32-Posterior to the trachea is:

A) Thyroid gland B) Sternum C) Esophagus D) Carotid artery

33-The trachea receives arterial blood mainly from:

A) Superior thyroid artery B) Inferior thyroid and bronchial arteries

C) Pulmonary artery D) Subclavian artery

1. C	2. A	3. B	4. B	5. C
6. A	7. B	8. E	9. C	10.B
11.C	12.C	13.C	14.B	15.B
16.B	17.D	18.C	19.B	20.B
21.C	22.B	23.A	24.C	25.A
26.A	27.B	28.D	29.A	30.B
31.B	32.C	33.B	34.	35.

Lungs and pleura

1- The pleura part that projects into the neck called..... {Summar2024}

a. costal pleura b. diaphragmatic pleura c. mediastinal pleura d. cervical pleura

2- As regard to the hilum of the left lung one is correct..... {Summar2024}

a. It has one bronchus (most posterior structure).

b. The Pulmonary artery (behind and below the bronchus)

c. Two pulmonary veins (most superior and anterior structures).

d. It has one bronchus (most anterior structure)

3- Innervation of the parietal pleura is from all except..... {Summar2024}

a. the intercostal nerves. b. phrenic nerves.

c. upper 5 thoracic segments of spinal cord d. lower 6 intercostal nerves.

4-The potential space between the visceral and parietal layers of pleura is known as: {Formative2024}

a) The visceral hang out place b) The pleural cavity c) The parietoplural plaza

5- All of the following can distinguish right lung from left lung except: {Mid2023}

a) it is longer. b) it is heavier. c) it has no cardiac notch. d) it has 2 fissures.

6- Following structures are related to mediastinal surface of right lung Except: {Mid2021} {Merit}

a. Superior vena cava b. Inferior vena cava c. Right atrium d. Arch of aorta

7- At the level of the sternal angle: {Mid2021}

a. Upper border of left atrium b. Bifurcation of pulmonary trunk

c. Bifurcation of trachea. d. Formation of superior vena cava

8- Regarding costo-diaphragmatic recesses, followings are true, Except: {Mid2021}

a. Between costal and diaphragmatic pleura

b. Normally separated by pus in pleural cavity

c. During inspiration lower margins of lungs descend into it.

d. During expiration lower margins of lungs ascend so that costal and diaphragmatic pleurae come together again

9- Regarding pleura followings are true, Except: {Mid2021}

a. Pulmonary ligament, loose fold hangs down from pleural cuff

b. Pulmonary ligament allows movement of pulmonary vessels and large bronchi during respiration

c. Pleural fluid is a small amount of synovial fluid

d. Pleural fluid allows 2 layers of pleura to move on each other with minimum friction

10- All the following are true about pleura Except {Mid2023}

a) Pleural cavity is a potential space

b) Cervical pleura is above clavicle

c) The parietal and visceral pleura are continuous together at the root

d) Diaphragmatic pleura is supplied by intercostal nerves

11- In a person standing upright, which region of the lungs has the highest ventilation? {Summar2022}

a- Apex b- Middle parts c- Base d- Hilum

12-Following structure are related to the mediastinal surface of left lung EXCEPT: {3rd trial2022}

a-Azygos vein b-Arch of aorta c-Left ventricle d-subclavian artery

13- What are the main features of the right lung? {Formative2024}

a. It is structured in two lobes

b. Two fissures are visible on its surface: oblique (separates the inferior from the superior and middle lobes) and horizontal (separated the superior from the middle lobe)

c. Three fissures are visible on its surface

d. The hilum is located on its lateral surface

14- The structures at the level of the left pulmonary hilum are located as follows: {Formative2022}

a. Most superior is the principal bronchus b. Most inferior is the principal bronchus

c. Most inferior is the pulmonary artery

d. The middle-positioned structure is the pulmonary vein

15- What is pleural cavity? {Formative2022}

a. A virtual space between the inner thoracic wall and pleura

b. Being a virtual space is an empty space

c. A virtual space filled up with a large quantity of fluid

d. A virtual space filled up with a small quantity of fluid

16- Name the characteristics of the right pulmonary veins: {Formative2024}

a. Usually two main veins exit the hila of the right lung and drain blood inside the left atrium

b. Usually two main veins exit the hila of the right lung and drain blood inside the right atrium

c. The right superior pulmonary vein is located anterior and superior in regard with the right pulmonary artery

d. At the level of the hila the right pulmonary vein is the most superior structure

17-Apex of the lung lies 1 inch above: {Merit}

a. Lateral 1/3 of the clavicle b. Middle 1/3 of the clavicle

c. Medial1/3 of the clavicle d. Medial 2/3 of the clavicle

18-which one is not involved in the root of the lung :

A. vagus nerve B . pulmonary artery.

C.pulmonary vein. D. Bronchial artery and vein

19-Air in the pleural cavity is called:

a. Pneumothorax b. Hydrothorax c. Haemothorax d. Pyothorax

20-The mediastinal part of the parietal pleura is supplied by:

a. Intercostal nerves. b. Vagus nerve.

c. Phrenic nerve. d. Recurrent laryngeal nerve

21-Which of the following structures is related to the mediastinal surface of the right lung?

a. arch of the aorta b. descending aorta

c. arch of the azygos vein d. thoracic duct

22-Which of the following structures is related to the mediastinal surface of the left lung?

a. Arch of the aorta b. Right atrium of the heart

c. Arch of the azygos vein d. Inferior vena cava

23-All the following are related to the mediastinal surface of the right lung EXCEPT:

a. Superior vena cava. b. Inferior vena cava. c. Right atrium. d. Pulmonary trunk.

24-With respect to the root of the lung:

a) The left pulmonary artery is longer than the right

b) The bronchial branch to the upper lobe is separate on the left

c) The pulmonary veins lie anterior and inferior to bronchus

d) The pulmonary ligament connects the right and left lungs directly

25-Each lung receives its arterial supply directly from:

a. The internal thoracic artery. b. The posterior intercostals arteries.

c. The pulmonary artery. d. The bronchial artery

26-A point at 1inch above the medial 1/3 of the clavicle corresponds to

A. Lung base B. Lung root C. Lung apex D. Cardiac notch of the left lung

27-The reflected part of the pleura from the inner surface of the chest wall to the upper surface of the diaphragm is called

A. Costo - mediastinal recess B. Oblique sinus

C. Costo - diaphragmatic recess D. Pulmonary ligament

28-The largest and most clinically important pleural recess is:

A. Costo-mediastinal B. Costo-diaphragmatic C. Pleural recess D. Thoracic cavity

29-Following are parts of parietal pleura EXCEPT : {Merit}

A. Costal B. Suprapleural C. Diaphragmatic D. Mediastinal E. Cervical

30-Regarding right lung following statements are true EXCEPT: {Merit}

A. Shorter than the left lung B. Has three lobes

C. Has two fissures D. Has eight segments

31-The left lung has following features EXCEPT: {Merit}

A. Has two lobes B. Related to superior vena cava C. Has cardiac notch

D. Has lingua E. Related to oesophagus

32- Pneumothorax is defined as accumulation of .....in pleural cavity: {Merit}

A. Lymph B. Transudate C. Exudate D. Air

33- .....is non-inflammatory accumulation of serous fluid within the pleural cavities {Merit}

A. Hydrothorax B. Pneumothorax C. Chylothorax D. Hemothorax

34-The costodiaphragmatic recess is located between:

A) Costal and mediastinal pleura B) Costal and diaphragmatic pleura

C) Diaphragmatic and mediastinal pleura D) Parietal and visceral pleura

35-The right lung has how many lobes?

A. 2 B. 3 C. 4 D. 5

36-The left lung has how many lobes?

A. 1 B. 2 C. 3 D. 4

37-Fluid in the pleural cavity usually collects in:

A) Costodiaphragmatic recess B) Costomediastinal recess

C) Cardiac notch D) Pulmonary ligament

38-The cardiac notch is found in the:

A. Right lung B. Left lung C. Both lungs D. Trachea

39-The apex of each lung extends above the level of the:

A. Clavicle B. First rib C. Sternum D. Second rib

40-In the right lung hilum, the main bronchi are:

A) Most anterior B) Most posterior C) Most superior D) Lateral

41-Which lung is shorter and wider?

A. Right lung B. Left lung C. Both are equal D. Depends on body position

42-The costodiaphragmatic recess is clinically significant because:

A) It is site of air collection B) It is the lowest part where fluid collects

C) It contains lymph nodes D) It contains nerves

43-The impressions on the mediastinal surface of the left lung include all except:

A. Cardiac impression B. Aortic arch C. Esophagus D. Superior vena cava

44-In the left lung hilum, the pulmonary artery lies:

A) Anterior to the bronchi B) Posterior to the bronchi

C) Inferior to the bronchi D) Lateral to the bronchi

45-In the left lung hilum, the pulmonary veins are:

A) Most anterior and inferior B) Most anterior and superior

C) Superior D) Lateral

46-The tongue-shaped projection of the left lung is called the:

A. Apex B. Lingula C. Cardiac lobe D. Hilar process

47-The base of the lung rests on the:

A. Heart B. Diaphragm C. Liver D. Stomach

48-The parasympathetic supply of the lungs is from:

A) Thoracic sympathetic chain B) Recurrent laryngeal nerve

C) Phrenic nerve D) Vagus nerve

49-All of the following pass through the hilum of the lung EXCEPT:

A) Pulmonary artery B) Pulmonary veins C) Vagus nerve D) Main bronchus

50-In the right lung hilum, the pulmonary artery lies:

A) Posterior to the bronchi B) Anterior and between the two bronchi

C) Inferior D) Lateral

51-Parasympathetic stimulation of the lungs causes:

A) Bronchodilation B) Bronchoconstriction

C) Vasoconstriction D) Decreased secretion

52-The sympathetic supply of the lungs arises from:

A) Thoracic sympathetic chain (T2–T5) B) Cervical sympathetic chain

C) Vagus nerve D) Phrenic nerve

53-Pleural effusion is the accumulation of:

A) Air in pleural cavity B) Fluid in pleural cavity

C) Pus in alveoli D) Blood in mediastinum

54-The anterior border of the right lung extends to:

A) 4th costal cartilage B) 8th costal cartilage C) 6th costal cartilage D) 10th rib

55-Lymph from the right lung primarily drains into:

A) Thoracic duct B) Right lymphatic duct C) Cisterna chili D) Left subclavian vein

56-Lymph from the left lung primarily drains into:

A) Thoracic duct B) Right lymphatic duct C) Jugular trunk D) Right subclavian vein

57-All of the following are true about pleural recesses EXCEPT:

A) Costodiaphragmatic recess is between costal and diaphragmatic pleura

B) Costomediastinal recess is near anterior border

C) Fluid never collects in costodiaphragmatic recess

D) Costomediastinal recess is deeper on the left

58-The apex of the lung extends:

A) To the 1st rib B) 1 inch above the medial third of the clavicle

C) To the sternal angle D) To the 2nd intercostal space

59-The inferior border of the lung in the midclavicular line is at the level of:

A) 4th rib B) 6th rib C) 8th rib D) 10th rib

60-The inferior border of the lung in the midaxillary line is at the level of:

A) 4th rib B) 6th rib C) 8th rib D) 10th rib

61-Near the vertebral column, the inferior border of the lung reaches

A) 4th rib B) 6th rib C) 8th rib D) 10th rib

1. D	2. A	3. C	4. B	5. A
6. D	7. C	8. B	9. C	10.D
11.A	12.A	13.B	14.A	15.D
16.A	17.C	18.A	19.A	20.C
21.C	22.A	23.D	24.C	25.D
26.C	27.C	28.B	29.B	30.D
31.B	32.D	33.A	34.B	35.B
36.B	37.A	38.B	39.A	40.B
41.A	42.B	43.D	44.A	45.A
46.B	47.B	48.D	49.C	50.B
51.B	52.A	53.B	54.C	55.B
56.A	57.C	58.B	59.B	60.C
61.D	62.	63.	64.	65.

Embryology

1- Epithelial lining of lung buds is: {Summar2024}{Formative2022}

a. ectodermal b. mesodermal c. hypodermal d-endodermal

2- alveolar period is from: {3rdtral2024}

a. 7th month b. 8th month c. 9th month d. 16 weeks

3- The duration of alveolar period stage of lung maturation is.... {Summar2024}

a. (26 week birth) b. (from the 8th month - Late childhood)

c. (16-26 weeks) d. (5-16 weeks)

4- all are sources of the diaphragm development except..... {Summar2024}

a. Septum transversum b. ectoderm of the thoracic wall

c. Dorsal mesentery of esophagus d. Pleuro-peritoneal membranes.

5-Alveolar period of lung maturation terminates at..... {Formative2024}

a) after puberty b) the 3rth month c) Late childhood d) the 8th month

6- Development o diaphragm from the followings, Except: {Mid2021}{Formative2022}

a. Body wall ectoderm. b. Pleuro-peritoneal membranes.

c. Dorsal mesentery of the esophagus. d. Septum transversum

7- Not one of congenital anomalies of lung : {Mid2021}

a. Hyaline membrane disease b. Premature lungs

c. Ectopic lung lobes d. Congenital cysts of the lung

8- Development of the diaphragm from all the following EXCEPT: {Summar2022}

a- Pleuroperitoneal membrane b- mesentery of the esophagus

c- Body wall ectoderm d- Septum transversum

9-Following are varieties of Lung anomalies, Except: {Merit}

A. Agenesis B. Hypoplasia (small lung)

C. Accessory lung D. Ectopic lung lobes; from heart

10-Following are stages of maturation of the lung, Except: {Merit}

A. Pseudoglandular B. Glandular C. Canalicular D. Terminal sac E. Alveolar

11-A premature infant developed rapid, shallow respiration shortly after birth. A diagnosis of RDS was made. A deficiency of what substance is associated with RDS

a. Bronchial mucous b. Glucocorticoids c. Lung surfactant d. Histamine

12-Endothelial lining of the trachea-bronchial tree is derived from:

a. Surface ectoderm b. Visceral mesoderm

c. Endoderm of the floor of the pharynx d. Somatic mesoderm

13-The embryonic stage of lung development occurs during

A. Weeks 1–3 B. Weeks 4–7 C. Weeks 8–15 D. Weeks 16–25

14-Regarding development of respiratory system, following are true Except:

A. Hyaline membrane disease; due to increase surfactant

B. Tracheoesophageal fistula results from incomplete fusion of tracheoesophageal folds.

C. Variation in lobes number is an anomaly of lung

D. Pseudoglandular stage is formed of bronchi and terminal bronchioles only

15-The laryngotracheal diverticulum appears during which week of embryonic life?

A. 2nd week B. 3rd week C. 4th week D. 6th week

16-The respiratory system develops primarily from the:

A) Ectoderm B) Endoderm C) Mesoderm only D) Neural crest

17-The parietal pleura is derived from:

A) Somatic mesoderm B) Splanchnic mesoderm C) Endoderm D) Ectoderm

18-The connective tissue of the respiratory tract is formed by:

A) Endoderm B) Splanchnic mesoderm C) Somatic mesoderm D) Neural crest

19-The visceral pleura is derived from:

A) Endoderm B) Splanchnic mesoderm C) Somatic mesoderm D) Parietal mesoderm

20-The laryngotracheal diverticulum develops from the

A. Dorsal wall of foregut B. Lateral wall of foregut

C. Ventral wall of foregut D. Pharyngeal arches

21-During the pseudoglandular stage, the lungs are

A. Capable of gas exchange B. Producing surfactant

C. Forming terminal bronchioles only D. Forming alveoli

22-Formation of trachea, bronchi and initial lung buds occurs mainly during

A. Canalicular stage B. Saccular stage C. Embryonic stage D. Alveolar stage

23-Laryngeal cartilages are derived from

A. 1st and 2nd pharyngeal arches B. 2nd and 3rd pharyngeal arches

C. 4th and 6th pharyngeal arches D. 5th arch

24-Respiratory bronchioles and primitive alveolar ducts appear during the

A. Embryonic stage B. Pseudoglandular stage C. Alveolar stage D. Canalicular stage

25-The pseudoglandular stage extends from

A. 4–7 weeks B. 5–17 weeks C. 16–25 weeks D. 24–40 weeks

26-Congenital (Neonatal) Respiratory Distress Syndrome is mainly due to

A. Infection B. Aspiration C. Surfactant deficiency D. Pulmonary hypoplasia

27-Type I and Type II pneumocytes appear during the

A. Pseudoglandular stage B. Canalicular stage C. Saccular stage D. Alveolar stage

28-True alveoli and most postnatal lung growth occur during the

A. Canalicular stage B. Saccular stage C. Embryonic stage D. Alveolar stage

29-Failure of posterior nasal aperture to open is ……

A. Choanal atresia B. Congenital nasal stenosis

C. Laryngeal web or atresia D. Tracheal stenosis

30-The diaphragm develops from all of the following EXCEPT

A. Septum transversum B. Pleuroperitoneal membranes

C. Dorsal mesentery of esophagus D. Neural crest cells

31-The central tendon of diaphragm is derived from

A. Pleuroperitoneal membrane B. Body wall musculature

C. Septum transversum D. Dorsal mesentery

32-The crura of diaphragm develop from the

A. Septum transversum B. Pleuroperitoneal membrane

C. Dorsal mesentery of esophagus D. Body wall

1. D	2. B	3. B	4. B	5. C
6. A	7. B	8. C	9. D	10.B
11.C	12.C	13.B	14.A	15.C
16.B	17.A	18.B	19.B	20.C
21.C	22.C	23.C	24.D	25.B
26.C	27.C	28.D	29.A	30.D
31.C	32.C	33.	34.	35.

Parasitology

1-Loeffler's syndrome occurs as a result of infection with: {3rd tral2024}{Formative2022}

a. Entameba histolytica b. Schistosoma haematobium

c. Giardia lamblia d. plasmodium falciparum

2-Loffler's pneumonia occurs in all of the following EXCEPT: {Summar2022}

a- Schistosoma haematobium b- Ascaris c- Ancylostoma d- Fasciola hepatica

3-Loeffler's syndrome occurs as a result of infection with: {Final2021}{Formative2022}

a. Ancylostoma doudenal b. Ascaris lumbricoides

c. Wucheraria bancrofti d. Both a and c e. Both a and b

4-Loeffler's syndrome is characterized by the following except:

A-Dry cough, asthmatic wheezing. B-Urticaria. C-Eosinophilia. D-Anemia.

5-Amoebic lung abscess occurs as a result of: {Formative2022}

A) hematogenous spread from colonic amebic ulcer B) direct spread from colonic amebic ulcer

C) direct spread from amebic liver abscess D) both a and b E) both a and c

6-lung abscess can be caused by: {Formative2024}

a) wuscheraria bancrofti microfilaria b) ancylostoma duodenal filariform larva

c) entameba histolytica trophozoite d) entameba histolytica cyst

7-Which of the following parasite infection has apart from life cycle in the human lung

A. Ascaris lumbricoides B. Taenia solium

C. Wuchereria bancrofti D. Entamobea histolytica

8-All the following parasites can affect the lung Except: {Mid2021}

a. Schistosoma haematobium b. Strongyloides stercoralis c. Enterobius vermicularis

d. Entameba histolytica e. Echinococcus granulosus

9-Amebic lung abscess can occur through {Mid2021}{Summar2024}

a. Direct extension from hepatic abscess only b. Hematogenous spread only

c. Ingestion of Entameba histolytica cyst only

d. direct extension from hepatic abscess and haematogenous spread

10-all the following parasites can affect the lung except: {Formative2024}

A) Schistosoma mansoni B) Ancylostoma doudenal

C) Enterobius vermicularis D) Entameba histolytica

11-diagnosis of visceral larva migrans affecting the lungs by : {Formative2022}

A) finding Ascaris lumbricoides eggs in stool B) finding Toxocara canis eggs in stool

C) finding Toxocara catis eggs in stool D) finding Strongyloides eggs in stool

E) all answers are not true

12-Ingestion of embryonated eggs of Toxocara canis and Toxocara cati results in:

a. Hydatidosis b. Sparganosis c. Visceral larva migrans d. D-Elephantiasis

13-Infection by toxocara canis and toxocara cati

A-visceral larva migrans B- Cutaneous larva migrans

14-One of the following protozoa is opportunistic:

a. Giardia lamblia b. Entamoeba histolytica c. Balantidium coli
d. Cryptosporidium Parvum e. Entamoeba coli

15-All of the following parasites affect the respiratory tract except:

a) Ascaris lumbricoides b) Strongyloides stercoralis

c) Ancylostoma d) Giardia lamblia

16-All of the following causing Infiltrating diseases of the lungs except:

a. Visceral Larva Migrans (VLM). b. Cryptosporidium.

c. Sparganosis d. Amoebic lung abscess

17-All of the following are migrating helminths except:

a) Ascaris lumbricoides b) Ancylostoma duodenale

c) Strongyloides stercoralis d) Enterobius vermicularis

18-Aspiration of Amoebic lung abscess is due to

A. Entamoeba histolytica Cyst B. Entamoeba histolytica trophozoite

C. trophozoite and cyst D. None

19-Diagnostic stage of Amoebic lung abscess is

A. Entamoeba histolytica Cyst B. Entamoeba histolytica trophozoite

C. trophozoite and cyst D. None

20-Visceral larva migrans (VLM) is also called:

a) Ocular larva migrans b) Dog roundworm disease

c) Toxocariasis d) Löffler's syndrome

21-The diagnostic stage of Cryptosporidium is:

a) Cyst b) Oocyst c) Trophozoite d) Sporozoite e) Egg

22-The infective stage of Cryptosporidium is:

a) Cyst b) Oocyst c) Trophozoite d) Sporozoite e) Egg

23-Which of the following parasites can cause Löffler's pneumonia?

A. Taenia solium B. Entamoeba histolytica C. Ascaris lumbricoides D. Plasmodium

24-All of the following larvae can cause Löffler's pneumonia EXCEPT

A. Ascaris B. Ancylostoma C. Strongyloides D. Taenia

25-Amoebic lung abscess is caused by

A. Giardia lamblia B. Leishmania donovani

C. Entamoeba histolytica D. Trichomonas vaginalis

26-Visceral larva migrans is caused by

A. Ascaris lumbricoides B. Hookworm

C. Toxocara canis and Toxocara cati D. Strongyloides stercoralis

27-The characteristic material aspirated from amoebic lung abscess is

A. Yellow purulent pus B. Bloody sputum

C. Anchovy sauce–like pus D. Green frothy sputum

28-Microscopy of aspirated pus from amoebic lung abscess shows

A. Cysts only B. Trophozoites only C. Cysts and trophozoites D. No organisms

29-The diagnostic stage of Entamoeba histolytica in lung abscess aspirate is

A. Cyst B. Trophozoite C. Egg D. Larva

30-The mode of infection of visceral larva migrans is

A. Skin penetration by larvae B. Ingestion of embryonated eggs

C. Inhalation of eggs D. Mosquito bite

31-Cryptosporidium affects which part of the respiratory tract?

A. Alveoli B. Bronchi only

C. Brush border of respiratory epithelium D. Pleura

32-The mode of respiratory infection by Cryptosporidium is

A. Inhalation of sporulated oocysts B. Ingestion of cysts only

C. Blood-borne spread D. Skin penetration

33-The diagnostic stain for Cryptosporidium in respiratory specimens is

A. Gram stain B. Giemsa stain C. Modified Ziehl–Neelsen stain D. India ink

1. B	2. D	3. E	4. A	5. E
6. C	7. A	8. C	9. D	10.C
11.E	12.C	13.A	14.D	15.D
16.D	17.D	18.B	19.B	20.C
21.B	22.B	23.C	24.D	25.C
26.C	27.C	28.B	29.B	30.B
31.C	32.A	33.C	34.	35.

Pharmacology

Pneumonia

1- Aspiration pneumonia occurs in patient with: {3rd tral2024}

a. Oesophegeal obstruction. b. Diabetes mellitus. c.Malignancy. d.AIDS.

2- Symptomatic treatment in pneumonia: {Summar2024}

a. Analgesic and antipyretics. b. Fluid and electrolytes replacement.

c. Total parenteral nutrition in severe cases. d. Cardiac support: Cortisone and dobutamine

3-Treatment of non-severe hospital acquired pneumonia: {Formative2024}

a) Azithromycin. b) Ciprofloxacin c) Piperacillin d) Augmentin.

4- In mild to moderate CAP in young patients without co-morbidity which ONE of the following is the drugs of choice: {Mid2021}

a. Benzyl penicillin. b. Azithromycin. c. Ciprofloxacin.

d. cefaclor. e. Rifampicin

5- In severe ill-hospitalized patient with CAP combination of the following antibiotic is used Except: {Mid2021}{Final2023}

a. Azithromycin. b. Ceftazidime. c. Piperacillin.

d. Benzyl penicillin. e. Ciprofloxacin

6- In severe ill hospitalized patient with CAP. We use all drugs EXCEPT {Final2022}

a. Azithromycin b. cifrazidine c. ciprofloxacine d. Oxacillin

7-Treatment of community acquired pneumonia: {Formative2024}

a) Ceftazidime 3rd generation cephalosporin in young patients young patients without co-morbidity.

b) Benzyl pencillin 1-2 million U/6h I.V in without co-morbidity

c) Combination of Cephalosporin (2nd or 3rd generation) and augmentin in young patients without co-morbidity.

d) Azithromycin and anti-pseudomonal antibiotics in young patients without co- morbidity.

8- Treatment of community acquired pneumonia in severe ill-hospitalized patient: {3rdtral2024}

a. Benzyl pencillin 1-2 million U/6h I.V. b.Cephalosporin 2nd or 3rd, generation.

c. Azithromycin and Piperacillin. d. Azithromycin and Benzyl pencillin.

9- In severe ill-hospitalized patient with CAP: ONE of the following anti- pseudomonal antibiotics must be used: {Final2021}

a. Benzyl penicillin. b. Azithromycin. c. Cefaclor. d. Ceftazidime. e. Oxacillin.

10-Augmentin is used in treatment of all the following types of pneumonia except: {3rdtrial2022}

a-Mild to moderate CAP in young patients without co-morbidity.

b-In severe ill-hospitalized patient with CAP.

c-Mild to moderate CAP in young patients with co-morbidity

d-Mild to moderate CAP in elderly

11- All the following are risk factor for lower respiratory tract infection Except: {Final2021}

a. Induced cough. b. Aspiration. c. Immunocompromised patients.

d. Gastroesophageal reflux." e. bronchogenic carcinoma.

12- Symptomatic treatment of pneumonia is {Mid2023}

a) Cardiac support by cortisol and dobutamine b) Analgesic & antipyretic

c) Fluid and electrolytes replacement d) Total parenteral nutrition

13- All the following are used in treatment of pneumonia Except {Summar2022}{Summar2024}

a- Antibacterial b- Antipyretic c- Immunomodulator d- Antitussive

14-In severe HAP if resistant staph aureus is suspected ONE of the following following drug must be added: {Formative2022}

a) Gentamicin. b) Imipinim. c) Ciprofloxacin d) Vancomycin

15- All the following are Supportive treatment in pneumonia except: {Formative2022}

a)Fluid and elctrolytes replacement b)Total parentral nutrition in severe cases

c) Analgesic and antipyretics. d) Cardiac support: Cortison and dobutamine.

e)Respiratory support

16- What is the antibiotic of choice for treatment of Mycoplasma pneumonia?

A- Polymyxin B. B- Penicillin. C- Azithromycin. D-Tobramycin.

1. A	2. A	3. B	4. A	5. D
6. D	7. B	8. B	9. D	10.B
11.A	12.B	13.D	14.D	15.C
16.C	17.	18.	19.	20.

Antitussive drugs

1-Regarding local anesthetic in treatment of cough (one false): {Formative2024}{Summar2024}

a) It is used as injection in treatment of cough. b) Administer by nebulizer.

c) Used for intractable cough of bronchial carcinoma. d) Lignocaine is an example.

2- All the following drugs is opioids anti-tussive (one false): {3rd tral2024}

a. Oxeladin. b. Codeine. c. Pholcodiene. d. Ethylmorphine.

3-Asthmatic cough is treated with one of the following: {3rd trial2022}

a-Appropriate antibiotics. b-Losartan.

c-Nasal decongestant. d-Inhaled β2-agonist

4- Potassium iodide is considered {Mid2023}{Summar2024}

a) Central anti-tussive b) Mucolytic c) Expectorant d) Local anesthetic

5- Which ONE of the following drugs is considered as mucolytic: {3rd tral2024}

a. Ammonium salts. b. Noscapine. c. Codeine. d. Bromohexine

6-A patient with an attack of productive cough that has lasted for less than three weeks seeking for medical advice, which of the following drugs can be prescribed as a mucolytic drug

A. Codeine B. Bromohexine C. Guaifenesin D. Dextromethorphan

7- Which ONE of the following considered as mucolytic: {Mid2021}{Merit}

a. Acetylcysteine. b. Noscapine. c. Codeine.

d. Ammonium salts. e. Dextromethorphan

8-Acetylcysteine mechanism of action as a mucolytic drug

A. Inhibition of cough center in medulla B. Stimulate healing of inflamed mucosa

C. Sedate respiratory mucosa D. Break disulfide bond in mucus

9- Lignocaine in treatment of cough considered as: {Final2021}

a. Mucolytic b. Expectorant c. Bronchodilator

d. Local anesthetic e. Opioid anti-tussive

10- ONE of the following is non-opioid anti-tussive drugs: {Final2021}{Formative2022} {Final2023}

a. Noscapine. b. Codeine. c. Potassium iodide.

d. Sodium citrate. e. Dextromethorphan

11- ONE of the following drugs used in treatment of cough only in presence of bronchoconstriction: {Mid2021}{Final2022}

a. Acetylcysteine. b. Noscapine. c. Codeine.

d. Ammonium salts. e. Salbutamol.

12- Regarding Antitussive drugs all the following are true EXCEPT {Summar2022}

a- These drugs reduce frequency or intensity of coughing.

b- Beneficial in suppressing cough and in decreasing morbidity in respiratory disease

c- Indicated when cough is painful, unproductive, distressing, exhausting and exacerbate lung damage.

d- Indicated when cough is unproductive.

E- None

13-Which one of the following drugs is a potent mucolytic?

a) Codeine. b) Benzonatate c) Ambroxol d) Guafenesin

14- Indicate the central antitussive drug of non- narcotic type of action:

a)Dextromethorphan. b)Menthol. c) Pholcodine d)Methadone.

15-Which ONE of the following drugs is used as Central anti-tussive: {Formative2022}

a) Acetylcysteine. b) Bromohexine. c) Ammonium salts.

d) Noscapine e) Sodium citrate.

16- Regarding Antitussive drugs (one false): {Formative2022}

a-Beneficial in suppressing cough and in decreasing morbidity in respiratory disease.

b-Indicated when cough is painful, unproductive, distressing, exhausting and exacerbate lung damage.

C- a and b

d-Non of the above.

17- Antitussive are : {Formative2022}

a) Drugs used to prevent or relieve a cough.

b) Drugs promotes the secretion of sputum by the air passage.

c) Drugs that acts to break down thick mucus.

d) Non of the above.

18-Expectorants are: {Formative2024}

a) Drugs that used to prevent or relieve a cough.

b) Drugs that relief cough due to its sedative and anti- cholinergic action.

c) Drugs that promotes the secretion of sputum by the air passage.

d) Drugs that acts to break down thick mucus.

19-45 y old female patient suffering from acute attacks of cough, chest tightness and shortness of breath. One of the following drugs is recommended as first line therapy for this patient medium

A. Dexamethasone B. Salmeterol C. Montelukast D. Salbutamol

20-Which one of the following drugs can cause respiratory center depression?

a. Bromhexine b. Hydrocodone c. Salbutamol d. Guaifenesin

21-Which one of the following drugs should be used for treatment of dry cough?

a. N-acetylcysteine b. Ambroxol c. Dextromethorphan d. Aminophylline

22-Which one of the following is centrally acting antitussive: {Merit}

A. Dextromethorphan B. Isoniazid C. Tiotropium D. Omalizumab

23-The following drug is used for treatment of COPD: {Merit}

A. Dextromethorphan B. Isoniazid C. Tiotropium D. Omalizumab

24-Antitussive drug acting on stretch or cough receptors in the lung: {Merit}

A. Ammonium chloride B. Bromohexine C. Pholcodine D. Benzonatate

1. A	2. A	3. D	4. C	5. D
6. B	7. A	8. D	9. D	10.E
11.E	12.E	13.C	14.A	15.D
16.D	17.A	18.C	19.D	20.B
21.C	22.A	23.C	24.D	25.

Drugs used in bronchial asthma

1- One of the following drugs is phosphodiesterase inhibitor can be used in treatment of bronchial asthma. {Summar2024}{3rd trial2024}

a. Formoterol b. Aminophylline c. Fluticasone d. Zileuton

2- One of the following is Oral corticosteroids used in treatment of bronchial asthma? {Summar2022}{3rd trial2022}{Summar2024}

a- Prednisone b- Beclomethasone c- Budesonide d- Ciclesonide

3- All the following is side effects of B2 agonists except {Final2023}

a. tremor b. tachycardia c. tolerance d. urine retention

4- Which of the following drugs are the bronchodilator of choice in acute asthma? {Mid2021}

a. Beta 2 agonists b. Beta 2 antagonists. c. Nedocromil sodium d. Opiates.

5- Which of the following drugs used only in prophylaxis and not useful in management of acute attack of bronchial asthma? {Final2021}

a. terbutaline b. prednisolone c. salbutamol d. cromolyn sodium

6- Which of the following drugs act by stabilizing mast cell membrane preventing release of histamine and SRS-A {Formative2022}

a-Salbutamol b- Terbutaline c- Cromolyn sodium d-Beclomethasone

7- One of the following is 5-lipoxygenase enzyme inhibitors used in bronchial asthma {Summar2022}

a- Montelukast b- Zileuton c- Zafirlukast d- Pranlukast

8-Regarding zileuton, one of the following is correct?

A. It is a leukotriene receptor antagonist B. It is effective in treating acute attack of asthma

C. It is a 5 lipoxygenase receptor inhibitor D. It modulates gene expression

9- One of the following drugs is a monoclonal antibody that binds to IgE -Ag complex used for treatment of severe asthma? {Mid2021}

a. Omalizumab. b. Aminophylline c. Nedocromil sodium d. Budesonide

10- Humanized monoclonal antibody used in severe bronchial asthma is called {Mid2023}

a) Omalizumab. b) Aminophylline c) Nedocromil sodium d) Budesonide

11- The main side effect of omalizumab is: {Final2021}

a. anaphylactic response b. seizures c. abdominal discomfort. d. headache.

12- Which of the following drugs is long-acting bronchodilator? {Final2021}

a. Salbutamol b. Terbutaline c. Metaproterenol d. Salmeterol

13-All of the following are short-acting ß2 agonists used in bronchial asthma except: {Formative2024}{Summar2024}{3rdtral2024}

a) Salbutamol b) Metaproterenol c) Salmeterol d) Terbutaline

14-Salmeterol is:

a. Short acting corticosteroid b. Short acting β2 agonist

c. Long acting β2 agonist d. Long acting β2 antagonist

15- All of the following is true regarding the mechanism of action of ß2 adrenergic agonists in treating bronchial asthma except: {Formative2024}

A. Inhibit release of bronchoconstricting mediators from mast cells.

B. Inhibit microvascular leakage.

C. Increase mucociliary transport by increasing ciliary activity

D. Constrict the airway smooth muscle

16- ALL of the following are bronchodilator used in bronchial asthma EXCEPT: {Formative2024}

A. Albutrol B. Ipratropium C. Propranolol D. Thiophylline

17-One of the following drugs is a bronchodilator used in treating acute attack of bronchial asthma: {Summar2022}

a- Metoprolol b- Acebutolol c- Terbutaline d- Salmeterol

18- Salmeterol Theophylline can be used in treatment of the following disorders Except: {Final2021}

a. cardiac arrhythmias b. bronchial asthma

c. Apnea in premature infant d. migraine

19- The following statements are correct about theophylline Except: {Final2021}

a. Inhibition of phosphodiesterase. b. Adenosine receptor antagonism.

c. Inhibition of both gastric and digestive enzymes. d. weak diuretics.

20-The mechanism of action of theophylline includes the following: {Merit}

A. Inhibition of phosphodiesterase with decreased c-AMP

B. Inhibiting adenosine receptors

C. Activation of phosphodiesterase with increased c-AMP

D. Stimulation of adenosine receptors

21-All of the following are common side effects of theophylline except: {3rd trial2022} {Formative2022}

a-Headache b-Restlessness c-Diuresis d-Seizures

22- Oropharyngeal candidiasis is a side effect of which of the following? {Final2023}

a. Inhaled Beclomethasone b. IV aminophylline

c. Inhaled ipratropium bromide d. Montelukast

23- All the following are inhaled corticosteroid EXCEPT {Final2022}

a. HydroCortisone

24- .....reduce airway resistance {Final2022}

a. Muscarinic Blockers

25-Indicate the drug which is a leucotriene receptor antagonist:

a)Sodium cromoglycate. b)Zafirlucast. c)Zileutin. d)Triamcinolone.

26- All the following drugs are short acting B2 agonist EXCEPT {Final2022}

a. Salmetrol

27- Mechanism of corticosteroid {Final2022}

a. resolution of airway edema

28- A potent competitive antagonist at LTD4 receptors: {Merit}

A. Na Cromoglycate B. Zafirlukast C. Albuterol D. Zileuton

29- JC is an 8 year old boy who is brought to the Emergency Department by his parents after suffering from an asthmatic attack. Which of the following would be LEAST likely to reverse bronchoconstriction in this situation? {Merit}

A. Sodium Cromolyn by nebulizer B. Ipratropium aerosol

C. Terbutaline s.c. D. Theophylline i.v.

30-The following antiasthma drug is not a bronchodilator: {Merit}

A. Ipratropium bromide B. Theophylline C. Formoterol D. Sodium cromoglycate

31- Which one of the following is side effect of beta2 agonist? {Merit}

A. Intolerance B. Hypoglycemia C. Bradycardia D. Tremors

32- Which one of the followings is selective β2-agonist? {Merit}

A. Epinephrine B. Propranolol C. Terbutaline D. Isoproterenol

33- All of the followings are selective β2-agonist, except: {Merit}

A. Epinephrine B. Salbutamol C. Terbutaline D. Salmeterol

34- Which one of the following combinations of drug and their mechanism of action is correct? {Merit}

A. Salbutamol: stimulation of β3 receptor causing bronchodilation

B. Sodium cromoglycate: mast cell activator

C. Zafirlukast: Anti-IgE antibody

D. Theophylline: phosphodiesterase inhibitor

35- All of the following combinations of drug and their mechanism of action is correct, except: {Merit}

A. Salbutamol: stimulation of β2 receptor causing bronchodilation

B. Sodium cromoglicate: mast cell stabilization

C. Zafirlukast: leukotriene inhibitor

D. Theophylline: phospholipase A2 inhibitor

36- Which one of the following is a side effects of inhaled corticosteroids? {Merit}

A. Decrease bone density B. Cataract

C. Oropharyngeal candidiasis D. Dermal thinning

37-The most common side effect occurring with the use of inhaled fluticasone is:

a. Osteoporosis b. Hypertension c. Myopathy d. Oropharyngeal candidiasis

38-The mechanism of action of theophylline includes the following: {Merit}

A. Inhibition of phosphodiesterase with decreased c-AMP

B. Inhibiting adenosine receptors

C. Activation of phosphodiesterase with increased c-AMP

D. Stimulation of adenosine receptors

39-Which one of the following is a long-acting bronchoselective anticholinergic? {Merit}

A. Ipratropium B. Tiotropium C. Terbutaline D. Montelukast

40-All the following are side effects of beta 2 agonists except: {Merit}

A. Tachycardia B. Tolerance C. Hypoglycemia D. Tremors

41-beta 2 agonist produce the following side effect: {Merit}

A.Tolerance B.Tremors C.Tachycardia D.All the above

42-Theophylline produces all the following actions except: {Merit}

A. Increased c-AMP B. Stimulation of adenosine receptors

C. Cardiac stimulation D. Bronchodilatation

43- A one-year-old male develops decreased breath sounds, and wheezing during a febrile episode which is relieved by Salbutamol. What is the mechanism of action of Salbutamol?

a) Inhibition of airway muscarinic receptors b) Inhibition of 5-lipoxygenase

c) Inhibition of phosphodiesterase d) Activation of ß2 adrenergic receptors

44- Asthma medicine that can binds IgE & prevents its binding to IgE receptors on mast cells:

a) Salbutamol b) Omalizumab c) Theophylline d) Corticosteroids

45- All the following drugs can dilate the bronchi, EXCEPT:

a) Theophylline b) Ipratropium c) Sodium cromoglycate d) Salmeterol

46- Regarding control of bronchial asthma, the following statement is INCORRECT:

a) Theophylline produces bronchodilatation by inhibiting phosphodiesterase enzyme

b) Nedocromil sodium produces bronchodilatation by direct spasmolytic effect.

c) Corticosteroids produce anti-inflammatory effect

d) Ipratropium produces bronchodilatation by blocking the muscarinic receptors

47-Which one of the following drugs is inhaled glucocorticoid?

a)Budesonide. b)Prednisone. c) Indacaterol d)Hydrocortisone.

48- Which one of the following drugs is belonging to membrane-stabilizing agents?

a) Zileutin. b) Nedocromil. c) Dupilumab. d) Montelucast.

49-Complications of Inhaled corticosteroids include

a- Dysphonia b-Teeth discoloration c-Gingival hyperplasia d-Dry mouth

50-Acute attack of bronchial asthma can be treated by

a-Long acting corticosteroid b-Mast cell stabilizers

c-Long acting Beta 2 receptor agonists d-Short acting Beta 2 receptor agonists

51-One of the following steroids is the first choice in treatment of acute asthma

a-Beclomethasone b- Dexamethazone c-Hydrocortisone d-Prednisolone

52-It is IgE monoclonal antibody

a-Omalizumab b-Montelukast c-Salbutamol d-Prednisone

53-It is used in resistant bronchial asthma

a-Omalizumab b-Montelukast c-Salbutamol d-Prednisone

54- Which of the following is an anti-immunoglobulin (anti-IgE) drug? {Merit}

A. Omalizumab B. Budesonide C. Mometasone D. Ciclesonide

55-It is an oral form of corticosteroids

a-Budesonide b- Dexamethazone c-Hydrocortisone d-Prednisolone

1. B	2. A	3. C	4. A	5. D
6. C	7. B	8. C	9. A	10.A
11.A	12.D	13.C	14.C	15.D
16.C	17.C	18.A	19.C	20.B
21.D	22.A	23.A	24.A	25.B
26.A	27.A	28.B	29.A	30.D
31.D	32.C	33.A	34.D	35.D
36.C	37.D	38.B	39.B	40.C
41.D	42.B	43.D	44.B	45.C
46.B	47.A	48.B	49.A	50.D
51.C	52.A	53.A	54.A	55.D