

Before the cranial nerves

- 1- The is the dangerous area of the scalp
 - a- Skin
 - b- Loose areolar connective tissue
 - c- 3rd layer
 - d- Superficial fascia
- 2- In relation to occipitofrontalis, choose the correct statement
 - a- Supplied by the facial & trigeminal nerves
 - b- Just superficial to the dangerous area of the scalp
 - c- Helps in closure of the palpebral fissure
 - d- All of the above
- 3- The orbital part of the orbicularis oculi helps in the
 - a- Gentle closure of the eyelids
 - b- Strong closure of the eyelids
 - c- Drainage of tears
 - d- Wrinkling of the forehead
- 4- Facial nerve supplies all of the following muscles except
 - a- Buccinator
 - b- Orbicularis oris
 - c- Orbicularis oculi
 - d- Masseter
- 5- In relation to orbicularis oculi,
 - a- Consists of 2 parts only
 - b- Supplied by the zygomatic & temporal branches of the facial nerve
 - c- The orbital part forms the 2nd layer of the eyelids
 - d- The lacrimal part is the most lateral part
- 6- Prevents accumulation of the food in the vestibule of the mouth
 - a- Orbicularis oris
 - b- Temporalis
 - c- Masseter
 - d- Buccinator
- 7- is responsible for the whistling expression
 - a- Orbicularis oris
 - b- Temporalis
 - c- Masseter
 - d- Buccinator
- 8- All muscles of mastication elevate the mandible except
 - a- Temporalis
 - b- Masseter
 - c- Medial pterygoid
 - d- Lateral pterygoid
- 9- retracts the protruded mandible
 - a- Temporalis
 - b- Masseter
 - c- Medial pterygoid
 - d- Lateral pterygoid
- 10- All muscles of mastication are supplied by the nerve
 - a- Facial
 - b- Mandibular
 - c- Vagus
 - d- Maxillary
- 11- Has 2 heads; upper & lower
 - a- Temporalis
 - b- Masseter
 - c- Medial pterygoid
 - d- Lateral pterygoid
- 12- The anterior fibers of are vertical while its posterior fibers are horizontal
 - a- Temporalis
 - b- Masseter
 - c- Medial pterygoid
 - d- Lateral pterygoid
- 13- ligament prevents backward dislocation of the temporomandibular joint
 - a- Temporomandibular
 - b- Sphenomandibular
 - c- Pterygomandibular
 - d- Stylomandibular
- 14- The sensory nerves supplying the temporomandibular joint are derived from the Nerve
 - a- Mandibular
 - b- Maxillary
 - c- Facial
 - d- Both a & c
- 15- The of the palate is bonny and immobile
 - a- Anterior 1/2
 - b- Posterior 1/2
 - c- Posterior 1/3
 - d- Anterior 2/3
- 16- The oropharyngeal isthmus is closed by Muscle
 - a- Palatopharyngeus
 - b- Stylopharyngeus
 - c- Palatoglossus
 - d- Styloglossus

- 17- Tensor palati is supplied by nerve**
a- Facial
b- Greater palatine
c- Lesser palatine
d- Mandibular
- 18- The 4 bellies of occipitofrontalis are inserted into the**
a- Epicranial aponeurosis
b- Skin
c- Periosteum
d- Skull
- 19- muscles covers most of the ramus of the mandible**
a- Temporalis
b- Masseter
c- Medial pterygoid
d- Lateral pterygoid
- 20- The temporomandibular joint is in type**
a- Fibrous
b- Hinge synovial
c- Primary cartilaginous
d- Secondary cartilaginous
- 21- The boundaries of the posterior triangle include all of the following except the**
a- Anterior border of trapezius
b- Posterior border of sternomastoid
c- Middle 1/3 of the clavicle
d- Lower border of the mandible
- 22- The posterior triangle is subdivided into 2 triangles by the**
a- Inferior belly of omohyoid
b- Trunks of brachial plexus
c- Sternomastoid
d- Posterior belly of digastric
- 23- The lower part of the posterior triangle is the triangle**
a- Submandibular
b- Omoclavicular
c- Muscular
d- Occipital
- 24- In relation to sternomastoid, all of the following are true except**
a- Supplied by the spinal part of accessory nerve
b- Has sensory innervation from C2 & 3 nerves
c- Has sternal & clavicular heads
d- Rotates the face to the ipsilateral side
- 25- Digastric muscle The mandible**
a- Elevates
b- Protrudes
c- Depresses
d- Retracts
- 26- The posterior belly of digastric is supplied by the nerve**
a- Facial
b- Mandibular
c- Hypoglossal
d- Lingual
- 27- Thyrohyoid is supplied by fibers from Nerve**
a- First cervical
b- Mandibular
c- Facial
d- None of the above

- 28- Ansa cervicalis supplies all of the following muscles except**
- a- Sternohyoid
 - b- Thyrohyoid
 - c- Sternothyroid
 - d- Omohyoid
- 29- The scalp is supplied by all of the following sensory nerves except the nerve**
- a- Infraorbital
 - b- Great auricular
 - c- Zygomaticotemporal
 - d- Lesser occipital
- 30- The Nerve supplies the skin of the scalp in front of the auricle**
- a- Auriculotemporal
 - b- Zygomaticofacial
 - c- Great auricular
 - d- All of the above
- 31- nerve is the sensory nerve of the lower part of the face**
- a- Facial
 - b- Maxillary
 - c- Ophthalmic
 - d- Mandibular
- 32- nerve supplies the skin of the upper lip**
- a- Facial
 - b- Maxillary
 - c- Ophthalmic
 - d- Mandibular
- 33- Nerve supplies the skin & conjunctiva of the lower eyelid**
- a- Facial
 - b- Maxillary
 - c- Ophthalmic
 - d- Mandibular
- 34- The nerve is a branch from the cervical plexus**
- a- Great auricular
 - b- Third occipital
 - c- Greater occipital
 - d- Suprascapular
- 35- The nerve has a root value of C2 only**
- a- Medial supraclavicular
 - b- Lesser occipital
 - c- Lateral supraclavicular
 - d- Great auricular
- 36- muscle has sensory innervation from the cervical plexus**
- a- Buccinator
 - b- Orbicularis oris
 - c- Sternomastoid
 - d- Orbicularis oculi
- 37- Mental nerve supplies the skin of the**
- a- Upper lip
 - b- Lateral part of the lower lip
 - c- Lower gum
 - d- Chin

Cranial nerves

- 1- **Olfactory nerve**
 - a- Has a long trunk
 - b- Is a pure sensory nerve
 - c- Is surrounded by a dural sheath
 - d- Contains parasympathetic fibers
- 2- **Optic nerve passes through the**
 - a- Superior orbital fissure
 - b- Inferior orbital fissure
 - c- Optic canal
 - d- Both a & c
- 3- **Trochlear nerve supplies the muscle**
 - a- Superior oblique
 - b- Inferior oblique
 - c- Medial rectus
 - d- Superior rectus
- 4- **The muscle is supplied by the superior division of oculomotor nerve**
 - a- Superior oblique
 - b- Inferior oblique
 - c- Lateral rectus
 - d- Superior rectus
- 5- **The muscle is supplied by abducent nerve**
 - a- Superior oblique
 - b- Inferior oblique
 - c- Medial rectus
 - d- Lateral rectus
- 6- **The inferior division of oculomotor nerve supplies the muscle**
 - a- Superior rectus
 - b- Levator palpebrae superioris
 - c- Lateral rectus
 - d- Medial rectus
- 7- **The nerve is a pure sensory nerve**
 - a- Trochlear
 - b- Abducent
 - c- Facial
 - d- Optic
- 8- **The 2 roots of mandibular nerve exits the cranial cavity through the**
 - a- Jugular foramen
 - b- Foramen lacerum
 - c- Foramen oval
 - d- Carotid canal
- 9- **The nerve supplying Originates from the trunk of mandibular nerve**
 - a- Medial pterygoid
 - b- Tensor palati
 - c- Tensor tympani
 - d- All of the above
- 10- **The ganglion is related anatomically to maxillary nerve**
 - a- Ciliary
 - b- Submandibular
 - c- Pterygopalatine
 - d- Otic
- 11- **..... nerve is a branch from facial nerve and reaches the tongue through lingual nerve**
 - a- Suprascapular
 - b- Upper subscapular
 - c- Chorda tympani
 - d- Greater petrosal
- 12- **..... nerve divides into frontal, lacrimal and nasociliary divisions**
 - a- Infraorbital
 - b- Ophthalmic
 - c- Maxillary
 - d- Mandibular
- 13- **..... nerve passes through the superior orbital fissure**
 - a- Nasociliary
 - b- Ophthalmic
 - c- Maxillary
 - d- Mandibular
- 14- **..... nerve passes through foramen rotundum**
 - a- Nasociliary
 - b- Ophthalmic
 - c- Maxillary
 - d- Mandibular

- 15- Infratrochlear nerve is a branch of nerve**
a- Nasociliary
b- Infraorbital
c- Maxillary
d- Mandibular
- 16- nerve is a mixed (sensory and motor) nerve**
a- Nasociliary
b- Ophthalmic
c- Maxillary
d- Mandibular
- 17- nerve carries sympathetic fibers to dilator pupillae muscle**
a- Nasociliary
b- Long ciliary
c- Lacrimal
d- Internal nasal
- 18- Zygomatic nerve is a branch from nerve**
a- Posterior superior alveolar
b- Ophthalmic
c- Maxillary
d- Inferior alveolar
- 19- Auriculotemporal nerve is sensory to all of the following except**
a- Tympanic cavity
b- External auditory meatus
c- Parotid gland
d- Temporomandibular joint
- 20- The nucleus is related to the trigeminal nerve**
a- Superior salivatory
b- Inferior salivatory
c- Mesencephalic
d- Solitary
- 21- nerve supplies stylopharyngeus muscle**
a- Vagus
b- Accessory
c- Glossopharyngeal
d- Trigeminal
- 22- Carotid sinus & body are supplied bynerve**
a- Maxillary
b- Glossopharyngeal
c- Facial
d- Accessory
- 23- nerve ends inside parotid gland**
a- Mandibular
b- Facial
c- Accessory
d- Glossopharyngeal
- 24- Palatoglossus muscle is supplied by the nerve**
a- Cranial part of accessory
b- Hypoglossal
c- Glossopharyngeal
d- Posterior division of mandibular
- 25- Nucleus ambiguus is the motor nucleus of the Nerve**
a- Vagus
b- Glossopharyngeal
c- Cranial accessory
d- All of the above

- 26- nerve carries taste sensation from the posterior 1/3 of the tongue & vallate papillae**
 a- Facial
 b- Glossopharyngeal
 c- Lingual
 d- Vagus
- 27- nerve descends vertically in the carotid sheath**
 a- Vagus
 b- Glossopharyngeal
 c- Cranial accessory
 d- Hypoglossal
- 28- Superior salivary nucleus is related to the nerve**
 a- Hypoglossal
 b- Glossopharyngeal
 c- Facial
 d- Trigeminal
- 29- The greater petrosal nerve**
 a- Is a branch of glossopharyngeal nerve
 b- Supplies the lacrimal gland
 c- Unites with the lesser petrosal nerve
 d- Begins outside the cranial cavity
- 30- Cricothyroid muscle is supplied by the laryngeal nerve**
 a- Internal
 b- External
 c- Recurrent
 d- Inferior
- 31- The Cranial nerve has a cranial and a spinal roots**
 a- 9th
 b- 10th
 c- 11th
 d- 12th
- 32- Nerve passes between hyoglossus and mylohyoid muscles**
 a- Facial
 b- Accessory
 c- Glossopharyngeal
 d- Hypoglossal
- 33- Nerve is the motor nerve of the facial muscles**
 a- Facial
 b- Accessory
 c- Glossopharyngeal
 d- Hypoglossal
- 34- nerve supplies the parotid gland**
 a- Facial
 b- Accessory
 c- Glossopharyngeal
 d- Hypoglossal
- 35- nerve carries general sensations from the palatine tonsil**
 a- Facial
 b- Accessory
 c- Glossopharyngeal
 d- Hypoglossal
- 36- Nerve supplies parasympathetic fibers to the thoracic and abdominal viscera**
 a- Vagus
 b- Phrenic
 c- Glossopharyngeal
 d- Internal laryngeal
- 37- Nerve is a pure motor nerve**
 a- Facial
 b- Mandibular
 c- Glossopharyngeal
 d- Hypoglossal
- 38- laryngeal nerve is a pure motor nerve**
 a- Superior
 b- Internal
 c- External
 d- Recurrent
- 39- nerve is joined by sensory fibers from C1 nerve**
 a- Facial
 b- Vagus
 c- Glossopharyngeal
 d- Hypoglossal
- 40- Trapezius muscle is supplied by nerve**
 a- Cranial part of accessory
 b- Spinal part of accessory
 c- Pharyngeal branch of vagus
 d- Lateral supraclavicular

Vessels

- 1- **The left common carotid artery is a branch from the**
 - a- Innominate artery
 - b- Left subclavian artery
 - c- Aortic arch
 - d- Descending aorta
- 2- **Caroticotympanic artery is a branch from artery**
 - a- Maxillary
 - b- Facial
 - c- External carotid
 - d- Internal carotid
- 3- **..... artery is divided by scalenus anterior muscle into 3 parts**
 - a- Vertebral
 - b- Subclavian
 - c- Maxillary
 - d- Common carotid
- 4- **The middle meningeal artery is a branch from**
 - a- Costocervical trunk
 - b- Maxillary artery
 - c- Internal carotid artery
 - d- None of the above
- 5- **..... artery ends inside parotid gland**
 - a- Facial
 - b- External carotid
 - c- Superficial temporal
 - d- Angular
- 6- **..... artery passes through the optic canal to supply the contents of the orbit**
 - a- Middle meningeal
 - b- Accessory meningeal
 - c- Ophthalmic
 - d- Infraorbital
- 7- **..... jugular vein ends into the subclavian vein as a tributary**
 - a- Internal
 - b- External
 - c- Posterior external
 - d- Anterior
- 8- **The vein is formed by the union of maxillary and superficial temporal veins**
 - a- Retromandibular (posterior facial)
 - b- Internal jugular
 - c- External jugular
 - d- Common facial
- 9- **The costocervical trunk**
 - a- Is a branch from the first part of subclavian artery
 - b- Begins behind scalenus anterior muscle
 - c- Gives the transverse cervical artery
 - d- All of the above are true
- 10- **..... artery is a terminal branch of external carotid artery**
 - a- Occipital
 - b- Lingual
 - c- Superficial temporal
 - d- Ascending pharyngeal

- 11- artery begins inside parotid gland**
a- Facial
b- Lingual
c- Superficial temporal
d- Ascending pharyngeal
- 12- The muscles of mastication are supplied mainly by branches from artery**
a- Facial
b- Lingual
c- Inferior alveolar
d- Maxillary
- 13- Ophthalmic artery is a branch from the artery**
a- Internal carotid
b- External carotid
c- Infraorbital
d- Anterior cerebral
- 14- artery ascends through the upper 6 foramina transversaria**
a- Ascending pharyngeal
b- Vertebral
c- Ascending cervical
d- Deep cervical
- 15- artery supplies the middle and anterior parts of the upper gum and teeth**
a- Infraorbital
b- Lingual
c- Facial
d- Nasopalatine
- 16- The internal jugular vein receives all of the following tributaries except the vein**
a- Common facial
b- Lingual
c- Superior thyroid
d- Inferior thyroid
- 17- The vertebral vein drains into the vein**
a- Internal jugular
b- External jugular
c- Subclavian
d- Innominate
- 18- At its beginning, the ICA is to the ECA**
a- Anterior
b- Posterior
c- Medial
d- Lateral
- 19- IJV descends beside the carotid artery**
a- Common
b- External
c- Internal
d- Both a & c
- 20- The first part of subclavian artery gives all of the following branches except the artery**
a- Vertebral
b- Internal thoracic
c- Thyrocervical trunk
d- Dorsal scapular
- 21- The IJV unites with the vein**
a- External jugular
b- Anterior jugular
c- Subclavian
d- Axillary

- 22- The artery is a branch from the 2nd part of maxillary artery**
- a- Masseteric
 - b- Middle meningeal
 - c- Accessory meningeal
 - d- Anterior tympanic
- 23- The deep auricular artery is a branch of the Artery**
- a- First part of maxillary
 - b- Ascending pharyngeal
 - c- Superficial temporal
 - d- Facial
- 24- artery is a branch of the thyrocervical trunk**
- a- Suprascapular
 - b- Deep cervical
 - c- Thyroidemia
 - d- Superior thyroid
- 25-..... artery is a branch from the 2nd part of ICA**
- a- Caroticotympanic
 - b- Anterior tympanic
 - c- Deep auricular
 - d- Infraorbital
- 26- The arteries supplying pituitary gland arise from**
- a- Second part of ICA
 - b- Anterior & middle cerebral arteries
 - c- Third part of ICA
 - d- Posterior communicating artery
- 27- Begins at the outer border of the first rib**
- a- Subclavian artery
 - b- Subclavian vein
 - c- Innominate vein
 - d- Innominate artery
- 28- The costocervical trunk divides into the superior intercostal and the cervical arteries**
- a- Superficial
 - b- Deep
 - c- Transverse
 - d- Ascending
- 29- Maxillary artery passes**
- a- Deep to the neck of the mandible
 - b- Between the 2 heads of lateral pterygoid
 - c- Into the pterygopalatine fossa
 - d- All of the above
- 30- The 3rd part of subclavian artery gives the artery**
- a- Suprascapular
 - b- Subscapular
 - c- Dorsal scapular
 - d- Circumflex scapular
- 31- The inferior thyroid vein opens into the left vein**
- a- Subclavian
 - b- Internal jugular
 - c- External jugular
 - d- Brachiocephalic
- 32- The maxillary artery supplies the**
- a- Upper gum & teeth
 - b- Lower gum & teeth
 - c- Muscles of mastication
 - d- All of the above

Before the cranial nerves

1-b	2-b	3-b	4-d	5-b	6-d	7-a	8-d	9-a	10-b
11-d	12-a	13-a	14-a	15-d	16-c	17-d	18-a	19-b	20-b
21-d	22-a	23-b	24-d	25-c	26-a	27-a	28-b	29-a	30-a
31-d	32-b	33-b	34-a	35-b	36-c	37-d			

Cranial nerves

1-b	2-c	3-a	4-d	5-d	6-d	7-d	8-c	9-a	10-c
11-c	12-b	13-a	14-c	15-a	16-d	17-b	18-c	19-a	20-c
21-c	22-b	23-b	24-a	25-d	26-b	27-a	28-c	29-b	30-b
31-c	32-d	33-a	34-c	35-c	36-a	37-d	38-c	39-d	40-b

Vessels

1-c	2-d	3-b	4-b	5-b	6-c	7-b	8-a	9-b	10-c
11-c	12-d	13-a	14-b	15-a	16-d	17-d	18-d	19-d	20-d
21-c	22-a	23-a	24-a	25-a	26-c	27-b	28-b	29-d	30-c
31-d	32-d								