

Lymph drainage

- 1- **The DCLNS drain into the**
 - a- Regional lymph nodes
 - b- Jugular lymph trunk
 - c- Superficial cervical lymph nodes
 - d- Subclavian lymph trunk
- 2- **The group of lymph nodes is a regional group**
 - a- Submandibular
 - b- Jugulodigastric
 - c- Jugulo-omohyoid
 - d- Upper deep cervical
- 3- **Part of the drains directly into the terminal cervical lymph nodes**
 - a- Trachea
 - b- Larynx
 - c- Tongue
 - d- Lower lip
- 4- **The left jugular lymph trunk opens directly into the**
 - a- Thoracic duct
 - b- Left innominate vein
 - c- Left IJV
 - d- Superior vena cava

Orbit

- 1- **..... muscle elevates, adducts & internally rotates the eyeball**
 - a- Superior rectus
 - b- Medial rectus
 - c- Superior oblique
 - d- Inferior oblique
- 2- **..... muscle is the main abductor of the eye**
 - a- Superior rectus
 - b- Lateral rectus
 - c- Inferior rectus
 - d- Inferior oblique
- 3- **The lacrimal sac is inside the lacrimal groove on the of the orbit**
 - a- Medial wall
 - b- Lateral wall
 - c- Roof
 - d- Floor
- 4- **The ducts of the lacrimal gland open into the**
 - a- Lacrimal sac
 - b- Nasolacrimal duct
 - c- Inferior meatus of the nose
 - d- Superior conjunctival fornix
- 5- **The secretory fibers to the lacrimal gland pass through all of the following nerves except Nerve**
 - a- Facial
 - b- Greater superficial petrosal
 - c- Zygomaticotemporal
 - d- Ophthalmic

- 6- The 2nd superficial layer of the eyelids contains**
- a- Dense fat
 - b- Palpebral part of orbicularis oculi
 - c- Adipose tissue
 - d- Tarsal plate
- 7- The tears are drained into the**
- a- Oral vestibule
 - b- Nose
 - c- Oropharynx
 - d- Eustachian tube
- 8- The Is transparent**
- a- Cornea
 - b- Iris
 - c- Retina
 - d- Sclera
- 9- The cornea is continuous posteriorly with the**
- a- Choroid
 - b- Sclera
 - c- Retina
 - d- Iris
- 10- The posterior chamber of the eye is between the**
- a- Iris & lens
 - b- Iris & ciliary body
 - c- Lens & retina
 - d- Ciliary body & retina
- 11- The is avascular**
- a- Ciliary body
 - b- Iris
 - c- Retina
 - d- Sclera
- 12- The lacrimal gland is supplied by a branch from artery**
- a- Ophthalmic
 - b- Maxillary
 - c- Infraorbital
 - d- Supraorbital
- 13- The tendon of Muscle divides the lacrimal gland into 2 parts**
- a- Superior rectus
 - b- Superior oblique
 - c- Lateral rectus
 - d- Levator palpebrae superioris
- 14- muscle is a pure voluntary muscle**
- a- Superior rectus
 - b- Constrictor pupillae
 - c- Dilator pupillae
 - d- Levator palpebrae superioris
- 15- muscle doesn't share in eyeball abduction**
- a- Lateral rectus
 - b- Inferior rectus
 - c- Superior oblique
 - d- Inferior oblique
- 16- nerve damage leads to abnormally constricted pupil**
- a- Superior division of oculomotor
 - b- Inferior division of oculomotor
 - c- Nasociliary
 - d- Facial

Ear

- 1- **The outer 1/3 of the external auditory meatus is**
 - a- Muscular
 - b- Bonny
 - c- Cartilaginous
 - d- Mucous
- 2- **..... nerve carries sensations from the outer surface of the tympanic membrane**
 - a- Auriculotemporal
 - b- Tympanic branch of glossopharyngeal
 - c- Great auricular
 - d- Chorda tympani
- 3- **..... is inside the membranous labyrinth of the inner ear**
 - a- Bonny labyrinth
 - b- Perilymph
 - c- Endolymph
 - d- Air
- 4- **..... Is attached to the inner surface of the tympanic membrane**
 - a- Malleus
 - b- Incus
 - c- Tensor tympani
 - d- Stapedius
- 5- **The external auditory meatus is supplied by all of the following arteries except the artery**
 - a- Posterior auricular
 - b- Superficial temporal
 - c- Deep auricular branch of maxillary
 - d- Occipital
- 6- **The outer layer of the tympanic membrane is**
 - a- Smooth muscle
 - b- Skin
 - c- Mucous membrane
 - d- Fibrous layer
- 7- **The features of the medial wall of the middle ear include the**
 - a- Pyramid
 - b- Aditus to mastoid antrum
 - c- Tegmen tympani
 - d- Promontory
- 8- **The carotid canal containing the ICA is to the tympanic cavity**
 - a- Anterior
 - b- Posterior
 - c- Medial
 - d- Lateral
- 9- **The lies directly below the floor of the middle ear**
 - a- Mastoid antrum
 - b- Superior bulb of IJV
 - c- Carotid sinus
 - d- Temporomandibular joint

- 10- Tegmen tympani is the of the tympanic cavity**
- a- Roof
 - b- Floor
 - c- Medial wall
 - d- Lateral wall
- 11- The auditory tube opens into the wall of the middle ear**
- a- Medial
 - b- Lateral
 - c- Anterior
 - d- Posterior
- 12- The organ of Corti is inside the of the inner ear**
- a- Utricle
 - b- Saccule
 - c- Lateral semicircular canal
 - d- Cochlea
- 13- The umbo is the point of maximum of tympanic membrane**
- a- Stability
 - b- Thickness
 - c- Brightness
 - d- Concavity
- 14- The is closed by the 2ry tympanic membrane**
- a- Fenestra vestibuli
 - b- Fenestra cochleae
 - c- Oval window
 - d- Aditus to mastoid antrum
- 15- The middle ear is filled with In which the ossicles & muscles are present**
- a- Serous fluid
 - b- Synovial fluid
 - c- Air
 - d- Loose areolar connective tissue

Embryology

Choose the suitable origin of pharyngeal apparatus

1	Thyroid cartilage	a	1 st arch
2	Obliterated by the 2 nd arch proliferation	b	2 nd arch
3	Mylohyoid muscle	c	3 rd arch
4	External auditory meatus	d	4 th arch
5	Disappears	e	5 th arch
6	Buccinator	f	6 th arch
7	Superior parathyroid gland	g	Both 1 st & 2 nd arches
8	Contents of the middle ear	h	Both 4 th & 6 th arches
9	Greater horn of hyoid bone	i	1 st cleft
10	Thymus gland	j	2 nd - 4 th clefts
11	Platysma	k	1 st pouch
12	Inferior parathyroid gland	l	2 nd pouch
13	Muscles & cartilages of the larynx	m	3 rd pouch
14	Muscles of mastication	n	4 th pouch
15	Stylopharyngeus muscle		
16	Parafollicular C cells of thyroid gland		
17	Inner layer of tympanic membrane		
18	Stylohyoid ligament		
19	Consists of maxillary & mandibular processes		
20	Palatine tonsil		

Answers

Lymph drainage

1-b 2-a 3-c 4-a

Orbit

1-a 2-b 3-a 4-d 5-d 6-b 7-b 8-a 9-b 10-a

11-d 12-a 13-d 14-a 15-b 16-c

Ear

1-c 2-a 3-c 4-a 5-d 6-b 7-d 8-a 9-b 10-a

11-c 12-d 13-d 14-b 15-c

Embryology

1-d 2-j 3-a 4-i 5-e 6-b 7-n 8-g 9-c 10-m

11-b 12-m 13-h 14-a 15-c 16-n 17-k 18-b 19-a 20-l