

Central Nervous

SYSTEM

Previous Exams



نساعد-فنساعد

2025
2026

بسم الله الرحمن الرحيم

والصلاة والسلام على خير المرسلين محمد بن عبد الله وعلى آله وصحبه وسلم أما بعد ، نقدم بين

يديك ملف أسئلة الأعوام السابقة لبلوك (CNS) وتشمل جميع الامتحانات السابقة

ابدأ مستعيناً بالله وكرمه الحل ما استطعت وأحرص على وقتك فهو رأس مالك وأعلى ما تملك

-	Title	Page
1	MID 30	3
2	FINAL 30	11
3	MID & FINAL 31	26
4	MID 32	35
5	FINAL 32	38
6	MID 33	43
7	FINAL 33	46
8	MID 34	52
9	FINAL 34	55
10	2ND TRIAL 34	59

حسابات الفريق على منصات التواصل الاجتماعي



جميع الحقوق محفوظة لفريق معوان

ولا نحلل بيعها بعائد ربحي او سرقتها باي شكل من الأشكال

1- Concerning synapsis which of the following is CORRECT?

- A- The electrical synapses are more common in CNS
- B- Amphetamine decreases synaptic transmission
- C- Acidosis increases synaptic transmission
- D- Hypoxia decreases synaptic transmission**

2- Opening of ligand-gated Cl-channels causes?

- A- Inhibition of the postsynaptic neuron**
- B- Depolarization of the postsynaptic neuron
- C- Initiation of an action potential
- D- Block of ligand-gated cation channels

3- Temporal summation ?

- A- Occurs when several presynaptic fibers are stimulated simultaneously
- B- Occurs when presynaptic fiber is repeatedly stimulated**
- C- Is due to overlap of the discharging zone
- D- None of the above is CORRECT

4- Presynaptic inhibition ?

- A- Is produced as a result of GABA release

B- Leads to decreased release of excitatory transmitter

C- Is involved in gate theory of pain control

D- All of the above

5- Opening of ligand-gated Cl-channels causes ?

- A- Inhibition of the postsynaptic neuron**
- B- Depolarization of the postsynaptic neuron
- C- Initiation of an action potential
- D- Block of ligand-gated cation channels

6- The four basic parameters of a stimulus which are detected by the sensory receptors and are encoded by somatosensory areas are ?

- A- Modality, adequate threshold, sensitivity, and location
- B- Adequate threshold, receptive field, adaptation, and projection
- C- Sensitization, discrimination, energy, and projection
- D- Modality, location, intensity, and duration**

7- Posterior column damage in the spinal cord may impair all of the following EXCEPT?

- A- Vibration sense

B- Pain sensation

C- Touch sensation

D- The ability to stand steadily with the eyes closed

8- Lower motor neuron disease?

- A- Causes loss of voluntary movements but not of reflex movements
- B- Is a later stage of upper motor neuron disease

C- Causes eventual wasting of the muscles concerned

D- Does not affect ventilation of the lungs even if nerves supplying respiratory muscles was involved

9- When dynamic γ -motor neurons are activated at the same time as α -motor neurons to muscle?

- A- Rapid inhibition of discharge in spindle Ia afferents takes place
- B- The muscle will not contract
- C- The number of impulses in spindle Ia afferents is smaller than when a discharge alone is increased

D- The number of impulses in spindle 1a afferents is greater than when a discharge alone is increased

10-The inverse stretch reflex ?

A- Occurs when 1a spindle afferents are inhibited

B- Is a monosynaptic reflex initiated by activation of the Golgi tendon organ

C- Uses type II afferent fibers from the Golgi tendon organ

D- Is a disynaptic reflex with an excitatory interneuron inserted between the afferent and efferent limbs

11-Withdrawal reflexes are ?

A- Initiated by nocuous stimulation of the skin

B- Can lead to the appearance of clonus

C- An example of a stretch reflex

D- Accompanied by the same response on both sides of the body

12-Pain receptors in the gut and urinary tract may be stimulated by all of the following

EXCEPT ?

A- Cutting through their wall with a sharp scalpel

B- Distention

C- Excessive acid fluid

D- Vigorous rhythmic contractions behind an obstruction

13-Cutaneous pain ?

A- Can be caused by overstimulation of touch receptors

B- Can be referred to other organs of the same dermatomal nerve supply

C- Can be associated with hyperalgesia

D- Receptors adapt to stimulation more quickly than touch receptors

14-The precentral gyrus and corticospinal tract are essential for ?

A- Vision

B- Auditory identification

C- Kinesthesia

D- Voluntary movement

15-During a voluntary movement, the Golgi tendon organ provides the central nervous system with information about ?

A- The length of the muscle being moved

B- The velocity of the movement

C- The change in joint angle produced by the movement

D- The tension developed by the muscle being moved

16-Motor aphasia results from lesions in ?

A- Visual association area

B- Auditory area

C- Exner area

D- Somatic sensory area

17-Regarding aphasia one of the following is CORRECT ?

A- Lesion in Broca's area results in sensory aphasia

B- Lesion in exner's center results in auditory aphasia

C- Lesion in auditory center results in motor aphasia

D- Lesion in visual association area results (in visual aphasia)

18-From Wernick's area, impulses are transmitted to Broca's, area in which ?

A- Vocalizations are produced

B- Writing is produced

C- Thinking is produced

D- Sleeping is produced

19-Cortico-ponto cerebellar tract is related to ?

A- Paleocerebellum

B- Neocerebellum

C- Archicerebellum

D- All of the above

20- The cerebellum ?

A- Has no role in maintenance of balance

B- Neocerebellum inhibits muscle tone

C- Paleocerebellum facilitates muscle tone

D- Cerebellum has a predictive function during walking

21- IPSP differs from EPSP in ?

A- Being of shorter duration

B- Being unable to summate spatially

C- Moving the membrane potential away from threshold

D- Depending upon opening of voltage

22- Ablation of somatosensory area I does not significantly impair ?

A- Joint position sensation

B- Tactile localization

C- Tactile discrimination

D- Pain sensation

23- In sensory receptors all of the following is CORRECT EXCEPT ?

A- Stimulus energy is converted into a local depolarization

B- The generator potential is graded and self-propagating

C- A generator potential can be produced by only one form of energy

D- The frequency of action potentials generated doubles when the strength of the stimulus doubles

24- A 32-year-old woman experienced the sudden onset of a severe cramping pain in the abdominal region. She also became nauseated. List some of the common features of visceral pain?

A- It results from activation of nociceptors in the viscera that are innervated by the same fibers as innervate skin, induces rapid sharp pain, causes spasms of the visceral muscle, and shows relatively rapid adaptation

B- It is mediated by A6 and C fibers in the ventral roots of spinal nerves, radiates to a nearby or distant somatic structure, is accompanied by sweating, and is relayed to the cortex by the spinothalamic tract

C- It is poorly localized, is accompanied by sweating, radiates to a somatic structure that may be some distance away, and is relayed to the somatosensory cortex via the spinothalamic tract

D- It is well localized, is accompanied by sweating, radiates to a somatic structure that may be some distance away, and causes spasms of visceral muscle

25- What are the elements of the deep tendon reflex ?

A- Golgi tendon organ, group 1b afferent fibers, spinal inhibitory interneuron, contralateral A - motor neuron, and extrafusal fibers of the skeletal muscle

B- Golgi tendon organ, group II afferent fibers, spinal inhibitory interneuron, ipsilateral a- motor neuron, and intrafusal fibers of the skeletal muscle

C- Group Ia sensory fibers originating in the contractile portion of the intrafusal fibers of the muscle spindle, spinal dorsal horn neuron, ipsilateral a- motor neuron, and extrafusal fibers of the skeletal muscle

D- Group Ia sensory fibers originating in the central portion of the intrafusal fibers of the muscle spindle, ipsilateral alpha-motor neuron, and extrafusal fibers of the skeletal muscle

26-Choose the CORRECT answer;

encapsulated yeast transmitted by inhalation of soil contaminated with bird excreta and results in meningitis ?

A- Cryptococcus

B- Blastomyces

C- Candida

D- Aspergillus

E- None of the above

27-Which of the following organisms causes epidemic meningitis cases at college campuses?

A- Hemophilus influenzae type b

B- Neisseria meningitidis

C- Streptococcus pneumoniae

D- Listeria monocytogenes

E- M. Tuberculosis

28-Which procedure is most likely used to test for meningitis ?

A- Throat culture

B- Lumbar puncture

C- Tuberculosis skin test

D- None of the above

E- CAMP test

29-Encephalitis can be caused by the following viruses EXCEPT ?

A- Rabies

B- Herpes simplex

C- Measles

D- Respiratory syncytial virus

E- Arboviruses

30-Encephalitis is most commonly ?

A- Secondary to meningitis

B- Viral

C- Fungal

D- Autoimmune

E- None of the above

31-Serotonin is inactivated to By

A- 5 hydroxyl tryptophan, serotonin hydroxylase

B- 5 hydroxyl tryptophan, serotonin oxidase

C- 5 hydroxyl tryptamine, serotonin hydroxylase

D- 5 hydroxyl indole acetic acid, serotonin hydroxylase

E- 5 hydroxyl indole acetic acid, monoamine oxidase

32-Which of the following substrates can be used for brain energy production ?

A- Glucose

B- Mannose

C- Amino acids

D- A&B

E- Starch

33-Histamine is derived from ?

A- Tyrosine

B- Histidine

C- Adrenaline

D- Glutamate

E- Dopamine

34-One of the following is CORRECT for subdural hemorrhage ?

A- The blood is arterial in origin

B- The blood is venous in origin

C- The blood is capillary in origin

D- Caused mainly by rupture of middle meningeal artery

E- Caused mainly by rupture of berry aneurysm

35-One of the following is INCORRECT for global brain ischemia?

A- May have good prognosis

B- May induce brain death

C- May induce neuronal damage

D- Caused by septic shock

E- Caused by cerebral thrombosis

36-Cerebral infarction is characterized by?

A- Liquefaction with cavity formation

B- Formation of brain hematoma

C- Dense infiltration by lymphocytes and plasma cells

D- Shrinkage of infarcted area after 2 days

E- None of the above

37-A structural defect in the cerebellum, characterized by a downward displacement of one of cerebellar tonsils through the foramen magnum is called?

A- Chiari malformation

B- Porencephaly

C- Dandy-Walker syndrome

D- Spina bifida

E- Hydranencephaly

38-It is the absence of a major portion of the brain, skull, and scalp is called ?

A- Hydrocephalus

B- Anencephaly

C- Meningocele

D- Myelocoele

E- Meningocele

39-Regarding choroid plexus ?

A- It is an invagination of dura mater

B- It has continuous capillaries

C- It elaborates CSF

D- It is lined with cuboidal to columnar cells

E- C&D

40-The axon hillock contains ?

A- Ribosomes

B- Microtubules

C- Golgi body

D- Synaptic vesicles

E- B&D

41-Rexed lamination describes which of the following structures :

A- Nerve cells in the grey matter

B- Nerve fibers in the white matter

C- Neuroglia in the white matter

D- A&B

E- None of the above

42-Which of the following structures is not found in grey matter ?

A- Cell bodies

B- Dendrites

C- Neuroglia

D- Unmyelinated axons

E- Myelinated axons

43-Concerning blood brain barrier, which of the following is TRUE ?

A- Capillary endothelial cells have tight junctions

B- Perivascular feet rest on capillary from oligodendroglia

C- Capillary endothelium is fenestrated

D- Perivascular feet rest on capillary from astrocyte

E- A&D

44-Nissl substance in nerve cell bodies is associated with ?

A- Spread of stimulus

B- Synaptic junctions

C- Axons

D- Protein synthesis

E- Myelin formation

45-The foramen magnum transmits the followings EXCEPT ?

A- Cerebrospinal fluid

B- The posterior spinal arteries

C- The vertebral arteries

D- The cranial accessory nerve

46-Side to Side or NO movement of the head occurred in ?

- A- Temporo-mandibular joint
- B- Symphysis menti
- C- Atlanto-Occipital Joint
- D- Atlanto-Axial Joint**

47-In skull the basi-sphenoid joint is ?

- A- Pivot synovial joint
- B- Immobile primary cartilaginous joint
- C- Minor mobile secondary cartilaginous joint
- D- Immobile fibrous joint

48-Costo-cervical trunk is a branch from ?

- A- Front of external carotid artery
- B- 1st part of subclavian artery
- C- 2nd part of subclavian artery**
- D- 3rd part of subclavian artery

49-Sensory supply of scalp behind the ear are the following EXCEPT ?

- A- Great auricular nerve (C2 and C3)
- B- Posterior auricular nerve**
- C- Greater occipital nerve (C2)
- D- Third occipital nerve (C3)

50-The ansa cervicalis supplies the followings EXCEPT ?

- A- Omohyoid

B- Thyrohyoid

- C- Sternohyoid
- D- Sternomastoid

51-All are branches from external carotid artery EXCEPT ?

- A- Superficial temporal artery

B- Ascending cervical artery

- C- Lingual artery
- D- Maxillary artery

52-Regarding the facial nerve the followings are TRUE EXCEPT ?

A- Supplies mylohyoid muscle

- B- Has some fibers which are distributed in the lingual nerve
- C- Transverses the stylomastoid foramen
- D- Has branches running superficial to blood vessels in parotid gland

53-Concerning the cervical plexus the followings are TRUE EXCEPT ?

- A- Supplies infrahyoid muscles
- B- Supplies motor branches to trapezius
- C- Provides sensory branches for the diaphragm
- D- Provides sensory branches for the front of the scalp

54-The chief peculiarity of the first cervical vertebra is that it has ?

- A- Bifid spinous processes
- B- No vertebral arterial foramen
- C- No body**
- D- No transverse process

55-A patient is unable to taste a piece of sugar placed on the anterior part of the tongue. Which cranial nerve is likely to have a lesion :

- A- Hypoglossal
- B- Vagus
- C- Glossopharyngeal
- D- Facial**

56-The vagus nerve leaves the skull through the :

- A- Jugular foramen**
- B- Occipital foramen
- C- Foramen rotundum
- D- Foramen spinosum

57-The orbicularis oculi muscle is innervated by the :

- A- Facial nerve**
- B- Lacrimal nerve
- C- Maxillary nerve

D- Frontal nerve

58-The inferior oblique muscle of the eye is innervated by :

A- Abducent nerve

B- Oculomotor nerve

C- Facial nerve

D- Trochlear

59-Mandibular division of trigeminal nerve leaves skull through :

A- Foramen rotundum

B- Foramen ovale

C- Jugular foramen

D- Foramen magnum

60-Tensor palate & tympani are derived from :

A- 1stbranchial (Pharyngeal)arch

B- 2ndbranchial (Pharyngeal)arch

C- 3rdbranchial (Pharyngeal)arch

D- 4thbranchial (Pharyngeal)arch

61-3rd branchial (Pharyngeal) pouch gives :

A- Tubo-tympanic recess

B- Thymus and parathyroid glands

C- Pharyngo-tympanic (Eustachian) tube

D- Mastoid antrum

62-Anterior 2/3 of the tongue is developed from :

A- 3rd and 4th pharyngeal arches

B- 1st arch pharyngeal only

C- 2nd arch pharyngeal only

D- 1st and 2nd pharyngeal arches

63-Common congenital anomalies of the tongue is :

A- Cleft palate

B- Branchial fistula

C- Tongue tie

D- Facial clefts

64-One of the following drug induce dissociative anesthesia ?

A- Enflurane

B- Halothane

C- Ketamine

D- Lidocaine

65-Which synapses are involved in depression ?

A- Dopaminergic synapses

B- Serotonergic synapses

C- Cholinergic synapses

D- All of the above

66-The redness, tenderness, and painful swollen feet is the side effect of the following drug ?

A- Amantadine

B- Benztropine

C- Bromocriptine

D- Levodopa

67-Which of the following antidepressants is nonelective MAO inhibitors ?

A- Moclobemide

B- Selegiline

C- Tranylcypromine

D- Fluoxetine

68-Methadone is often used in drug treatment programs for narcotic (opioid) addiction. What is the classification of this medication ?

A- Non-steroidal anti-inflammatory

B- Opioid analgesic

C- Antimigrainous agent

D- Agent for gout

69-The primary mechanism of action of local anesthetics is ?

A- Activation of ligand-gated potassium channels

B- Blockade of voltage-gated sodium channels

C- Stimulation of voltage-gated N-type calcium channels

D- Blockade of GABA-gated chloride channels

70- The following drug at a high dose it may cause parkinsonism-like dysfunction ?

A- Ethosuximide

B- Baclofen

C- Diazepam

D- Reserpine

71- Cerebral malaria is considered one complication of ?

A- Trypanosoma cruzi

B- Trypanosoma brucei gambiense

C- Plasmodium falciparum

D- Plasmodium malariae

E- Leishmania tropica

72- Winterbottom's sign is a clinical manifestation of :

A- Chagas disease

B- Sleeping sickness

C- Amebiasis

D- Malaria

E- GAE

73- Free living amoeba Naeglaria fowleri

major cause of ?

A- PAM

B- Corneal ulceration

C- GAE

D- Acute sleeping sickness

E- Nagana

74- All of the following Protozoa affecting

CNS EXCEPT :

A- Free living amoebi

B- Trypanosoma brucei subspecies

C- Giardia lamblia

D- Encephalitozoon

E- Entamoeba histolytica

75- G. Palpalis transmittit ?

A- T.B. gambiense

B- T.B. rhodesiense

C- Genus Acanthamoeba

D- Plasmodium falciparum

E- Toxoplasma gondii

وكل ما يصدر عن الله جميل، وإن كنا

لا نرى الجمال في المصيبة

Answers – MID 30

1	2	3	4	5	6	7	8	9	10
D	A	B	D	A	D	B	C	D	C
11	12	13	14	15	16	17	18	19	20
A	A	C	D	D	C	D	A	B	D
21	22	23	24	25	26	27	28	29	30
C	D	CD	C	D	A	B	B	D	B
31	32	33	34	35	36	37	38	39	40
E	D	B	B	E	A	A	B	E	B
41	42	43	44	45	46	47	48	49	50
A	E	E	D	D	D	-	C	B	B
51	52	53	54	55	56	57	58	59	60
B	A	-	C	D	A	A	B	B	-
61	62	63	64	65	66	67	68	69	70
-	-	-	C	D	A	C	B	B	-
71	72	73	74	75	76	77	78	79	80
C	B	A	C	A	-	-	-	-	-

من أشد عقوبات المعاصي أن ينزع الله من

قلبك استقباحها.

الإمام ابن الجوزي | رحمه الله.

1- Arachnoid granulations is a prolongation from ?

- A- Pia mater
- B- Dura mater
- C- Arachnoid mater
- D- Sub-arachnoid space

2- Formation of CSF starts from ?

- A- Choroid plexus in the wall of brain (ventricles)
- B- In sub-arachnoid space
- C- In sub-dural space
- D- In extra-dural space

3- Peduncle contains pure Incoming Ponto cerebellar fibers is ?

- A- Middle cerebellar peduncle
- B- Superior cerebellar peduncle
- C- Inferior cerebellar peduncle
- D- Both b & c

4- The largest ventricle is ?

- A- 4th ventricle
- B- Lateral ventricle
- C- 3rd ventricle
- D- Both a & c

5- Concerning vertebral artery the followings are TRUE EXCEPT ?

- A- It passes through the transverse foramina of the upper 6th cervical vertebra
- B- It is a branch from internal carotid artery
- C- It gives posterior inferior cerebellar artery,
- D- It meets its fellow to form basilar artery

6- Not sharing in formation of Circle of Willis ?

- A- Posterior cerebral artery
- B- Middle cerebral artery
- C- Anterior communicating artery
- D- Vertebral artery

7- Which of the followings is not branches of basilar artery ?

- A- Posterior cerebral artery
- B- Middle cerebral artery
- C- Pontine arteries
- D- Superior cerebellar artery,

8- Which of the following statements best describes circle of Willis?

- A- It is formed by terminal branches of external carotid & basilar
- B- The ophthalmic artery is a branch of the circle

C- The middle cerebral artery forms part of the anterior circulation

D- The cerebellum is supplied by the circle

9- Which statement about the cerebral meninges is most accurate?

- A- Dura mater has 2 distinct layers surrounding brain
- B- The major venous sinuses lie in the subdural space

C- Rupture of middle meningeal artery causes a subarachnoid hemorrhage

D- The pia mater is a thick layer that adherent to brain surfaces

10- Which statement regarding the cerebellum is CORRECT?

A- The cerebellum occupies the middle cranial fossa

B- It is attached to the pons by the middle cerebellar peduncle

C- The cerebellum has one lobe & two vermis

D- It derives part of its blood supply from the circles of Willis

11- Superior cerebellar artery is a branch from ?

A- Posterior cerebral artery

- B- Middle cerebral artery,
- C- Anterior cerebral artery

D- Basilar artery

12-Concerning the medulla oblongata the followings are TRUE EXCEPT ?

A- It is divided into upper closed & lower open medulla,

B- it contains the nuclei of lower 4 cranial nerves

C- It shares in formation of the floor of 4th ventricle

D- It continues below the foramen magnum as the spinal cord

13-The largest arachnoid cistern is ?

A- Cerebello-medullary cistern (cistern magna)

B- Pontine cistern

C- Interpeduncular cistern

D- Cisterna ambiens

14-Dural fold over the pituitary gland is ?

A- Falx cerebri

B- Falx cerebelli

C- Tentorium cerebelli

D- Diaphragma sellae

15-CSF passes from lateral to 3rd ventricle through ?

A- Cerebral aqueduct

B- Foramen of Monro

C- Subarachnoid space

D- Arachnoid granulations

16-Internal auditory or labyrinthine artery is a branch from ?

A- Internal carotid artery

B- Vertebral artery

C- Basilar artery

D- Anterior spinal artery,

17-Example of commissural fibers are the followings EXCEPT ?

A- Corpus callosum

B- Long & Short Association fibers

C- Amygdaloid nucleus

D- Fornix

18-The followings are inter lobar sulci EXCEPT ?

A- Central sulcus

B- lateral sulcus

C- Parieto-occipital sulcus

D- Inter frontal sulci

19-Broca area is present in ?

A- Temporal lobe

B- Occipital lobe

C- Frontal lobe

D- Parietal lobe

20-Posterior limb of internal capsule contains ?

A- Fronto-pontine fibers

B- Auditory radiation

C- Descending cortico-spinal tract

D- Optic radiation

21-Habenular nuclei and pineal gland are part of ?

A- Thalamus

B- Hypothalamus

C- Subthalamus

D- Epithalamus

22-Which thalamic nucleus receives sensation from limbs & trunk ?

A- Anterior thalamic nucleus

B- Medial thalamic nucleus

C- Ventral posterior-lateral nucleus

D- Ventral posterior- medial nucleus

23-The followings are vertices of spinal cord termination EXCEPT ?

A- Level of lower border of 1st lumbar vertebra

B- Level of upper border of 1st lumbar vertebra

C- Level of upper border of 2nd lumbar vertebra

D- Level of the disc between L1 & L2

24- Ankle joint jerk reflex lies at the level of ?

A- L2-4

B- S1

C- C5,6

D- s4,5

25- Second-order neurons of lateral spino-thalamic tract lies in ?

A- VPL nucleus of thalamus

B- Substantia gelatinosa of Rolandi

C- Dorsal root ganglia

D- None of the above

26- Third order neuron of gracile & cuneate tracts lies in ?

A- VPL nucleus of thalamus

B- Substantia gelatinosa of Rolandi

C- Dorsal root ganglia

D- Gracile & cuneate nuclei of the medulla

27- Regarding lateral cortico-spinal tract the followings are TRUE EXCEPT ?

A- Originates from the giant cells of Betz in cerebral cortex

B- It passes through the posterior limb of the internal capsule,

C- it terminates in ventral horn of the spinal cord

D- It decussates in the medulla forming medullary pyramids

28- All cranial nerves have peripheral attachment into ventral Aspect of Brain Stem EXCEPT ?

A- 5th cranial nerve

B- 3rd cranial nerve

C- 10th cranial nerve

D- 4th cranial nerve

29- Deep nuclei of the middle four cranial nerves lie in ?

A- Midbrain

B- Pons

C- Medulla oblongata

D- Spinal cord

30- Pure Motor Cranial Nerves are?

A- 5th, 7th, 9th, 10th & 11th

B- 1st, 2nd & 8th

C- 3rd, 4th, 6th & 12th

D- 3rd, 4th, 7th & 9th

31- Pure sympathetic nuclei are the followings EXCEPT ?

A- Edinger-Westphal Nucleus

B- Superior Salivatory Nucleus

C- Nucleus Ambiguus

D- Inferior Salivatory Nucleus

32- Branchio motor fibers are not present in ?

A- 5th cranial nerve

B- 12th cranial nerve

C- 7th cranial nerve

D- 9th cranial nerve

33- Solitary Nucleus lies in ?

A- Midbrain

B- Pons

C- Medulla oblongata

D- Spinal cord

34- Maximum types of fibers (5 types) are present in which cranial nerve of the followings ?

A- 5th cranial nerve

B- 6th cranial nerve

C- 10th cranial nerve

D- 4th cranial nerve

35- Concerning visual pathway the followings are TRUE EXCEPT ?

A- It starts in ganglion cells of the retina

B- Optic nerve projects from optic cup at posterior aspect of the eye

C- Optic tract is formed from fibers from ipsi-lateral temporal hemiretina and contra-lateral nasal hemi- retina

D- It ends in the primary visual cortex (Brodmann area 17)

36-Homonymous hemianopia result from the following lesions EXCEPT ?

A- Optic tract

B- Visual cortex

C- Optic chiasma

D- Optic radiation

37-Taste sensation from the root of the tongue is carried by ?

A- CN VII

B- CN V

C- CN X

D- CNIX

38-Derivatives of the Neural Tube including the followings EXCEPT ?

A- Cerebral hemisphere

B- Spinal cord

C- Brain stem

D- Schwann cells

39-Derivatives of the Neural Crest including the followings EXCEPT ?

A- PNS ganglia

B- Primary brain vesicles

C- Sclera & cornea

D- Melanocytes in the skin

40-Hydrocephalus resulting from ?

A- Failure of the development of the brain vesicle

B- Aque ductal stenosis

C- Failure of cleavage of the forebrain

D- Failure of development of skull bone

41-Largest secondary brain vesicles is ?

A- Telencephalon

B- Diencephalon

C- Mesencephalon

D- Metencephalon

42-Hemiballismus is a lesion of ?

A- Red nucleus

B- lenticular nucleus

C- Substantia nigra

D- Subthalamus

43-Which one of the following structures is not considered to be part of the basal ganglia?

A- Putamen

B- Caudate nucleus

C- Dentate nucleus

D- Lentiform nucleus

44-Dysdiadochokinesia means ?

A- Inability to perform various components of a complex motor act simultaneously

B- Inability to perform alternate opposite movements successively at a rapid rate

C- oscillatory movement that appears on performing a voluntary movement

D- Failure to perform two synergistic motor acts at the same time

45-Loss of the breaking functions of the cerebellum describes ?

A- Rebound phenomenon

B- Drunken gait

C- Adidokokinesia

D- Dysarthria

46-The manifestations of Neocerebellar syndrome occur on the opposite side of the lesion ?

A- TRUE

B- FALSE

47-Which one is the cause of wilson disease ?

A- High copper

B- Low copper

C- High O₂

D- Low O₂

48-Regarding connections of the basal ganglia, which one of these neurotransmitters is considered with inhibition ?

A- Glutamate

B- Dopamine

C- Dopamine

D- Acetylcholine

49-Which part of basal ganglia is affected in case of Parkinsonism ?

A- Striatum

B- Substantia nigra

C- Subthalamic nucleus

D- Corpus striatum

50-Chorea is associated with ?

A- hypertonia

B- hypotonia

C- lesion of lenticular nucleus

D- All of the Above

51-At chemical synapses, excitatory postsynaptic potentials (EPSPs) can be produced by ?

A- Opening of Na⁺ channels

B- Opening of K⁺ channels

C- Opening of Cl⁻ channels

D- Closure of Ca²⁺ channels

52-Tremor of Parkinson's disease is due to ?

A- Hyperactivity of cholinergic neurons

B- Hyperactivity of dopaminergic neurons

C- Both

D- Neither

53-Regarding causes of Nystagmus one of the following is CORRECT ?

A- Parkinsonism

B- Tubes dorsalis

C- Lesion in visual pathway

D- Neocerebellar syndrome

54-Delta waves in EEG are seen in ?

A- Deep sleep

B- REM sleep

C- Awake with eyes open

D- Awake with eyes closed

55-All these are TRUE of cones, EXCEPT ?

A- They are responsible for photopic vision

B- They are responsible for colour vision

C- They have rhodopsin

D- They are maximal in the macula,

56-Neurotransmitter in nigrostriatal pathway is ?

A- GABA

B- Glutamatergic

C- Cholinergic

D- Dopaminergic

57-Symptoms of parkinsonism include all these EXCEPT ?

A- Intention tremors

B- Mask-like face

C- Pill-rolling movement

D- Shuffling

58-Which of these is not a neurotransmitter in the basal ganglia?

A- GABAergic fibers

B- Glutamatergic fibers

C- Cholinergic fibers

D- Tyrosine

59-Regarding basal ganglia which of the following is CORRECT ?

A- Is the primary motor area in human

B- Its lesion leads to static tremors

C- Its lesion leads to kinetic tremors

D- Its lesion leads to drunken gait

60-Concerning causes of a kinesia in Parkinsonism which of the following is CORRECT?

A- Lesion in serotonergic neurons

B- Lesion in dopamenergic neurons

C- Lesion in cholinergic neurons

D- Lesion in adrenergic neurons

61-The site of lesion in chorea is ?

A- Subthalamic nucleus

B- Caudate nucleus

C- Substantia nigra

D- The thalamus

62-Concerning the near vision reflex which of the following is CORRECT?

A- Occurs on looking to an object at distance more than 6 meters

B- It is accompanied by mydriasis

C- It is accompanied by decrease in dioptric power of lens

D- It is accompanied by convergence of both eyes

63-Regarding vitreous humor one of the following is CORRECT?

A- It is a watery fluid

B- Present in the posterior ocular chamber

C- It is formed and secreted by ciliary process

D- It gives support to the lens

64-Concerning myopia which of the following is CORRECT?

A- It occurs usually in small globe

B- due to high refractive power of optical system

C- The light rays focus behind the retina

D- Convex lenses correct it

65-Which ONE of the following neurotransmitters would you expect to find in the synapse during fast Inhibitory synaptic transmission?

A- GABA

B- Acetylcholine

C- Noradrenaline

D- Glutamate

66-Concerning corneal transparency one of the following is CORRECT ?

A- It is due to high vascularity of the cornea,

B- It is due to rich innervation of the cornea

C- It is due to regular arrangement of corneal layers

D- Vitamin D deficiency leads to its loss

67-Regarding ciliary muscles of the eye one of the following is CORRECT?

A- It is a voluntary muscle

B- Innervated by parasympathetic nerve fibers

C- Its contraction causes decrease in dioptric power of lens

D- Stimulated by looking to far objects

68-Which reflex is responsible for monosynaptic excitation of ipsilateral homonymous muscle?

A- Stretch reflex (myotatic)

B- Golgi tendon reflex (inverse myotatic)

C- Flexor withdrawal reflex

D- Subliminal occlusion reflex

69-Which of the following parts of the body has cortical motoneurons with the largest representation on the primary motor cortex (area 4)?

A- Shoulder

B- Ankle

C- Fingers

D- Elbow

70- A ballet dancer spins to the left, During the spin, her eyes snap quickly to the left This fast eye movement is ?

A- nystagmus

B- post rotatory nystagmus

C- ataxia

D- aphasia

71- Which of the following has a much lower concentration in the cerebrospinal fluid (CF) than in cerebral capillary blood?

A- Na⁺

B- K⁺

C- Osmolality

D- Protein

E- Mg²⁺

72- Which of the following statements about the olfactory system is TRUE?

A- The receptor cells are neurons

B- The receptor cells are sloughed off and are not replaced

C- Axons of cranial nerve (CN) I are A- delta fibers

D- Axons from receptor cells synapse in the prepiriform cortex

73- A lesion of the chorda tympani nerve would most likely result in?

A- impaired olfactory function

B- impaired vestibular function

C- impaired auditory function

D- impaired taste function

74- Which of the following would produce maximum excitation of the hair cells in the right horizontal semicircular canal?

A- Hyperpolarization of the hair cells

B- Bending the stereocilia away from the kinocilia

C- Rapid ascent in an elevator

D- Rotating the head to the right

75- Complete transection of the spinal cord at the level of T1 would most likely result in?

A- temporary loss of stretch reflexes below the lesion

B- temporary loss of conscious proprioception below the lesion

C- permanent loss of voluntary control of movement above the lesion

D- permanent loss of consciousness above the lesion

76- Which of the following is a characteristic of nuclear bag fibers?

A- They are one type of extrafusal muscle fiber

B- They detect dynamic changes in muscle length

C- They give rise to group Ib afferents

D- They are innervated by alpha-moto neurons

77- Muscle stretch leads to a direct increase in firing rate of which type of nerve?

A- α -Motoneurons

B- γ -Motoneurons

C- Group I3 fibers

D- Group I6 fibers

78- Your elderly patient has presbycusis that is more evident on the right than the left What might you correctly conclude?

A- The patient has hair cell degeneration at the base of the cochlea

B- The patient has excessive wax buildup in the external auditory meatus

C- The patient has hyperacusis

D- Bone conduction will be better than air conduction on the left,

79- The most Important role of the gamma motoneurons is to ?

A- Stimulate skeletal muscle fibers to contract
B- Maintain Ia afferent activity during contraction of muscle

C- Generate activity in Ib afferent fibers

D- Detect the length of resting skeletal muscle

E- Prevent muscles from producing too much force

80- Pain receptors are ?

A- Similar in structure to Pacinian corpuscles

B- Quick to adapt to a constant stimulus

C- More easily stimulated in injured tissue

D- Stimulated by cutting the wall of the gut

81- A weight Lifter Is attempting to set a new personal best in competition As the lifter attempts to raise the weight to his chest by flexing his forearms at the elbow, he suddenly drops the weight to the floor .Which neurons were excessively stimulated and caused the lifter to drop the weight?

A- Renshaw cells

B- Lateral reticulospinal tract neurons

C- Gamma motor neurons

D- Class Ib afferent neurons

82-Your patient has been diagnosed with an eating disorder The patient seems to have lost a significant amount of weight in the last year A lesion in which of the following areas might have caused the patient's problem?

A- Medial preoptic nucleus

B- Paraventricular nucleus

C- Mammillary body

D- Ventromedial nucleus of hypothalamus

E- Lateral part of the anterior zone of hypothalamus

83-Which of the following hypothalamic nuclei is responsible for controlling the normal circadian rhythm?

A- Paraventricular nucleus

B- Ventromedial nucleus

C- Suprachiasmatic nucleus

D- Lateral nucleus

84-Regarding hyperalgesia one of the following is CORRECT ?

A- It is the hyposensitivity to pain sensation

B- It is divided into 3 types

C- The primary hyperalgesia associated with redness

D- The secondary hyperalgesia very near to the site of injury

85-The stereo cilia of hair cells are embedded in which membrane?

A- Basilar

B- Reissner's

C- Tectorial

D- tympanic

86-which of the following receptors is a unidirectional receptor?

A- Macula of the saccule and utricle

B- Organ of Corti

C- crista ampularis

D- Pacinian corpuscle

87-The otolith organs (utricle and saccule) are responsible for ?

A- Producing the accommodation reflex

B- producing vestibuloocular reflex

C- Detecting angular acceleration

D- Producing the stretch reflex

88-The excessive muscle tone produced in decerebrate rigidity (lesion which leads to interruption of inhibitory descending motor tracts) can be reversed by?

A- stimulation of group Ia afferents

B- Cutting the dorsal roots

C- transection of cerebellar connections to the lateral vestibular nucleus

D- stimulation of a- motoneurons

89-Which reflex is responsible for polysynaptic excitation of contralateral extensors?

A- Stretch reflex (myotatic)

B- Golgi tendon reflex

C- Flexor withdrawal reflex

D- Subliminal occlusion reflex

90-Which one of the following hypothalamic nuclei is responsible for the detection of the core body temperature?

A- The lateral hypothalamus

B- The arcuate nucleus

C- The paraventricular nucleus

D- The anterior hypothalamus

91-In which one of the following sensory systems does stimulation cause the receptor cell to hyperpolarize?

A- Vision

B- Hearing

C- Taste

D- Touch

E- Smell

92-Which of the following statements about the cerebrospinal fluid (CSF) is TRUE?

A- It is absorbed by the choroid plexus

B- Its absorption is dependent on CF pressure and venous sinuses pressure

C- It circulates in the epidural space

D- It has a higher protein concentration than plasma

93-An MD/PhD candidate was doing research on the generation of changes in the membrane potential of cochlear inner hair cells What steps are involved in this process?

A- When the shorter stereocilia are pushed toward the taller ones, the channel open time is increased, and K^+ and Ca^{2+} enter via the channel and induce hyperpolarization

B- When the shorter stereocilia are pushed toward the taller ones, the channel open time is increased and K^+ and Ca^{2+} enter via the channel and induce depolarization

C- When the taller stereocilia are pushed toward the shorter ones, the channel open time is increased, and Na^+ and Ca^{2+} exit via the channel and induce hyperpolarization

D- When the stereocilia move toward the sound source, the channel open time is decreased, and Na^+ and Cl^- exit via the channel and induce depolarization

94-The pain produced by ischemia is poorly localized and throbbing while pain from a needle stick is well localized and sharp Which of the following comparisons of ischemic and needle stick pain is CORRECT?

A- Ischemic pain sensory fibers are classified as A delta sensory fibers

B- Ischemic pain is produced by overstimulating somatic touch receptors

C- Ischemic pain is transmitted to the brain through the neospinothalamic tract

D- Ischemic pain sensory fibers terminate within the substantia gelatinosa of the spinal cord

95-Cerebellar brain abscess is usually a complication of ?

A- Supportive otitis media

B- Supportive lung diseases

C- Mastoiditis

D- Skull fractures

E- Systemic pyemia

96-Complications of TB meningitis does NOT include ?

- A- Increased intracranial tension
- B- Compression of the cranial nerves leading to their paralysis
- C- Hydrocephalus
- D- May result in tuberculoma
- E- May result in brain abscess

97-Lewy bodies are present in ?

- A- Alzheimer disease
- B- Idiopathic Parkinson disease
- C- Multiple sclerosis
- D- All of the above
- E- None of the above

98-Multiple sclerosis is a ?

- A- Congenital disease
- B- Inflammatory disease
- C- Degenerative disease
- D- Demyelinating disease
- E- Metabolic disease

99-A patient suffered from deafness, ataxia and hemiplegia Examination showed a well- circumscribed encapsulated tumor mass attached to the 8th cranial

nerve.The tumor is characterized by the following EXCEPT ?

- A- Could be seen with neurofibromatosis type II
- B- Alternating hypo cellular with hypercellular areas
- C- Common turn malignant
- D- Good prognosis after resection
- E- Verocay bodies

100- A child presents with a cerebellar tumor that consists of malignant small round cells with rosette formation The most possible diagnosis is ?

- A- Meningioma
- B- Glioblastoma multiform
- C- Diffuse astrocytoma
- D- Oligodendroglioma
- E- Medulloblastoma

101- Atypical meningioma is considered WHO grade ?

- A- I
- B- II
- C- III
- D- IV

102- Pilocytic astrocytoma is characterized by all EXCEPT ?

- A- Usually occurs in children
- B- Usually occurs in the cerebellum
- C- It is usually cystic
- D- It is of bad prognosis
- E- Rosenthal fibers

103- The characteristic feature of Glioblastoma multiforme is ?

- A- Microvascular proliferation
- B- pseudo palisading necrosis
- C- Nuclear Atypia
- D- All of the above
- E- None of the above

104- The extradural spinal cord tumors could arise from ?

- A- Meninges
- B- Bone
- C- Nerves
- D- None of the above
- E- All of the above

105- Regarding arachnoid mater which is WRONG ?

- A- Avascular connective tissue
- B- vascular connective tissue
- C- connected to pia via trabeculae
- D- the outer layer of meninges

E- both b&d

106- Cerebellar cortex is formed of the following EXCEPT ?

A- Nerve cells

B- Neuroglia

C- Blood vessels

D- Lymph vessels,

E- non-myelinated nerve fibers

107- Regarding the eye lens one is WRONG?

A- Is a biconvex

B- It is transparent

C- It is attached to the ciliary body by the zonule

D- the posterior pole is formed of simple squamous epithelium

E- lens fibers form the main substance of the lens

108- The structures which present in granular cell layer in the cerebellar cortex are?

A- The cell bodies of purkinje cells

B- Petz cells

C- The cell bodies, axons and dendrites of basket cells

D- Glial cells

E- The dendrites of the Golgi neurons

109- Active cells during inflammation of CNS is ?

A- Astrocyte cells

B- Satellite cells

C- Microglia

D- Oligodendrocytes

E- Both a & c

110- Layer of rods and cones of the retina contains ?

A- cell bodies of photoreceptors

B- dendrites of photoreceptors

C- axons of photo receptors

D- cell bodies of amacrine cells

E- both a& b

111- Regarding Golgi tendon it ?

A- is not enclosed by connective tissue sheath

B- contains core of elastic bundles

C- is supplied by spray nerve endings

D- contains myelinated nerve terminals have dilated ends around the tendon core

E- both b & d

112- Hair cells in the organ of corti ?

A- Maintaining equilibrium

B- Have hair like processes which contain microtubules

C- Have hair like processes which contain microfilaments

D- Their basal surface lies directly on the basilar membrane

E- All of the above

113- The molecular layer is formed of all the following EXCEPT ?

A- Dendrites of the purkinje cells B- Dendrites of the golgi neurons

B- Dendrites and axons of purkinje cells

C- Cell bodies of the granular cell layer

D- Both a& d

114- Regarding the organs of equilibrium :

A- the utricle is lined with stratified epithelium

B- the saccule is lined with simple columnar epithelium

C- both utricle and saccule are not lined with epithelium

D- both utricle and saccules are lined with simple squamous epithelium

E- both b & d

115- Taste buds all are TRUE EXCEPT ?

A- they open into the surface by taste pores

B- formed of three types of cells

C- sustitutacular cells can compensate other cell types

D- found on the sides of tongue papillae-

E- contains neuroepithelial cells

116- Concerning Pacinian corpuscles ?

A- Small, ovoid receptor

B- Myelinated terminals branch within the core

C- The corpuscle enclosed with thick connective tissue capsule

D- Contain numerous adherent layers of flattened cells

E- both b&d

117- Which of the following Z-compounds can be used safely for treatment of sleep-onset insomnia ?

A- Ramelteon

B- Buspirone

C- Diazepam

D- Zolpidem

118- Diazepam can be used in treatment of the following disorders EXCEPT ?

A- Status epilepticus

B- Absence seizures

C- Anxiety disorders

D- Sleep disorders

119- Postanesthetic shivering is managed by administration of one of the following drug?

A- Adrenaline

B- Meperidine

C- NSAIDs

D- Morphine

120- One of the following drug induce anesthesia rapidly but irritates tracheobronchial tree?

A- Enflurane

B- Desflurane

C- Isoflurane

D- Lidocaine

121- Tardive dyskinesia is the result of:

A- Degeneration of dopaminergic and cholinergic fibers

B- Hyperactive dopaminergic state in presence of dopamine blockers

C- Degenerations of histaminergic fibers

D- Supersensitivity of cholinergic receptors in the caudate putamen

122- Indicate the antipsychotic drug, which is a butyrophenone derivative ?

A- Droperidol

B- Thioridazine

C- Sertindole

D- Fluphenazine

123- Indicate an antiseizure drug, inhibiting central effects of excitatory amino acids ?

A- Ethosuximide

B- Lamotrigine

C- Diazepam

D- Tiagabine

124- Indicate an anti-absence drug ?

A- Valproate

B- Phenobarbital

C- Carbamazepine

D- Phenytoin

125- Tricyclic antidepressants are ?

A- Highly selective serotonin reuptake inhibitors

B- Monoamine oxidase inhibitors

C- Selective norepinephrine reuptake inhibitors

D- Mixed norepinephrine and serotonin (reuptake inhibitors)

126- The relief produced by intravenous morphine in dyspnea from pulmonary edema is associated with reduced:

A- Perception of shortness of breath

B- Patient anxiety

C- Cardiac preload and afterload

D- All of the above

127- The diagnostic triad of opioid overdose is ?

A- Mydriasis, coma and hyperventilation

B- Coma, depressed respiration and (miosis)

C- Mydriasis, chills and abdominal cramps

D- Miosis, tremor and vomiting

128- The most effective single drug in Parkinsonism is ?

A- Bromocriptine

B- Selegiline

C- Levodopa

D- Biperiden

129- Which of the following local anesthetics is a useful antiarrhythmic agent ?

A- Cocaine

B- Lidocaine

C- Bupivacaine

D- Ropivacaine

130- The route of local anesthetic administration, which is associated with instillation within subarachnoid space is ?

A- Topical anesthesia

B- Infiltrative anesthesia

C- Regional anesthesia

D- Spinal anesthesia

131- GABA is ?

A- an excitatory neurotransmitter

B- derived from tyrosine

C- derived from glutamate

D- An inhibitory neurotransmitter

E- Both C & D

132- Example of neurotransmitter which is released from postsynaptic axon terminal causing depolarization in post-synaptic neuron by opening sodium channels influx, is ?

A- excitatory, dopamine

B- inhibitory, dopamine

C- excitatory, acetylcholine

D- inhibitory, Acetylcholine

E- excitatory, GABA

133- Norepinephrine (not epinephrine) in the main catecholamine presents in the brain because of.....

A- Presence of phenyl-ethanolamine N-methyltransferase

B- deficiency in phenyl-ethanolamine N-methyltransferase

C- Presence of monoamine oxidase

D- deficiency in monoamine oxidase

E- Presence of catecholamine-o-methyltransferase

134- When blood glucose is low, the brain uses which of the following for energy?

A- cholesterol

B- glutamate

C- glycogen

D- fatty acids

E- starch

135- acetyl choline is ?

A- an excitatory and inhibitory neurotransmitter

B- an inhibitory neurotransmitter only

C- an excitatory neurotransmitter only

D- derived from glutamate

E- derived from tyrosine

136- catecholamines are derived from ?

A- glutamate

B- tyrosine

C- serotonin

D- tryptophan

E- glycine

137- The causative parasite of neurocysticercosis is ?

A- Taenia saginata

B- Taenia solium

C- Echinococcus arandus

D- Hymenolepis nana

E- Trichinella spiralis

138- Bachman intradermal test used for diagnosis of ?

A- aSchistosomiasis

B- Trichinelliasis

C- Hydatid disease

D- Kala azar

E- Sparganosis

139- the African eye worm is ?

A- Onchocerca volvulus

B- Toxoplasma gondii

C- Loa loa

D- Acanthamoeba

140- The following helminths affecting CNS EXCEPT ?

A- Diphylobothrium latum

B- Taenia solium

C- Multiceps multiceps

D- Toxocara canis

E- Diphylobothrium mansoni

141- morula cells of Mott, these are modified plasma cells present in ?

A- cutaneous Leishmaniasis

B- Chagas's disease

C- African Trypanosomiasis

D- PAM

E- None of the above

142- the causative parasite of Amebic brain abscess is ?

A- Cyst of Entamoeba histolytica

B- Trophozoite of Entamoeba histolytica

C- cyst of Entamoeba coli

D- trophozoite of Entamoeba coli

E- all of the above

143- Coenurus cerebralis is a larval stage of?

A- Echinococcus granulosus

B- Heterophyes heterophysis

C- Multiceps multiceps

D- Toxocara cati

E- Schistosoma mansoni

144- As regarding the pathogenesis of rabies, which of the following is TRUE?

A- Viraemia typically occurs in this disease

B- The clinical disease typically has flu-like manifestations only

C- The disease is transmitted only by animal bite so no bite transmission not occur

D- Infected neurons contain eosinophilic cytoplasmic inclusions called Negri bodies

E- None of the above

145- What is the other name for Bovine spongiform encephalopathy?

A- Kuru disease

B- Scrapie disease

C- Sheep's disease

D- Mad dog disease

E- Mad cow disease

146- Which of these is TRUE for the Sabin polio vaccine?

A- Requires four injections

B- Can be administered safely to immunocompromised patients

C- Affords secondary protection by spread to others

D- It is an inactivated vaccine

E- Cannot induce intestinal IgA

147- As regarding ocular trachoma; choose the wrong answer ?

A- This disease is endemic in Egypt

B- The disease is characterized by acute conjunctivitis only and the cornea is not involved

C- It is caused by Chlamydia trachomatis biovar TRIC serotypes

A, B and C

D- Infection is transmitted from eye to eye by fingers, flies

E- None of the above

148- C tetani causes lockjaw paralysis because?

A- The organism enters muscle cells and blocks contraction

B- The organism enters muscle cells and stimulates contraction

C- Its neurotoxin blocks the release of inhibitory mediator leading to generalized muscle spasm

D- Its neurotoxin stimulates the release of inhibitory mediator leading to localized muscle spasm

E- Its neurotoxin inhibits release of acetyl choline

149- All are TRUE about adenoviruses EXCEPT?

A- It is not a latent virus

B- It is transmitted by contact, ingestion and inhalation

C- It is used as a vector in gene therapy

D- It can produce infection in immune-compromised patients

E- It is one of the viral causes of conjunctivitis

150- Death from C botulinum food poisoning is commonly due to?

A- Electrolyte imbalance

B- Marked fluid loss

C- Cardiac failure

D- Renal failure

E- Respiratory failure

Answers – FINAL 30

1	2	3	4	5	6	7	8	9	10
C	A	A	B	B	B	B	D	A	B
11	12	13	14	15	16	17	18	19	20
D	A	A	D	B	C	C	D	C	C
21	22	23	24	25	26	27	28	29	30
D	C	B	B	B	A	A	D	B	C
31	32	33	34	35	36	37	38	39	40
C	B	C	C	A	C	D	D	B	B
41	42	43	44	45	46	47	48	49	50

A	D	C	B	A	B	A	C	B	B
51	52	53	54	55	56	57	58	59	60
A	A	D	A	C	D	A	D	B	B
61	62	63	64	65	66	67	68	69	70
B	D	D	B	A	C	B	A	C	A
71	72	73	74	75	76	77	78	79	80
D	A	D	D	A	B	C	A	B	C
81	82	83	84	85	86	87	88	89	90
D	E	C	C	C	C	B	B	C	D
91	92	93	94	95	96	97	98	99	100
A	B	B	D	C	E	B	D	C	E
101	102	103	104	105	106	107	108	109	110
B	D	D	E	E	D	D	E	E	B
111	112	113	114	115	116	117	118	119	120
C	C	D	D	C	D	D	B	B	B
121	122	123	124	125	126	127	128	129	130
B	A	B	A	A	D	B	C	B	D
131	132	133	134	135	136	137	138	139	140
E	C	B	C	A	B	B	B	C	A
141	142	143	144	145	146	147	148	149	150
C	A	C	D	E	C	B	C	A	E

1- Which of the following drugs cause dissociative anesthesia ?

- A- Enflurane
- B- Ketamine**
- C- Halothane
- D- lidocaine

2- Which of the following drugs irritate the tracheobronchial tree?

- A- Isoflurane
- B- Halothane
- C- Desflurane**
- D- Sevoflurane

3- Which of the following is TRUE about Buspirone?

- A- It is a partial agonist on serotonin receptors**
- B- Tricyclic antidepressant
- C- Local anesthetics
- D- None of the above

4- One of these drugs is new for epilepsy?

- A- Phenytoin
- B- Valproate
- C- Carbamazepine
- D- Lamotrigine**

5- Which of the following retract the mandible?

- A- Masseter
- B- Medial pterygoid
- C- Temporalis (posterior fiber)**
- D- None of the above

6- Nerve supply of the post. belly of the digastric muscle?

- A- Facial nerve**
- B- Mandibular nerve
- C- Hypoglossal
- D- Glossopharyngeal

7- C1 is supply which of the following?

- A- CRICOTHYROID
- B- Palatoglossal
- C- Thyrohyoid muscle**
- D- Mylohyoid

8- Which of the following bones form the medial margin of the orbit?

- A- Ethmoid
- B- Lacrimal
- C- Nasal
- D- maxilla**

9- Which of the following is in lateral wall of the middle ear?

- A- ICA
- B- Tympanic membrane**
- C- Outer wall on inner ear
- D- UV

10- Visual area is in?

- A- Occipital lobe**
- B- Frontal
- C- Temporal
- D- Partial

11- The posterior limb of internal capsule is between?

- A- Lentiform nucleus & head of caudate
- B- Lentiform nucleus & body of caudate
- C- Lentiform nucleus & thalamus**
- D- Head of caudate & thalamus

12- The 2nd order neuron of olfactory pathway is the ?

- A- Bipolar cells in the olfactory epithelium
- B- Mitral & tufted cells of olfactory bulb**
- C- Granular cell layer of olfactory bulb
- D- None of the above

13- Thalamus is supplied by the cerebral artery ?

- A- anterior
- B- middle

C- posterior

D- Both A & B

14-muscle forms the floor of the mouth & supports the tongue ?

A- Digastric

B- Mylohyoid

C- Geniohyoid

D- Hyoglossus

15-area is on the lateral surface of the frontal lobe ?

A- Wernicke's

B- Broca's

C- Auditory association

D- Both A & B

16-The 4th ventricle communicates with the 3rd ventricle through ?

A- Foramina Luschka

B- Foramen of magendie

C- Cerebral aqueduct of sylvius

D- None of the above

17-Petechial cerebral hemorrhage is ?

A- Induced by ruptured aneurysm

B- Associated with systemic hypertension

C- A common complication of brain tumors

D- Capillary hemorrhage

E- All of the above

18-Massive cerebral hemorrhage occurs due to the following EXCEPT ?

A- ruptured aneurysm

B- systemic hypertension

C- Capillary hemorrhage

D- brain tumors

E- All of the above

19-Increase CSF in ?

A- hydrocephalus

B- Cerebral oedema

C- Encephalitis

D- None of the above

20-which of the following is the most common cause of Cerebral hemorrhage, in young age ?

A- Tumor

B- Hypotension

C- Anemia

D- Rapture OF Cerebral Aneurysm

21-Web of fibrin is in which of the following ?

A- T.b meningitis (tuberculosis)

B- Viral meningitis

C- Fungal meningitis

D- All the above

22-Alzheimer's and parkinsonism are ?

A- Demyelination

B- Autoimmune

C- Neurodegenerative diseases

D- Inflammatory

23-multiple Sclerosis is ?

A- Congenital disease

B- Inflammatory disease

C- degenerative diseases

D- Demyelinated disease

E- Metabolic disease

24-Antoni type A/B is found in ?

A- Ependymoma

B- Meningioma

C- Medulloblastoma

D- schwannoma

25-Homer- wright rossete in ?

A- Ependymoma

B- Meningioma

C- Medulloblastoma

D- Schwannoma

26-Which of the following would produce maximum excitation of the hair cells in the right horizontal semicircular canal?

A- Hyperpolarization of the hair cells

B- Bending the stereocilia away from the kinocilia

C- Rapid ascent in an elevator

D- Rotating the head to the right

27-Which of the following hypothalamus nuclei is responsible for controlling the normal circadian rhythm?

A- Paraventricular nucleus

B- Ventromedial nucleus

C- Suprachiasmatic nucleus

D- Lateral nucleus

28-Which of the following statements about the cerebrospinal fluid (CSF) is TRUE?

A- It is absorbed by the choroid plexus

B- Its absorption is dependent on CSF pressure and venous sinuses pressure

C- It circulates in the epidural space

D- It has a higher protein concentration than plasma

29-The pain produced by ischemia is poorly localized and throbbing while pain from a needle stick is well localized and sharp. Which of the following comparisons of ischemic and needle stick pain is CORRECT?

A- Ischemic pain sensory fibers are classified as A delta sensory fibers

B- Ischemic pain is produced by overstimulating somatic touch receptors

C- Ischemic pain is transmitted to the brain through the neospinothalamic tract

D- Ischemic pain sensory fibers terminate within the substantia gelatinosa of the spinal cord

30-Cerebellar brain abscess is usually a complication of ?

A- Suppurative otitis media

B- Suppurative lung diseases

C- mastoiditis

D- Skull fractures

E- Systemic pyemia

31-which of the following Z-compounds can be used safely for treatment of sleep-onset insomnia ?

A- Ramelteon

B- Buspirone

C- Diazepam

D- Zolpidem

32-Indicate the antipsychotic drug which is a butyrophenone derivative :

A- Droperidol

B- Thioridazine

C- Sertindole

D- Fluphenazine

33-Indicate an antiseizure drug, inhibiting central effects of excitatory amino acids:

A- Ethosuximide

B- Lamotrigine

C- Diazepam

D- Tiagabine

34-Indicate an anti-absence drug ?

A- Valproate

B- Phenobarbital

C- Carbamazepine

D- Phenylvin

35-The most effective single drug in parkinsonism is :

A- Bromocriptine

B- Selegiline

C- levodopa

D- biperiden

36-Which of the following local anesthetics is a useful antiarrhythmic agents ?

A- cocaine

B- lidocaine

C- levodopa

D- biperiden

37-intradermal test used to diagnosis of trichinella spiralis is ?

A- bachman test

B- casoni test

C- mazotti test

D- none of the above

38-Onchocerca volvulus causes ?

A- Cerebral hydatid cyst

B- cysticercosis

C- chaases

D- riverblind

39-which of the following drugs is selective MAO B inhibitors?

A- Risperidone

B- Olanzapine

C- selegiline

D- Fluxetine

40-All of the following are found in the carotid sheath EXCEPT the ?

A- Common carotid artery

B- Internal carotid artery

C- Internal jugular vein

D- Vagus nerve

E- Hypoglossal nerve

41-The lateral rectus muscle of the eye is innervated by the ?

A- optic nerve

B- trochlear nerve

C- oculomotor nerve

D- facial narva

E- Abducent nerve

42-The genioglossus muscle the tongue

A- retracts

B- depresses

C- elevates

D- protrudes

E- changes the shape of

43-The superior colliculus is responsible for ?

A- vision

B- hearing

C- General touch

D- All of the above

44-Cerebrospinal fluid ?

A- Is formed in the arachnoid granulations

B- Provides the brain with most of its nutrition

C- Protects the brain from injury when the head is moved

D- Has a lower pressure than that in the cerebral venous sinuses

45-Which of the following is NOT a branch of the internal carotid artery ?

A- Anterior cerebral artery

B- Posterior communicating artery

C- Superior thyroid artery

D- Ophthalmic artery

46-The vertebral arteries arise from which artery ?

A- Futornal corrtid

B- Thyrocervical trunk

C- Subclavian

D- Common carotid

47-which fissure separate cerebellum into superior and interior surface ?

A- horizontal fissure

B- posterior lateral fissure

C- fissure prima

D- superior fissure

48-A 32-year-old woman experienced the sudden severe cramping pain in abdominal region. She also became nauseated. List some of features of visceral pain?

A- It results from activation nociceptors in the viscera that are Innervated by the same fibers as innervate skin, induces rapid sharp pain, causes spasms of the visceral muscle, and shows relatively rapid adaptation.

B- It is mediated by A6 and C fibers in the ventral roots of spinal nerves radiates to a nearby or distant somatic structure Is accompanied by sweating, and is relayed to the cortex by the spinothalamic tract

C- It is poorly localized, is accompanied by sweating, radiates to a somatic structure that may be some distance away, and is relayed to the somatosensory cortex via the spinothalamic tract.

D- It is well localized, is accompanied by sweating, radiates to a somatic. structure that may be some distance away, and causes spasms of visceral muscle

49-Which of the following local anesthetics is more likely to cause allergic reactions ?

A- lidocaine

B- bupivacaine

C- procaine

D- ropivacaine

50-One of the following anesthetics increase heart rate and blood pressure?

A- enflurane

B- halothane

C- ketamine

D- lidocaine

51-Which of the following would produce maximum excitation of the hair cells in the right horizontal semicircular canal?

A- Hyperpolarization of the hair cells

B- Bending the stereocilia away from the kinocilia

C- Rapid ascent in an elevator

D- Rotating the head to the right

52-Which of the following statements best describes the basilar membrane of the organ of Corti?

A- The apex responds better to low frequencies than the base does

B- The base is wider than the apex

C- The base is more compliant than the apex

D- High frequencies produce maximal displacement of the basilar membrane near the helicotrema

E- The apex is relatively stiff compared to the base

53-The type of the olfactory epithelium is?

A- Simple columnar

B- Stratified columnar

C- Pseudo-stratified columnar

D- Stratified squamous

54-Is a physiological condition occurring in the eye ?

A- cataract

B- glaucoma

C- presbyopia

D- ammetropia

55-Which of the following statements regarding the Color blindness is FALSE?

A- It is more common in males.

B- It is only inherited

C- It can be inherited or due to acquired conditions

D- It is mostly inherited as a sex-linked recessive character.

56-Which of the following statements is CORRECT regarding Hypermetropia?

A- It is a condition in which parallel rays converge to point in front of the retina.

B- It is corrected by convex lens.

C- It can be due to long eye ball.

D- The vision of near object is not impaired.

57-The primary function of the bones of the middle ear is to ?

A- Amplify the sound stimulus

B- Filter high-frequency sounds from the sound stimulus

C- Enable the direction of a sound stimulus to be detected

58-Which of the following statements is TRUE regarding dark adaptation?

A- It is the process in which eyes get adapted to increased illumination

B- There is reduced sensitivity of rods

C- Resynthesis of rhodopsin occurs.

D- The pupil is constricted.

59-Which of the following is much decreased during REM sleep ?

A- ABP

B- Heart rate

C- Muscle tone

D- Cerebral blood flow

60-At high doses the following drug may cause parkinsonism like dysfunction ?

A- amphetamine

B- propranolol

C- diazepam

D- Ketamine

E- reserpine

61-Procedural memories are processed in ?

A- Hypothalamus

B- hippocampus

C- Amyglada

D- cerebellum

62-After formation of memory Engram ; we can say that we have ?

A- Short term memory

B- Declarative memory

C- Long term memory

D- Spatial memory

63-The most potent reward centre from the following is ?

A- Medial fore brain

64-Which of the following is responsible for facilitation of recognition of words by prior exposure to term ?

A- Neocortex priming

65-Which of the following is TRUE about visual acuity ?

A- Need stimulation of 2 non-adjacent cones

66-Which of the following is the analyzer of hearing ?

A- Basilar membrane

67-Which of the following is TRUE about REM sleep ?

A- Increase the cerebral blood flow

68-Tubetomammaly N (TMN) :

A- Release histamine

69-Microscopic rossete formation is a characteristic feature of :

A- Astrocytoma

B- Oligodendroglioma

C- Medulloblastoma

D- meningioma

E- Schwannoma

70-Regarding causes of Nystagmus one of the following is CORRECT:

A- Parkinsonism

B- Tubes dorsalis.

C- Lesion in visual pathway

D- Neocerebeller syndrome

71-Your patient has been diagnosed with an eating disorder. The patient seems to have lost a significant amount of weight in the last year. A lesion in which of the following areas might have caused the patient's problem?

- A- Medial preoptic nucleus
- B- Paraventricular nucleus
- C- Mammillary body
- D- Ventromedial nucleus of hypothalamus
- E- Lateral part of the anterior zone of hypothalamus**

72-Concerning the central sulcus of the cerebral hemisphere, select the INCORRECT statement ?

- A- It is one of the two major sulci found on the lateral surface
- B- it is also called the fissure of Sylvius**
- C- It separated the motor from the sensory area
- D- It runs from the centre of the upper border to a point above the lateral fissure
- E- It usually extends for some distance on the medial surface

73-Which of the following does not match between an artery and its branch?

- A- Internal carotid/ posterior communicating
- B- Basilar/ posterior inferior cerebellar**
- C- Vertebral/ anterior spinal
- D- Anterior cerebral/ anterior communicating
- E- Ophthalmic/ anterior ethmoidal

74-Stimulation of the dorsomedial nucleus of the thalamus , leads to ?

- A- rage
- B- fear
- C- placidity**
- D- hyperactivity

75-7-year-old girl has been having 5-10 second staring spells several times a day while in class. During these spells, the girl exhibits small amplitude hand motions, and yet becomes fully alert immediately afterwards What would be a drug of first choice for treating this patient's seizure disorder?

- A- Carbamazepine
- B- Diazepam
- C- Ethosuximide**

76-A lesion of the chorda tympani nerve would most likely result in ?

- A- Impaired olfactory function
- B- Impaired vestibular function
- C- Impaired auditory function
- D- Impaired taste function**

77-Patient will understand spoken but find it difficult to speech ?

- A- sensory visual aphasia
- B- Sensory auditory aphasia
- C- Global aphasia
- D- Motor aphasia**

78-the conus medullaris is the tapering point at the end of the spinal cord. It is located at approximately ?

- A- L1/L2**
- B- L3/L4
- C- L 5/L6
- D- t12/L1

79-Which of the following statements is INCORRECT, The carotid artery gives off the:

- A- Superior thyroid artery
- B- Transverse cervical artery**
- C- Facial artery
- D- Posterior auricular artery
- E- Ascending pharyngeal artery

80-Coenocorus cerebalis is a larval stage of:

- A- Echinococcus granulosus
- B- Heterophyes heterophys
- C- Multiceps multiceps**
- D- Toxocaracati
- E- Schistosoma mansoni

81-Post anesthetic shivering is managed by administration of one of the following drug?

- A- Adrenaline
- B- Meneridine**
- C- NSAIDS
- D- Morphine

82-One of the following drugs induce anesthesia rapidly but irritates tracheobronchial tree?

- A- Enflurane
- B- Desflurane**
- C- Isoflurane
- D- Lidocaine

83-Active cells during inflammation of CNS is?

- A- Astrocyte cells
- B- Satellite cells
- C- Microglia**
- D- Oligodendrocytes
- E- Both a & C

84-Layer of rods and cones of the retina contains ?

- A- cell bodies of photoreceptors
- B- dendrites of photoreceptors**
- C- axons of photo receptors

85-Which of the following statements about the olfactory system is TRUE?

- A- The receptor cells are neurons**
- B- The receptor cells are sloughed off and are not replaced
- C- Axons of cranial nerve (CN) I are
- D- delta fibers
- E- Axons from receptor cells synapse in the prepiriform cortex

86-Neurotransmitter in nigrostriatal pathway is ?

- A- GABA
- B- Glutaminergic
- C- Cholinergic
- D- Dopaminergic**

87-Dysidiadochokinesia means?

- A- Inability to perform various components of a complex motor act simultaneously.
- B- Inability to perform alternate opposite movements successively at a rapid rate**
- C- oscillatory movement that appears on performing a voluntary movement

88-Which ONE of the following neurotransmitters would you expect to

find in the synapse during fast inhibitory synaptic transmission?

- A- GABA**
- B- Acetylcholine
- C- Noradrenaline
- D- Glutamate

89-Concerning corneal transparency one of the following is CORRECT ?

- A- It is due to high vascularity of the cornea
- B- It is due to rich innervation of the cornea
- C- It is due to regular arrangement of corneal layers**
- D- Vitamin D deficiency leads to its loss

90-It is the absence of a major protein of the brain , skull and scalp is called ?

- A- hydrocephalus
- B- anencephaly**
- C- meningeomyleocele
- D- myelocele
- E- meningeocele

91-A 32-year-old woman experienced the sudden onset of a severe cramping pain in the abdominal region. She also became nauseated. List some of the common features of visceral pain.

A- It results from activation of nociceptors in the viscera that are innervated by the same fibers as innervate skin, induces rapid sharp pain, causes spasms of the visceral muscle, and shows relatively rapid adaptation.

B- It is mediated by A6 and C fibers in the ventral roots of spinal nerves, radiates to a nearby or distant somatic structure, is accompanied by sweating, and is relayed to the cortex by the spinothalamic tract.

C- It is poorly localized, is accompanied by sweating, radiates to a somatic structure that may be some distance away, and is relayed to the somatosensory cortex via the spinothalamic tract

D- It is well localized, is accompanied by sweating, radiates to a somatic structure that may be some distance away, and causes spasms of visceral muscle.

92-Motor aphasia results from lesions in ?

A- Visual association area

B- Auditory area

C- Exner area

D- Somatic sensory area

93-Regarding aphasia one of the following is CORRECT ?

A- Lesion in Broca's area results in sensory aphasia

B- Lesion in Exner's center results in auditory aphasia

C- Lesion in auditory center results in motor aphasia

D- Lesion in visual association area results in visual aphasia.

94-Opening of ligand-gated Cl⁻ channels causes ?

A- Inhibition of the postsynaptic neuron

B- depolarization of the postsynaptic neuron

C- initiation of an action potential

D- block of ligand-gated cation channels

95-Temporal summation ?

A- Occurs when several presynaptic fibers are stimulated simultaneously.

B- Occurs when presynaptic fiber is repeatedly stimulated

C- Is due to overlap of the discharging zone

D- None of the above is correct

96-Presynaptic inhibition ?

A- Is produced as a result of GABA release

B- Leads to decreased release of excitatory transmitter

C- Is involved in gate theory of pain control

D- All of the above

97-Which type of cells is responsible for regeneration of taste buds ?

A- Gustatory epithelium

B- Supporting cells

C- Basal cells

D- Both A&B

98-The cerebrospinal fluid is present in?

A- Subarachnoid and subdural space

B- Subarachnoid space and ventricles of the brain

C- Subdural space but not the subarachnoid space

D- Subdural space and ventricles of the brain

E- None of the above

99-The cerebrospinal fluid is produced in ?

A- 3rd ventricle

B- 4th ventricle

C- Lateral ventricle

D- Arachnoid villi

E- The cortex

100- Which Of The Following Indicate Septic Meningitis ?

A- Increase in number of neutrophils (PML)

Answers – MID & FINAL 31

1	2	3	4	5	6	7	8	9	10
B	C	S	D	C	S	C	D	B	A
11	12	13	14	15	16	17	18	19	20
C	B	C	B	B	C	D	C	A	D
21	22	23	24	25	26	27	28	29	30
A	C	D	D	C	D	C	B	D	C
31	32	33	34	35	36	37	38	39	40
D	A	B	A	C	B	A	D	C	E
41	42	43	44	45	46	47	48	49	50
E	D	A	C	C	C	A	C	C	C
51	52	53	54	55	56	57	58	59	60
D	A	C	C	B	B	A	C	C	E
61	62	63	64	65	66	67	68	69	70
D	C	A	A	A	A	A	A	C	D
71	72	73	74	75	76	77	78	79	80
E	B	B	C	C	D	D	A	B	C
81	82	83	84	85	86	87	88	89	90
B	B	C	B	A	D	B	A	C	B
91	92	93	94	95	96	97	98	99	100
C	C	D	A	B	D	C	B	C	A

لا حول ولا قوة إلا بالله

MID 32

1- Cheese interaction occur in combination of:

A- selegiline+tyramine rich food

2- Ketamine:

A- Stimulate NMDA receptor

B- Contraindicated in hypovolemic shock

C- increase cerebral blood flow and intracranial tension

D- cause rapid induction and rapid recovery

3- Triad of opioid toxicity:

A- Coma, respiratory depression, miosis

B- Coma, hyperventilation, mydriasis

4- Which of the following local anesthesia more likely to cause allergic reaction:

A- Lidocaine

B- Procaine

C- Ropivacaine

D- Bupivacaine

5- all about cerebral hemorrhage are TRUE EXCEPT:

A- Mostly traumatic hemorrhage

B- account 10%-20% of all stroke

C- Mostly non traumatic hemorrhage

D- more in males

6- all about communication hydrocephalus are TRUE EXCEPT:

A- CSF can pass from ventricular system to subarachnoid space

B- Obstruction in subarachnoid space

C- obstruction at midbrain

D- CSF can't pass from ventricular system to subarachnoid space

7- CSF in viral meningitis shows:

A- Marked protein elevation

B- Increased number of lymphocytes

C- Many PNLs and pus cells

D- Marked decrease in glucose content

8- Synthesis of GABA from glutamate need

A- PLP

B- NAD

9- key enzyme of acetylcholine synthesis:

A- choline acetyl transferase

10- which parasite cause PAM:

A- Acanth ameba

B- Entamoeba histolytica

C- Naegleria fowleri

11- Cerebral Sparganosis is caused by:

A- plerocercoid of Diphyllbothrium mansoni

- B- Proceroid of Diphylobothrium latum
C- Plerocercoid of Diphylobothrium latum

12-which causes fungal meningitis :

A- cryptococcus neoformans

13-Acute bacterial meningitis is transmitted by :

A- Blood transfusion

B- aerosolization of respiratory tract secretion

14-astrocyte :

A- Has round cell body

B- Present in brain and spinal cord only

C- Protoplasmic type has more glial fibers than fibrous type

D- Proliferate after injury

15-Choroid plexus is :

A- Pia matter fold

B- Dura matter fold

C- Has stratified squamous epithelium

16-In central nervous system :

A- Non myelinated fibers must be surrounded by layer of oligodendrocyte

B- Myelinated cell is with neurolemmal sheath

C- Node of Ranvier separates myelin Sheath of the same cell

17-Motor apraxia is a lesion in :

A- Broca's area

B- Exner's area

18-Which reflex cause polysynaptic excitation of the contralateral extensor muscle :

A- Stretch reflex

B- Inverse stretch reflex

C- Sunliminal occlusion reflex

D- Flexor withdrawal reflex

19-Loss of braking function of the cerebellum cause :

A- Rebound phenomenon

B- Drunken gait

C- Dysdiadochokinesia

D- Dysarthria

20-Ablation in somatosensory area 1 doesn't cause significantly impair in :

A- Tactile discrimination

B- tactile localization

C- Pain sensation

D- Joint position sensation

21-All Of the following is TRUE about cutaneous pain EXCEPT :

A- evokes spasm of nearby muscle

B- Is always sharp

C- By A delta

D- Always with hyperalgesia

22-Cutaneous hyperalgesia means

A- painless stimulus become painful

23-In Case of alkalosis in epileptic patient, the protective method to prevent excitation :

A- Increase hydrogen ions in blood

B- Decrease arousal neurotransmitters

C- Increase sleep neurotransmitters

D- fatigue in synaptic transmission

24-Which of the neurotransmitter is expected to be found in inhibitory synaptic transmission :

A- GABA

B- A . choline

C- Glutamate

D- Norepinephrine

25-Which has the lower concentration in CSF than plasma :

A- Na⁺

B- Protein

C- K⁺

D- Mg²⁺

26-Gamma motor neuron is :

A- represent pathway for facilitation of stretch reflex by higher centers

B- Efferent of stretch reflex

C- Supply extrafusal fibers

D- Supply central part

27-Dysdiadokokinesia is :

A- inability to perform alternate opposite movements at rapid rate

28-Sensory coding include :

A- modality, adequate threshold, sensitivity, and location

B- adequate threshold, receptive field, adaptation, and projection.

C- modality, location, intensity, and duration

D- sensitization, discrimination, energy, and projection

29-Thyrohyoid muscle is supplied by.....via hypoglossal nerve :

A- C1

B- C2

C- C3

D- C4

30-The guide structure that divides neck to anterior and posterior triangle :

A- Sternomastoid muscle

31-Cutaneous innervation of forehead

A- Supratrochlear nerve

32-All about facial vein is TRUE EXCEPT

A- Communicate with cavernous sinus

B- It is anterior to facial artery and has tortuous course

C- Formed by union of supratrochlear and supraorbital vein

D- Pterygoid plexus communicate with deep facial vein

33-The muscle that compress the cheek against molar teeth :

A- Buccinator

34-The muscle that retract mandible :

A- Medial pterygoid

B- Lateral Pterygoid

C- Masseter

D- Temporalis

35-Intrinsic muscle of tongue :

A- Genioglossus

B- Styloglossus

C- Superior longitudinal

D- Hyoglossus

36-All are branches of external carotid artery EXCEPT :

A- Superior thyroid

B- Transverse cervical

C- Ascending pharyngeal

D- Facial

37-Superior oblique muscle of the eye is innervated by :

A- Abducent

B- Trochlear

C- Oculomotor

D- Trigeminal

Answers – MID 32

1	2	3	4	5	6	7	8	9	10
A	C	A	B	A	D	B	A	A	C
11	12	13	14	15	16	17	18	19	20
A	A	B	D	A	C	B	D	A	C
21	22	23	24	25	26	27	28	29	30
A	A	D	A	B	A	A	C	A	A
31	32	33	34	35	36	37	38	39	40
A	B	A	D	C	B	B	-	-	-

«كل ما يؤلم النَّفوس ويشقُّ عليها؛ فإنه

كفارةٌ للذنوب!»

1- Arterial supply of thalamus?

- A- Anterior cerebral
- B- Middle cerebral
- C- Posterior cerebral

2- Which of the following statements is INCORRECT? The facial nerve...

- A- Supplies muscles of facial expression
- B- Supplies buccinator
- C- Gives off the greater petrosal nerve
- D- Contains fibers destined for the ciliary ganglion

3- Functions of CSF?

- A- Protection of brain when the head is moved
- B- Provide most of brain nutrients
- C- Its pressure is less than that of cerebral venous blood

4- Inferior petrosal sinus drained into?

- A- Basilar plexus
- B- Superior sagittal sinus
- C- Inferior sagittal sinus
- D- Cavernous sinus

5- Cauda equina arise from which part of spinal cord?

A- Inferior end

- B- Posterior end
- C- Superior end

6- Function of archicerebellum?

- A- Equilibrium
- B- Skilled movements

7- Visual area is present in.....?

- A- parietal
- B- temporal
- C- occipital lobe
- D- frontal lobe

8- Concerning cerebral hemisphere, which of the following is TRUE?

- A- cingulate gyrus is present in medial surface of parietal lobe
- B- precuneus present in parietal lobe
- C- hippocampus gyrus in temporal lobe

9- Which separate cerebrum from cerebellum

- A- Tentorium cerebelli
- B- Falx cerebri
- C- Falx Cerebelli

10- Which of the following DOES NOT support spinal cord?

- A- Denticulate ligament

B- Filum terminal

- C- Spinal nerves
- D- Attachment of the dura to posterior median sulcus

11- Which pathway carry unconscious proprioceptive sensation to cerebellum?

- A- Spinocerebellar
- B- Reticulospinal

12- Medulla oblongata...

- A- pass through foramen magnum & continue as spinal cord
- B- pyramid lateral to olive

13- All the following are TRUE about lateral ventricle, EXCEPT....

- A- They are directly connected with subarachnoid space
- B- They are connected with the third ventricle via interventricular foramen of Monro

14- Ventricular system is connected to subarachnoid space via.....

- A- third ventricle
- B- fourth ventricle
- C- central canal of medulla

15- Which tract carries pain and temperature?

A- gracile

B- ventral spinothalamic

C- lateral spinothalamic

16-Which is TRUE about the development of face?

A- the anterior 2/3 of tongue are derived from first pharyngeal arch

17-Derivate of 2nd pharyngeal arch?

18-Derivate of 3rd pouch?

19-Relation of the thalamus to 3rd ventricle?

20-The lining of the cornea?

A- Stratified squamous

B- Simple squamous

C- Stratified columnar

D- Simple columnar

21-Lining of olfactory mucosa?

A- Pseudo stratified columnar

B- Stratified columnar

22-Which is TRUE about Neurofibril?

A- Golgi in peri nuclear area only

B- More SER

C- More lipofuscin in young cells

D- Appear brown by normal stain

23-Posterior horn of spinal cord is?

A- sensory

B- motor

24-Glomerular appear in?

A- molecular cell layer

B- granular cell layer

C- purkinje cell layer

25-Which papillae have no taste buds?

A- Circumvallate

B- Filiform

C- Fungiform

D- Fusiform

26-Which of the following statements best describes the basilar membrane of the organ of Corti?

A- The base is wider than the apex

B- The base is more compliant than the apex

C- The apex responds better to low frequencies than the base does

27-concerning EEG of a sleeping person, K complex appear in?

A- stage 1

B- stage 2

C- stage 3

D- REM

28-Which is TRUE about the declarative memory?

A- Not include consciousness

B- Recalling done reflexly

C- Processed in hippocampus

29-Which movement lead to maximum stimulation of both saccules?

A- Rapid elevator ascend

B- Rotation of head to lateral side

30-Which of the following reflexes don't have possibility of reciprocal inhibition?

A- Flexor reflex

B- Abdominal reflex

C- Positive supporting reaction

31-Sour taste caused by...?

A- opening of k channels after binding of a substance to gustatory receptor

B- closure of k channels after binding of hydrogen

C- opening of Na channels

32-In which of the following sensory systems does stimulation cause the receptor cells to hyperpolarize?

A- Vision

B- Hearing

C- Taste

D- Smell

33-Ofaction is characterized by?

A- central adaptation

B- adaptation occur at receptor level

34-Which of the following is not dorsal column sensation?

A- Sense of position

B- Tactile localization

C- Crude touch

D- Sense of muscle movement

35-Site of Center of light reflex?

A- Midbrain

B- Medulla

C- Pons

D- Diencephalon

36-Hemiballismus is due to lesion in.....?

A- subthalamus

B- caudate

C- lentiform nucleus

37-About visceral pain , one is TRUE ?

A- usually accompanied with tachycardia

B- show somatic reflex contraction of nearby muscles

C- usually localized

D- carried on A delta

38-Nystagmus occur in.....?

A- neocerebellar lesion

B- lesion in visual pathway

C- paralysis of ocular muscle

39-Chorea is related to.....?

A- hypotonia

B- lesion in lentiform nucleus

C- hypertonia

40-From Werneck's, impulses are transmitted to Broca's area in which?

A- writing is produced

B- vocalization is produced

C- Thinking is produced

D- sleeping is produced

41-The patient understands the meaning of words but finds it difficult to talk :

A- motor apraxia

B- visual aphasia

C- motor aphasia

D- sensory aphasia

42-Locus coeruleus produce neurotransmitter that is distributed through body?

A- Acetylcholine

B- Norepinephrine

C- Serotonin

43-First order neuron of fine touch ?

A- pass in lateral spinothalamic tract

B- cross to the contralateral side in spinal cord

C- pass in gracile & caunate tract

D- A delta type

44-A weight lifter is in a competition and he lifts a heavy weight then he drops it. What happen in case of stimulation of gamma and alpha motor neurons at the same time?

A- rate of discharge in I_a fibers is less than activation of alpha alone

B- rate of discharge in I_a fibers is more than activation of alpha alone

C- no change in rate of discharge in I_a fibers

45-Which extra-pyramidal tract mediate movement of head & neck due to visual & auditory stimuli :

A- vestibulospinal

B- rubrospinal

C- tectospinal

D- reticulospinal

46-All are TRUE about referred pain, EXCEPT.... ?

A- pain felt away from its original site

B- renal pain is referred at the testicles

C- somatic superficial pain is usually (referred)

D- occur in areas of the same dermatological origin

47- Stimulation of hair cells in the ear is caused by:

A- K influx

B- Na influx

C- K outflux

D- Ca influx

48- Excitatory post synaptic potentials can be caused by?

A- Cl influx

B- Na influx

C- K outflux

D- Ca outflux

49- Opening of Cl channels leads to?

A- Inhibition of post synaptic neuron

B- stimulation of post synaptic neuron

50- Which part is responsible for Rage?

A- Amygdala

51- Which is the main rewarding center?

A- mid forebrain

52- Which amino acid is found in higher concentrations in the brain?

A- Tyrosine

B- Phenyl alanine

C- Glutamate

D- Tryptophane

53- Dopamine is synthesized from.....?

A- Tyrosine

B- tryptophane

C- glutamate

54- 5HT is the receptor for...?

A- dopamine

B- acetyl choline

C- norepinephrine

D- serotonin

55- The best way of preventing tetanus?

A- Debridement of the injury

B- Toroidal vaccine

C- Tetanus toxoid

56- Which of the following is NOT TRUE about trachoma?

A- Caused by subtypes

B- k

C- Can cause blindness

D- Produce mucopurulent conjunctivitis

57- Which is NOT TRUE about botulism?

A- Occur in infants by swallowing already formed toxins

B- intestinal protoxin form

C- Encoded by bacteriophage

58- Which is TRUE about Poliomyelitis?

A- Multiply in oropharynx and intestinal tract

B- Has DNA genome

59- Route of infection in Hydatid cyst?

A- Ingestion of egg of Echinococcus granulosus

B- Ingestion of hydatid cyst

60- Onchocerca vector?

A- Black fly (simulium)

B- Mango fly

61- Sleeping sickness is caused by....

A- tenia solium

B- toxoplasma

C- trypanosoma brucei

D- plasmodium falciparum

62- Coenurosis cerebri is caused by....

A- Echinococcus granulosus

B- Heterophyes heterophyes

C- Diphyllbothrium mansoni

D- Multiceps multiceps

63- Glioblastoma multiforme is.....?

A- grade 1

B- grade 2

C- grade 3

D- grade 4

64-Multiple sclerosis is characterized by.....?

A- demyelinating areas in spinal cord

B- amyloid plaques

C- Lewy bodies of dementia

65-Meningioma shows.....?

A- whorly appearance

B- bipolar cells with hair processes

66-Cerebral edema results in all of the following, EXCEPT?

A- Gyri are flattened

B- Sulci are narrowed

C- Brain is softer

D- Ventricular cavities are dilated

67-A male patient 40 years old, presented with hemiplegia and deafness. Radiologic examination shows a tumor at the cerebellopontine angle. Biopsy from this tumor shows a neurogenic tumor formed of hypercellular and hypocellular areas. The most possible diagnosis is:

A- Neuroblastoma

B- Schwannoma

C- Ganglioneuroma

D- Neurofibroma

68-A patient has taken carbamazepine & gabapentin but seizures continued, when we add phenytoin, what happens to its plasma level compared to when use as monotherapy ?

A- lower

B- higher

C- no difference

69-Atypical antipsychotic is...?

A- Chlorpromazine

B- Haloperidol

C- Clozapine

70-Value of combination of carbidopa with levodopa is....?

A- Stimulate peripheral decarboxylation

B- reduce levodopa induced dyskinesia

C- enter CNS and increase dopamine

D- none of the above

71-Pure D₂ receptor agonist?

A- Ropinirole

B- Pramipexole

C- Bromocriptine

72-Main side effects of valproate?

A- spina bifida

B- pancreatitis

73-Inverse agonist of benzodiazepine?

A- β carboline

74-Opioid full antagonist...?

A- Naloxone

Answers – FINAL 32

1	2	3	4	5	6	7	8	9	10
C	D	A	D	A	A	C	B	A	F
11	12	13	14	15	16	17	18	19	20
A	A	A	B	C	F	F	F	F	A
21	22	23	24	25	26	27	28	29	30
A	A	A	B	B	C	B	C	A	C
31	32	33	34	35	36	37	38	39	40
B	A	A	C	A	A	B	A	A	B
41	42	43	44	45	46	47	48	49	50
C	B	C	B	A	C	A	B	A	F
51	52	53	54	55	56	57	58	59	60
F	C	A	D	C	A	A	A	A	A
61	62	63	64	65	66	67	68	69	70
C	D	D	A	A	D	B	A	C	D
71	72	73	74	75	76	77	78	79	80
C	-	-	-	-	-	-	-	-	-

1- Depression may be caused by?

- A- Excess of dopamine
- B- Excess of serotonin
- C- Insufficient serotonin**
- D- Insufficient acetylcholine

2- Dendrites of Purkinje cells in the cerebellum are present in?

- A- Purkinje cell layer
- B- granular layer
- C- molecular layer**
- D- cerebellar white matter

3- Concerning the ependymal cells one statement is correct?

- A- they are lined the cavities in the peripheral nervous system
- B- there are no junctions between adjacent cells
- C- the apical surfaces contain microvilli**
- D- they are neuroepithelial cells

4- The internodal segments of the peripheral nerve axon at the electron microscope?

- A- are formed by one Schwann cell

B- contain concentric lamellae of dark and light lines

- C- are free of myelin sheath
- D- lack of the neurolemmal sheath

5- Choroid plexus?

- A- is formed of pia mater folds**
- B- is formed of dura mater folds
- C- is formed of dense connective tissue
- D- is covered by stratified columnar epithelium

6- Agomelatine a novel antidepressant acts by the following mechanism?

- A- Block reuptake of serotonin and norepinephrine reuptake
- B- Block reuptake of serotonin
- C- Block reuptake of norepinephrine and dopamine
- D- Melatonin (MT1 and MT2) receptor agonist and 5HT2c antagonist**

7- Which of the following inhalation agents is well well-tolerated agent in children?

- A- Enflurane
- B- Desflurane
- C- Isoflurane
- D- Halothane**

8- Morphine is contraindicated in head injury because?

- A- It does not relieve the pain of head injury
- B- It can raise intracranial tension**
- C- It can raise systolic blood pressure
- D- It is liable to cause addiction

9- Occipitofrontalis muscle is supplied by?

- A- Facial nerve**
- B- Trigeminal nerve
- C- Glossopharyngeal nerve
- D- Vagus nerve

10- The muscle compresses cheek against molar teeth?

- A- Risorius
- B- Mentalis
- C- Buccinator**
- D- Orbicularis oris

11- Nerve supply of temporalis muscle is?

- A- Mandibular nerve**
- B- Maxillary nerve
- C- Facial nerve
- D- Glossopharyngeal nerve

12- All the following are infrahyoid muscles except?

- A- sternohyoid

- B- omohyoid
- C- sternothyroid
- D- mylohyoid

13-Roots of cervical plexus pass anterior to.....muscle?

- A- Scalenus medius
- B- Scalenus anterior
- C- Scalenus posterior
- D- Semispinalis capitis

14-Loss of sensation of skin over the tip of the nose is due to injury of?

- A- Facial N
- B- Olfactory N
- C- Mandibular N
- D- Ophthalmic N

15-The only cranial nerve that enters cerebrum directly is?

- A- Optic nerve
- B- Olfactory nerve
- C- Trigeminal nerve
- D- Accessory nerve

16-Special taste sensation from the tip of the tongue is carried by?

- A- Vagus
- B- Lingual

- C- Hypoglossal
- D- Chorda tympani

17-The Abducent nerve supplies the muscle?

- A- Lateral rectus
- B- Superior tarsal
- C- Superior rectus
- D- Inferior oblique

18-The pharyngotympanic tube lies at thewall of the middle ear?

- A- Medial
- B- Lateral
- C- Inferior
- D- Anterior

19-Masseteric artery is a branch of?

- A- Superficial temporal artery
- B- Maxillary artery
- C- Lingual artery
- D- Superior thyroidal artery

20-Posterior communicating artery is a branch of?

- A- Middle cerebral artery
- B- Posterior cerebral artery
- C- Internal carotid artery
- D- Anterior cerebral artery

21-Stylohyoid muscle is derived from the?

- A- First pharyngeal arch
- B- Second pharyngeal arch
- C- Third pharyngeal arch
- D- Fourth pharyngeal arch

22-The posterior triangle of the neck is divided into two triangles by?

- A- Digastric
- B- Trapezius
- C- Omohyoid
- D- Mylohyoid

23-The main muscle that depresses the mandible is?

- A- Lateral pterygoid
- B- Medial pterygoid
- C- Masseter
- D- Temporalis

24-Causes of non- suppurative meningitis include all except?

- A- Tuberculosis
- B- Viral
- C- Fungal
- D- Meningococci

25-.....is the commonest causative organism of septic meningitis?

- A- Tuberculosis

B- Enteroviruses

C- Meningococci

D- Staphylococci

26-Meningococcal infection is transmitted commonly by?

A- Droplet infection

B- Blood transfusion

C- Swallowing

D- Skin inoculation

27-Opening of ligand-gated CL channels causes?

A- Inhibition of the post synaptic neuron

B- Depolarization of the post synaptic neuron

C- Initiation of an action potential

D- Block of ligand-gated cation channels

28-Concerning synapses which of the following is correct?

A- The electrical synapses are more common in CNS

B- Amphetamine decreases synaptic transmission

C- Acidosis increases synaptic transmission

D- Hypoxia decreases synaptic transmission

29-Temporal summation?

A- Occurs when several presynaptic fibers are stimulated simultaneously

B- Occurs when presynaptic fiber is repeatedly stimulated

C- Is due to overlap of the discharging zone

D- Stimulus occurs after depolarization produced by the preceding stimulus

30-Which of the following best describes the concept of specificity in sensory nerve fibers that transmit only one modality of sensation?

A- Frequency coding principle

B- Concept of specific nerve energy

C- Singularity principle

D- Labeled line principle

31-Interneurons that use the neurotransmitter enkephalin to inhibit afferent pain signals are most likely found in which region of the central nervous system?

A- Dorsal horn of spinal cord

B- Postcentral gyrus

C- δ -type A

D- Type C fiber

32-Which of the following best describes the total volume of cerebrospinal fluid in an adult human nervous system (in milliliters)?

A- 150

B- 500

C- 50

D- 300

33-A 32-year-old woman experienced the sudden onset of a severe cramping pain in the abdominal region. She also became nauseated. List some of the common features of visceral pain?

A- It results from activation of nociceptors in the viscera that are innervated by the same fibers as innervate skin, induces rapid sharp pain, causes spasms of the visceral muscle, and shows relatively rapid adaptation

B- It is mediated by $A\delta$ and C fibers in the ventral roots of spinal nerves, radiates to a nearby or distant somatic structure, is accompanied by sweating, and is relayed to the cortex by the spinothalamic tract

C- It is poorly localized, is accompanied by sweating, radiates to a somatic structure that

may be some distance away, and is relayed to the somatosensory cortex via the spinothalamic tract

D- It is well localized, is accompanied by sweating, radiates to a somatic. structure that may be some distance away, and causes spasms of visceral muscle

34-Which of the following best describes the reflex arc and muscleresponse of the Golgi tendon organ?

- A- Monosynaptic reflex arc; relaxation of muscle
- B- Disynaptic reflex arc; relaxation of muscle
- C- Monosynaptic reflex arc; contraction of muscle
- D- polysynaptic reflex arc; relaxation of muscle

35-The following is true regarding dynamic stretch reflex?

- A- Its receptor is slowly adapting
- B- Its afferent is secondary fibers
- C- It is important for rapid correction of position
- D- It is related to muscle pump

36-Which of the following has the greatest area of representation in the primary motor cortex?

- A- Knee
- B- Thumb
- C- Toes
- D- Trunk

37-Which of the following is true regarding thalamus function?

- A- It receives sensation from the same side of the body
- B- Intralaminar nuclei is concerned with the motor function of the thalamus
- C- It is a part of the system concerned with emotional reactions
- D- None of the above

Answers – MID 33

1	2	3	4	5	6	7	8	9	10
C	C	C	B	A	D	D	B	A	C
11	12	13	14	15	16	17	18	19	20
A	D	A	D	B	D	A	D	B	C
21	22	23	24	25	26	27	28	29	30
B	C	A	D	C	A	A	D	B	D
31	32	33	34	35	36	37	38	39	40
A	A	C	B	C	B	C	-	-	-

FINAL 33

1- Which of the following is multidirectional?

- A- organ of corti
- B- utricle and saccule
- C- crista ampularis
- D- Pacinian corpuscle

2- In Case of alkalosis in epileptic patient, the protective method to prevent excitation?

- A- Increase hydrogen ions in blood
- B- Decrease arousal neurotransmitters
- C- Increase sleep neurotransmitters
- D- fatigue in synaptic transmission

3- The precentral gyrus and corticospinal tract are essential for which of the following?

- A- Voluntary movement
- B- Kinesthesia
- C- Auditory identification
- D- Vision

4- Adiadochokinesia?

- A- is failure of the patient to perform rapid coordinate movements

B- is due to lesion in caudate nucleus

C- is due to lesion in subthalamus

D- is due to lesion in red nucleus

5- Which of the following comparisons of ischemic and needle stick pain is correct?

A- Ischemic pain sensory fibers are classified as A delta (A δ) sensory fibers

B- Ischemic pain sensory fibers terminate within the substantia gelatinosa of the spinal cord

C- Ischemic pain is transmitted to the brain through the neospinothalamic tract

D- Ischemic pain is associated with primary hyperalgesia

6- The four basic parameters of a stimulus which are detected by the sensory receptors and are encoded by somatosensory areas are?

A- modality, location, intensity, and duration

B- sensitization, discrimination, energy, and projection

C- adequate threshold, receptive field, adaptation, and projection

D- modality, adequate threshold, sensitivity, and location

7- At chemical synapses, excitatory postsynaptic potentials (EPSPs) can be produced by?

A- Opening of Cl⁻ channels

B- Opening of K⁺ channels

C- Opening of Na⁺ channels

D- Closure of Ca⁺ channels

8- Which of the following best describes the sensory capabilities of the muscle spindle under normal physiological conditions?

A- Rate of change in length only

B- Length only

C- Tension and rate of change in length

D- Length and rate of change in length

9- During REM sleep?

A- muscle tone throughout the body is increased

B- Beta waves are observed in EEG

C- individuals rarely awake spontaneously at its end

D- is a dreamless sleep

10- Patient will understand spoken language but find it difficult to speech?

A- sensory visual aphasia

B- Sensory auditory aphasia

C- Global aphasia

D- Motor aphasia

11- Damage of orexin producing neurons leads to?

A- Insomnia

B- Hypersomnia

C- Amnesia

D- Narcolepsy

12- The sensation of pain from left leg is?

A- carried by the same tract that carry temperature from the left leg

B- relayed by synapsing across the posterior root ganglion

13- Which of the following is part from limbic system?

A- thalamus

B- amygdaloid nucleus

C- meta thalamus

14- Reward and punishment is function of?

A- limbic system

15- Loss of smell sensation is?

A- Anosmia

B- Insomnia

C- Amnesia

16-Which of the following is not a neurotransmitter in basal ganglia?

- A- Glutamate
- B- GABA
- C- Tyrosine
- D- Acetyl choline

17-The attenuated reflex?

A- Its afferent is trigeminal nerve and efferent is facial nerve

B- Reflex contraction of stapes and tensor tympani in response to loud sounds

- C- Is very rapid as its latency is 10 milliseconds
- D- Contraction of stapes and tensor tympani to amplify the sound

18-Rotation of the head to the right in horizontal canal causes?

A- Hair cells of lateral SCC in right ear are depolarized

- B- Hair cells of vertical SCC in left ear are depolarized
- C- Hair cells of lateral SCC in right ear are hyperpolarized
- D- Hair cells of lateral SCC in left ear are depolarized

19-Myopia cause light rays to fall?

A- In front of the retina

B- Behind the retina

C- On the retina

20-The most Important role of the gamma motoneurons is to?

A- Contraction of skeletal muscle fibers

B- Maintain Ia afferent activity during contraction of muscle

- C- Generate activity in Ib afferent fibers
- D- Detect the length of resting skeletal muscle

21-In cerebellar lesion we suspect all the following except?

- A- Ataxia
- B- Hypotonia
- C- Hypertonia
- D- Drunken gait

22-Loss of the breaking functions of the cerebellum describes?

- A- Rebound phenomenon
- B- Drunken gait
- C- Adidokokinesia
- D- Dysarthria

23-Chorea is associated with?

- A- hypertonia
- B- hypotonia

C- lesion of lenticular nucleus

D- All of the Above

24-In dark adaptation?

A- sensitivity to light increase

- B- sensitivity to light decrease
- C- miosis occur

25-Regarding vision in dim light all of the following are true except?

A- rods are more sensitive than cons

B- there is decomposition of rhodopsin pigment

26-Regarding Rods & Cons, Rods are?

- A- More sensitive to details
- B- More in fovea centralis
- C- More sensitive to colors

D- Many Rods synapse with one bipolar cell

27-Regarding Aqueous humor?

- A- It is formed by active secretion of Na
- B- It is formed by active secretion of Cl and HCO₃
- C- Its drainage is increased during pupil dilatation
- D- Present in posterior segment of the eye

28-In dark vision?

A- Release of neurotransmitters is steady

B- RMP is -70

29-Most sensitive area in the eye is?

A- Fovea centralis

30-Which drug used in mixed petit and grand mal epilepsy?

A- valproate

31-The most effective drug in Parkinsonism is?

A- Bromocriptine

B- Selegiline

C- Levodopa

D- Biperiden

32-Which drug abolishes therapeutic effect of Ldopa?

A- Chlorpromazine

B- Pyridoxine

C- Metoclopramide

33-Antidote used in morphine toxicity?

A- naloxone

34-Which of the following has Slow induction?

A- enflurane

B- sevoflurane

C- isoflurane

D- desflurane

35-Life saving drug in benzodiazepine overdose?

A- flumazenil

B- Zolpidine

36-The extrapyramidal side effects of clozapine are exerted by blocking of?

A- Histamine receptors

B- 5-HT₂ receptors

C- Dopamine receptors in nigrostriatal system

D- Dopamine receptors in the mesolimbic system

37-A 7-year-old girl has been having 5-10 second staring spells several times a day while in class. During these spells, the girl exhibits small amplitude hand motions, and yet becomes fully alert immediately afterwards What would be a drug of first choice for treating this patient's seizure disorder?

A- Diazepam

B- Carbamazepine

C- phenytoin

D- Ethosuximide

38-The anterior surface of mid brain shows?

A- Tectum

B- tegmentum

C- reticular formation

D- Cerebral peduncle

39-The main nerve supply to the extraocular muscles?

A- oculomotor nerve

B- Trochlear

C- Abducent

D- Trigeminal

40-The superior colliculus is responsible for?

A- Vision

B- Hearing

C- General Touch

41-Which functional division is responsible for equilibrium?

A- archicerebellum

B- neocerebellum

C- paleocerebellum

D- Spinal cerebellum

42-The floor of third ventricle is formed by?

A- corpus callosum

B- tuber cinereum and infundibulum

C- Lamina terminalis

43-The Occipital sinus?

A- drain into transverse sinus

B- run on attached border of falx cerebelli

44-Which is true about inferior sagittal sinus?

A- Runs on the free border of falx cerebri

B- Drains into transverse sinus

C- drains into internal jugular vein

D- Takes drainage from superficial middle cerebral vein

45-Which of the following is true about medulla oblongata?

A- Pyramid is lateral to olive

B- Passes through foramen magnum

C- Between pons and midbrain

46-Primary motor area is present in?

A- Precentral gyrus

47-Facial colliculus is formed by facial nerve around?

A- Ocular nucleus

B- Abducent nucleus

C- Trochlear nucleus

48-Which of the following lies between Globus pallidus and external capsule?

A- Claustrum

B- Putamen

49-Molecular layer of cerebellum contains?

A- axons of Purkinje cells

B- axons of Golgi cells

C- cell bodies of granular cells

D- cell bodies of basket cells

50-All of the following are characters of lens except?

A- transparent

B- biconvex

C- covered by double layer of lens fibers

51-Which of the following is found posterior to the eye lashes?

A- Glands of Moll

B- Sebaceous glands

C- Modified sweat glands

D- All answers are correct

52-Sensory cells in organ of Corti?

A- hair cells

53-Which of the following is true about taste buds?

A- Contains 2 types of cells

B- At both sides of filiform papillae

C- Neuroepithelial cells

D- on ventral surface of tongue

54-Coenurosis cerebri is caused by?

A- Echinococcus granulosus

B- Heterophyes heterophyes

C- Diphylobothrium mansoni

D- Multiceps multiceps

55-Bachman intradermal test used for diagnosis of?

A- Schistosomiasis

B- Trichinella spiralis

C- Hydatid disease

D- Sparganosis

56-morula cells of Mott, these are modified plasma cells used for diagnosis of?

A- cutaneous Leishmaniasis

B- chronic febrile sickness

C- chronic sleeping sickness

57-Retinal blind spot is caused by?

A- Toxoplasma gondii

58-Ocular sparganosis is caused by ingestion of?

A- Proceroid of diphylobothrium mansoni

B- Plerocercoid of diphylobothrium latum

C- Plerocercoid larva of diphylobothrium mansoni

D- Egg of Diphylobothrium mansoni

59-Which of the following crosses BBB easily?

A- mannose

B- fructose

C- Iacose

D- pyruvate

60-Glutamate?

A- Used for Ammonia detoxication

B- Used For GABA synthesis and Ammonia detoxication

61-ncrease level of GABA in the brain increases which of the following?

A- Cl

B- Glucose

62-Demyelinating disease means?

A- Destruction of axons

B- Destruction of the brain stem

C- Destruction of myelin

D- Destruction of the cerebellum

63-A 76-years old female presented with headache and vomiting for 4 days. MRI showed multiple small lesions in the Rt temporal lobe of the brain. A biopsy from one of these lesions showed neoplastic epithelial cells arranged in acini. What is the most suggestive diagnosis?

A- Astrocytoma

B- Glioblastoma multiform

C- Metastatic carcinoma

D- Ependymoma

64-The prognosis of primary brain tumours depends on?

A- The site of the tumour

B- The grade of the tumour

C- The cell of origin of the tumour

D- The age of the patient

65-Antoni type A/B is found in?

A- Ependymoma

B- Meningioma

C- Schwannoma

D- Medulloblastoma

66-A 65-years-old male complained of headache and Rt hemiparesis (weakness of the Rt side of his body). MRI showed a tumor mass that eroded the skull bone. Excisional biopsy of the tumor revealed spindle cells, arranged in syncytial pattern with whorly appearance and psammoma bodies (calcifications). What is the most probable diagnosis?

A- Astrocytoma

B- Ependymoma

C- Metastatic carcinoma

D- Meningioma

67-Which of the following Causes aseptic meningitis?

A- mycobacterium Tuberculosis

B- H. influenzae

C- N. meningitidis

D- Pneumococci

68-Most common causative organism of keratitis in patients using contact lenses?

A- Pseudomonas arginosa

B- Streptococcus Aureus

C- H. influenza

69-Approximately 15% of encephalitis cases caused by HSV1 are?

A- following activation of latent infection in the trigeminal ganglia

B- following activation of latenet infection in the sacral ganglia

70-All of the following are true about rabies virus except?

A- Multiple genetic subtypes

B- member of rhabdovirus

C- single stranded RNA

D- has bullet shaped capsid

71-All are true about clostridium botulinum except?

A- Causes flaccid paralysis

B- Causes vomiting and diarrhea

72-Mode of transmission of meningitis?

A- air droplets

73-C tetani causes lockjaw paralysis

because?

A- The organism enters muscle cells and blocks contraction

B- The organism enters muscle cells and stimulates contraction

C- Its neurotoxin blocks the release of inhibitory mediator leading to generalized muscle spasm

D- Its neurotoxin stimulates the release of inhibitory mediator leading to localized muscle spasm

E- Its neurotoxin inhibits release of acetyl choline

Answers – FINAL 33

1	2	3	4	5	6	7	8	9	10
B	D	A	A	B	A	C	D	B	D
11	12	13	14	15	16	17	18	19	20
D	A	B	A	A	C	B	A	A	B
21	22	23	24	25	26	27	28	29	30
C	A	B	A	B	D	A	A	A	A
31	32	33	34	35	36	37	38	39	40
C	B	A	A	A	C	D	D	A	A
41	42	43	44	45	46	47	48	49	50
A	B	B	A	B	A	B	B	D	C
51	52	53	54	55	56	57	58	59	60
D	A	C	D	B	C	A	C	A	B
61	62	63	64	65	66	67	68	69	70
A	C	C	B	C	D	A	A	A	A
71	72	73	74	75	76	77	78	79	80
B	A	C	-	-	-	-	-	-	-

MID 34

1- It causes elevation and retraction of the the hyoid bone?

A- Omohyoid

B- Stylohyoid

C- Mylohyoid

D- Geniohyoid

2- The middle meningeal artery is a branch of?

A- The maxillary artery

B- The mandibular artery

3- The accessory nerve is?

A- Purely motor

B- Purely sensory

C- Gives motor innervation to one muscles

D- Gives motor innervation to muscles and sensory innervation of the neck

4- Anterior Jugular Vein drain into?

A- External Jugular Vein

B- Subclavian Vein

C- Internal Jugular Vein

D- Right brachiocephalic

5- Infraorbital Nerve is a branch of?

A- Ophthalmic nerve

ومن عَجَبِ الدُّنْيَا يَقِينُكَ بِأَلْفَا

وَأَنَّكَ فِيهَا لِلْبَقَاءِ تُرِيدُ!

إني لأمقت الرجل أن أمراه فارغاً، ليس
في شيء من عمل الدنيا ولا عمل الآخرة!

– سيدنا ابن مسعود | مرضي الله عنه.

B- Maxillary nerve

C- Mandibular nerve

D- Facial nerve

6- Nerve supply of occipitofrontalis muscle is?

A- maxillary nerve

B- facial nerve

C- mandibular nerve

D- ophthalmic nerve

7- All of the following are movements of mandible except?

A- depression

B- elevation

C- retraction

D- abduction

8- Which of the following is related to the floor of middle ear cavity?

A- promontary

B- bulb of internal jugular vein

C- pyramid

D- internal carotid artery

9- Cheif action of lateral pyerygoid?

A- Elevation

B- Depression

C- Side to side movement

D- Protrusion

10- Buccal branch of facial nerve is, While buccal branch of mandibular nerve is?

A- sensory - motor

B- motor - Sensory

11- Which of the following muscles rotates the cornea upward and laterally?

A- superior oblique

B- inferior oblique

C- Medial rectus

D- Lateral rectus

12- Which of the following muscles elvates the eyelids?

A- levator palbebrae superioris

B- superior rectus

13- Vertebtal artery is a branch of?

A- First part of subclavian

B- second part of subclavian

14- In which of the following layers of Scalp emmissary veins is present?

A- Loose areolar connective tissue

B- Dense connective tissue

C- periosteum

15- Root of Cervical plexus?

A- From C4-C8

B- From C1 - C4

C- From C1- C5

16- Which of the following cells share in the blood brain barrier?

A- Schwann cell

B- Astrocyte

C- Oligodendrocyte

17- What are the nonmyelinated segments called?

A- Nodes of Ranvier

B- Intermodal segments

18- The molecular layer contains dendrites of all theses cells except?

A- basket cells

B- purkinje cells

C- granular cells

D- ganglion neurons

19- All of the following are true about subarachnoid matter except?

A- It is a space between the dura covering in the spinal cord and the vertebra

B- Its contains CSF fluid protects from trauma

C- It is connected with the brain ventricles

20- All of the following is true about halothane EXCEPT?

- A- it causes dose dependant hypotension
- B- it is hepatotoxic
- C- it sensitizes myocardial (anti-arrhythmic) cells

D- it has fast induction and recovery time

21- Best antidepressant for panic attacks?

A- Fluoxetine

B- Imipramine

C- Selegiline

D- Clomipramine

22- Opioid receptor antagonist?

A- Naloxone

B- Methadone

C- Meperidine

D- Pentazocine

23- If transmission takes 2 mms then how many interneurons?

A- 3

B- 5

C- 4

24- Which of the following is true about Axo-Axonic synapse?

A- Highest excitability due to opening of Na channels

B- Highest excitability due to opening of L type channels

C- Highest excitability due to opening of T type channels

D- Highest excitability due to opening of aquaporin II type channels

25- pain receptors?

A- Are rapidly adapting receptors

B- are free nerve endings

C- Aren't widely distributed

26- Renshaw cell is activated by?

A- glutamate

B- Glycine

C- Ach

D- All of them

27- Muscle tone is reduced with the following diseases except?

A- upper motor neuron lesion

B- Lower motor neuron lesion

C- Cerebellar lesions

D- toxicity with curare like drugs

28- Glucose is the main fuel of brain, the amount of glucose in CSF is.....in plasma?

A- the Same as

B- more than

C- less than

D- absent

29- The inverse stretch reflex?

A- Depends on a receptor which is situated in the middle of the muscle

B- It is elicited when the muscle is subjected to excessive stretch

C- Leads to increased force of muscle contraction

D- It is a monosynaptic reflex

30- Which of the following is false about referred pain?

A- It is always continuous

B- Its explained by convergence projection theory

C- It is the major pain occurs in viscera

31- Lesion in area 4 in the cerebral cortex leads to all of the following except?

A- Fanning of all toes

B- Flaccid paralysis

C- Loss of superficial reflexes

32- When receptors causes large change in intensity of the stimulus that leads it all small change in frequency this

demonstrate Which function of the receptor?

- A- Compressor, weber fechner law
- B- Compressor, law of projection
- C- Generator molars law
- D- Transducer Weber fishner

33-primary sensory cortex?

- A- responsible for perception and integration of cutaneous and kinesthetic sensations
- B- Sensory memory
- C- Orientation of position of each part of the body relative to each other

34-Global ischemia due to?

- A- systemic hypotension
- B- thrombosis
- C- embolism

35-Extradural Hemorrhage due to?

- A- Rupture of Middle meningeal artery
- B- Cerebral Hemorrhage
- C- Laceration
- D- Petechial hemorrhage

36-All are characters of CSF in septic Meningitis except?

- A- Elevated protein content
- B- High sugar content

- C- presence of polymorphs , pus cells
- D- increased tension

37-Inhibiting enzyme of acetyl cholinestrase in neuromuscular junction leads to which of the following?

- A- inhibiting breakdown of acetyl choline in synapse
- B- inhibiting Ca⁺ channel opening
- C- inhibition Na⁺ channel opening
- D- inhibition synthesis of acetyl choline in neuron

Answers – MID 34

1	2	3	4	5	6	7	8	9	10
B	A	A	A	B	B	D	B	B	B
11	12	13	14	15	16	17	18	19	20
B	A	A	A	B	B	A	C	A	D
21	22	23	24	25	26	27	28	29	30
A	A	A	A	B	C	A	C	B	A
31	32	33	34	35	36	37	38	39	40
A	A	A	A	A	B	A	-	-	-

FINAL 34

1- Betz cells present in which of the following layers

- A- Outer pyramidal
- B- Molecular
- C- Outer granular
- D- Inner granular

2- Adult stage of coenurus cerebralis is

- A- Multiceps multiceps
- B- Echinococcus granulosus

3- GAE is caused by

- A- Acanthameba spps

4- Cerebellar cysticercosis is caused by

- A- Tenia solium

5- Cerebral sparganosis is caused by which of the following

- A- Plerocercoid of Diphylobothrium mansonii
- B- Proceroid of Diphylobothrium mansonii

6- All of the following are branches of basilar artery except

- A- PICA
- B- Superior cerebellar artery
- C- Labryinthine artery
- D- Posterior cerebral artery

7- All of the following share in formation of circle of Willis except

A- Middle cerebral artery

B- anterior cerebral artery

C- posterior cerebral artery

8- Which of the following fissures divide cerebellum into superior and inferior surfaces ?

A- Horizontal fissures

B- V primary fissures

9- Cerebellum is attached to the brain stem by how many peduncles ? 9-

A- 6

B- 3

C- 4

D- 2

10- Roberston Argyle pupil disease causes which of the following

A- Loss of accommodation but not light reflex

B- Loss of light but not accommodation reflex

C- Loss of both

D- Both are present

11- The order from the receptor of taste to nucleus tractus solitarius in brain stem is ?

A- 1st order neuron

B- 2nd order neuron

C- 3rd order neuron

D- 4th order neuron

12- Which of the following tract responsible for crude touch ?

A- Ventral spinothalamic

B- Lateral spinothalamic

13- Which of the following is the action of medial pterygoid muscle ?

A- Elevation and protraction of the mandible

B- Retraction

C- Depression

14- Posterior belly of digastric is supplied by

A- Facial nerve

15- Inferior limb of ansa cervicalis Supply infrahyoid muscles is

A- Descending cervicalis c2,3

B- Descending hypoglossi

16- Which of the following intravenous barbiturates anesthetic ?

A- Thiopental

B- Ketamine

17- Which of the following is dopamine agonist ?

A- Levodopa

B- Pramipexole

18- Opioids is contraindicated in head injuries

A- because it cause elevation in ICP

19- All of the following are indications of phenothiazines except

A- Psychosis

B- Parkinsonism

20- Which of the following is used in treatment of petit mal seizures but worsen grand mal seizures?

A- Valporate

B- Ethosuximide

21- Buspirone is

A- 5HT1A partial agonist used as anxiolytic

22- All are true about Phenytoin except

A- it's used in treatment of ventricular arrhythmia

B- Its elimination is dose dependent

C- it's used in treatment of Bipolar disorder

23- Poliovirus multiply in

A- Intestine

B- Nerve cell

C- Nasopharynx

24-Post exposure prophylaxis of rabies

A- Vaccine only

B- Immunoglobulins only

C- Both

25-Arbovirus encephalitis the west nile fever is transmitted by

A- Mosquitos

B- Flies

26-All of the following is true about tetanoplasmin toxin except

A- It's endotoxin

B- Giving antitoxin is ineffective after its entry to nerve cells

C- It takes several weeks to cause diseases

D- It's produced by gram positive rods with bulging terminal spores

27-Gelatinous membrane of organ of corti

A- Tectorial membrane

28-..... is function of outer hair cells

A- Filtration of the sound

29-Multiple sclerosis is

A- demyelinating diseases

B- degenerating disease

30-All of the following are true about medullary blastoma except

A- It forms both pseudo rosettes and true rosettes

B- It forms true rosettes only

31-Which of the following is low grade astrocytoma caused by bipolar cells and fibrillary hair like process ?

A- Pilocytic astrocytoma

B- Glioblastoma multiform

C- Anaplastic astrocytoma

32-Which of the following is stimulate umami receptors

A- Sodium glutamate

33-Physiological condition occurs with old age patient can't see near objects ...

A- Presbyopia

34-Which of the following occurs in light adaptation

A- Mydriasis

B- Increase sensitivity of rods

C- Decrease sensitivity of rods

35-Which of the following tracts is responsible for gross movement ?

A- Corticospinal tract

B- Extra pyramidal Tract

36-Motor apraxia occurs due to

A- Weakness of the controlling muscles

B- Loss of memory of doing skilled movement

C- Lesion in area 4

37-All of the following occurs in cerebellar ataxia except

A- Nystagmus

B- Rebound phenomenon

C- Positive Romberg test

D- Dysdiadochokinesia

38-Which part of cerebellum responsible for controlling gross movement ?

A- Archicerebellum

B- Paleo cerebellar

C- Neo cerebellum

D- Folliculonodular lobe

39-Priming is the function of which part ...

A- Neocortex

B- Cerebellum

40-Which of the following is the analyzer of hearing ?

A- Basilar membrane

41-Cerebral malaria is one of complications of plasmodium falciparum due to

A- Adhesive phenomenon of the infected erythrocytes

42-Which of the following is true about gate control theory in pain analgesia system

A- Touch receptors send inhibitory collaterals to DRG to inhibit release of substance P

B- Touch receptors send inhibitory collaterals to substantia gelatinosa to inhibit release of substance P

43-Which of the following is true about Aqueous humor ?

A- It's actively secreted from cells of ciliary processes

44-Which of the following is the function of categorical hemisphere ?

A- Recall

B- Recognition

C- Spatial skills

D- Telling poses

45-Which of the following occurs in REM phase of sleep

A- Grinding of teeth

46-All of the following share in transparency of cornea except

A- It's formed of pseudo stratified squamous epithelium

B- The fibers arranged in same direction

C- Absence of keratinization

47-Amino acid in the brain important for detoxification of ammonia and act as a neurotransmitter.

A- Glutamate

48-Mannose to be used for the brain must be converted to

A- Fructose -6- phosphate

B- Glucose

49-Sacculle is responsible for

A- Angular acceleration

B- Linear acceleration in vertical direction

C- Linear acceleration in horizontal direction

50-A patient suffering from elevated blood pressure, sweating, excitation, restlessness tremors, Tachycardia, T3&T4 levels are normal and elevated levels of VMA & HVA in urine the patient suffering from

A- Pheochromocytoma

51-The most active part in triggering action is

A- Neurotransmitter- receptor complex

52-Which of the following doesn't obey reciprocal innervation

A- Positive supporting reaction

53-y efferent fiber supply

A- Intrafusal muscle fibers

54-Reward center present in

A- Medial forebrain bundle

55-The most common cause of hospital acquired meningitis is

A- Pseudomonas aeruginosa

56-The classical triad of meningitis is

A- Headache and fever and Neck stiffness

57-Death from botulinum toxin occurs due to

A- Respiratory failure

58-According to Retina Which of the following is true ?

A- In light exposure depolarization of photoreceptors and bipolar cell

B- In light exposure depolarization of photoreceptors only

C- In light exposure depolarization of bipolar cell only

D- Blind spot contains Rods only

59-Which of the following tracts carry proprioceptive sensation ?

A- dorsal column - medial lemniscus pathway

B- spino thalamic tract

C- Spinocerebellar tract Final CNS

(Pathology)

60-Which of the following diseases

characterized by remission and relapse ?

A- Multiple sclerosis

B- Parkinson's disease

C- Alzheimer's disease

61-Which of the following tumors

characterized by verocay bodies ?

A- Meningioma

B- Schwannoma

C- Medulloblastoma

ليس عليك إلا السعي . .

وقد تأتيك نفحة من توفيق الله تدفعك للأمام

بعشرات أضعاف سعيك !

Answers – FINAL 34

1	2	3	4	5	6	7	8	9	10
A	A	A	A	A	A	A	A	B	B
11	12	13	14	15	16	17	18	19	20
A	A	A	A	A	A	B	A	B	B
21	22	23	24	25	26	27	28	29	30
A	C	A	C	A	A	A	A	A	B
31	32	33	34	35	36	37	38	39	40
A	A	A	C	B	B	C	B	A	A
41	42	43	44	45	46	47	48	49	50
A	B	A	A	A	A	A	A	B	A
51	52	53	54	55	56	57	58	59	60
A	A	A	A	A	A	A	C	A	A
61	62	63	64	65	66	67	68	69	70
B	-	-	-	-	-	-	-	-	-

لَا تَكُنْ شَابَّ الْبَدَنِ أَشْيَبَ الْهَمَّةِ،
فَإِنَّ هِمَّةَ الصَّادِقِ لَا تَشِيْبُ.

2ND TRIAL 34

1- Auditory pathways consist of all the following except:

A- superior olivary nucleus

B- spiral ganglia

C- lateral geniculate body

D- inferior colliculus

2- Which of the following nerves arise from pons:

A- CNX

B- CNXII

C- CNVII

D- CNIX

3- Cerebrospinal fluid communicates with the subarachnoid space via the:

A- 4th ventricle

B- subarachnoid granulations

C- 3rd ventricle

D- choroids plexus

4- The visual area is present at the:

A- frontal lobe

B- temporal lobe

C- occipital lobe

D- partial lobe

5- Which artery supplies a major part of the lateral surface of the cerebral hemisphere:

- A- anterior cerebral artery
- B- posterior cerebral artery
- C- middle cerebral artery
- D- vertebral artery

6- Which subdivision of the cerebellum is responsible for equilibrium?

- A- archicerebellum
- B- paleocerebellum
- C- neocerebellum
- D- none of above

7- The superior colliculus is responsible for:

- A- Vision
- B- General Touch
- C- Hearing
- D- All of above

8- Which of the following sinuses is a paired sinus?

- A- superior sagittal sinus
- B- inferior sagittal sinus
- C- transverse sinus
- D- straight sinus

9- The digastric muscle's posterior belly is innervated by:

A- Hypoglossal nerve

B- The facial nerve

C- Buccal branch of the mandibular

D- Nerve to mylohyoid

10- The vertebral artery is a branch of:

- A- basilar artery
- B- internal carotid artery
- C- external carotid artery
- D- subclavian artery

11- To rotate the cornea upwards and laterally, we should use:

- A- superior oblique
- B- inferior oblique
- C- medial rectus
- D- lateral rectus

12- the middle meningeal artery is a branch from:

- A- Mandibular artery
- B- Subclavian artery
- C- Maxillary artery
- D- internal carotid artery

13- It relates to the floor of middle ear cavity:

- A- The internal carotid artery
- B- Promontory
- C- The pyramid

D- The bulb of the internal jugular vein

14- Which nerve innervates the sternocleidomastoid muscle?

- A- the hypoglossal nerve
- B- the trigeminal nerve
- C- the accessory nerve
- D- the facial nerve

15- Emissary veins of the scalp lie within the:

- A- Aponeurosis of the scalp
- B- Pericranium
- C- Loose areolar tissue layer of the scalp
- D- Connective tissue layer of the scalp

16- Attenuation Reflex is the major action of:

- A- tensor tympani
- B- stapedius
- C- tensor palati
- D- masseter

17- Muscle tone is reduced in the following conditions, EXCEPT:

- A- lower motor neuron lesion.
- B- neocerebellar lesions.
- C- upper motor neuron lesion.
- D- toxicity with curare-like drugs.

18-The inverse stretch reflex:

A- depends on a receptor situated in the middle of the muscle.

B- is elicited when the muscle is subjected to excessive stretch.

C- leads to increased force of muscle contraction.

D- is a monosynaptic reflex.

19-The withdrawal reflex:

A- is monosynaptic.

B- is polysynaptic.

C- is more rapid than the stretch reflex.

D- disappears in complete transection of the spinal cord below level of the lesion.

20-All are true regarding the stretch reflex,

EXCEPT:

A- it can be elicited by passive stretch.

B- it depends on the muscle spindle parallel with the extrafusal muscle fibres.

C- it is a polysynaptic reflex.

D- stretch of a muscle is followed by its contraction.

21-The primary endings innervating the muscle spindle:

A- only innervates the nuclear chain fibres.

B- innervate both nuclear chain and nuclear bag fibres.

C- are a slowly conducting nerves having a diameter of 4 microns.

D- discharge during the static response only.

22-The most potent reward center is found in:

A- The neocortex

B- The amygdala

C- The medial forebrain bundle

D- The hippocampus

23-Procedural memory:

A- includes skills and habits.

B- relates to classical and operant conditioning.

C- facilitation of new words learning.

D- processed in the neocortex.

24-Na concentration in the CSF is...its concentration in the plasma.

A- more than

B- less than

C- same as

D- absent

25-The sensory unit is:

A- Single afferent neuron with all its receptor endings

B- All neurons in the same area of the CNS

C- All receptors in the same area of the skin

D- All nerve fibers with all its motor end plates

26-It takes 2 msec for transmission of a signal from certain dorsal root ganglia to a certain AHC How many synapses are present?

A- 4

B- 3

C- 5

D- 0.5

27-Renshaw cell in the spinal cord acts by releasing:

A- Acetylcholine

B- Glutamate

C- Glycine

D- All of the above

28-The most common type of synapses is

A- Axodendritic

B- Axosomatic

C- Axoaxonic

D- Dendrite somatic

29-About Neocerebellum:

A- inhibitory to stretch reflex

B- responsible for coordination of current occurring movements

C- facilitatory to muscle tone

D- connected to vestibular nuclei

30-All are true about cerebellar ataxia

except:

A- Decomposition of movements

B- Negative Romberg sign

C- Akinesia

D- Nystagmus

31-In fluent aphasia, the lesion occurs in the:

A- Primary auditory area

B- Wenicke's area

C- Occipital area

D- Hand skills area

32-Characters of primary hyperalgesia

include:

A- It occurs in the injured skin area and the surrounding area of flare

B- The pain threshold is not lowered

C- Touch in this area is not painful

D- It occurs in the healthy skin area

33-Concerning pain sensation, the following is true:

A- Pain receptors in viscera are the same as in the skin

B- Pain receptors are rapidly adapting receptors

C- Slow pain is conducted by type A nerve fibers

D- Pain sensation is relayed in thalamus and sensory cortex

34-About referred pain, all the following are true except:

A- It occurs as a result of migration of organs during development

B- It is explained by the convergence projection theory

C- It always accompanies cutaneous pain

D- It is a major manifestation of visceral pain

35-The following theories can explain pain analgesia except the:

A- Gate theory

B- Descending analgesic tracts

C- Presence of neurotransmitters such as enkephalins in the analgesic pathway

D- The convergence projection theory

36-Concerning sleep:

A- sleep consists only of non-REM sleep.

B- sleep consists only of REM sleep.

C- non-REM sleep is characterized by dreams.

D- REM sleep is characterized by teeth grinding.

37-The innervations of the eye and its muscles include:

A- somatic efferent nerve fibers to the external ocular muscles.

B- visceral (autonomic) efferent nerve fibers from the superior cervical ganglia.

C- somatic efferent nerve fibers to the iris muscles and ciliary muscles.

D- a & b are correct.

38-Rods in the retina are:

A- more in the central part of the retina.

B- more sensitive to light.

C- better innervated than cones.

D- present in fovea.

39-Presbyopia:

A- the power of accommodation decreases.

B- it is caused by large eyeballs.

C- reading becomes easier.

D- it is caused by small eyeballs.

40-Which of the following cells transmit impulses to the rest of the central nervous system via axons in the optic nerve?

A- ganglion cells

B- amacrine cells

C- bipolar cells

D- horizontal cells

41-Regarding the nerve cell:

A- It has heterochromatic nucleus

B- It is a steroid secreting cell

C- It contains Nissl granules

D- It is always rounded in shape

42-Regarding the grey matter of the cerebellar cortex, it is formed of all of the following EXCEPT:

A- nerve cells

B- neuroglia

C- myelinated nerve fibers

D- blood vessels

43-The molecular layer of the grey matter of the cerebellum contains all of the following EXCEPT:

A- Dendrites of Purkinje cells.

B- Axons of basket cells.

C- Dendrites of the Golgi neurons.

D- Dendrite of the granular cells.

44-The lining epithelium of the cornea is :

A- Simple squamous

B- Simple cuboidal

C- Simple columnar

D- Stratified squamous

45-The nervous layer of the eye include:

A- Cornea

B- Retina

C- Sclera

D- Conjunctiva

46-Which of the following forms myelin in the central nervous system?

A- Astrocytes

B- Oligodendrocytes

C- Ependymal cells

D- Schwann cells

47-What is the dura matter composed of?

A- Loose irregular connective tissue

B- Dense irregular connective tissue

C- Simple squamous epithelium

D- Nervous tissue

48-Organ of Corti is a neuroepithelial structure which rests on the:

A- Tectorial membrane

B- Vestibular membrane

C- Basilar membrane

D- Otolithic membrane

49-Taste buds are located in:

A- The ventral aspect of tongue and soft palate

B- The dorsum of the tongue and soft palate

C- The anterior surface of epiglottis and soft palate

D- The ventral aspect of tongue and hard palate

50-The adult of hydatid cyst is:

A- Taenia solium

B- Echinococcus granulosus

C- Taenia saginata

D- Multiceps multiceps

51-Cerebral malaria caused by Plasmodium falciparum is due to:

A- Immune suppression

B- Adhesive phenomenon in cerebral vessels

C- Activation of sporozoites

D- Premunition

52-The vector of Onchocerca volvulus is:

A- Female Anopheles

B- Chrysops

C- Glossina palpalis

D- Simulium (black fly)

53-It is associated with uveitis or ulceration of the cornea (keratitis).

A- Acanthamoeba culbertsoni

B- Toxoplasma gondii

C- Trypanosoma cruzi

D- Naegleria fowleri

54-Secondary amoebic brain abscess is caused by:

A- Acanthamoeba

B- Naegleria fowleri

C- Entamoeba histolytica

D- Entamoeba coli

55-is the pathognomonic clinical feature of rabies in humans.

A- Aerophobia

B- Vomiting

C- Hydrophobia

D- Paralysis

56-The poliovirus infection spread through:

A- breastfeeding

B- placental route

C- fecal-oral route

D- sexual route

57-The most effective way of preventing tetanus before exposure to:

A- Surgical debridement of the wound

B- Antibiotics

C- Hyperbaric oxygen

D- Tetanus toxoid

58-Food poisoning is caused by:

A- Clostridium tetani

B- Clostridium septicum

C- Clostridium welchi

D- Clostridium botulinum

59-Which of the following is the most common cause of neonatal meningitis?

A- Haemophilus influenzae b

B- Neisseria meningitides

C- Streptococcus agalactiae

D- Streptococcus pneumoniae

60-Which pathogen is a common bacterial cause of meningitis?

A- Pseudomonas aeruginosa

B- Enterobacter aerogenes

C- Staphylococcus epidermidis

D- Streptococcus pneumoniae

61-What term refers to an inflammation of the brain tissues?

A- Encephalitis

B- Sinusitis

C- Meningitis

D- Meningoencephalitis

62-The commonest cause of massive cerebral hemorrhage in old age is:

A- Rupture of cerebral aneurysm

B- Trauma

C- Hypertension

D- Hemorrhagic blood diseases

63-Multiple sclerosis is characterized by:

A- Rapid fatal disease.

B- Regressive course.

C- Remission and relapse.

D- Steady progressive course.

64-Causes of non-suppurative meningitis include all of the following. Except:

A- Tuberculosis

B- Fungal

C- Viral

D- Meningococci

65-Demyelinating disease means:

- A- Destruction of axons.
- B- Destruction of the cerebral cortex
- C- Destruction of myelin.**
- D- Destruction of the brain stem.

66-Pilocytic astrocytoma is characterized by all EXCEPT:

- A- It usually occurs in children
- B- It is usually cystic
- C- It usually occurs in the cerebellum
- D- It is of bad prognosis**

67-Microscopic Homer-Wright rosette formation is a characteristic feature of:

- A- Astrocytoma
- B- Medulloblastoma**
- C- Oligodendroglioma
- D- Meningioma

68-All of the following are true about Medulloblastoma Except:

- A- Type of glioma**
- B- Embryonic tumor
- C- Presence of malignant small round cells
- D- WHO grade IV

69-Psammoma bodies are characteristic of:

- A- Astrocytoma

- B- Medulloblastoma
- C- Oligodendroglioma

D- Meningioma

70-Gamma-Aminobutyrate (GABA) is synthesized from:

- A- tyrosine
- B- glutamate**
- C- glycine
- D- serine

71-Which of the following substances depletion can lead to neuronal degeneration?

- A- glucose
- B- mannose
- C- cholesterol**
- D- glutamate

72-Depression may be caused by:

- A- Excess of dopamine
- B- Insufficient serotonin**
- C- Excess of serotonin
- D- Insufficient acetylcholine

73-Neurotransmitter is released into the synapse and makes its way to of the target neuron receptors on the

- A- postsynaptic axon.

- B- presynaptic cell soma.
- C- presynaptic dendrite.

D- postsynaptic dendrite.

74-One of the following drugs acts as inverse agonists at benzodiazepine receptor:

- A- Clonazepam
- B- Flumazenil
- C- Zolpidem
- D- B-carbolines**

75-Which of the following is barbiturates intravenous anesthetic agents?

- A- Halothane
- B- Ketamine
- C- Thiopental**
- D- Etomidate

76-Morphine is contraindicated in one of the following conditions:

- A- Cough
- B- Postoperative pain
- C- Cardiac asthma with Pulmonary Edema
- D- Head injury**

77-All of the following are true about halothane except:

- A- it produces a dose dependent hypotension
- B- it produces fulminant hepatic necrosis

C- it sensitizes myocardium to arrhythmogenic effects of epinephrine

D- it has rapid induction and recovery time

78-Which of the following drugs is a competitive antagonist of opioid receptors?

A- Meperidine

B- Clonidine

C- Naloxone

D- Tramadol

79-All the following antipsychotic drugs cause extrapyramidal side effects except:

A- Chlorpromazine

B- Clozapine

C- Haloperidol

D- Phenothiazine

80-All of the following are broad-spectrum anticonvulsant EXCEPT:

A- Topiramate

B- Valproic acid

C- Lamotrigine

D- Carbamazepine

81-The drug of the first choice in treatment of Grand Mal Epilepsy is:

A- Carbamazepine

B- Diazepam

C- Phenytoin

D- Ethosuximide

82-The following drug causes swollen tender bluish discolored feet in patients with Parkinsonism:

A- Amantadine

B- Bromocriptine

C- Bzotropine

D- Selegiline

83-The following drug is combined with Levodopa to increase its plasma level:

A- Bromocriptine

B- Carbidopa

C- Ropinirole

D- Pramipexole

Answers – FINAL 34									
1	2	3	4	5	6	7	8	9	10
C	C	A	C	C	A	A	C	B	D
11	12	13	14	15	16	17	18	19	20
B	C	D	C	C	B	C	B	B	C
21	22	23	24	25	26	27	28	29	30
B	C	A	A	A	B	C	A	B	C
31	32	33	34	35	36	37	38	39	40
B	A	D	C	D	D	D	B	A	A

41	42	43	44	45	46	47	48	49	50
C	C	C	D	B	B	B	C	B	B
51	52	53	54	55	56	57	58	59	60
B	D	A	C	C	C	D	D	C	D
61	62	63	64	65	66	67	68	69	70
A	C	C	D	C	D	B	A	D	B
71	72	73	74	75	76	77	78	79	80
C	B	D	D	C	D	D	C	B	D
81	82	83							
C	A	B							

"مَرَبِّ إِنِّي لَمَّا أَتَيْتُ إِلَيْكَ مِنْ خَيْرٍ فَقِيرٌ"

تَرَبُّضُ اللَّهِ، هَذَا وَمَا كَانَ مِنْ تَوْفِيقٍ فَمنَ اللَّهِ وَحْدَهُ

وَمَا كَانَ مِنْ خَطَاٍ أَوْ زَلٍّ فَمنَ أَنفُسِنَا وَمِنَ الشَّيْطَانِ

، وَفَقْنَا اللَّهَ وَإِيَّاكُمْ لِحُجْرِي الدُّنْيَا وَالْآخِرَةِ وَأَعْتَنَّا

عَلَى طَاعَتِهِ

نَسْأَلُكُمْ الدُّعَاءَ لِكُلِّ مَنْ سَبَقْنَا مِنْ أَخْوَانِنَا إِلَى

اللَّهِ أَنْ يَتَغَمَّدَهُمْ بِوَسْعِ رَحْمَتِهِ وَأَنْ يَرْفَعَ قَدْرَهُمْ

وَيَتَجَاوَزَ عَنْ سَيِّئَاتِهِمْ وَأَنْ يَجْمَعَنَاهُمْ فِي جَنَّتِهِ.