

FORENSIC MEDICINE & CLINICAL TOXICOLOGY

PREVIOUS EXAMS



بسم الله الرحمن الرحيم

والصلاة والسلام على خير المرسلين محمد بن عبد الله وعلى آله وصحبه وسلم أما بعد ، نقدم بين يديك ملف أسئلة الأعوام السابقة لبلوك (FMT) وتشمل جميع الامتحانات السابقة ابدأ مستعيناً بالله وكرر الحل ما استطعت وأحرص على وقتك فهو رأس مالك وأعلى ما تملك

-	Title	Page
1	2013	3
2	2015	4
3	2015 third trial	6
4	2016 Second trial	8
5	2018	10
6	2018 second trial	13
7	2020	15
8	2020 oral sheet	19
9	2021 (old)	21
10	Mid 2021 (new) 30	23
11	Final 2021 (new) 30	26
12	Mid 2022 31	30
13	Final 2022 31	33
14	Mid 2023 32	38
15	Final 2023 32	40
16	Mid 2024 33	44
17	Final 2024 33	46
18	Random	50

حسابات الفريق على منصات التواصل الاجتماعي



<https://t.me/m3wan0>



<https://www.facebook.com/profile.php?id=100086098727519>



www.youtube.com/channel/UC6kkzDhPDOgR3Vjy4SLs03Q

جميع الحقوق محفوظة لفريق معوان

ولا نحلل بيعها بعائد ربحي او سرقتها باي شكل من الأشكال

1- The medullary cavity of the humerus in males reaches the anatomical neck at the age of?

- A- 21 years
- B- 30 years
- C- 23 years
- D- 33 years

2- Ant-mortem hanging can be identified from post-mortem suspension by?

- A- Hypostasis is most marked in the legs, hands and feet
- B- The head is inclined to the site opposite to the knot
- C- The intima and media of the carotid arteries are lacerated
- D- Fractured hyoid bone

3- The cause of death of dry drowning is?

- A- Asphyxia of drowning
- B- Laryngeal spasm
- C- Pulmonary edema
- D- all of the above

4- These factors affect rigor mortis except?

- A- cold stiffness
- B- age and muscular development
- C- electrocution
- D- temperature

5- workers in the manufacture of medical thermometers may suffer from?

- A- encephalopathy and blue gum line
- B- Kinetic tremors
- C- Mee's line
- D- phossy jaw

6- The poison which is diagnosed by smell of vomitus is?

- A- Lead oxide

B- acetaminophen

C- yellow phosphorus

D- iron

7- All of the following are rodenticides except?

- A- thalium
- B- yellow phosphorus
- C- warfarin
- D- paraquat

8- Takayama test is confirmatory to a blood stain as it depends on the presence of?

- A- oxidase enzyme
- B- dehydrogenase enzyme
- C- Albumin
- D- Hemoglobin

Answers									
1	2	3	4	5	6	7	8	9	10
D	A	B	C	B	C	D	D	-	-

عن أبي هريرة رضي الله عنه أن رسول الله صلى الله عليه وسلم قال: "مَنْ صَلَّى عَلَى جَنَازَةٍ فَلَهُ قِيرَاطٌ، وَمَنْ تَبِعَهَا حَتَّى يُقْبَضَ دَفْنُهَا، فَلَهُ قِيرَاطَانِ، أَحَدُهُمَا - أَوْ أَصْغَرُهُمَا - مِثْلُ أَحَدٍ". قَالَ أَبُو سَكَمَةَ: فَذَكَرْتُ لَابْنَ عُمَرَ، فَتَعَاظَمَهُ، فَأَمْرَسَ إِلَى عَائِشَةَ، فَقَالَتْ: صَدَقَ أَبُو هُرَيْرَةَ. فَقَالَ ابْنُ عُمَرَ: لَقَدْ فَرَّطْنَا فِي قِرَارِ بَطْ كَثِيرَةٍ.

1- Adult male was burnt, on the 12th day after burn he died; death is most probably due to?

- A- Acute edema of glottis
- B- Pulmonary fat embolism
- C- Ruptured Curling ulcer
- D- Suprarenal haemorrhage

2- Cadaveric spasm starts at this time?

- A- 1/2h
- B- 1h
- C- 2hs
- D- At the moment of death

3- All skull fracture heals by fibrous membrane except?

- A- Depressed fracture
- B- cut fracture
- C- Fissure fracture
- D- Comminuted fracture

4- In a scene of crime unknown fresh stain was found. It was brownish red in color and gave +ve reaction for oxidase test. This stain is?

- A- Human stain
- B- may or may not be blood
- C- Animal stain
- D- can't be identified

5- Strychnine stimulates?

- A- Peripheral nervous system
- B- Spinal cord only
- C- All parts of CNS specially the anterior horn cells of the spinal cord

6- The target organ of arsenic poisoning is?

- A- Liver
- B- Heart
- C- kidneys
- D- Stomach

7- The poison which is diagnosed by smell of vomitus is?

- A- Lead oxide
- B- Acetaminophen
- C- Yellow phosphorus
- D- Iron

8- Sudden withdrawal is preferred in treatment of dependence of the following except?

- A- Alcohol
- B- Barbiturate
- C- Morphine
- D- Amphetamine
- E- b & c
- F- b & d

1	2	3	4	5	6	7	8	9	10

Complete

9- Types of hymens of medico legal importance are (1) (2)

10- When criminal abortion is done by a doctor he is considered

11- Gerhardt's test is used to

12- Species origin of blood is diagnosed by..... if blood is fresh and by when dry

13- Sinking of a respired lung may occur due to (1) (2)

14- In the intestine, salicylates are transformed to.....by.....

15- Ethyl alcohol is mainly CNS.....but the initial acceleration of activities following its ingestion is due to.....

Choose the correct answer and give reason

1- Immediate death may not occur in stab wound in the left ventricle of the heart

- A- true
- B- False

the reason:

2- Takayama test is a confirmatory test for blood stain and proves it is of human origin

A- true

B- False

the reason:

3- Abrasion collar is due to soiling the edges of the inlet

A- true

B- False

the reason:

4- Oximes are recommended in treatment of carbamate toxicity

A- true

B- False

the reason:

5- Opium has characteristic odour but morphine hasn't

A- true

B- False

the reason:

1	2	3	4	5	6	7	8	9	10

Forensic medicine

1- A 30-year-old man notified the police about the death of his 19 years old sister in a fire that broke in their house. A neighbor claimed that the brother killed his sister for the sake of honor. A large fass was found at the scene of the crime. Medico legal examination revealed head injury. How can you verify the age of the victim and that of the assailant?

- I. Describe the head lesion?
- II. What is the possible cause of death?
- III. Mention signs of burn found at autopsy?
- IV. How can you prove whether the claim of the neighbor was true or not?
- V. Mention the conditions in which a female is examined for signs of pregnancy?

Give an account on

1- Livor mortis in internal organs?

2- Factors determining the outcome of electric injury?

3- Atypical drowning?

4- Medicolegal importance of the umbilical cord?

Discuss

1- Definition of brain stem death, preconditions and characters of personnel sharing in diagnosis of brain stem death?

2- Characters of gunshot injury fired from sporting gun at a distance of four meters?

Toxicology

1- A mother and her 8 months infant were overcome by smoke inhalation during a fire that set in their home. They were transported by ambulance to Sohag poison control center. The mother was comatosed, pulse rate 100/min. respiratory rate 28/ min. and blood pressure 90/60. irregular area of skin erythema were observed in her back. Her infant was died. What is the probable cause of toxicity?

- I. What is the probable cause of the coma of the mother?
- II. What is the proper management of the mother?
- III. What are the needed follow up investigations?
- IV. Why this poison caused death of the infant but coma to the mother?

Mention the specific antidote and its action

1- Acetaminophen?

2- Iron?

3- Oxalic acid?

Give an account on

1- Clinical picture of and management of scorpion sting?

2- Hyperbaric oxygen?

3- Characters of barbiturate coma?

4- Toxicological importance of urine examination?

5- General characters of irritant poisons?

قال الإمام أحمد : حدثنا الوليد بن مسلم، حدثنا صفوان بن عمرو، حدثني عبد الرحمن بن جبير بن نفير عن أبيه، قال : لما فتحت قبرس فُرق أهلها، فبكى بعضهم إلى بعض ومرايت أبا الدرداء جالساً وحده يبكي فقلت يا أبا الدرداء ما يبكيك أعز الله فيه الإسلام وأهله ؟ فقال : ويحك يا جبير، ما أهون الخلق على الله عز وجل إذا أضاعوا أمره ! بينما هي أمة قاهرة ظاهرة لهم الملك، تركوا أمر الله، فصامروا إلى ما ترى !

2015 THIRD TRIAL

1- The age of 18 in female can be detected by union of?

- A- Distal end of metacarpal bones
- B- Upper end of femur
- C- lower end of tibia
- D- lower end of radius

2- Defense wounds are characterized by the following except?

- A- Multiple
- B- cuts and stabs
- C- at palms and forearms
- D- fatal wounds

3- Silver spots present in violent asphyxia are seen in?

- A- In lungs
- B- Brain substance
- C- Subperitoneal
- D- Subcutaneous

4- Coma after concussion is characterized by the following?

- A- Rapid weak puls
- B- Equal pupiles
- C- Low blood pressure
- D- All of the above

5- In case of non respired lung it might be found?

- A- Solid in consistency
- B- alveoli lined by flat epithelium
- C- Purple in color
- D- Sink by hydrostatic test
- E- All of the above

6- Gastric lavage is contraindicated in?

- A- Comatosed pateint
- B- Infant below 6 months
- C- Corrosive toxicity

7- Salicylate poisoning cause bleeding tendency due to except?

- A- Decrease prothrombine formation
- B- Decrease platelet aggregation
- C- Increase capillary fragility
- D- Decrease vitamin K absorption

8- Match the number from column (B) with the letter from column (A)

The following physiological antidotes are the best for treatment of poisoning by:

A		B	
A	() Chronic lead.	1)	Naloxone.
B	() Methyl alcohol	2)	Atropine
C	() Opium.	3)	DMSA
D	() Organophosphorus	4)	BAL
		5)	Ethyl alcohol.

1	2	3	4	5	6	7	8	9	10

Complete

1- In firearm beveling occurs in due to

Choose the correct answer and give reason

1- abrasions may indicate the site of impaction of the instrument?

- A- true
- B- False

the reason:

2- At the exit hemorrhage is more than that at the inlet in fire arm jules?

- A- true
- B- False

the reason:

3- Arborvitae is an indication of virginity?

- A- true
- B- False

the reason:

4- Opium has a characteristic odor but morphine hasn't?

- A- true
- B- False

the reason:

5- Oximes must be used early in organophosphate toxicity?

- A- true
- B- False

the reason:

1	2	3	4	5	6	7	8	9	10

Forensic medicine

1- A young male 18 years old was found in his room with an incised wound in the neck. Blood stains were seen on the mirror and on the ventral aspect of the clothes. A razor was seen nearby of the body. How to verify the age of the victim?

- I. **Do you think that this case was homicidal or Suicidal? Why?**
- II. **Do you think that the wound can result by the assumed weapon? Why?**
- III. **Mention the possible causes of death?**

Medicolegal importance of

1- Contusions?

2- hypostasis?

3- Lucid interval?

4- Age of 18 years?

5- Imperforate hymen?

Toxicology

1- A child was in country. while walking he ate small black non edible seeds. Few hours after he was found confused and excited with flushed dry skin and dry mouth. What's your diagnosis?

- I. **What other signs and symptoms would you ask for?**
- II. **What is the proper management of this case?**

Give an account on

- 1- **Contraindication of induction of emesis?**
- 2- **Clinical picture of Carbon monoxide(Co) toxicity?**
- 3- **Management of organophosphate poisoning?**
- 4- **Physiologic antidote**

الإيمان ينهائهم وواعظ الموت ينهائهم، وواعظ النار

ينهائهم والذي يفوته بالمعصية من خير الدنيا

والآخرة أضعاف أضعاف ما يحصل له من

السرو والذقة بها، فهل يُقدم على الاستهانة

بذلك كله والاستخفاف به ذو عقل

سليم؟

2016 SECOND TRIAL

1- The first approach in management of acute intoxicated patient is?

- A- Taking careful history about the cause of poisoning
- B- Rapid assessment of the vital function
- C- Toxicological analysis to determine the severity
- D- Emesis or gastric lavage for the ingested poison.

2- Only absolute contraindication for gastric lavage & emesis in ingested poison?

- A- Comatose patient
- B- Inorganic corrosives
- C- Toxic convulsion
- D- Organic corrosives

3- The best antidote for Morphine poisoning is?

- A- Nalorphine
- B- levalorphan
- C- Naloxone
- D- atropine

4- Convulsions of oxalic acid poisoning are best treated with?

- A- Diazepam
- B- MgSO₄
- C- Calcium gluconate
- D- None of the above

5- One of the following is a sure external sign of drowning that can be found in postmortem examination?

- A- Goose skin
- B- Washer woman's hands
- C- Peeling of the skin
- D- Fine froth at the mouth and nostrils

6- The crystals produced by the reaction between the blood and Takayama reagent are?

- A- Needle shaped

B- Salmon pink rosettes

C- Small rhombic

D- a & c

7- A nulliparous uterus is characterized by?

A- The cavity is globular

B- The external cervical os is transverse slit

C- Absence of arbor vitae

D- The length of the body equals the cervix

8- The age of full criminal responsibility is?

A- 7 years

B- 18 years

C- 21 years

D- 30 years

9- Dry burn is caused by?

A- Hot liquid or steam

B- Flame or hot metals

C- Deep x-ray or UV-rays

D- Strong acids or alkalies

10- A person with a head injury can talk normally and tell about the circumstantial evidence in case of?

A- Lucid interval

B- Retrograde amnesia

C- Concussion

D- Automatism

1	2	3	4	5	6	7	8	9	10
B	B	C	C	D	B	D	C	B	A

Choose the correct answer and give reason

1- CO poisoning causes red asphyxia?

A- true

B- False

the reason:

2- Gaping of wound is a postmortem phenomenon?

A- true

B- False

the reason: antemortem phenomenon

3- The rifling marks are helpful for identification of the weapon?

A- true

B- False

the reason:

4- Cadaveric spasm occurs at the moment of death and affects all the muscles?

A- true

B- False

the reason: only voluntary muscles

5- Punctate basophilia is specific to chronic arsenic poisoning?

A- true

B- False

the reason: lead poisoning

1	2	3	4	5
A	B	A	B	B

Forensic medicine

1- A boy of 18 years old was found dead in the street. The forensic examiner found two wounds with loss of substance, 1 and 2 cm in diameter in the anterior abdominal wall. These injuries were surrounded by multiple 2-3 mm dispersed holes over an area of 6 cm in diameter and a semi lunar abrasion. The forensic examiner reported that severe internal hemorrhage is the cause of death. Verify the age of the victim with its Medico-legal importance?

- Describe the characteristics finding in this type of firearm injuries?**
- Estimate distance of firing and the type of weapon used?**

Give an account on

- 1- Lucid interval?
- 2- Medico legal importance of blood stains examination?
- 3- Classical Signs of asphyxia?
- 4- Preconditions for therapeutic abortion?
- 5- Sequale of CO poisoning?
- 6- Characters of the inlet of firearm injury?

Mention the specific antidote

- 7- Organophosphorus compounds?
- 8- Paracetamol?
- 9- Cyanide?
- 10- Methanol?
- 11- Oxalic acid?

Tabulate the difference between

- 12- Difference between antemortem and postmortem burn?
- 13- Cut and contused wounds
- 14- Abdominal colic of lead poisoning and appendicitis colic

فيُفَرِّجُ لَهُ قَبْلَ الْجَنَّةِ، فَيَنْظُرُ إِلَى نَزْهِرَتِهَا وَمَا فِيهَا،
فَيَقَالُ لَهُ: انْظُرْ إِلَى مَا صَرَفَ اللَّهُ عَنْكَ، ثُمَّ يُفَرِّجُ
لَهُ فُرْجَةً قَبْلَ النَّارِ، فَيَنْظُرُ إِلَيْهَا، يَحْطِمُ بَعْضُهَا
بَعْضًا، فَيَقَالُ لَهُ: هَذَا مَقْعَدُكَ، عَلَى الشَّكِّ كُنْتَ،
وَعَلَيْهِ مَتَّ، وَعَلَيْهِ تَبْعَثُ، إِنْ شَاءَ اللَّهُ تَعَالَى

2018

1- Flab wound is caused by?

- A- Sharp knife
- B- Heavy stick
- C- Running belt of the machine
- D- Dragger

2- Garroting is a method of homicidal strangulation which is accomplished by?

- A- Placing one bamboo stick across the front of neck and one at the back, and tying both ends with a rope
- B- Holding the neck of victim in the bend of the elbow
- C- Compression of the neck by the hand
- D- Throwing a ligature over the neck from behind and quickly tightening it

3- All about brain laceration are true except?

- A- Circumscribed area of brain tissue destruction
- B- The cortex loses its continuity
- C- Surrounded by contusion
- D- Pia matter is intact

4- Primary flaccidity differs on secondary flaccidity in?

- A- Starting one hour after death
- B- Body temperature is higher than normal
- C- Loss of response to electric stimuli
- D- None of the above

5- Identification of race is done by?

- A- Length of femur
- B- Width of sternum
- C- Sacrum characters
- D- Skull characters

6- Extensive abrasions are found on the body of a pedestrian lying by the road side. What is the cause?

- A- Primary impact injury
- B- Secondary impact injury

- C- Secondary injury
D- Postmortem artifact

7- Hepatic failure in paracetamol overdose is due to?

- A- Metabolic acidosis
B- Direct action of the drug
C- The action of its metabolite
D- Vomiting and dehydration

8- In kerosene poisoning, stomach is best evacuated by?

- A- syrup of ipecac
B- stomach tube only
C- apomorphine
D- none of the above

9- Acute oral phenytoin toxicity include all of the following except?

- A- Ataxia
B- Dysarthria
C- Myocardial depression
D- Hyperglycemia

10- Methanol poisoning is more dangerous because of the following except?

- A- Blindness
B- small fatal dose
C- rapid accumulation of acetaldehyde
D- Sever metabolic acidosis

1	2	3	4	5	6	7	8	9	10

Choose the correct answer and give reason

1- The presence of well formed stool is diagnostic of viability?

- A- true B- False

the reason:

2- Suspended animation means clinical death?

- A- true B- False

the reason:

3- Arbora vitae are sign of virginity?

- A- true B- False

the reason:

4- Disulfiram is an antidote for treatment of alcohol dependence?

- A- true B- False

the reason:

5- Apomorphine could be used at home for induction of vomiting?

- A- true B- False

the reason:

1	2	3	4	5	6	7	8	9	10

Complete

1- Fleets enema is composed

of.....&.....

.....It acts by..... &

2- The first permanent tooth to erupt

is.....at the age

of.....

3- Shaken baby syndrome is characterized by:

(1).....(2).....

4- Rubber bullet should not be fired at a person under.....meter range?

5- GIT manifestations of digitalis toxicity are due to?

Forensic medicine

21-years old female was accused of stabbing her husband. The accused wife claimed it was a self-defense. The medico-legal expert reported that the victim was 23 years old and the cause

of death was a stab in the heart by a single bladed instrument.

- I. How to verify the ages of the victim and the accused?
- II. What are the characters of the wound that was found in the victim?
- III. How could you prove that the claim of the wife is correct or not?

Give an account on

1- Abortifacient drugs?

2- Factors determining the outcome of electric injury?

3- False negative results in blood grouping?

4- MLI of examination of passive partner in case of sodomy?

5- Blast effects following an explosion?

Tabulate the difference between

1- Suicidal and homicidal cut throat wound?

2- Salt and fresh water drowning?

Toxicology

A 33 years old male admitted to the Sohag poison control center by his wife. She stated that he attended a wedding party after which he complained disorientation to time and space. On examination he was drowsy, there was tingling in the extremities, the conjunctiva was congested. Pulse was 100/min, blood pressure 90/60mm. Hg, and temp. was 36°C. Fear of death was a common complaint. What is the probable diagnosis?

- I. Explain the clinical presentations of that poison in details?
- II. How to manage this case?
- III. If death occurred, what is the possible cause?

Mention the specific antidote and its action

1- Cyanide toxicity?

2- Oxalic acid toxicity?

3- Arsenic toxicity?

Give an account on

1- Indications and complications of hyperbaric oxygen?

2- Designer drugs?

Tabulate the difference between

1- Botulism and salmonella food poisoning?

2- Barbiturate and atropine coma

3- Strong acids and alkalis poisoning?

4- Organophosphates and carbamates?

إذا خلوت برية في ظلمة

والنفس داعية إلى الطغيان

فاستحي من نظر الإله وقل

لها ان الذي خلق الظلام يراني..

2018 SECOND TRIAL

1- The most important character of the inlet wound of firearm injury is the?

- A- Presence of powder mark
- B- Inverted edges
- C- Loss of substance
- D- Circular shape

2- Transfixing wound is?

- A- Fixing the weapon inside the wound
- B- Fixing the body to supporting surface
- C- Fixing the weapon to the body surface
- D- The weapon penetrate the tissue to the other side

3- In therapeutic abortion, the followings must be done except?

- A- The medical men consult another specialist
- B- Obtain oral consent from the husband
- C- Maintain adequate medical record about the case
- D- Should be done in a general hospital

4- All about brain laceration are true except?

- A- Circumscribed area of brain tissue destruction
- B- The cortex loses its continuity
- C- Surrounded by contusion
- D- Pia matter is intact

5- As regards persistent vegetative state the following is true except?

- A- The patient loses the higher cerebral power
- B- Brain stem functions are lost
- C- Occurs in massive cerebral infarction
- D- Occurs when vegetative state persists more than four weeks

6- Ossific center at the lower end of the radius reaches 2/3 the width of the epiphysis at?

- A- Six months
- B- Seven years

C- Twenty years

D- Two years

7- Acute salicylate poisoning with signs of renal failure can be treated by all of the following except?

- A- Hemodialysis
- B- Forced alkaline diuresis
- C- Vit. K
- D- Gastric lavage with water

8- In kerosene poisoning, stomach is best evacuated by?

- A- Syrup of ipecac
- B- Stomach tube only
- C- Apomorphine
- D- None of the above

9- Erethism is a peculiar disturbance of personality seen in?

- A- Plumbism
- B- Mercurialism
- C- Chronic arsenic poisoning
- D- Chronic phosphorous poisoning

10- Methanol poisoning is more dangerous because of the following except?

- A- Blindness
- B- Small fatal dose
- C- Rapid accumulation of acetaldehyde
- D- Severe metabolic acidosis

1	2	3	4	5	6	7	8	9	10

Choose the correct answer and give reason

1- Cutis anserina is a sure sign of drowning?

- A- true
- B- False

the reason:

2- The law considers the shortest period of pregnancy is 6 months?

A- true

B- False

the reason:

3- Hypostasis is a sure sign of death in all cases?

A- true

B- False

the reason:

4- Methanol toxicity causes severe metabolic acidosis?

A- true

B- False

the reason:

5- Co poisoning causes red asphyxia?

A- true

B- False

the reason:

1	2	3	4	5	6	7	8	9	10

Complete

1- Fleets enema acts by (1).....(2).....?

2- Hymens of medicolegal importance are (1)..... (2)..... (3).....?

3- Absent current marks in electrocution occur in (1)..... (2).....?

4- Soiling ring is.....?

5- Perforation of nasal septum may occur due to toxicity by (1)..... (2).....?

Forensic medicine

A 21 years female was found dead in a field. There was a wound on the right side of the forehead, with relatively regular edges, wide gaping and surrounded by bruises and abrasions, the right side of the frontal bone showed an oval fracture 2 cm in size. It was

depressed mostly at the anterior and right parts. The dura matter was separated from the the inner table by an extra dural hematoma. How to verify the age of the female?

- I. Was the wound homicide or suicide?
- II. Enumerate the possible causes of death?
- III. How the forensic pathologist proved the crime committed since 8 hours?

Give an account on

1- MLI of early diagnosis of death?

2- Fate of concussion?

3- Dangers of abortion?

4- Secondary drowning syndrome?

Tabulate the difference between

1- Inlet and exit of firearm wounds?

2- Heat and cold stiffness?

3- Traumatic and thermal extradural hematoma?

Toxicology

A 34 years old female having a history of personality disorder. She was admitted to the Sohag poison control center 30 minutes after ingestion of a rodenticide product. Upon admission she was cyanosed, alert and displayed spontaneous muscle twitches. Then she showed generalized tonic seizures with opisthotonus position. She remained fully conscious and frightened. What is the probable diagnosis and differential diagnosis?

- I. What is the mechanism of this type of poisoning?
- II. How to manage this case?
- III. If death occurred, what is the possible cause?

Mention the specific antidote and its action

1- Morphine toxicity?

2- Digitalis toxicity?

3- Lead toxicity?

Give an account on

1- Contraindication of gastric lavage?

2- Curative treatment of organophosphorus poisoning?

3- Carbamazepine toxicity: manifestation and treatment?

4- Central manifestations of anticholinergic toxidrome?

Tabulate the difference between

1- Botulism and salmonella food poisoning?

2- Lead colic and appendicitis?

وفي حديثه: أن النبي - صلى الله عليه وسلم

- قال: «أما أنت يا أبا بكر، كما قال

القاتل: أحرزرت نهي وأبتغي النوافل، وأما أنت

يا عمر، فتأخذ - أو تعمل - عمل الأقوياء».

2020

1- The time passed since death in hot flaccid body is?

A- less than 12 hours

B- less than 3 hours

C- less than 6 hours

D- less than 12 hours

2- Flab wound is caused by?

A- Sharp knife

B- Running belt of the machine

C- less than 6 hours

D- less than 8 hours

E- Heavy stick

F- Dragger

3- Edges of incised wound maybe irregular in?

A- Skin overstretched on bone

B- Scalp injuries

C- Corrugated skin

D- None of the above

4- The age of full civil right is identified in male by?

A- Eruption of wisdom tooth

B- Union of basi-sphenoid with basi-occiput suture

C- Union of ischeal tubrosity

D- The medullary cavity reaches the surgical neck of humerus

5- Pond fracture of the skull is a type of?

A- Fissured fracture

B- Comminuted fracture

C- Depressed fracture

D- Fracture can occur in all age groups

6- Oblique firing produces?

A- Circular inlet wound

B- Oval inlet wound

C- No inlet wound

D- Inlet wound and no exit wound

7- The following injury carries higher mortality rate?

A- Dry burn involves 1\4 of the body

B- Heat hyperpyrexia

C- Heat exhaustion

D- Dry burn involves one lower limb

8- The cause of death in dry drowning is?

A- Head trauma

B- Severe laryngeal spasm

C- Reflex vagal inhibition

D- Bronchopneumonia & abscess

9- Estimation of the period of survival of live birth infant depends on all of the following except?

A- Changes in the umbilical vessels

B- Hydrostatic test

C- Closure of foramen ovale

D- Stomach bowel floatation test

10- A young 20 years old female claimed rape since 4 days she was considered consenting because?

A- Old hymenal tear

B- Nail abrasions on the shoulders covered by soft scab

C- Pregnancy test is positive

D- None of the above

11- Thermal hematoma should be?

A- Extradural, soft, not related to the site of burn, brownish

B- Extradural, firm, reddish, opposite to the site of trauma

C- Subdural, firm, reddish, opposite to the site of trauma

D- Subdural, soft, not related to the site of burn, brownish

12- Digitalis glycosides produce their toxic action by inhibiting?

A- Monoamine oxidase

B- Na-K-ATPase

C- Carbonic anhydrase

D- Choline esterase

13- Botulism toxicity causes the following except?

A- Blurring of vision

B- Dysphagia

C- Convulsion

D- Muscle weakness

14- The withdrawal manifestations in an addict are due to?

A- Psychological dependence

B- Tolerance

C- Physical dependence

D- Over dosage

15- To differentiate between calcium channel blocker and beta blocker toxicity the following is of help?

A- ECG

B- Blood glucose

C- History

D- Potassium level

16- Erethism is a peculiar disturbance of personality seen in?

A- Plumbism

B- Chronic arsenic poisoning

C- Mercualism

D- Chronic phosphorus poisoning

17- Forced alkaline diuresis helps in elimination of?

A- Phenobarbital

B- Thiopental

C- NaOH

D- None of the above

18- In kerosene poisoning, stomach is best evacuated by?

A- Apomorphine

B- Stomach tube only

C- Syrup of ipecac

D- None of the above

19- Which is used in treatment of oxalic acid poisoning?

A- Activated charcoal

B- Calcium gluconate

C- Copper sulphate

D- Morphine sulphate

20- The main hazard of paracetamol toxicity is on?

A- The kidney

B- The liver

C- The heart

D- The pancreas

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20

Choose the correct answer and give reason

1- The law consider the shortest period of pregnancy is 6 months?

A- true

B- False

the reason:

2- Arborisation can be seen in cold stiffness?

A- true

B- False

the reason:

3- Suspended animation is a sure sign of death?

A- true

B- False

the reason:

4- Desferoxamine is a specific chelator affects on the iron of cytochromes?

A- true

B- False

the reason:

5- Cyanide poisoning causes brown asphyxia?

A- true

B- False

the reason:

1	2	3	4	5	6	7	8	9	10

Complete

1- Ethanol is a specific antidote for toxicity and acts by?

2- Davidson bodies are?

3- Post mortem suspension is diagnosed by (1).....(2).....(3).....?

4- The medullary canal reaches the surgical neck at?

5- Barbiturate coma is characterized by (1).....(2).....(3).....?

Forensic medicine

A 20 years female was found dead in a field.

There was a wound on the right side of the forehead, with relatively regular edges, wide gaping and surrounded by bruises and abrasions, the right side of the frontal bone showed an oval fracture 2 cm in size. It was depressed mostly at the anterior and right parts. The dura matter was separated from the inner table by and extra dural hematoma. How to verify the age of the female?

- I. Enumerate the possible causes of death?
- II. Determine the position of the assailant?
- III. How the forensic pathologist proved that the crime was committed since 8 hours?
- IV. Cot death?

- V. MLI of lucid interval?
- VI. Precaution on the therapeutic abortion?
- VII. Secondary drowning syndrome?

Enumerate

- 1- Factors affecting the shape of inlet wound?
- 2- MLI of nail examination?
- 3- Causes of death from burn within one week?
- 4- Causes of subendocardial hemorrhage?

Toxicology

A 35 years old farmer during working in his farm suffered from dyspnea, drowsiness, profuse sweating, salivations and 2 attacks of spontaneous defecation. His friends said that he was working without gloves. The examination revealed cyanosed face, constricted pupils, fasciculations in the face, pulse was 55 BPM, and B.P was 90/60 mmHg. What is your provisional diagnosis?

- I. What is the mechanism of action of the suspected poison?
- II. What is the proper treatment of such a case?
- III. What are the causes of death in such a case?

Mention the specific antidote and its action

- 1- Carbamates toxicity?
- 2-Digitalis toxicity?
- 3- Acetaminophene toxicity?

Give an account on

- 1- Syrup of ipecac?
- 2- Chelating agents?
- 3- Hyperbaric oxygen?
- 4- Morphine coma?

ومن عقوباتها : أن العاصي دائماً في أشر
 شيطانه، وسجن شهواته، وقيود هواه ؛ فهو
 أسير مسجون مقيد . ولا أسير أسوأ حالاً من
 أسير أسرته أعدى عدوله ولا سجن أضيق
 من سجن الهوى، ولا قيد أصعب من قيد
 الشهوة. فكيف يسير إلى الله والدار
 الآخرة قلب مأسور مسجون مقيد ؟
 وكيف يخطو خطوة واحدة ؟

1- Organ transplantation from a cadaver can be done when :

- A- Somatic death occurs
- B- Molecular death occurs
- C- Both a & b
- D- None of the above

2- Female sex is definitely diagnosed by :

- A- Small mastoid process
- B- growth of the breast
- C- Bar body
- D- Low arched iliac crest

3- All about brain laceration are true except:

- A- Circumscribed area of brain tissue destruction
- B- The cortex loses its continuity
- C- Surrounded by contusion
- D- Pia matter is intact

4- The most important character of the inlet wound of firearm injury is:

- A- Presence of powder mark
- B- Inverted edges
- C- Loss of substance
- D- Circular shape

5- Bipolar fracture is a:

- A- Comminuted fracture
- B- Fissure fracture
- C- Depressed fracture
- D- Cut fracture

6- Rigor mortis is slow in:

- A- Infants
- B- Hot weather
- C- Cold weather
- D- Death after convulsions

7- The following can't be suicidal:

- A- Hanging
- B- Firearm injury

C- Head injury

D- Throttling

8- Acts of omission in a case of infanticide are:

- A- Cut throat
- B- Drowning asphyxia
- C- Homicidal head injury
- D- None of the above

9- Which of the following leads to permanent infirmity:

- A- loss of blind eye
- B- loss of permanent incisor teeth
- C- Rupture of hydronephrous kidney
- D- Removal of splenomegally

10- The most dangerous degree of dry burn is:

- A- Third degree
- B- Fourth degree
- C- Fifth degree
- D- Sex degree

11- Only absolute contraindication for gastric lavage & emesis in ingested poison:

- A- Comatosed patient
- B- Inorganic corrosive
- C- Toxic convulsion
- D- Organic corrosive

12- Multiple doses of activated charcoal is recommended in the following cases except:

- A- Poisons having enterhepatic circulation
- B- Poisons having long half life
- C- Poisons having anticholinergic action
- D- Long acting sustained release preparations

13- Acute salicylate poisoning with signs of renal failure can be treated by all of the following except:

- A- Hemodialysis
- B- Forced alkaline diuresis
- C- Vit. K
- D- Gastric lavage with water

14- Oximes are:

- A- Cholinesterase reactivator
- B- Life saving measure in OPC poisoning
- C- Effective in carbamate poisoning
- D- Administered LM

15- The following corrosives are of characteristic odour except:

- A- phenol
- B- Ammonia
- C- Oxalic acid
- D- Acetic acid

16- Atropine fever is due to:

- A- Stimulation of heat regulating center
- B- Depressed sweating
- C- Increased metabolic rate
- D- All of the above

17- The following drugs are rapidly destroyed by putrefaction except:

- A- Atropine
- B- Strychnine
- C- Aconite
- D- Cocaine

18- The first line of management of acute poisoning is:

- A- Identify the type of poisoning
- B- Using of antidote
- C- Elimination of the poison & giving activated charcoal
- D- Supportive care for vital signs

19- Which of the following vitamin can be used as antidote in cyanide poisoning:

- A- Vitamin B6
- B- Vitamin B12
- C- Vitamin A
- D- Vitamin C

20- All of the following is indicated in snake bite treatment except:

- A- Rest and reassurance
- B- Immobilization

C- Antibiotic and steroid

D- Ice pack

1	2	3	4	5	6	7	8	9	10
A	C	D	C	B	C	D	D	B	A
11	12	13	14	15	16	17	18	19	20
B	C	D	A	C	D	B	D	B	D

ولما جمع سبحانه صفات الكمال كلها
كان أحق بالمدح من كل أحد، ولا يبلغ
أحد أن يمدحه كما ينبغي له بل هو كما
مدح نفسه وأثنى على نفسه .
صفة من فالغيوم قد وافق ربه سبحانه في
صفاته، ومن وافق الله في صفة من صفاته
قادته تلك الصفة إليه بزمومه، وأدخلته على
ربه، وأذنته منه، وقرنته من، مرحمته وصيرته
محبوباً له . فإنه سبحانه رحيم يحب
الرحماء، كريم يحب الكرماء عليم
يحب العلماء، قوي يحب المؤمن القوي، وهو
أحب إليه من المؤمن الضعيف؛ حين يحب أهل
الحياة، جميل يحب الجمال وتر يحب الوتر

1- The chemical structure of crystals formed by takayama test are?

- A- Haemin crystals
- B- Reduced hemoglobin
- C- Haemochromogen crystals
- D- Carboxyhemoglobin

2- The wound variant helping in identifying the causative instrument size is?

- A- Cut wound
- B- Contused wound
- C- Stab wound
- D- None of the above

3- All about brain laceration are true except?

- A- Circumscribed area of brain tissue destruction
- B- The cortex loses its continuity
- C- Surrounded by contusion
- D- Pea matter is intact

4- The hydrostatic floatation test depends on?

- A- Change in size
- B- Change in weight
- C- Change in specific gravity
- D- Change in mass

5- Finger prints are present in?

- A- Epidermis only
- B- Dermis only
- C- Epidermis and subcutaneous tissue
- D- Epidermis and dermis

6- Extensive abrasions are found on the body of a pedestrian lying by the road side. What is the cause?

- A- Primary impact injury
- B- Secondary impact injury
- C- Secondary injury
- D- Postmortem artifact

7- Cannabis is considered?

- A- Stimulant
- B- Depressant
- C- Sedative hypnotic
- D- Hallucinogenic

8- Witch of the following is not toxic if ingested orally?

- A- Arsenic salts
- B- Lead paints
- C- Elemental mercury
- D- Iron sulfate

9- Acute oral phenytoin toxicity include all of the following except?

- A- Ataxia
- B- Dysarthria
- C- Myocardial depression
- D- Hyperglycemia

10- Methanol poisoning is more dangerous because of the following except?

- A- Blindness
- B- Small fatal dose
- C- Rapid accumulation of acetaldehyde.s
- D- Sever metabolic acidosis

1	2	3	4	5	6	7	8	9	10
C	C	D	C	D	-	D	C	C	C

Choose the correct answer and give reason

1- Blood grouping alone can establish paternity?

- A- true
- B- False

the reason:

2- Very high body temperature is an important sign of heat exhaustion?

- A- true
- B- False

the reason:

3- Imperforate hymen is one of the medicolegal important types?

A- true

B- False

the reason:

4- Co gas is considered as a silent killer?

A- true

B- False

the reason:

5- Gastric lavage is used in elimination of morphine even if it used parenteral?

A- true

B- False

the reason:

1	2	3	4	5
F	-	T	T	T

Complete

1- Fleets enema is composed of Diluted phospho & soda It acts by Convert soluble ferrous to less soluble carbonate and phosphate and helps evacuation of the stomach

2- Sex chromatin of somatic cells is called Barr bodies While that of leukocytes is called Davidson bodies.

3- Superfecundation means :

4- Smokeless gun powder is composed of Nitrocellulose or nitroglycerin.

5- GIT manifestations of digitalis toxicity are due to : Direct irritation of GIT mucosa and stimulation of CTZ in medulla.

Forensic medicine

A-21-years old female was accused of stabbing her husband. The accused wife claimed it was a self-defense. The medico-legal expert reported that the victim was 23 years old and the cause of death was a stab in the heart by a single bladed instrument. How to verify the ages of the victim and the accused?

- I. What are the characters of the wound that was found in the victim?
- II. How could you prove that the claim of the wife is correct or not?

Give an account on

1- Medicolegal importance of examination of the umbilical cord in a case of infanticide?

2- Factors determining the outcome of electric injury?

3- MLI of examination of the accused in case of rape?

Tabulate the difference between

1- Inlet and exit wounds of fire arm injury?

2- Froth of drowning and froth of putrefaction?

3- Ante-mortem and postmortem burn?

4- Rigor mortis and cadaveric spasm?

Toxicology

A-15-years old male was admitted to hospital with flushed face, confusion and hallucination. On examination the pupils were dilated and equal, with sluggish reaction to light. His skin was dry and hot, pulse was 140/minute, blood pressure was 170/100 and respiratory rate was 44/min. What is the probable diagnosis?

- I. **Describe the mechanism of action of the possible substance?**
- II. **How to manage this case?**
- III. **If death occurred, what are the possible causes? respiratory depression and arrhythmia.**

Mention the specific antidote and its action

1- Methanol toxicity? Ethanol

2- Oxalic acid toxicity? oral ca & ca gluconate

IV slowly

3- iron toxicity? Desferrioxamine

Give an account on

1- Fate of acute Co toxicity?

2- Tolerance?

3- Management of a child drink a strong acid?

Tabulate the difference between

1- Lead colic and acute appendicitis?

2- strychnine and tetanus?

«يُؤْتِي بِالرَّجُلِ يَوْمَ الْقِيَامَةِ، فَيُلْقَى فِي النَّارِ،
فَتَشْدُقُ أَقْتَابُ بَطْنِهِ، فَيَدُورُ بِهَا كَمَا يَدُورُ
الْحِمَامُ بِالرَّحَى، فَيَجْتَمِعُ إِلَيْهِ أَهْلُ النَّارِ،
فَيَقُولُونَ: يَا فُلَانُ مَا لَكَ؟ أَلَمْ تَكُنْ تَأْمُرُ
بِالْمَعْرُوفِ، وَتَنْهَى عَنِ الْمُنْكَرِ؟ فَيَقُولُ:
بَلَى، قَدْ كُنْتُ أَمُرُ بِالْمَعْرُوفِ وَكَأْتِيهِ،
وَأَنْهَى عَنِ الْمُنْكَرِ وَآتَيْهِ».

MID 2021 (NEW) 30

1. Gut dialysis refers to:

- a. Multiple doses activated charcoal.
- b. Gastric lavage
- c. Whole bowel irrigation
- d. None of the above

2. The best time to perform fiberoptic endoscopy for grading esophageal lesion due to strong alkali ingestion:

- a. In the first 24 hours
- b. After one week
- c. After two weeks
- d. After 1 Month

3. Ethyl alcohol is:

- a. Stimulant
- b. Depressant
- c. Hallucinogen
- d. Sedative

4. Cardiac tamponades occur when the volume of blood in the pericardial sac

- a. 100 ml
- b. 200 ml
- c. 50 ml
- d. 20 ml

5. As regard the cadaveric spasm, all the following are TRUE EXCEPT:

- a. It occurs instantaneously.
- b. It involves all body muscles.
- c. It indicates nature of death.
- d. Absence of primary flaccidity

6. The pure antagonist of morphine is:

- a. Naloxone
- b. Nalorphine
- c. Atropine
- d. Digibind

7. Coke burns are localized necrotic ulcers

produced by:

- a. Dry burn
- b. Hot liquids
- c. Subcutaneous cocaine injection
- d. Electrocution

8. An adult male come the hospital with 14 shots embedded in the skin of the cheek, shoulder, chest, hypogastrium and right foot. The distance of firing in meters is:

- a. 8
- b. 10
- a. 20
- c. 60

9. Secondary flaccidity is:

- a. Relaxed responsive muscles.
- b. Spastic irresponsive muscles
- c. Associated with papillary dilatation on adding atropine on eyes.
- d. Synchronous with onset of putrefaction

10.The main route of iron excretion is:

- a. Urine
- b. Stool
- c. Bile
- d. Saliva

11.Tolerance responsible for

- a. Physical and moral deterioration
- b. Craving
- c. Withdrawal manifestations
- d. Relapse

12.Ring fracture is a fracture occurs:

- a. Around foramen magnum
- b. Around head of humerus
- c. Around head of mandible
- d. A and C

13.The wound variant that helps in identifying the size of the causative object

- a. Cut wound.
- b. Contused wound

c. Stab wound.

d. None of the above

14.The exit of a firearm injury is smaller than the inlet in the case of:

- a. Shot gun fired at 5 meters.
- b. Automatic pistol fired at 5 cm.
- c. Revolver fired at 2 meters.
- d. Automatic pistol fired at 5 meters.

15.Pachy meningitis haemorrhagica is traumatic:

- a. Extradural hemorrhage
- b. Acute subdural hemorrhage
- c. Subarachnoid hemorrhage
- d. Chronic subdural hemorrhage

16.Death occurs in cases of choking may be due to

- a. Obstruction of air passages
- b. Laryngeal spasm
- c. Reflex vagal inhibition
- d. All of the above

17.In a case of infanticide, the mother alleged that the infant died by accidental strangulation by the umbilical cord. She was a liar because.

- a. Signs of respiration are absent.
- b. Wharton's jelly was normal.
- c. cord laceration was found.
- d. cord is longer than normal.

18.The following substance can lead to reflex uterine contraction:

- a. Prostaglandins
- b. Ergometrine
- c. Castor oil
- d. oxytocin

19.Delayed Neuropathy due to organophosphorus poisoning is:

- a. Motor
- b. Sensory
- c. Mixed

d. None of them

20.To enhance elimination of salicylates the most suitable method before deciding hemodialysis is:

- a. Forced acidic diuresis.
- b. Forced alkaline diuresis.
- c. Activated charcoal.
- d. Oral sodium bicarbonate to make easy complex with salicylates can be excreted.

21..... is the best for lead chelation in children with a lead level higher than 45µg/dl.

- a. EDTA
- b. DMSA
- c. BAL
- d. Penicillamine

22.An adult male died 12 hours after 2nd degree burn of lower limbs, the expected cause of death is:

- a. Sever hypovolemia.
- b. Local sepsis
- c. Acute renal failure
- d. Supra renal hemorrhage

23.Age of voting in election can be identified in male by:

- a. Union of head of femur with the shaft
- b. Union of head of humerus with the shaft
- c. Union of ischial tuberosity with ischium
- d. Union of lateral end of the clavicle with the shaft

24.The weight of the lung in a case of infanticide is estimated by

- a. Pedallic test
- b. Static test
- c. Hydrostatic test
- d. None of the above

Answers

Answers

1	2	3	4	5	6	7	8	9	10
A	A	B	B	B	A	C	D	D	B
11	12	13	14	15	16	17	18	19	20
A	A	C	B	D	D	C	C	C	B
21	22	23	24	25	26	27	28	29	30
B	A	A	C	-	-	-	-	-	-

المعصية سبب لهوان العبد على ربه وسقوطه
من عينه.

قال الحسن البصري: هانوا عليه فعصوه، ولو
عنوا عليه لعصمهم.

وإذا هان العبد على الله لم يكرمه أحد.

(ومن يهن الله فما له من مكرم). وإن

عظمهم الناس في الظاهر لحاجتهم

إليهم، أو خوفاً من شرهم، فهم في

قلوبهم أحقر شيء وأهونه.

1. To confirm that unknown old dry stain is

a blood one of the following must be done:

- a. Microscopical examination
- b. Microchemical tests
- c. Spectroscopical examination
- d. Both b and c

2. The wound of a suicidal cut throat in a

right handed victim shows:

- a. Uniform depth all through
- b. More depth at the right end
- c. Higher level on the right side
- d. Hesitation marks on the left end

3. Choose the most correct statement concerning forced diuresis:

- a. It is effective in substances that are excreted mainly by kidneys.
- b. It is effective in substances with low volume distribution.
- c. It is contraindicated in cases of heart failure.
- d. All of the above are correct statements.

4. Antidote of oxalic acid is

- a. Potassium permanganate
- b. Calcium oxalate
- c. Calcium gluconate
- d. Na bicarbonate

5. Treatment modalities of kerosene poisoning are:

- a. Emesis and steroids
- b. Gastric lavage and steroids
- c. Emesis and oxygen
- d. Gastric lavage and atropine

6. Hemodialysis is used for treatment of ethyl alcohol if its level exceeds:

- a. 0.3%

b. 0.4%

c. 0.5%

d. 0.6%

7. CO binds to the following compounds

EXCEPT:

- a. Hemoglobin
- b. Myoglobin
- c. Alcohol dehydrogenase
- d. Cytochrome oxidase

8. Traumatic rupture of stomach

characterized by the following EXCEPT:

- a. Bruises
- b. History of trauma
- c. Regular edges
- d. Bulging of mucosa

9. In dead athletes:

- a. delayed and slowly progressing rigor mortis.
- b. cadaveric spasm replaces rigor mortis.
- c. delayed putrefaction
- d. rapid putrefaction

10. Consent for examination in case of tape

is:

- a. 18 years
- b. 21 years
- c. 16 years
- d. 19 years

11. The following is not TRUE regarding persistent vegetative state

- a. Loss of higher cerebral function
- b. Loss of brain stem function
- c. Deep coma
- d. Occurs in prolonged period of hypoxia.

12. Activated charcoal considered as:

- a. Physical antidote,
- b. Chemical antidote
- c. Pharmacological antidote
- d. Serological antidote.

13. Tolerance is:

- a. Abnormal drug response
- b. Exaggerated drug response
- c. Diminished drug response on repeated usage
- d. None of the above.

14. Toxic manifestation of scorpion sting includes the following EXCEPT

- a. Hypertension
- b. Pulmonary edema
- c. Bleeding tendency
- d. Vomiting

15. All are active principles papaver somniferum plant EXCEPT:

- a. Thebaine
- b. Papaverine
- c. Diacetyl morphine
- d. Codeine

16. The first step of management in emergency- of poisoned shocked patient is:

- a. Evacuation of the stomach
- b. Insertion of peripheral intravenous line
- c. Give antidote.
- d. Toxicological screening

17. Atropine toxicity is new accompanied with:

- a. Tachycardia
- b. Dry air passages
- c. Hypothermia.
- d. Hallucinations

18. As regard lead..... 95% distributed lead is present in:

- a. Liver
- b. Blood
- c. long bone
- d. Brain

19. The most important character of inlet wound of firearm injury is the

- a. Presence of powder mark

- b. Loss of substance
- c. Inverted edges
- d. Circular shape

20. Gushing ulcer occurs as a result of

- a. Crushing of muscles in accidents
- b. Complication of burn
- c. Head injury
- d. Drowning

21. Hypostasis is expected to be pale one of the following:

- a. Carbon monoxide poisoning
- b. Reflex vagal inhibition
- c. Asphyxia
- d. Nitrite poisoning

22. Kinetic tremor is one sign of:

- a. Lead poisoning
- b. Iron poisoning
- c. Mercury poisoning
- d. Arsenic poisoning

23. Beveling occurs in all the following EXCEPT

- a. Skull
- b. Femurs
- c. Sternum
- d. Scapula

24. Herniation of medulla through the foramen magnum is the cause of death in:

- a. Cerebral concussion
- b. Cerebral compression
- c. Cerebral contusion
- d. Cerebral laceration

25. Injury by shotgun at 2 meters characterized by:

- a. Complete dispersion
- b. Tattooing at inlet
- c. Everted inlet
- d. Muzzle imprint

26. A female was seen hanging from a fan

with her feet touching the ground; the following features suggested antemortem hanging EXCEPT:

- a. Hyoid bone fracture
- b. Dark blue hypostasis,
- c. Dripping of saliva from angle of mouth
- d. Bruising of subcutaneous tissues and muscles of the neck

27. Polar fracture occurs in:

- a. Perpendicular direction to the blow
- b. The same site of strike
- c. Unsupported head
- d. All of the above

28. The cause of death in immersion syndrome is:

- a. Heart failure
- b. Laryngeal spasm
- c. Reflex vagal inhibition of the heart
- d. Ventricular fibrillation

29. Accidental fracture due to precipitate labour in a case of infanticide is characterized by:

- a. Parietal or frontal region
- b. Fissure fracture
- c. Absence of caput succedaneum
- d. All the above

30. Subendocardial hemorrhage occurs due to:

- a. Crush syndrome
- b. Hemorrhage
- c. Air embolism
- d. Drowning

31. Right arrangement of degree of choking in firearm is:

- a. Modified choke, half choke, full choke and improved cylinder
- b. Improved cylinder, modified choke, half choke and full choke
- c. Half choke, modified choke, full choke and

improved cylinder

d. Improved cylinder, half choke, modified choke and full choke

32. Inward fracture of hyoid bone and thyroid cartilage with neck muscle bruising suggests death due to:

- a. Hanging
- b. Ligature strangulation
- c. Choking
- d. Manual strangulation

33. A newly born infant age is

- a. Less than 1 week
- b. Less than 2 weeks
- c. Less than 1 month
- d. Less than 3 months

34. On carrying therapeutic abortion, the doctor should not:

- a. Consult agreement a specialist to give his
- b. Carry the operation in a licensed clinic.
- c. Have a written consent of the woman.
- d. Have written consent of the husband.

35. Intermediate syndrome occurs due to:

- a. Inadequate atropine therapy
- b. Atropine overdose
- c. Inadequate oxime therapy
- d. Inadequate oxygen therapy

36. A 26-year-old male who has developed a long-standing addiction to heroin which began 4 years earlier while travelling. He visited you for advice. He has tried going cold turkey on number of occasions but developed unacceptable restlessness, anxiety, vomiting, diarrhea. He now has a child and decided to stop. Which one of the following is the most appropriate prescription with respect to medically managing withdrawal?

- a. Buprenorphine
- b. Methadone.

- c. Diazepam
- d. Dihydrocodeine

37. All types of arrhythmias can be occurred with digoxin toxicity EXCEPT:

- a. First type heart block
- b. Bradycardia
- c. SVT with rapid conduction,
- d. SVT with slow conduction

38. The vine rose color of urine is a characteristic in treatment of:

- a. Iron toxicity
- b. Lead toxicity
- c. Mercury toxicity
- d. All of above

39. Burn in adult man involving head, neck, chest and both arms. it is expected to:

- a. Be of good prognosis.
- b. Threat life
- c. Cause disability
- d. Heal with scars.

40. Ossific center at the lower end of the radius reaches 2/3 the width of the epiphysis at:

- a. Six months
- b. Seven years
- c. Twenty years
- d. Two years

41. The end point of atropine use In treatment of poisoning is:

- a. The pupil dilates.
- b. Heart rate increase organophosphorus.
- c. Bronchospasm relieved
- d. Vomiting stopped.

42. Neurogenic shock is the cause of death in degree burn.

- a. First
- b. Second
- c. Third
- d. Fourth

43. All of the following are TRUE about Curling's ulcer EXCEPT:

- a. Rupture occurs at the 12th day.
- b. It is due to devitalization of the mucous membrane.
- c. It is due to absorption of the burn toxins which is inhaled during the fire.
- d. It is a duodenal ulcer.

44. The Most important sign of defloration is:

- a. Enlarged nipple.
- b. Dilatation of vaginal wall
- c. Enlarged breasts.
- d. Ruptured hymen

45. Fingerprints appears at:

- a. First year of life.
- b. 4th month of intrauterine life
- c. Full term.
- d. 2nd year of intrauterine life.

46. Thermal fracture due to severe head burn is characterized by the following. EXCEPT:

- a. Extradural hematoma is large and firm,
- b. Scalp wounds are absent,
- c. Brain is small and shrunken.
- d. Only fissured fracture.

47. Which of the following is not TRUE about fresh water drowning:

- a. Hypovolemia
- b. Hyperkalemia
- c. Haemolysis
- d. Ventricular fibrillation

48. For treatment of carbamate poisoning, we can use:

- a. Atropine
- b. Naloxone
- c. Oxime
- d. a and c

Answers

Answers									
1	2	3	4	5	6	7	8	9	10
D	D	D	C	B	B	C	C	A	B
11	12	13	14	15	16	17	18	19	20
B	A	B	C	C	B	C	C	B	C
21	22	23	24	25	26	27	28	29	30
B	C	B	B	B	A	A	C	D	B
31	32	33	34	35	36	37	38	39	40
B	D	B	C	C	B	C	A	B	B
41	42	43	44	45	46	47	48	49	50
C	C	C	D	B	A	A	A	-	-

عن مربيعة بن كعب الأسلمي قال:

كنت أبيت مع رسول الله صلى الله عليه

وسلم فأتيتُه بوضوئه وحاجته فقال لي:

«سل» فقلت: أسألك مرافقتك في الجنة.

قال: «أو غير ذلك؟» قلت: هو ذاك. قال:

«فأعني على نفسك بكثرة السجود».

1- With 20 permanent teeth and temporary teeth, the age is likely to be?

- A- 9 years
- B- 10 years
- C- 11 years
- D- 12 years

2- Cardiac tamponade occurs when the volume of blood in pericardial sac reaches?

- A- 20ml
- B- 50 ml
- C- 100 ml
- D- 200ml

3- The main component of scorpion venom?

- A- Histamine
- B- Serotonin
- C- Cardiotoxin
- D- Neurotoxin

4- Flumazenil?

- A- Is used in combined toxicity of benzodiazepines and antidepressants.
- B- Has long duration
- C- Induces cardiac conduction disturbances in benzodiazepine dependence.
- D- None of above

5- Bruises are maximally evident in the following body parts EXCEPT?

- A- Scrotum B- Palm of hands
- C- Eyelids D- Scalp

6- Regarding iron poisoning, which is TRUE?

- A- Activated charcoal is the recommended method of GIT decontamination in the first hour.
- B- Has no local GIT irritating effects.

C- Penicillamine is the chelating agent of choice.

D- Desferrioxamine is the chelating agent and when given will produce vine rose colored urine.

7- Medullary cavity of female humerus reaches the surgical neck at?

- A- 21 years
- B- 28 years
- C- 30 years
- D- 33 years

8- The last organ to putrefy is?

- A- Prostate
- B- Testes
- C- Brain
- D- Liver

9- Delayed neuropathy due organophosphorus poisoning is?

- A- Motor
- B- Sensory
- C- Mixed motor and sensory
- D- Not permanent

10- A 13 year old female was raped, the victim was brought to emergency department for medical examination, All the following were required EXCEPT?

- A- Emergency treatment
- B- Collection of all forensic samples
- C- Detailed history
- D- Consent taken from the victim.

11- If the person was found cold and flaccid this mean development of?

- A- Rigor mortis
- B- Primary flaccidity
- C- Secondary flaccidity
- D- Cadaveric spasm

12- Ethyl alcohol toxicity manifested with all of the following EXCEPT?

- A- Flushed face
- B- Elevated temperature
- C- Vomiting
- D- Blurring of vision

13- 50 years old comatosed male patient came to hospital with history of ingestion unknown substance. Which of the following shouldn't be given to him?

- A- Desferrioxamine
- B- Dextrose
- C- Thiamine
- D- Naloxone

14- Hydrocution is?

- A- Sudden impact in cold water
- B- Electrocutation in water
- C- Dry drowning
- D- Post-mortem drowning

15- 12 years old male child has been found in the bathroom with conscious level, his carboxyhem level is 50%, the most important for treatment?

- A- Hyperbaric oxygen
- B- Nitrites
- C- Mechanical ventilation
- D- 100% oxygen

16- Sex of fetus differentiated at?

- A- 3rd month
- B- 4th month
- C- 5th month
- D- 6th month

17- A 20-year-old male addict on Amphetamines hyperexcitability, tachycardia. And tremors. The doctor advised him to use?

- A- beta blocker to decrease tachycardia.
- B- Methadone to decrease withdrawal signs.
- C- Benzodiazepines
- D- Gradual withdrawal by decrease the dose of amphetamine gradually.

18- Single inlet with multiple exits can be found in all, EXCEPT?

- A- Associated scattered bone fragments.
- B- Tangential firing
- C- Near firing of a non-rifled weapon
- D- Damdamized bullet

19- The most under reported type of child abuse?

- A- Child neglect
- B- Physical abuse
- C- Emotional abuse
- D- Sexual abuse

20- Diarrhea may occur in toxicity of?

- A- Sulphoric acid
- B- Alkaline potash
- C- Hydrochloric acid
- D- Nitric acid

21- Power of speech is preserved in?

- A- Depressed fracture
- B- Comminuted fracture
- C- Injuries to left frontal lobe involving Boca's area.
- D- Lucid interval

22- Cause of death in the 5th day after burn?

- A- Rupture of acute duodenal ulcer
- B- Pulmonary fat embolism
- C- Hemorrhage in the suprarenal glands
- D- Neutrogena shock

23- "Coke burn" is produced due to?

- A- Cigarette burn.
- B- Flame injury
- C- Electric burn.
- D- Subcutaneous injection of cocaine

24- Generally, hypostasis start after half an hour of death?

- A- TRUE

Answers

Answers									
1	2	3	4	5	6	7	8	9	10
C	D	B	C	B	D	B	A	C	D
11	12	13	14	15	16	17	18	19	20
C	B	A	A	A	B	C	B	D	B
21	22	23	24	25	26	27	28	29	30
D	C	D	B	-	-	-	-	-	-

أخرج أحمد في الزهد عن أبي عمران
الجوني، قال: قال أبو بكر الصديق: لوددت
أنني شعرة في جنب عبد مؤمن.
وأخرج أحمد في الزهد عن مجاهد، قال:
كان ابن الزبير إذا قام في الصلاة كأنه
عود من الخشوع، قال: وحدث أن أبا بكر
كان كذلك.
وأخرج عن الحسن قال: قال أبو بكر: والله
لوددت أني كنت هذه الشجرة تؤكل
وتعضد.
وأخرج عن قتادة قال: بلغني أن أبا بكر
قال: وددت أني خضرة تأكلني الدواب.

1- Two right humeri were found, one showed union of the lateral epicondyle with the shaft, while the other showed union of the head with the shaft. The bones are belonging to?

- A- A male aged 15 years and a female aged 18 years.
- B- Two males aged 16 and 20 years.
- C- A male aged 16 years and a female aged 20 years.
- D- Two females aged 17 and 20 years.

2- As regards persistent vegetative state the following is TRUE EXCEPT?

- A- The patient loses the higher cerebral power.
- B- Brain stem functions are lost.
- C- Occurs in massive cerebral infarction.
- D- Occurs when vegetative state persists more than four weeks.

3- At birth, stillborn shows?

- A- Rigor mortis
- B- Algor mortis
- C- Maceration
- D- Putrefaction

4- A Policemen arrested a young male with a history of ingestion of drug packets while being arrested. The best method of gastric decontamination in this situation is?

- A- Gastric lavage
- B- Whole bowel irrigation
- C- Syrup of ipecac
- D- Activated charcoal

5- Irregular inlet of firearm wound occur in the following EXCEPT?

- A- 30 cm in the buttock
- B- Suicidal firearm wound in the Rt check

C- 20 cm by service rifle in the forehead

D- 50 cm by revolver in axilla

6- A 18-year-old comatose female was admitted to ER after committing suicide through ingestion of some unknown tablets. Examination showed pulse rate was 55/min, blood pressure was 85/50, bronchospasm, hyperkalemia and hypoglycemia. The Condition deteriorated to repeated convulsions and coma. The most possible diagnosis?

- A- Acute beta-blocker toxicity
- B- Acute paracetamol toxicity
- C- Acute amphetamine toxicity
- D- Acute cocaine toxicity

7- Formation of umbilicus occurs at?

- A- 1 week
- B- 2 weeks
- C- 3 days
- D- 10 days

8- Bruises are maximally evident in the following body parts EXCEPT?

- A- Scrotum
- B- Eyelids
- C- Palm of hands
- D- Scalp

9- With 20 permanent teeth and 4 temporary teeth, the age is likely to be?

- A- 9 years
- B- 10 years
- C- 11 years
- D- 12 years

10- "Coke burn" is produced due to?

- A- Cigarette burn.
- B- Flame injury.
- C- Electric burn.
- D- Subcutaneous injection of cocaine

11- Power of speech is preserved in?

- A- Depressed fracture
- B- Lucid interval
- C- Comminuted fracture
- D- Injuries to left frontal lobe involving Boca's area.

12- Regarding iron poisoning, which is TRUE?

- A- Activated charcoal is the recommended method of GIT decontamination in the first hour.
- B- Has no local GIT irritating effects.
- C- Penicillamine is the chelating agent of choice.
- D- Desferrioxamine is the chelating agent and when given will produce vine rose colored urine.

13- A 13-year-old female was raped, the victim was brought to emergency department for medical examination, All the following were required EXCEPT ?

- A- Consent taken from the victim.
- B- Emergency treatment
- C- Collection of all forensic samples
- D- Detailed history

14- Ethyl alcohol toxicity manifested with all of the following EXCEPT?

- A- Flushed face
- B- Vomiting
- C- Elevated temperature
- D- Blurring of vision

15- The main component of scorpion venom?

- A- Histamine
- B- Serotonin
- C- Neurotoxin
- D- Cardiotoxin

16- A 20-year-old male addict on Amphetamines hyperexcitability, came

tachycardia, with and tremors. The doctor advised him to use?

- A- beta blocker to decrease tachycardia.
- B- Methadone to decrease withdrawal signs.
- C- Benzodiazepines
- D- Gradual withdrawal by decrease the dose of amphetamine gradually.

17- The cause of death in submersion in fresh water was....?

- A- Ventricular fibrillation
- B- Heart failure
- C- Pulmonary edema
- D- All of the above

18- Spider's Web fracture is?

- A- Depressed fracture
- B- Linear fracture
- C- Cut fracture.
- D- Comminuted fracture

19- Fetus is considered viable following the?

- A- 5th intrauterine month
- B- 6th intrauterine month
- C- 7th intrauterine month
- D- 8th intrauterine month

20- "Choose the FALSE statement": Absent current marks are found in?

- A- Contact over a large body area
- B- Volt is very high.
- C- Time of contact is only few seconds.
- D- Arc current

21- Which is TRUE about postpartum changes of uterus?

- A- Immediately the uterus is 1Kg and the length 28cm.
- B- One week, the uterus is 475g and the length 12cm.
- C- Two week, the uterus is 375g and the length 10cm.
- D- Six week the uterus is 100g and the length

6cm.

22- A 35-year-old female patient came to the hospital comatose and cyanosed with history of suicidal attempt by malathion, 20 tablets of acetaminophen 500 mg and 30 tablets of folic acid. The most important line of treatment in this situation?

- A- Atropine
- B- Obidoxim
- C- N-acetylcystein
- D- Resuscitation

23- An injury by a shot gun at 2 meter is characterized by one of the following?

- A- Complete dispersion
- B- Tattooing around the inlet
- C- Evidence of smoke around the inlet
- D- Everted edge of the inlet

24- Cardiac arrest can occur in?

- A- Inorganic corrosive
- B- Carbolic acid toxicity
- C- Oxalic acid toxicity
- D- All of the above

25- A 24-year-old male married a female of 14 years old. This is considered rape because?

- A- No consent
- B- Age is 18 years.
- C- Age is 21 years.
- D- None of the above

26- A man 55 years old was found dead at his home where he lived alone. A contused wound (4cm) was found in the back of his head with minimal bleeding. The autopsy showed an intracranial hemorrhage. The main bulk of which lies in the brain substance. The mode of death was.

- A- Homicidal
- B- Suicidal

C- Accidental

D- a & c

27- In the above case, the intracranial hemorrhage was traumatic?

A- TRUE

28- A 2-year-old child was brought to the emergency department after drinking a disinfectant fluid. On examination, he was in coma, pupils are constricted, pulse was 120/min, respiratory rate was 40 min. urine was few and its color changed to dark green on exposure to air. Toxicity most likely due to?

- A- Oxalic acid toxicity
- B- Carbolic acid toxicity
- C- Sulphuric acid toxicity
- D- Alkaline potash

29- In the above case, dark green color of urine is due to?

- A- Presence of NAPQI
- B- Hemolysis
- C- Presence of hydroquinone
- D- Methemoglobinemia

30- Percussion cap may contain all of the following EXCEPT?

- A- Potassium chlorate
- B- Powdered glass
- C- Mercury chlorate
- D- Antimony sulphide

31- Digoxin toxicity is potentiated by all EXCEPT?

- A- Hypokalemia
- B- Hypomagnesemia
- C- Hypercalcemia
- D- Hypocalcemia

32- Atropine is used in treatment of organophosphate poisoning until all of the

following EXCEPT.

- A- Chest is clear.
- B- Full atropinization
- C- Relieve bronchospasm.
- D- Muscle relax.

33- Subendocardial hemorrhage may occur in death due to?

- A- Head injury
- B- Burn
- C- Reflex vagal inhibition
- D- Air embolism

34- A 32-year-old farmer received an abdominal trauma, after 2 hours the pulse reached 136/min, blood pressure 70/40. The cause is?

- A- Parasympathetic shock
- B- Sympathetic shock
- C- Internal hemorrhage
- D- Air embolism

35- Family (from father, mother, daughter and son) came to emergency department with nausea vomiting headache and blurring of vision. The father and mother gave history that yesterday they had their dinner outside celebrating happy new year together. The best diagnosis is?

- A- Food poisoning
- B- Botulism
- C- Plumbism
- D- Carbon monoxide poisoning

36- The life saving measure to the previous case is?

- A- Stomach wash
- B- Oxygen 100%
- C- Botulism antitoxin
- D- Chelating agents

37- All of the following are characters of barbiturates coma EXCEPT?

- A- Rapid shallow respiration
- B- Hypothermia
- C- Hypotension
- D- Diminished reflexes

38- A 30 year old male patient came to hospital suffering from snake bite by examination the doctor found muscle weakness and the patient known to snake hypersensitivity have antivenin which of the following is specific treatment?

- A- Observation and local analgesic
- B- Antivenin with antibiotics
- C- Antivenin, suction and compression of the site bite
- D- Antivenin, adrenaline and antihistamine

39- Ossific center at the lower end of the radius reaches 2/3 the width of the epiphysis at?

- A- 2 years
- B- 12 months
- C- 7 years
- D- 24 months

40- The first call for military service is at the age?

- A- Union of head of femur with the shaft
- B- Union of head of humerus with the shaft
- C- union of trochlea with capitulum
- D- closure of coronal suture

41- The most common site of rupture of aorta is?

- A- Junction between ascending aorta and the arch
- B- Junction between arch and 1st part of descending aorta
- C- Junction between root of aorta and ascending aorta
- D- Junction between descending aorta and abdominal aorta

42- Zinc phosphide is highly toxic because it

releases...on contact with water or gastric acids?

- A- Arsine gas
- B- Phosphine gas
- C- H₂S
- D- Cyanide gas

43- According to the Egyptian law, the victim of rape could be?

- A- Male
- B- Female
- C- Passive sodomist
- D- Any of the above

44- Organophosphate intermediate syndrome is?

- A- Characterized by weakness of distal limb muscles.
- B- Due to inadequate atropine therapy
- C- Necrotizing myopathy begins shortly after the initial decline in true cholinesterase enzyme activity.
- D- Its intensity is not correlated with the degree of fall of the enzyme.

45- Kinetic tremors occur in chronic poisoning with?

- A- Arsenic
- B- Lead
- C- Mercury
- D- Antimony

46- Activated charcoal is contraindicated in ingestion of?

- A- Acetaminophen
- B- Aspirin
- C- Iron
- D- Datura alba seeds

47- Three days after surviving person from drowning, he may suffer from restlessness and chest pain this condition is called?

- A- Dry drowning

B- Reflex vagal inhibition

C- Near drowning

D- Anaemia

48- Burking is.....?

- A- Throttling
- B- Traumatic asphyxia
- C- Postural asphyxia
- D- Both a & c

49- Post mortem hypostasis means?

- A- Rigor mortis
- B- Algor mortis
- C- Livor mortis
- D- Arborization

Answers

Answers									
1	2	3	4	5	6	7	8	9	10
B	B	C	B	C	A	B	C	B	D
11	12	13	14	15	16	17	18	19	20
B	C	B	C	B	A	B	D	B	B
21	22	23	24	25	26	27	28	29	30
C	D	B	D	B	C	B	B	C	C
31	32	33	34	35	36	37	38	39	40
C	D	B	C	D	B	A	D	C	A
41	42	43	44	45	46	47	48	49	50
B	B	B	C	C	C	C	B	C	-

وكابدوا المجد حتى مل أكثرهم

وعانق المجد من أوفى ومن صبرا

لا تحسب المجد تمرا أنت آكله

لن تبلغ المجد حتى تلعق الصبرا

1-The most dangerous degree of burn?

- a) 1st degree
- b) 2nd degree
- c) 3rd degree
- d) 6th degree

2-In the scene of the crime the pathologist noticed that the cadaver is warm and stiff, this means that the time passed since death was?

- a) less than 3 hours
- b) 3:8 hours
- c) 8:36 hour
- d) more than 36 hours

3-Manazool is composed of?

- a) datura, hashish, nutmeg, sugar
- b) datura, hashish, nutmeg, honey
- c) atropine, hashish, cocaine, sugar

4-Ring fracture occurs in?

- a) In the base of skull
- b) Vault
- c) Skull eminences
- d) Temporal bone

5-The amount of blood loss in a healthy person that can be fatal?

- a) 1-1.5 litter
- b) 2-3 litter
- c) 250 ml
- d) half a litter

6-disorientation of time and space occurs in the poisoning of?

- a) aspirin
- b) atropine
- c) THC
- d) none of the above

7-Magnesium sulphate is contraindicated in?

- a) sinusitis

b) hypertension

c) renal failure

8-Gastric lavage is contraindicated in?

- a) Iron
- b) Corrosive
- c) Acetaminophen
- d) Aspirin

9-A man with traumatic meningitis, which is TRUE?

- a) Pus is mainly basal
- b) Meningococci is causative organism
- c) Pus is opposite the lesion in the scalp
- d) Necrotic temporal bone

10-Morphine toxicity is characterized by which of the following?

- a) Shock
- b) Respiratory depression
- c) Mydriasis
- d) All the above

11-Which of the following is TRUE about oblique firing?

- a) rounded inlet
- b) oval inlet
- c) no exit

12- All of the following is TRUE about persistent vegetative state EXCEPT?

- a) Persist for more than for week
- b) Loss of function of higher centre
- c) Extensive cerebral ischemia
- d) Functions of brain stem are lost

13-Which of the following is TRUE about the exit of firearm wounds?

- a) Irregular edges
- b) small sized
- c) Internal bevelling
- d) Powder marks

14-Suicidal cut throat by right handed person is likely to be?

- a) Uniform depth all through
- b) Accompanied by hesitation marks on the left side
- c) Higher level on the right side of the neck
- d) Deeper at the right side and shallow on the left

15-Which of the following is TRUE about pachy meningitis hemorrhagica?

- a) occurs in diabetic angioneuropathy
- b) Acute condition
- c) occurs in young adults
- d) occur in subarachnoid space

16-A 17-year-old boy has ingested sulfuric acid, which is the mode of action?

- a) coagulative necrosis
- b) liquefactive necrosis

17-A 17-year old boy has ingested HCL, which of the following should be used?

- a) syrup of ipecac
- b) activated charcoal
- c) milk
- d) gastric lavage

18- A 17-year old boy has ingested phenol from the cleaning substances at home.

- a) Local
- b) Kidney
- c) heart
- d) all of the above

19-While examining the airways of a cadaver they found froth and weed, the probable cause of death is?

- a) Ante-mortem drowning
- b) Post-mortem drowning
- c) Head injury
- d) None of the above

20-The last bone to unite in the elbow joint ?

- a) Olecranon
- b) Trochlea

- c) Medial epicondyle
- d) Capitulum

21-About Teichmann test, all the following are TRUE EXCEPT?

- a) Need haemoglobin
- b) Dark brown
- c) Rosette cluster
- d) It is a confirmatory test

22-Which of the following causes asphyxia without pressure around neck anatomy:

- a) Gagging
- b) Hanging
- c) Ligature strangulation
- d) Throttling

23-A 6 year-old child hasteeth?

- a) 20
- b) 24
- c) 28
- d) 32

24-Which of the following tests used in blood origin discrimination?

- a) Teichmann test
- b) Phenolphthalein
- c) Spectroscopical test
- d) Precipitin

Answers

Answers									
1	2	3	4	5	6	7	8	9	10
C	B	B	A	B	C	C	B	C	B
11	12	13	14	15	16	17	18	19	20
B	D	A	B	A	A	C	D	A	C
21	22	23	24	25	26	27	28	29	30
C	A	B	D	-	-	-	-	-	-

1- All of the following drugs eliminated by forced alkaline diuresis EXCEPT

- A- salicylate
- B- phenobarbital
- C- lithium
- D- strychnine

2- All of the following eliminated by multiple doses of activated charcoal EXCEPT

- A- methanol
- B- theophylline
- C- digoxin
- D- phenobarbital

3- Sulphuric acid act by

- A- Coagulative necrosis
- B- Liquefactive necrosis

4- Color of urine in carboloria is

- A- yellow
- B- brown
- C- green

5- Desferroximine is antidote of

- A- iron
- B- lead
- C- Mercury

6- Dysentery is caused by which poison

- A- lead
- B- mercury
- C- arsenic
- D- sulphuric acid

7- Tramadol is synthetic analogue of

- A- codeine
- b) Morphine
- c) Atropine

8- Cause of death in cocaine

- A- I.C hemorrhage
- B- Renal failure

C- hypothermia

D- hypotension

9- All of the following are aspirin manifestation EXCEPT

- A- ecchymosis
- B- tinnitus
- C- vomiting
- D- extrapyramidal

10- Elimination of barbiturate by

- A- Alkalinization of urine
- B- hemodialysis
- C- hemofiltration
- D- All of the above

11- CO has affinity to hemoglobin times more than O₂

- A- 200-250 time
- B- More than 300
- C- 50-100 time
- D- 15

12- Ethyl alcohol toxicity manifested with all of the following EXCEPT

- A- vomiting
- B- Blurring of the vision
- C- Flushed face
- D- Elevated temperature

13- a 5-year-old child came to hospital with crepitations over chest claimed to ingest clear fluid with characteristic odor with vomiting, normal pupils, shallow respiration, B P 110/70, pulse 70 b/m.

What's your diagnosis?

- A- kerosene
- b) organophosphorus
- c) ethanol
- d) sulphuric acid

14- Psychological dependence cause

- A- habituation
- B- Withdrawal manifestation

C- Craving and relapse

d) Tolerance

15- Cannabis is

A- hallucinogenic

b) CNS stimulant

c) CNS depressant

16- All of the following are muscarinic manifestation of organophosphorus EXCEPT

A- Muscle fasciculation

B- vomiting

C- urination

D- bronchoconstriction

17- Delayed neuropathy of organophosphorus is

A- motor

B- sensory

C- Mixed motor and sensory

d) Not permanent

18- All of the following are manifestation of botulism EXCEPT

A- diarrhea

B- Muscle paralysis

C- Urine retension

D- Fixed dilated pupil

19- A male was found in hanging position.

After taking him down and examination there was well established hypostasis fixed in the back. What is the position at the time of death?

A- supine

B- Prone

C- We can't detect.

20- Wrist X-ray in female 18Y show:

A- United metacarpal, united lower end of tibia

B- Un-unit metacarpal, un-united lower end of tibia

C- United metacarpal, un-united lower end of

tibia

D- Un-united metacarpal, united lower end of tibia

21- All are TRUE about pond fracture

EXCEPT

A- Occur in children.

B- Take the shape of the causative instrument.

C- Caused by blunt instrument.

D- Fissure fracture

22- Laminated blood clot occur in

A- Extradural hemorrhage

B- Subdural hemorrhage

C- Subarachnoid hemorrhage

D- Intracerebral hemorrhage

23- The wound variant that helps in identifying the size of the causative object?

A- Stab wound

B- Cut wound.

C- contusion

D- None of the above

24- Fabricated wound is mostly

A- abrasion

B- contusion

C- laceration

D- Cut wound.

25- Blunt trauma is more likely to produce incised like wound in

A- hand

B- neck

C- chest

D- scalp

26- Edge of incised wound may be irregular due to

A- Skin overstretched on bone.

B- Scalp injury

C- Corrugated skin

D- None of the above

27- Tattooing is caused by

A- Unburnt powder particles

B- smoke

C- gas

D- flame

28- 2 wound of non- rifled weapon with 9

CM area of dispersion, the distance of firing is:

A- 1 meter

B- 2 meters

C- 3 meters

D- 4 meters

29- All are character of typical inlet of firearm wound EXCEPT:

A- Large in size

B- soiling

C- abraded

D- Round

30- Soiling ring is:

A- Grease result from lubricant on the surface of the bullet from barrel

b) unburned powder particles

c) rim of abrasion around the wound

d) flame and smoke

31- If the body feel cold and flaccid, the time passed since death is

A- Less than 3h

B- 3-8h

C- 8-36h

D- More than 36h

32- Shelving in skull fracture caused by which type of the following?

A- stick

B- fass

C- hammer

D- Stone

33- Minimal age to be responsible for crime:

A- 7Y

B- 15Y

C- 18Y

D- 21Y

34- In disputed paternity, blood group

examination helps in which of the following

A- Identification of possible father and mother

B- Confirmation that certain person is father.

C- Confirmation that certain person isn't father

D- None of the above

35- Condition in which the person remains in inverted position for a long time:

A- Postural asphyxia

B- Traumatic asphyxia

C- choking

D- Burking

36- Ligature mark in hanging

A- Stretch laceration

B- Friction abrasion

C- Patterned abrasion

d) Patterned contusion

37- Dry burn is caused by:

A- Hot liquid or stream

B- Flame or hot metals

C- Deep X-ray or U.V rays

D- Strong acid or alkali

38- A person died in hospital 2 week after burning his abdominal and chest wall and upper extremities, the most probable cause of death is

A- Traumatic asphyxia

B- Pulmonary fat embolism

C- Perforation of acute duodenal ulcer

D- Suprarenal hemorrhage

39- Which of the following is antidote of acetaminophen:

A- toxogonin

B- N-acetyl cysteine

C- naloxone

D- atropine

40- Edges or recent hymeneal tear are

characterized by all of the following

EXCEPT:

- A- edematous
- B- painless
- C- congested
- D- Bleeding on touch

41- Minimum age of lade to give valid consent for sexual intercourse is

- A- 12Y
- B- 14Y
- C- 16Y
- D- 18Y

42- Sure sign of pregnancy in living

- A- Palpitation of fetal parts and movements
- B- Changes in genital tract
- C- amenorrhia
- D- Linea nigra

43- On carrying therapeutic abortion, the doctor shouldn't

- A- Obtain written consent from husband.
- B- Consult specialist to give his agreement.
- C- Do it skillfully and without hurry
- D- Do the operation in private hospital.

44- The fetus is considered viable following the age of:

- A- 5th intrauterine months
- B- 6th intrauterine months
- C- 7th intrauterine months
- D- 8th intrauterine months

45- A newly born infant age is

- A- Less than 1 week
- B- Less than 2 week
- C- Less than 1 months
- D- Less than 3 months

46- Act of omission in case of infanticide is

- A- Cut throat
- B- Drowning asphyxia
- C- Homicidal head injury

D- None of the above

47- Shaken baby syndrome diagnosed by all of the following EXCEPT:

- A- Brain swelling
- B- Pelvic fracture
- C- Retinal hemorrhage
- D- Subdural hemorrhage

48- 35Y female with history of suicidal attempt by 20 tablet acetaminophens, the most important line of treatment is:

- A- atropine
- B- obidoxime
- C- N-acetyl cysteine
- D- resuscitation

Answers

Answers									
1	2	3	4	5	6	7	8	9	10
D	A	A	C	A	B	A	A	D	D
11	12	13	14	15	16	17	18	19	20
A	D	A	C	A	A	C	A	A	A
21	22	23	24	25	26	27	28	29	30
D	B	A	D	D	C	A	C	A	A
31	32	33	34	35	36	37	38	39	40
D	B	A	C	A	C	B	C	B	B
41	42	43	44	45	46	47	48	49	50
D	A	D	B	B	D	B	D	-	-

عَنْ أَنَسِ بْنِ مَالِكٍ قَالَ: قَالَ رَسُولُ اللَّهِ صَلَّى
اللَّهُ عَلَيْهِ وَسَلَّمَ: (يَأْتِي عَلَى النَّاسِ زَمَانٌ
الصَّابِرُ فِيهِمْ عَلَى دِينِهِ كَالْقَابِضِ عَلَى
الْجَمْرِ)

1- Father with blood group (O) has children with blood groups except?

- A. AB
- B. O
- C. B
- D. A

2- Most hazardous preliminary test for blood stain?

- A. Guaiacum
- B. Kastle mayer's
- C. Benzidine
- D. Teichmann

3- Multiple superficial wound in hand at the beginning of cut wrist wound are ?

- A. Hesitation marks
- B. Fabricated wounds
- C. Insignificant wounds
- D. Defense wounds

4- Traumatic rupture of stomach characterized by the following except?

- A. Bruises
- B. History of trauma
- C. Regular edges
- D. Bulging of mucosa

5- Period between somatic death and cellular death?

- A. Molecular life
- B. Molecular death
- C. Lucid interval
- D. Postmortem interval

6-Cadaveric spasm is followed by?

- A. Primary flaccidity
- B. Secondary flaccidity
- C. Rigor mortis
- D. Nervous stress

7- Beveling occurs in all the following except?

- A. Skull
- B. Femurs
- C. Sternum
- D. Scapula

8- Firearm wound with everted edges occurs if firing?

- A. At the buttocks
- B. 125 cm distance
- C. 25 cm distance
- D. At the temple

9- A man with traumatic meningitis, which is true?

- A. Pus is mainly basal
- B. Meningococci is causative organism
- C. Pus is opposite the lesion in the scalp
- D. Pus is opposite a necrotic temporal bone

10- Sub periosteal hematoma is ?

- A. Small, circumscribed due to fibrous strands
- B. Diffuse and limited by attachment of occipitofrontalis muscle
- C. Confined to one bone
- D. Large, diffuse, soft

11- Power of speech is preserved in ?

- A. Depressed fracture
- B. Comminuted fracture
- C. Injuries to left frontal lobe involving Broca's area.
- D. Lucid interval

12- Most common type of fingerprints is ?

- A. Whorls
- B. Loops
- C. Composites
- D. Arches

13- A 23 years old in male, fusion of all of the following occurs except ?

- A. Basisphenoid with basisphenoid
- B. Iliac crest

- C. Sternal head of clavicle
- D. Head of the femur with shaft

14- Extent of burn in Charring of both lower limbs with genitalia is ?

- A. 37
- B. 36
- C. 18
- D. 16

15- Froth in case of drowning ?

- A. Fine and whitish in color
- B. Offensive odor
- C. Blood stained
- D. Thick2

16- Which of the following is wrong about postmortem picture of hanging ?

- A. Ligature mark is transverse and in lower neck
- B. Dribbling of saliva from corner of mouth
- C. May be fracture of hyoid bone
- D. Bruises in muscles and subcutaneous tissue of the neck

17- Absolute contraindication of gastric lavage?

- A. Sulphuric acid
- B. Child below 6 years
- C. Hydrocarbons
- D. Foaming agents

18- Chemical form used in induction of emesis?

- A. Magnesium sulphate
- B. Sorbitol
- C. Magnesium citrate
- D. Serum ipecac

19- Factor related to poison which affect toxicity?

- A. Quantity
- B. Route of administration
- C. Condition of stomach
- D. General health condition

20- Sense of well-being followed by fear of death in?

- A. Acute cocaine toxicity
- B. Acute atropine toxicity
- C. Acute cannabis toxicity
- D. Acute morphine toxicity

21- Acute cocaine toxicity causes all of the following except ?

- A. Coronary vasoconstriction leading to myocardial infarction
- B. Hypertension leading to cerebral hge
- C. Seizures
- D. Hypothermia

22- A 25 years old man came to hospital with hypotension, bradycardia, pin point pupil and there is multiple injection marks along veins of upper limb ?

- A. Atropine toxicity
- B. Morphine toxicity
- C. Alcohol toxicity
- D. Hashish toxicity

23- Mechanism of action of hydrochloric acid is?

- A. Coagulative necrosis
- B. Liquefactive necrosis
- C. Anticholinergic

24- Methemoglobinemia is caused by ?

- A. Sodium hydroxide
- B. Carbolic acid
- C. Sulphuric acid
- D. Hydrochloric acid

Answers

1	2	3	4	5	6	7	8	9	10
A	C	A	C	A	B	B	A	C	C
11	12	13	14	15	16	17	18	19	20
D	B	D	A	A	A	A	D	A	C
21	22	23	24	25	26	27	28	29	30
D	B	A	B	-	-	-	-	-	-

عن أبي ذر رضي الله عنه مرفوعاً : «إني
أمرى ما لا ترون، أظن السماء وحق لها أن
تتطأ، ما فيها موضع أربع أصابع إلا وملك
واضع جبهته ساجداً لله تعالى، والله لو تعلمون
ما أعلم، لضحكتم قليلاً ولبكيتم
كثيراً، وما تلذذتم بالنساء على الفراش،
ولخرجتم إلى الصُّعَدَاتِ تجأرون إلى الله
تعالى»

1- The term "Gastrointestinal dialysis" refers to?

- A. Multiple doses activated charcoal
- B. Hemodialysis
- C. Peritoneal dialysis
- d. Forced alkaline diuresis

2- All of the followings are Physiological antidotes except?

- A. Naloxone in opium toxicity
- B. Barbiturates in strychnine
- C. Atropine in organophosphorus poisoning
- D. Potassium permanganate for oxidizable poisons as alkaloids

3- First step in dealing with intoxicated patient?

- A. Airway Breathing Circulation
- B. Hemodialysis
- C. Detailed history
- D. Gastric lavage

4- Green color of urine in ?

- A. Phenol
- B. Hydrochloric acid
- C. Oxalic acid
- D. Nitric acid

5- Hypocalcemia is present in?

- A. Oxalic acid toxicity
- B. Carbolic acid toxicity

6- A man is worker in medical equipment industries presented with grey linen on the gum, gingivitis, tremors mostly chronic toxicity of?

- A. Mercury
- B. Lead
- C. Iron
- D. Arsenic

7- Specific chelating agent in iron

poisoning is ?

- A. Penicillamine
- B. Desferrioxamine
- C. EDTA
- D. BAL

8- Phase 1 of acetaminophen toxicity

doesn't include ?

- A. Vomiting
- B. Malaise
- C. Pallor
- D. Jaundice

9- Antidote for B blocker is ?

- A. Glucagon
- B. flumazenil

10- Most dangerous form of Salicylates?

- A. Acetyl salicylic acid
- B. Salicylic acid tablets
- C. Methyl Salicylate (oil of wintergreen)
- D. Salicylic acid capsules

11- a woman with a history of running of car engine in garage and pulse was 110 beats/min, blood pressure 90/60 mmHg with metabolic acidosis?

- A. CO poisoning
- B. Cyanide poisoning

12- Methyl alcohol toxicity causes all of the followings except ?

- A. Optic damage
- B. Metabolic alkalosis
- C. High anion gap
- D. CNS depression

13- Cause of death in kerosene toxicity?

- A. Early due to CNS depression, late due to pneumonia

14- In organophosphorus poisoning, Intermediate syndrome occurs due to?

- A. Inadequate atropine therapy

- B. Inadequate oxime therapy
- C. Inadequate oxygen therapy
- D. Atropine overdose

15- Rodenticide black in color with a rotten fish Oduor and taste ?

- A. Red squill
- B. Warfarin
- C. Zinc phosphide
- D. Strychnine sulphate

16- Cobra toxin is ?

- A. Neurotoxin
- B. Cardiotoxin
- C. Myotoxin
- D. Vasclutoxin

17- Non medical use of drugs that may not necessarily involve dependence but cause harm to the user?

- A. Drug abuse
- B. Misuse
- C. Drug dependence
- D. Habituation2

18- Patient came with cocaine pug, Irritability, increase aggressiveness the best treatment is ?

- A. Abrupt withdrawal
- B. Gradual withdrawal
- C. Substitution therapy

19- A 7-years old boy ingested unknown seed then developed dilated pupils, flushing, tachycardia these seeds mostly?

- A. Datura
- B. Papaver somniferous
- C. Strychnous nux vomica

20- coma, respiratory depression, pin point pupil is Triade of ?

- A. Opium

21-The depth of the stab wound indicates?

- a) Type of the knife

- b) Shape of the blade
- c) Length of the blade
- d) Width of the blade

22- All of the following are characters of fabricated wound EXCEPT ?

- a) Superficial
- b) Within the reach of fabricators hand
- c) in extremities
- d) Tearing in clothes opposite wound

23- Types of shock that can occur in wound?

- a) Hemorrhagic, Neurogenic, Septic
- b) Hemorrhagic only
- c) Neurogenic only
- d) Septic shock only

24- Which of the following is a dangerous wound?

- a) Fracture radius
- b) lacerated wound in the scalp
- c) cut wound in the scalp
- d) wound that prevent from work for 10 days

25- In a female, lower end of femur unites with shaft at age?

- a) 23
- b) 19
- c) 17
- d) 15

26- human hair has?

- a) narrow interrupted medulla
- b) broad continuous medulla
- c) thick cuticle
- d) narrow cortex

27- The following is not TRUE as regards persistent vegetative state ?

- a) The patient loses the higher cerebral power.
- b) Brain stem functions are lost.
- c) Deep coma

d) Occurs in prolonged period of hypoxia

28- Postmortem hypostasis mean?

- a) Rigor mortis
- b) Algor mortis
- c) Livor mortis
- d) Arborization

29- Female with history of head trauma came to the hospital. Her pulse was 100 beat/min. Her BP was 75/60 and no signs of lateralization. She was discharged after 24 hours. Later she developed coma and died. What has happened?

- a) concussion followed by compression
- b) compression
- c) concussion
- d) Meningitis

30- Bipolar fracture is

- a) injury at site of impaction and at the opposite site
- b) at the bulging two poles
- c) two separate blows

31- Localized depressed fracture are caused by blows from?

- a) Light weapon with a large striking surface
- b) Light weapon with a small striking surface
- c) Heavy weapon with a small striking surface
- d) Heavy weapon with a large striking surface

32- Death at 5th day after burn is due to?

- a) suprarenal hemorrhage
- b) septicemia
- c) asphyxia

33- Pugilistic attitude is due to

- a) Coagulation of muscle proteins
- b) Putrefaction
- c) Rigor mortise
- d) Cadaveric spasm3

34- Rubber bullet shouldn't be fires at

distance less than?

- a) 50 m
- b) 30 m
- c) 20 m
- d) 40 m

35- The most important character of firearm wound is?

- a) Circular shape.
- b) Inverted edges
- c) Presence of powder mark
- d) Loss of substance.

36- Blackening:

- a) due to unburnt powder particles
- b) occurs at distance 2-3 m
- c) can be washed

37- In suicidal firearm, the inlet is?

- a) cruciate
- b) inverted
- c) regular
- d) small

38- The earliest test to predict pregnancy in a living woman?

- a) B- HCG level in serum
- b) US
- c) chorionic cells
- d) Ovulation test

39- Spalding sign?

- a) intrauterine fatal death
- b) dry burn
- c) inlet of firearm
- d) Violent asphyxia

40- Hydrostatic floatation test depends upon?

- a) Change in mass.
- b) Change in specific gravity.
- c) Change in weight.
- d) Change in size

41- Neglecting tying the cord of a new born may cause death from?

- a) Hemorrhage.
- b) Air embolism.
- c) Sepsis.
- d) Amniotic fluid embolism.

42- A fetus is considered viable following the of?

- a) 5th intrauterine month.
- b) 6th intrauterine month.
- c) 7th intrauterine month.
- d) 8th intrauterine month.

43- Shaken baby syndrome diagnosed by the following EXCEPT?

- a) Subdural hemorrhage
- b) Retinal hemorrhage
- c) Pelvic fracture
- d) Brain edema

44- The condition of true consent is the following except?

- a) under threat
- b) female is conscious
- c) above 18 years old
- d) sane

45- male is physiologically impotent in age?

- a) less than 16
- b) less than 18
- c) less than 14
- d) at 16

46- Hemoglobin and its derivatives give 2 absorption bands between D and E lines in spectroscopic test, except?

- a) Oxyhemoglobin.
- b) Reduced hemoglobin.
- c) Carboxy hemoglobin.
- d) Methemoglobin.

47- Causes of death from manual strangulation include all of the following, except?

- a) Asphyxia.
- b) Reflex vagal inhibition.

- c) Brain anemia.
d) Laryngeal spasm.

48- All the following are true regarding traumatic asphyxia, except?

- a) Accidental cases are the commonest.
b) There is deep cyanosis of the face, neck and upper part of chest.
c) Injury of vital organs may be a cause of death.
d) Petechial hemorrhages are rarely seen.

Answers

Answers

1	2	3	4	5	6	7	8	9	10
A	D	A	A	A	A	B	D	A	C
11	12	13	14	15	16	17	18	19	20
A	B	A	B	C	A	B	A	A	A
21	22	23	24	25	26	27	28	29	30
C	D	A	A	B	A	B	C	A	A
31	32	33	34	35	36	37	38	39	40
C	A	A	C	D	C	A	A	A	B
41	42	43	44	45	46	47	48	49	50
A	B	C	A	C	B	D	D	-	-

من فاته النزع في وقت البذار فما

تراه يحصد إلا الهمة والندما

طوبى لمن كانت التقوى بضاعته

في شهره وبجبل الله معتصما

RANDOM

1- The chemical structure of crystals formed by takayama test are?

- A- Haemin crystals
B- Reduced hemoglobin
C- Haemochromogen crystals
D- Carboxyhemoglobin

2- The wound variant helping in identifying the causative instrument size is?

- A- Cut wound
B- Contused wound
C- Stab wound
D- None of the above

3- All about brain laceration are true except?

- A- Circumscribed area of brain tissue destruction
B- The cortex loses its continuity
C- Surrounded by contusion
D- Pea matter is intact

4- The hydrostatic floatation test depends on?

- A- Change in size
B- Change in weight
C- Change in specific gravity
D- Change in mass

5- Finger prints are present in?

- A- Epidermis only
B- Dermis only
C- Epidermis and subcutaneous tissue
D- Epidermis and dermis

6- Extensive abrasions are found on the body of a pedestrian lying by the road side. What is the cause?

- A- Primary impact injury
B- Secondary impact injury
C- Secondary injury
D- Postmortem artifact

7- Cannabis is considered?

- A- Stimulant
- B- Depressant
- C- Sedative hypnotic
- D- Hallucinogenic

8- Witch of the following is not toxic if ingested orally?

- A- Arsenic salts
- B- Lead paints
- C- Elemental mercury
- D- Iron sulfate

9- Acute oral phenytoin toxicity include all of the following except?

- A- Ataxia
- B- Dysarthria
- C- Myocardial depression
- D- Hyperglycemia

10- Methanol poisoning is more dangerous because of the following except?

- A- Blindness
- B- Small fatal dose
- C- Rapid accumulation of acetaldehyde
- D- Sever metabolic acidosis

11- Suicidal cut throat by right handed person is likely to be?

- A- Deeper from beginning to the end
- B- Accompanied by hesitation wounds on the left side
- C- Begin higher on the right side of the neck
- D- Deeper at right side and shallow on the left
- E- Multiple wounds in front of the neck

12- To prove that the stain is blood we need?

- A- Precipitin test
- B- Kastle Mayer test
- C- Takayama test
- D- Guaiacum test

13- Cadaveric spasm commonly seen in?

- A- Legs
- B- Hands

- C- Neck muscles
- D- Involuntary muscles

14- Metabolic acidosis is seen in cases of toxicity with?

- A- Acontine
- B- Cocaine
- C- Salicylates
- D- b&c

15- Induction of emesis is contraindicated in cases of poisoning with?

- A- Slow release preparations
- B- Strychnine
- C- Poisons delaying gastric emptying
- D- a & b

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20

Choose the correct answer and give reason

1- Blood grouping alone can establish paternity?

- A- true
- B- False

the reason:

2- Very high body temperature is an important sign of heat exhaustion?

- A- true
- B- False

the reason:

3- Imperforate hymen is one of the medicolegal important types?

- A- true
- B- False

the reason:

4- Co gas is considered as a silent killer?

- A- true
- B- False

the reason:

5- Gastric lavage is used in elimination of morphine even if it used parenteral?

A- true B- False

the reason:

6- Hypertension is one of clinical presentation in phenobarbital toxicity?

A- true B- False

the reason:

7- A stab to the right ventricle is more serious than that to the left one?

A- true B- False

the reason:

8- The shape of firearm inlet wound is always regular?

A- true B- False

the reason:

9- Bleeding tendency in salicylate toxicity is due to bone marrow depression?

A- true B- False

the reason:

10- Postmortem eye examination can help to determine time passed since death?

A- true B- False

the reason:

11- Stomach wash is contra-indicated in cases of acute poisoning by carbolic acid?

A- true B- False

the reason:

12- Tache noire refers to postmortem staining?

A- true B- False

the reason:

13- Gushing ulcer occurs in the 12th day of burn?

A- true B- False

the reason:

14- Length of the fetus is accurately determined by Hess formula?

A- true B- False

the reason:

15- Cyanide produces histotoxic cellular hypoxia?

A- true B- False

the reason:

16- In datura poisoning gastric lavage can be done even after several hours of poisoning but in opium must be done early as possible?

A- true B- False

the reason:

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20

Complete

1- Fleets enema is composed of &.....

It acts by..... And?

2- Sex chromatin of somatic cells is called

..... While that of leukocytes is called?

3- Superfecundation means?

4- Smokeless gun powder is composed of

.....or.....?

5- GIT manifestations of digitalis toxicity are due to?

6- Forced alkaline diuresis is useful in treatment of (a)..... and (b).....?

7- Ventricular fibrillation is the cause of sudden cardiac death in (a)..... and (b).....?

8- Medico-legal conditions in which a female is examined for signs of virginity are (a)..... and (b).....?

9- External signs of live-birth include

(a)..... and (b).....?

10- Metalization can be seen in deaths due to

(a)..... and is caused by (b).....?

11- Acrodynia is.....?

12- Davidson bodies are.....?

13- Rubber bullet should not be fired at a

person under meter range

14- Rapid intravenous injection of phenytoin

leads to cardiovascular effects. These effects

are caused by.....?

15- Drug abuse is.....?

Forensic medicine

A-21-years old female was accused of stabbing her husband. The accused wife claimed it was a self-defense. The medico-legal expert reported that the victim was 23 years old and the cause of death was a stab in the heart by a single bladed instrument. How to verify the ages of the victim and the accused?

- I. What are the characters of the wound that was found in the victim?**
- II. How could you prove that the claim of the wife is correct or not?**

A-young-18 years old male was found dead in his room with an incised wound in the neck. Huge amounts of blood stains were seen on a mirror and on the ventral aspect of his clothes. A razor was seen nearby the body. Verify the age of the victim with its medico-legal importance?

- I. Do you think that this case was homicidal, suicidal or accidental?and why?**
- II. How could you confirm your suspicion through examination of the wound?**
- III. Enumerate the causes of death from cut throat?**

A-man-55 years old was found dead at his home where he lived alone. A contused wound (4 cm) was found in the back of his head with minimal bleeding. The autopsy showed an intracranial hemorrhage. The main bulk of which lies in the brain substance. How can you verify the age of the man?

- I. Is this hemorrhage traumatic or pathological? Why?**
- II. This case was homicidal, suicidal or accidental? Why?**
- III. What are the other autopsy findings expected in this case to confirm the diagnosis?**
- IV. What is the cause of death?**

Give an account on

- 1- Medicolegal importance of examination of the umbilical cord in a case of infanticide?**
- 2- Factors determining the outcome of electric injury?**
- 3- MLI of examination of the accused in case of rape?**
- 4- Cerebral compression?**
- 5- Sure signs of drowning?**
- 6- Characters of entrance of firearm wounds?**
- 7- Abortifacient drugs?**

8- Mechanism of action and treatment of iron toxicity?

9- Toxic manifestations and management of snake envenomation?

10- Purple glove syndrome?

11- Poisons affecting body enzymes?

12- Contraindications in snake bite management?

13- Tramadol toxicity?

14- Clinical picture of carbolic acid poisoning?

Tabulate the difference between

1- Inlet and exit wounds of fire arm injury?

2- Organophosphates and carbamates?

3- Methanol and ethanol in the mechanism of toxicity?

Toxicology

A-farmer-had repeated vomiting, abdominal colic and diarrhea after taking his lunch which contains some farm vegetables. The examination revealed constricted pupils, muscular twitches, pulse was 60/minute, B.I.Pr. was 90/70 mm Hg., with sweating and crepitations all over the chest. What is your provisional diagnosis?

- I. What is the action of the suspected poison?
- II. What is the proper treatment of such a case?
- III. What are the causes of death in such a case?

A-10-years old female ingested more than 20 tablets of unknown drug. Her mother gave her unmeasured amount of salt in water to induce vomiting. She didn't vomit, so she took her to the hospital. She was lavaged with saline solution. Her serum sodium level was 155 mEq/L and heart rate was 145 beat/minute. She was managed and discharged from the hospital. At the third day she returned again with right hypochondrial pain and tinge of jaundice. Blood sample showed elevated liver enzymes, elevated bilirubin level and prolonged prothrombin time. What is the probable diagnosis?

- I. Do you think that salt emesis and gastric lavage were an accurate management? Why?
- II. Explain, why she returned again to the hospital?
- III. How to manage this case when she presented for the 2nd time?
- IV. If death occurred, what are the possible causes?

ترفض الله، هذا وما كان من توفيق فمن الله وحده وما كان من خطأ أو نزال فمن أنفسنا ومن الشيطان، وفقنا الله وإياكم لخيري الدنيا والآخرة وأعاننا على طاعته .

نسألکم الدعاء لكل من سبقنا من أخواننا إلى الجنة بإذن الله أن يتغمدهم الله بواسع رحمته وأن يرفع قدرهم ويتجاوز عن سيئاتهم وأن يجمعنا بهم في جناته .