

FormulaRMS

Cypress E2E Test Report

2026-05-08 · Cypress 13.17.0 · Electron 118 · Node 18.19.1

<https://formularms.bottle.com.np>

344

PASSED

137

FAILED

8

SKIPPED

489

TOTAL

Pass Rate: 70% · 28 Specs · 21 Bugs Found · 70% Pass Rate

Fully Passing: 10-responsive · 11-console-errors · 23-reports · 24-performance

1. Spec Results Summary

Spec	Tests	Pass	Fail	Skip	Result
01-signup	14	6	4	4	FAIL
02-homepage	10	3	7	0	FAIL
03-auth	12	10	1	1	FAIL
04-menu	10	6	4	0	FAIL
05-categories	11	5	6	0	FAIL
06-items	17	11	6	0	FAIL
07-orders	13	7	6	0	FAIL
08-tables	15	9	6	0	FAIL
09-settings	8	6	2	0	FAIL
10-responsive	26	26	0	0	PASS
11-console-errors	8	8	0	0	PASS
12-e2e-flow	11	8	3	0	FAIL
13-dashboard	14	11	3	0	FAIL
14-order-lifecycle	17	13	4	0	FAIL
15-billing	10	8	2	0	FAIL
16-table-sessions	14	12	2	0	FAIL
17-search-filter	20	16	4	0	FAIL
18-api-health	17	12	5	0	FAIL
19-permissions	21	3	18	0	FAIL
20-network-errors	10	9	1	0	FAIL
21-accessibility	14	8	6	0	FAIL
22-security	18	12	6	0	FAIL
23-reports	13	13	0	0	PASS
24-performance	15	15	0	0	PASS
25-menu-availability	12	7	2	3	FAIL
26-full-flow	66	49	17	0	FAIL
27-regression	39	26	13	0	FAIL
28-staff	34	25	9	0	FAIL
TOTAL (28 specs)	489	344	137	8	70% PASS

2. Bugs Found & Recommended Fixes

BUG-01 [HIGH] Unauthenticated users not redirected to /login

Specs: 01, 02, 04, 09, 13, 22 · Failures: 15

Description:

Visiting a protected route without authentication keeps the user on / instead of redirecting to /login. The route guard is missing from the frontend router.

Recommended Fix:

Add a PrivateRoute guard that checks for a valid auth token on every protected route and redirects to /login if absent.

BUG-02 [HIGH] Signup API endpoint returns 404

Specs: 01-signup · Failures: 3

Description:

POST /auth/signup/send-otp/ returns HTTP 404. The endpoint is not implemented or is registered under a different path.

Recommended Fix:

Implement POST /auth/signup/send-otp/ returning 200 on success, 400/422 on validation error, 409 if already registered. If invite-only, mark tests as pending.

BUG-03 [MEDIUM] Signup page does not redirect authenticated users

Specs: 01-signup · Failures: 1

Description:

An already-authenticated user visiting /signup stays on the page instead of being redirected.

Recommended Fix:

Add an auth check on the signup route: if authenticated, redirect to / or /dashboard.

BUG-04 [MEDIUM] OTP verify endpoint rate-limited (429) during test run

Specs: 03-auth · Failures: 1

Description:

The OTP is already consumed by loginViaApi session setup. Re-calling verify-otp with the same code returns 429 Too Many Requests.

Recommended Fix:

Check `cy.task("getToken")` first. If a cached token exists, skip re-verification and reuse the cached token.

BUG-05 [HIGH] API endpoints return 404 HTML page (70+ failures)

Specs: 04-18, 25, 26, 27 · Failures: 70

Description:

GET/POST/PATCH/DELETE calls to /menu/, /orders/, /tables/, /billing/ return 404 with an HTML "Not Found" body — the API gateway is not routing requests to the backend.

Recommended Fix:

Verify `API_BASE` in `cypress.config.js`. Check that the API gateway routes `/api/v1/*` to the backend. Ensure the Authorization header is sent correctly.

BUG-06 [MEDIUM] Login input elements not found on homepage

Specs: 02-homepage · Failures: 3

Description:

Tests cannot find `<input>` elements because the user is never redirected to /login (cascades from BUG-01).

Recommended Fix:

Resolve BUG-01 first. If the login form uses a custom element, update the test selector to match.

BUG-07 [LOW] Settings page — save/submit button not found

Specs: 09-settings · Failures: 1

Description:

Test looks for a button matching `/save|update|submit/i` on the settings page but finds nothing.

Recommended Fix:

Ensure the settings form has a labelled submit button. Add `data-testid="settings-save"` if the label differs from the test pattern.

BUG-08 [HIGH] Permission tests: 18 of 21 failing

Specs: 19-permissions · Failures: 18

Description:

Only 3 of 21 permission tests pass. The RBAC system is not configured or test users lack expected roles.

Recommended Fix:

Seed test users with defined roles (admin, staff, viewer). Verify permission middleware is active on all relevant endpoints.

BUG-09 [MEDIUM] Accessibility — `<img>` and heading tags missing

Specs: 21-accessibility · Failures: 5

Description:

Tests look for `<img>` elements and h1/h2/h3 headings but they are absent. Item images are CSS background-image; page headers lack semantic headings.

Recommended Fix:

Add `<img alt="...">` tags or update tests to check background-image style. Add `<h1>/<h2>` to page headers.

BUG-10 [HIGH] Auth token stored under wrong key — reads as "null"

Specs: 22-security, 28-staff · Failures: 2

Description:

Token length assertions receive length 4 — the string "null". `localStorage.getItem("access_token")` returns null, meaning the token is stored under a different key.

Recommended Fix:

Use one consistent `localStorage` key throughout: set in `loginViaApi` session command and read in all assertions.

BUG-11 [LOW] Table status labels not rendered as text

Specs: 08-tables, 16-table-sessions · Failures: 2

Description:

Tests look for text matching `/available|occupied|reserved|free/i` on the tables page but find nothing — status is likely shown via colour badge only.

Recommended Fix:

Add visible text labels to table status badges, or add `data-testid="table-status"` with the status value.

BUG-12 [LOW] Add Category button not found on categories page

Specs: 05-categories · Failures: 1

Description:

Test looks for `/add|create|new category/i` button but cannot find it on the page.

Recommended Fix:

Ensure the "Add Category" button is visible. Add `data-testid="add-category-btn"` and update the test selector.

BUG-13 [MEDIUM] API accepts negative and zero item prices

Specs: 06-items · Failures: 0

Description:

POST `/menu/items/` with `base_price: -10.00` or `base_price: 0.00` returns HTTP 201. The backend lacks `MinValueValidator` on the price field, allowing items with invalid prices to be created.

Recommended Fix:

Add `MinValueValidator(0.01)` to `base_price` in the Django serializer: `base_price = serializers.DecimalField(validators=[MinValueValidator(Decimal("0.01"))])`

BUG-14 [MEDIUM] PATCH `/orders/:id/` accepts invalid status values

Specs: 07-orders · Failures: 0

Description:

PATCH `/orders/:id/` with `status: "invalid_status_xyz"` returns HTTP 200 instead of 400. The API applies no enum validation on the status field, so any string is accepted.

Recommended Fix:

Add `ChoiceField` validation: `status = serializers.ChoiceField(choices=Order.STATUS_CHOICES)`. Existing orders with bad status values should be migrated or rejected.

BUG-15 [MEDIUM] food_type filter returns mixed results

Specs: 17-search-filter · Failures: 0

Description:

GET /menu/items/?food_type=veg returns non-veg items in the result set. The filter is accepted (200) but not accurately applied — likely a missing filter_backends registration or DISTINCT issue with a variant JOIN.

Recommended Fix:

Add DjangoFilterBackend to MenuItemViewSet and set filterset_fields = ["food_type"]. If items have variants, add DISTINCT to the queryset.

BUG-16 [LOW] ordering query param ignored on item list

Specs: 17-search-filter · Failures: 0

Description:

GET /menu/items/?ordering=base_price returns 200 but results are not sorted. OrderingFilter is either not in filter_backends or base_price is not in ordering_fields.

Recommended Fix:

Add OrderingFilter to filter_backends and set ordering_fields = ["base_price", "name", "created_at"] in MenuItemViewSet.

BUG-17 [LOW] Pagination limit param not respected

Specs: 17-search-filter · Failures: 0

Description:

GET /menu/items/?limit=2 returns more than 2 items. The limit query param is ignored — the pagination class does not support client-controlled page sizes.

Recommended Fix:

Use PageNumberPagination with page_size_query_param = "limit" and max_page_size = 100.

BUG-18 [LOW] /menu/items/:id/reorder/ returns 405 — action not implemented

Specs: 06-items · Failures: 0

Description:

POST /menu/items/:id/reorder/ returns 405 Method Not Allowed. The URL is registered but the action handler is missing in MenuItemViewSet.

Recommended Fix:

Add @action(detail=True, methods=["post"]) def reorder(self, request, pk=None): ... to MenuItemViewSet to update display_order.

BUG-19 [LOW] /menu/customization-groups/:id/toggle/ returns 405

Specs: 06-items · Failures: 0

Description:

POST /menu/customization-groups/:id/toggle/ returns 405. The toggle action is not registered in CustomizationGroupViewSet.

Recommended Fix:

Add @action(detail=True, methods=["post"]) def toggle(self, ...) to CustomizationGroupViewSet that flips is_active and returns the new state.

BUG-20 [HIGH] Unauthenticated API requests return 404 instead of 401

Specs: 19-permissions · Failures: 18

Description:

API endpoints return HTML 404 instead of 401/403 when no token is provided. In a multi-tenant setup the tenant cannot be resolved without a token, so the request hits a 404 before reaching auth middleware. This is the root cause of 18/21 permission test failures.

Recommended Fix:

Return 401 from authentication middleware before tenant resolution fails. Ensure all /api/v1/* routes return {"detail": "Authentication credentials were not provided."} with status 401 for unauthenticated requests.

BUG-21 [MEDIUM] POST /tables/ silently requires undocumented section field

Specs: 08-tables, 16-table-sessions · Failures: 2

Description:

POST /tables/ returns 400 when the section UUID field is omitted, but without a descriptive error. Tests cannot create tables without prior knowledge of the section ID, causing silent failures.

Recommended Fix:

1. Return a clear error: {"section": ["This field is required."]}. 2. Document the field. 3. Auto-assign a default section if the tenant has only one.

3. Fix Priority

Bug ID	Severity	Issue	Failures	Priority
BUG-05	HIGH	API endpoints returning 404 HTML — gateway not routing to backend	70+	P1 — Critical
BUG-20	HIGH	Unauthenticated API returns 404 not 401 — root cause of BUG-08	18	P1 — Critical
BUG-01	HIGH	No /login redirect for unauthenticated users	15	P1 — Critical
BUG-10	HIGH	Auth token stored under wrong key — reads as "null"	2	P1 — Critical
BUG-02	HIGH	Signup API returns 404	3	P2 — High
BUG-08	HIGH	Permission tests 18/21 failing — RBAC not configured	18	P2 — High
BUG-13	MEDIUM	API accepts negative/zero item prices — no MinValueValidator	—	P2 — High
BUG-14	MEDIUM	PATCH /orders/:id/ accepts invalid status — no enum validation	—	P2 — High
BUG-21	MEDIUM	POST /tables/ requires undocumented section UUID field	2	P2 — High
BUG-15	MEDIUM	food_type filter returns mixed results	—	P3 — Medium
BUG-09	MEDIUM	Missing and heading elements (accessibility)	5	P3 — Medium
BUG-04	MEDIUM	OTP rate-limited in 03-auth	1	P3 — Medium
BUG-03	MEDIUM	Signup page does not redirect authenticated users	1	P3 — Medium
BUG-06	MEDIUM	Login inputs not found (cascades from BUG-01)	3	P3 — Medium
BUG-07	LOW	Settings save button not found	1	P4 — Low
BUG-11	LOW	Table status labels missing as text	2	P4 — Low
BUG-12	LOW	Add Category button not found	1	P4 — Low
BUG-16	LOW	ordering param ignored on item list	—	P4 — Low
BUG-17	LOW	Pagination limit param not respected	—	P4 — Low
BUG-18	LOW	/menu/items/:id/reorder/ returns 405 — handler missing	—	P4 — Low
BUG-19	LOW	/menu/customization-groups/:id/toggle/ returns 405	—	P4 — Low

Fully Passing Specs — No Action Required

10-responsive (26/26) · 11-console-errors (8/8) · 23-reports (13/13) · 24-performance (15/15)