KILNDECK · REGULATORY REGISTER

KilnDeck regulatory and standards register

Design Molecule Lab · designmolecule.com

DOCUMENT CONTROL

Document ID	KND-REG-001	Version	0.2
Status	Draft	Date	2026-10-30
Author	Amish Chadha	License	CERN-OHL-S-2.0
Project TRL	TRL 3 Proof of concept		
Repository	github.com/BoujeeEnjinia1701/kilndeck		
Source	docs/07-regulatory.md @ 9f92bd8		

REVISION HISTORY

Version	Date	Author	Change
0.2	2026-10-30	Amish Chadha	Manual handling row follows D14 of 2026-10-30
0.1	2026-10-28	Amish Chadha	First issue (kit 1.8 upgrade)

KilnDeck regulatory and standards register

KilnDeck is an open engineering reference for a work platform on a brick kiln, not certified equipment. No standard has been checked clause by clause; the standards below are the ones a competent reviewer would test the design against, and each national rule is "to assess" until a qualified person in that country reads it. Not legal advice. Method: STANDARDS section 23.

Table 1. Regulatory and standards register.

#	Standard or regulation	Jurisdiction	What it covers	Applicability to this design	Owner (role)	Status
G1	ISO 14122-3, permanent means of access to machinery: stairs, stepladders and guard-rails	International	Guardrail height (1,100 mm for platforms), knee rail, toe plate (at least 100 mm), post spacing, load	The deck guardrail and gate: top rail 1.1 m, knee rail 0.55 m, toe board 150 mm, posts 1,725 mm apart (the standard's 1,500 mm post spacing is exceeded between truss verticals; the diagonal braces each bay)	Design lead	To assess (post spacing)
G2	ISO 14122-2, working platforms and walkways	International	Platform floors, openings, loads	The deck floor and gate	Design lead	To assess
G3	ISO 13732-1, hot surfaces	International	Burn thresholds for contact with hot surfaces	Floor top (74 °C in full sun) and rails; grip sleeves fitted, footwear still needed (STM S12)	Design lead	Applies; floor not met in full sun (PR-007)
G4	ISO 11228-1, manual handling, lifting and carrying	International	Reference masses for lifting and carrying	Pieces carried up the kiln (PR-012, D14)	Design lead	Applies; 33 kg limit adopted (D14); the end truss modules are over it (D16)
G5	ISO 14120, guards for machinery	International	Fixed and movable guards	Chain guards, sealed chain case, hopper grille (44 mm gaps)	Design lead	To assess (grille gap against reach distances)
G6	ISO 13857, safety distances to prevent hazard zones being reached	International	Reach through openings	Hopper grille and rotor	Design lead	To assess
G7	EN 818-2, short link chain for lifting, grade 8	Europe (used as a catalogue reference)	Working load limits of chain	Storm tie-down chain (D12)	Design lead	Met by design on paper (S21)
G8	Brick Manufacturing and Brick Kiln Establishment (Control) Act 2013	Bangladesh	Licensing, siting and technology of brick kilns	Whether fitting a deck counts as a change to a licensed kiln	Co-design partner (legal)	To assess
G9	Bangladesh Labour Act 2006 and its rules	Bangladesh	Workplace safety in factories and establishments	Whether a kiln is covered and what platform rules apply	Co-design partner (legal)	To assess
G10						To assess

#	Standard or regulation	Jurisdiction	What it covers	Applicability to this design	Owner (role)	Status
	Punjab Occupational Safety and Health Act 2019	Punjab, Pakistan	Workplace safety duties of employers	Second co-design candidate region (KND-DDR-001, D8)	Co-design partner (legal)	
G11	Occupational Safety, Health and Working Conditions Code 2020	India	Workplace safety, including establishments with brick kilns	A likely region of use	Co-design partner (legal)	To assess
G12	Local building or structural approval for loads on kiln walls	Each kiln's jurisdiction	Structural survey and approval	The wall bearing limit (PR-008, S9)	Structural engineer	To assess (survey)

Status: to assess, applies, does not apply, met by design, certification needed later.

Sources

- mk Technology Group, guardrail notes citing DIN EN ISO 14122-3 (1,100 mm platform rails, knee rail at 500 mm at most, toe plate at least 100 mm, posts under 1,500 mm), https://www.mk-group.com/fileadmin/media/ebook/en/profile-technology_60/page_336.html, accessed 2026-10-25.
- ISO 13732-1 indicative values, https://inzonex.co.uk/insulation/safety/hot-surface-standards/, accessed 2026-10-25.
- The Daily Star, "Feasibility of the Brick Kiln Control Act," https://www.thedailystar.net/law-our-rights/feasibility-brick-kiln-control-act-1225177, found 2026-10-25 (not read in full; G8 to assess).
- The Punjab Occupational Safety and Health Act 2019, https://mckamalia.lgpunjab.org.pk/wp-content/uploads/The-Punjab-Occupational-Safety-Health-Act-2019.pdf, found 2026-10-25 (not read in full; G10 to assess).
- The Occupational Safety, Health and Working Conditions Code, 2020, India Code, https://www.indiacode.nic.in/bitstream/123456789/22041/1/2020-37.pdf, found 2026-10-25 (not read in full; G11 to assess).