SALTDRAG · REGULATORY AND STANDARDS REGISTER

SaltDrag regulatory and standards register

Design Molecule Lab · designmolecule.com

DOCUMENT CONTROL

Document ID	SDG-REG-001	Version	0.1
Status	Draft	Date	2026-10-24
Author	Amish Chadha	License	CERN-OHL-S-2.0
Project TRL	TRL 3 Proof of concept		
Repository	github.com/BoujeeEnjinia1701/saltdrag		
Source	docs/07-regulatory.md @ c7f0938		

REVISION HISTORY

Version	Date	Author	Change
0.1	2026-10-24	Amish Chadha	First register (kit 1.8 upgrade); web sources checked 2026-10-25

SaltDrag regulatory and standards register

The question that decides whether SaltDrag can be used at all is not a product standard but the forest department's access conditions for the Little Rann, which bar heavy machinery; whether a hand capstan is acceptable is **to assess** in writing, through the partner, before any trial. SaltDrag hauls a rake horizontally and lifts nothing, so lifting-equipment rules do not apply, and no Indian machinery-safety rule for a hand tool used by self-employed workers has been found (to assess). The material and rope standards below are met by the design or by buying to them. Not legal advice; anything marked "to assess" needs a qualified reviewer before any claim is made about the product. Method: STANDARDS section 23.

Table 1. Regulatory and standards register.

#	Standard or regulation	Jurisdiction	What it covers	Applicability to this design	Owner (role)	Status
G1	Wildlife (Protection) Act, 1972, and the Wild Ass Sanctuary in the Little Rann of Kutch (declared 1972)	India, Gujarat	Activities inside a protected area; the Indian wild ass is a Schedule I species	Every trial and use takes place inside the sanctuary	Co-design partner, with the project lead	Applies
G2	Forest department access cards for Agariyas (yearly, 23 conditions as reported in 2023: heavy machinery barred, only the machines and technology of the 2004 to 2005 baseline, two brine wells, no inflammable substances)	India, Little Rann	Who may enter the Rann to make salt, and with what	A hand capstan has no engine or fuel, but it is a new device; whether it is "machinery" under the conditions is not stated	Co-design partner (written request to the forest department)	To assess
G3	Survey and settlement of Agariya rights (provisional list, 2004 to 2005 baseline)	India, Little Rann	Which families may work pans	Trial families must be on the list; not a design matter	Co-design partner	Applies (to the users)
G4	EU Machinery Directive 2006/42/EC, Article 2(a)	European Union (reference only)	Machinery with a drive "other than directly applied human or animal effort", and hand-powered assemblies "for lifting loads"	Reference for practice only: SaltDrag is hand powered and hauls; it lifts no load. Not in force in India	Design lead	Does not apply
G5	Indian rules on machinery safety for hand tools used by self-employed workers	India	Guarding, rated loads, marking	None identified in this first pass	Design lead, with a safety consultant before any release	To assess
G6	ISO 10547:2009, Polyester fibre ropes, double braid construction	International	Rope construction, marking and minimum breaking force	The 12 mm pull ropes and bridles (BOM 17, 18); the 7.7 working-load factor rests on the certificate (PR-010)	Design lead (purchase specification)	Applies; buy to it or with a test certificate
G7	ISO 2307, Fibre ropes: determination of certain physical and mechanical properties	International	How a rope's breaking force is tested	The rope certificate asked for in SDG-DEC-001 (to confirm 1)	Design lead	Applies
G8	ISO 1461, Hot dip galvanized coatings on fabricated iron and steel	International, India	Coating thickness by steel thickness			Met by design (specified

#	Standard or regulation	Jurisdiction	What it covers	Applicability to this design	Owner (role)	Status
	articles (IS 4759 is the Indian standard for hot-dip zinc coatings, to confirm the equivalence)			Every galvanised steel part (BOM 1 to 3, 9, 10, 12)	Fabricator, checked by the design lead	in the BOM)
G9	IS 2062 (structural steel, grade E275) and EN 10025-2 (S275)	India, Europe	Plate and section strength	Cheeks, plates and the pawl boss are specified S275; IS 2062 E275 is the Indian grade with the same 275 MPa yield	Design lead	Met by design
G10	IS 4923 (hollow sections, YSt 310) and EN 10210 (S355J2H)	India, Europe	Drum barrel tube	The 168.3 x 6.3 mm barrel (SDG-DEC-001 D18)	Design lead	Met by design
G11	ISO 4017, ISO 4032, ISO 7089, ISO 10642, ISO 2341, ISO 1234	International	Bolts, nuts, washers, countersunk bolts, clevis pins and split pins	Every fastener in the model and BOM 19	Fabricator	Met by design
G12	Chain and turnbuckle working load limits (grade 30 proof-coil class as specified)	US class designation; Indian equivalent to find	Rated load of the anchor chains, shackles and turnbuckles	The 2.4 margin on the chain line (PR-003) rests on a 7.8 kN WLL	Design lead (purchase specification)	To assess
G13	ISO 7243 (heat stress, WBGT) and heat action guidance in India	International, India	Work and rest in the heat	Work organisation in the March and April harvest (SDG-STM-001 S16)	Co-design partner	To assess
G14	FSSAI rules on common salt (non-iodised common salt may not be sold for direct human consumption) and food-contact plastics	India	Salt sold for food; materials touching food	Applies to the salt the families sell, not to the tool; the blade and skids touch raw salt, so a food-contact grade of UHMW-PE is preferred	Co-design partner (salt grade); design lead (material grade)	To assess
G15	Patents: CA1243940A (salt harvester, expired) and CN102476810A (salt-pan rake)	Canada, China	Prior art and claims	No motorised harvester is used; the claims of CN102476810A to be reviewed before any release (SDG-PRC-001)	Project lead	To assess
G16		International	Open licensing	Whole repository (REUSE.toml)	Project lead	Met by design

#	Standard or regulation	Jurisdiction	What it covers	Applicability to this design	Owner (role)	Status
	CERN-OHL-S-2.0 (hardware) and MIT (software)					

Status: to assess, applies, does not apply, met by design, certification needed later.

Sources

- Mongabay India (2023), "Role of traditional salt workers in wild ass conservation recognised; get back access to Little Rann of Kutch," 19 October 2023, checked 2026-10-25. https://india.mongabay.com/2023/10/role-of-traditional-salt-workers-in-wild-ass-conservation-recognised-get-back-access-to-little-rann-of-kutch/
- Drishti IAS (2023), "Saltpan workers of Little Rann of Kutch," 24 July 2023 (sanctuary declared in 1972; wild ass in Schedule I), checked 2026-10-25. https://www.drishtiias.com/daily-updates/daily-news-analysis/saltpan-workers-of-little-rann-of-kutch
- ICSF, "Gujarat: In Kutch, booming salt business puts traditional salt Agariyas up against ginger prawn fishers" (registration on condition of two-foot bunds and no machine use). https://icsf.net/newss/gujarat-in-kutch-booming-salt-business-puts-traditional-salt-agariyas-up-against-ginger-prawn-fishers/
- Directive 2006/42/EC of the European Parliament and of the Council on machinery, Article 2, checked 2026-10-25. https://www.legislation.gov.uk/eudr/2006/42/body/data.html
- ISO 10547:2009, Polyester fibre ropes: double braid construction, checked 2026-10-25. https://www.iso.org/standard/45997.html
- FSSAI (2019), notification prohibiting the sale of non-iodised common salt, checked 2026-10-25. https://fssai.gov.in/upload/media/FSSAI_News_Salt_FNB_16_07_2019.pdf
- ISO 1461, ISO 2307, ISO 7243, ISO 4017, ISO 4032, ISO 7089, ISO 10642, ISO 2341, ISO 1234, IS 2062, IS 4923, IS 4759, EN 10025-2, EN 10210: titles as given in Table 1; editions to confirm when parts are specified for purchase (TRL 4).