







See the Database below

user	pass	level

Hasil Encrypt

User :

Password :

Level :

Hasil Decrypt

User :

Password :

Level :

tambah
simpan
Edit
Hapus
Exit

<| < > >|

```
form1.Show;
form3.Hide;
```

```
procedure TForm3.Button2Click(Sender: TObject);
var
  IsInsert : boolean;
begin
  try
    IsInsert := false;
    if(dm.ADOTable1.State = dsinsert) then
      IsInsert := true
    else if(dm.ADOTable1.State <> dsedit) then
      dm.ADOTable1.Edit;
    dm.ADOTable1.FieldByName('user').Value := encrypt(edit1.Text,length(edit1.Text));
    dm.ADOTable1.FieldByName('pass').Value := encrypt(edit2.Text,length(edit2.text));
    dm.ADOTable1.FieldByName('level').Value := strtoint(edit3.Text);
    dm.ADOTable1.post;
    edit1.ReadOnly:=true;
    edit2.ReadOnly:=true;
    edit3.ReadOnly:=true;
  except
    on e : EConvertError do
      begin
        showmessage('dsadsdsdsa');
      end;
    end;
  end;
```

```
procedure TForm3.Button5Click(Sender: TObject);
begin
  edit1.ReadOnly:=false;
  edit2.ReadOnly:=false;
  edit3.ReadOnly:=false;
  edit1.SetFocus;
  button2.Enabled:=true;
  dm.ADOTable1.Edit;
end;
```

See the Database below

user	pass	level

Hasil Encrypt

User :

Password :

Level :

tambah

simpan

Edit

Hapus

Exit

Hasil Decrypt

User :

Password :

Level :

< < > >

```
procedure TForm3.Button3Click(Sender: TObject);
begin
if(messagedlg('Mau Dihapus Gan??',MtConfirmation,[mbYes,mbNo],0) = mrYes) then
  dm.ADOTable1.Delete;
end;
```


```
procedure TForm3.Button4Click(Sender: TObject);
begin
application.Terminate;
end;
```


```
Unit4 | Unit2 | Unit1 | Unit3
procedure TForm3.SpeedButton1Click(Sender: TObject);
begin
dm.ADOTable1.First;
get;
end;

procedure TForm3.SpeedButton2Click(Sender: TObject);
begin
dm.ADOTable1.Prior;
get;
end;

procedure TForm3.SpeedButton3Click(Sender: TObject);
begin
dm.ADOTable1.Next;
get;
end;

procedure TForm3.SpeedButton4Click(Sender: TObject);
begin
dm.ADOTable1.Last;
get;
end;
```





```

procedure TForm4.Button1Click(Sender: TObject);
var
  a,b: string;
  i : integer;
  ketemu: boolean;
begin
  ketemu := false;
try

```

1

```

  dm.ADOTable1.first;
  for i := 0 to dm.ADOTable1.RecordCount - 1 do
  begin
    a:=dm.ADOTable1.FieldByName('user').Value;
    b:=dm.ADOTable1.FieldByName('pass').Value;
    ketemu := (edit1.Text = decrypt(a,length(a))) and (edit2.Text = decrypt(b,length(b)));
    if ketemu then break;
    dm.ADOTable1.Next;
  end;
  if ketemu then
  begin
    messagebox(self.Handle,'anda berhasil login','Welcome',MB_OK + MB_ICONINFORMATION);
    form3.Show;
    form4.Hide;
  end
end

```

```

else if (edit1.Text = "") or (edit2.Text = "") then
begin
  messagedlg('Jangan ada kekosongan di antara kita',mtWarning,[mbOk],0);
  edit1.Clear;
  edit2.Clear;
  edit1.SetFocus;
end
else
  messagedlg('Login Gagal,Username dan Password tidak ada dalam
  Database',mtError,[mbOk],0);
except
  on e : EVariantError do
  begin
    showmessage('error');
  end;
end;
end;

```

2

```
procedure TForm4.Button2Click(Sender: TObject);  
begin  
  application.Terminate;  
end;
```

```
procedure TForm1.Button2Click(Sender: TObject);  
begin  
  close;  
  form3.Show;  
end;
```

```

function Encrypt(const s: String; CryptInt: Integer): String;
var
  i: integer;
  s2: string;
begin
  if not (Length(s) = 0) then
    for i := 1 to Length(s) do
      s2 := s2 + Chr(Ord(s[i]) + CryptInt);
  Result := s2;
end;

function Decrypt(const s: String; CryptInt: Integer): String;
var
  i: integer;
  s2: string;
begin
  if not (Length(s) = 0) then
    for i := 1 to Length(s) do
      s2 := s2 + Chr(Ord(s[i]) - cryptint);
  Result := s2;
end;

```


1

```


procedure TForm1.Button1Click(Sender: TObject);
var
  isInsert : boolean;
begin
  try
    IsInsert := false;
    if (dm.ADOTable1.State = dsinsert) then
      IsInsert := true
    else if (dm.ADOTable1.State <> dsedit) then
      dm.ADOTable1.Edit;
    dm.ADOTable1.Append;
    dm.ADOTable1.FieldByName('user').Value := encrypt(edit1.Text, length(edit1.Text));
    dm.ADOTable1.FieldByName('pass').Value := encrypt(edit2.Text, length(edit2.text));
    dm.ADOTable1.FieldByName('level').Value := strtoint(edit3.Text);
    if (edit1.Text = '') or (edit2.Text = '') or (edit3.Text = '') then
      messagebox(self.Handle, 'jangan ada kekosongan di antara kita', 'warning', MB_OK + MB_ICONWARNING);
    dm.ADOTable1.post;
    form3.Show;
    form1.Hide;
  except
    on e : EConvertError do
      begin
        showmessage('dsadsdsdsa');
      end;
  end;
end;

```

2



Unit2.pas(Form DM)



Output :

