

**Begin:** 2021-10-10  
12:30 CST

# NCPC Simulation Day2

**End:** 2021-10-10  
17:30 CST

**Elapsed:** 05:05:56

Running

**Remaining:** -1:54:03

Overview

Problem

Status

Rank (05:00:00)

0 Comments

Setting

☆Favorite

A B C D E F G H I J

Submit

Status

My Status

## Time limit

3000 ms

## Memory limit

262144 kB

## D - Photo Processing

Evlampiy has found one more cool application to process photos. However the application has certain limitations.

Each photo  $i$  has a contrast  $v_i$ . In order for the processing to be truly of high quality, the application must receive at least  $k$  photos with contrasts which differ as little as possible.

Evlampiy already knows the contrast  $v_i$  for each of his  $n$  photos. Now he wants split the photos into groups, so that each group contains at least  $k$  photos. As a result, each photo must belong to exactly one group.

He considers a processing time of the  $j$ -th group to be the difference between maximum and minimum values of  $v_i$  in the group. Because of multithreading the

processing time of a division into groups is the maximum processing time among all groups.

Split  $n$  photos into groups in a such way that the processing time of the division is the minimum possible, i.e. that the the maximum processing time over all groups as least as possible.

### Input

The first line contains two integers  $n$  and  $k$  ( $1 \leq k \leq n \leq 3 \cdot 10^5$ ) — number of photos and minimum size of a group.

The second line contains  $n$  integers  $v_1, v_2, \dots, v_n$  ( $1 \leq v_i \leq 10^9$ ), where  $v_i$  is the contrast of the  $i$ -th photo.

### Output

Print the minimal processing time of the division into groups.

### Examples

Input
5 2
50 110 130 40 120

Output
20

Input
4 1
2 3 4 1

Output
0

### Note

In the first example the photos should be split into 2 groups: [40 50] and

In the first example the photos should be split into 2 groups: [10, 90] and [110, 120, 130]. The processing time of the first group is 10, and the processing time of the second group is 20. Maximum among 10 and 20 is 20. It is impossible to split the photos into groups in a such way that the processing time of division is less than 20.

In the second example the photos should be split into four groups, each containing



All Copyright Reserved © 2010-2021 [Xu Han](#)

Server Time: 2021-10-10 17:35:56 CST