---

title: Offline Markdown Preview - Full Feature Fixture author: E2E Harness tags:

- markdown
- mermaid
- math
- export

Sample#

This fixture intentionally exercises markdown rendering, syntax highlighting, diagram rendering, math, link handling, and sanitization-sensitive HTML.

Headings and Anchors#

Level 3 Heading#

Level 4 Heading#

This section exists to test heading extraction, copy heading link behavior, and outline navigation.

Emphasis and Inline Syntax#

Text styles: *italic*, **bold**, ***bold italic***, ~~strikethrough~~, and `inline code`.

Keyboard/input style examples: `Ctrl` + `K` and escaped markdown: *not italic*.

Lists and Task Lists#

- Unordered item A
- Unordered item B
  - Nested item B.1
  - Nested item B.2
- Unordered item C

1. Ordered item 1
2. Ordered item 2
3. Ordered item 3

- [x] Task done
- [ ] Task pending
- [x] Task with **formatting** and Task with **formatting** and `inline code`

Blockquote and Rule#

> Offline-first rendering means preview should work without network access.
>
> Nested quote level:
>
> > A second quote level.

Tables and Alignment#

Feature	Status	Notes
Mermaid	Enabled	Local bundle
KaTeX	Enabled	Local bundle
Sanitizer	Enabled	Strict allowlist

Definition List#

Renderer
: Converts markdown into sanitized HTML.

Outline
: Heading tree used for navigation and copy-link actions.

Code Blocks and Highlighting#

```
interface PreviewSettings {
  enableMermaid: boolean;
  enableMath: boolean;
  sanitizeHtml: boolean;
}
```

```
const defaultSettings: PreviewSettings = {
  enableMermaid: true,
  enableMath: true,
  sanitizeHtml: true
};
```

```
{
  "name": "offline-markdown-preview",
  "private": true,
  "scripts": {
    "test:e2e": "node ./test/e2e/runVscodeE2E.mjs"
  }
}
```

```
npm install
npm run build
npm run test:e2e
```

HTML and Sanitization Probe#

Trusted inline HTML that should remain:

Safe HTML block with inline content.

Potentially unsafe HTML that sanitizer should strip or neutralize when enabled:

unsafe

Mermaid#



Math#

Inline: $a^2 + b^2 = c^2$, $e^{i\pi} + 1 = 0$, $\alpha + \beta + \gamma = \pi$.

Display:

$$ \int_0^1 x^2,dx = \frac{1}{3} $$

$$ \sum_{k=1}^{n} k = \frac{n(n+1)}{2} $$

Aligned system:

$$ \begin{aligned} 2x + 3y &= 7 \ 4x - y &= 5 \end{aligned} $$

Matrix:

$$ A = \begin{bmatrix} 1 & 2 & 3 \ 0 & 1 & 4 \ 5 & 6 & 0 \end{bmatrix} $$

Piecewise:

$$ f(x)= \begin{cases} x^2, & x < 0 \ \sin(x), & 0 \le x < \pi \ \ln(x), & x \ge \pi \end{cases} $$

Footnotes#

Footnote reference one[1] and another[2].

Links and Assets Offline Safe#

- Linked Doc
- Linked Subdoc
- Mermaid Edge Cases
- Heading Anchor
- External Link (example.com)

Banner

Grid

Mermaid Diagrams#

This section is linked by edge-case fixtures.

Final Checklist#

- [x] Headings and anchors
- [x] Emphasis and inline code
- [x] Lists and tasks
- [x] Tables and definition lists
- [x] Code highlighting
- [x] Sanitization probe
- [x] Mermaid diagrams
- [x] Math rendering
- [x] Footnotes
- [x] Relative links and local images

---

1. First footnote content. ↩

2. Second footnote with `inline code`. ↩