

---

# **Crowd Control**

---

## **Senior Design Final Documentation**

Bowtaps

Johnathan Ackerman

Daniel Andrus  
Joseph Mowry

Charles Bonn

Evan Hammer

April 6, 2016



---

# Contents

---

<b>Title</b>	<b>i</b>
<b>Contents</b>	<b>vi</b>
<b>List of Figures</b>	<b>vii</b>
<b>List of Tables</b>	<b>ix</b>
<b>List of Algorithms</b>	<b>xi</b>
<b>Overview Statements</b>	<b>xiii</b>
0.1 Mission Statement . . . . .	xiii
0.2 Elevator Pitch . . . . .	xiii
<b>Document Preparation and Updates</b>	<b>xv</b>
<b>1 Overview and Concept of Operations</b>	<b>1</b>
1.1 Bowtaps and Its Team . . . . .	1
1.2 Crowd Control . . . . .	1
1.2.1 Purpose of the System . . . . .	1
1.3 Business Need . . . . .	1
1.4 Deliverables . . . . .	2
1.5 System Description . . . . .	2
1.5.1 Integrated Group Messaging . . . . .	2
1.5.2 GPS Location Services . . . . .	3
1.5.3 Group Management Features . . . . .	3
1.5.4 Suggestions . . . . .	3
1.6 System Overview and Diagram . . . . .	3
1.7 Technologies Overview . . . . .	4
1.7.1 Google Play Services . . . . .	4
1.7.2 Apple Map Features . . . . .	4
1.7.3 Parse . . . . .	4
1.7.4 Sinch . . . . .	5
<b>2 User Stories, Requirements, and Product Backlog</b>	<b>7</b>
2.1 Overview . . . . .	7
2.2 User Stories . . . . .	7
2.2.1 User Story #1 . . . . .	7
2.2.2 User Story #2 . . . . .	7
2.2.3 User Story #3 . . . . .	7
2.2.4 User Story #4 . . . . .	7
2.2.5 User Story #5 . . . . .	7
2.2.6 User Story #6 . . . . .	7
2.2.7 User Story #7 . . . . .	7

2.2.8	User Story #8 . . . . .	8
2.2.9	User Story #9 . . . . .	8
2.2.10	User Story #10 . . . . .	8
2.3	Requirements and Design Constraints . . . . .	8
2.3.1	System Requirements . . . . .	8
2.3.2	Network Requirements . . . . .	8
2.3.3	Development Environment Requirements . . . . .	8
2.3.4	Project Management Methodology . . . . .	9
2.4	Specifications . . . . .	9
2.5	Product Backlog . . . . .	9
2.6	Research or Proof of Concept Results . . . . .	9
2.6.1	iOS Proof of Concept Screen Shots . . . . .	9
2.6.2	Android Proof of Concept Screen Shots . . . . .	9
2.7	Supporting Material . . . . .	9
<b>3</b>	<b>Project Overview</b>	<b>17</b>
3.1	Team Member's Roles . . . . .	17
3.2	Project Management Approach . . . . .	18
3.3	Stakeholder Information . . . . .	18
3.3.1	Customer or End User (Product Owner) . . . . .	18
3.3.2	Management or Instructor (Scrum Master) . . . . .	18
3.3.3	Investors . . . . .	18
3.3.4	Developers –Testers . . . . .	18
3.4	Budget . . . . .	18
3.5	Intellectual Property and Licensing . . . . .	18
3.6	Sprint Overview . . . . .	18
3.7	Terminology and Acronyms . . . . .	19
3.8	Sprint Schedule . . . . .	19
3.9	Timeline . . . . .	19
3.10	Backlogs . . . . .	19
3.11	Burndown Charts . . . . .	19
3.12	Development Environment . . . . .	19
3.13	Development IDE and Tools . . . . .	19
3.14	Source Control . . . . .	19
3.15	Dependencies . . . . .	19
3.16	Build Environment . . . . .	19
3.17	Development Machine Setup . . . . .	19
<b>4</b>	<b>Design and Implementation</b>	<b>21</b>
4.1	Architecture and System Design . . . . .	21
4.1.1	Design Selection . . . . .	22
4.1.2	Data Structures and Algorithms . . . . .	22
4.1.3	Data Flow . . . . .	22
4.1.4	Communications . . . . .	22
4.1.5	Classes . . . . .	22
4.1.6	UML . . . . .	22
4.1.7	GUI . . . . .	22
4.1.8	MVVM, etc . . . . .	22
4.2	Major Component #1 . . . . .	22
4.2.1	Technologies Used . . . . .	22
4.2.2	Component Overview . . . . .	22
4.2.3	Phase Overview . . . . .	22
4.2.4	Architecture Diagram . . . . .	22
4.2.5	Data Flow Diagram . . . . .	22
4.2.6	Design Details . . . . .	22

4.3	Major Component #2	23
4.3.1	Technologies Used	23
4.3.2	Component Overview	23
4.3.3	Phase Overview	23
4.3.4	Architecture Diagram	23
4.3.5	Data Flow Diagram	23
4.3.6	Design Details	23
4.4	Major Component #3	23
4.4.1	Technologies Used	23
4.4.2	Component Overview	23
4.4.3	Phase Overview	24
4.4.4	Architecture Diagram	24
4.4.5	Data Flow Diagram	24
4.4.6	Design Details	24
<b>5</b>	<b>System and Unit Testing</b>	<b>25</b>
5.1	Overview	25
5.2	Dependencies	26
5.3	Test Setup and Execution	26
5.4	System Testing	26
5.5	System Integration Analysis	26
5.6	Risk Analysis	26
5.6.1	Risk Mitigation	26
5.7	Successes, Issues and Problems	26
5.7.1	Changes to the Backlog	26
<b>6</b>	<b>Prototypes</b>	<b>27</b>
6.1	Sprint 1 Prototype	27
6.1.1	Deliverable	27
6.1.2	Backlog	27
6.1.3	Success/Fail	27
6.2	Sprint 2 Prototype	27
6.2.1	Deliverable	27
6.2.2	Backlog	27
6.2.3	Success/Fail	27
6.3	Sprint 3 Prototype	27
6.3.1	Deliverable	27
6.3.2	Backlog	27
6.3.3	Success/Fail	27
6.4	Sprint 4 Prototype	27
6.4.1	Deliverable	27
6.4.2	Backlog	27
6.4.3	Success/Fail	27
6.5	Sprint 5 Prototype	27
6.5.1	Deliverable	27
6.5.2	Backlog	27
6.5.3	Success/Fail	28
<b>7</b>	<b>Release – Setup – Deployment</b>	<b>29</b>
7.1	Deployment Information and Dependencies	29
7.2	Setup Information	29
7.3	System Versioning Information	29

<b>8</b>	<b>User Documentation</b>	<b>31</b>
8.1	User Guide . . . . .	31
8.2	Installation Guide . . . . .	31
8.3	Programmer Manual . . . . .	31
<b>9</b>	<b>Class Index</b>	<b>33</b>
9.1	Class List . . . . .	33
<b>10</b>	<b>Class Documentation</b>	<b>35</b>
10.1	Poly Class Reference . . . . .	35
10.1.1	Constructor & Destructor Documentation . . . . .	35
10.1.2	Member Function Documentation . . . . .	35
<b>11</b>	<b>Business Plan</b>	<b>37</b>
	<b>Bibliography</b>	<b>39</b>
	<b>Software Agreement</b>	<b>SA-1</b>
<b>A</b>	<b>Product Description</b>	<b>A-1</b>
1	GPS Features . . . . .	A-1
1.1	Group Members . . . . .	A-1
1.2	Suggestions . . . . .	A-1
2	Group Messaging . . . . .	A-1
3	Group Manangement Features . . . . .	A-1
4	Parse Features . . . . .	A-1
<b>B</b>	<b>Sprint Reports</b>	<b>B-1</b>
1	Sprint Report #1 . . . . .	B-1
2	Sprint Report #2 . . . . .	B-5
3	Sprint Report #3 . . . . .	B-8
4	Sprint Report Winter Sprint . . . . .	B-11
5	Sprint Report #4 . . . . .	B-15
6	Sprint Report #5 . . . . .	B-20
<b>C</b>	<b>Industrial Experience and Resumes</b>	<b>C-1</b>
1	Resumes . . . . .	C-1
2	ABET: Industrial Experience Reports . . . . .	C-7
2.1	Johnathon Ackerman . . . . .	C-7
2.2	Daniel Andrus . . . . .	C-7
2.3	Charles Bonn . . . . .	C-7
2.4	Evan Hammer . . . . .	C-7
2.5	Joseph Mowry . . . . .	C-7
<b>D</b>	<b>Acknowledgment</b>	<b>D-1</b>
<b>E</b>	<b>Supporting Materials</b>	<b>E-1</b>

---

## List of Figures

---

1.1	Basic System Flow Diagram . . . . .	3
2.1	iOS login select screen . . . . .	10
2.2	iOS email login screen . . . . .	10
2.3	iOS create account screen . . . . .	11
2.4	iOS group infomation screen . . . . .	11
2.5	iOS map view screen . . . . .	12
2.6	iOS messaging main screen . . . . .	12
2.7	Android login screen . . . . .	13
2.8	Android create group screen . . . . .	13
2.9	Android group information screen . . . . .	14
2.10	Android group join screen . . . . .	14
2.11	Android messaging main screen . . . . .	15





---

## List of Tables

---



---

## List of Algorithms

---

1	Calculate $y = x^n$ . . . . .	21
---	-------------------------------	----



---

## Overview Statements

---

### 0.1 Mission Statement

Our mission at Bowtaps is to develop innovative mobile software applications to provide solutions to inconveniences that trouble the everyday user. With our software, we plan on changing the mobile environment by creating applications that are easy to use with intuitive interfaces and reliable services for everyday use.

### 0.2 Elevator Pitch

Our company, Bowtaps, is developing an iPhone/Android app to help young adults and event-goers stay in contact with friends while in loud and crowded places using group messaging and GPS features.

Our product, Crowd Control, is designed to become an essential element for groups looking to go out together by providing both powerful group-management tools and interesting nearby outing suggestions, such as local events, concerts, and pub crawls.

We will work with local businesses and event planners to sponsor these suggestions. This will generate content for our users, visibility for our sponsors, and revenue for ourselves.

We plan to release the app for free in early-to-mid summer of 2016.



---

## Document Preparation and Updates

---

Current Version [1.5.3]

*Prepared By:*  
*Johnathan Ackerman*  
*Daniel Andrus*  
*Charles Bonn*  
*Evan Hammer*  
*Joseph Mowry*

### **Revision History**

<b>Date</b>	<b>Author</b>	<b>Version</b>	<b>Comments</b>
<b>10/1/15</b>	Charles Bonn	1.0.0	Sprint 1 & Senior Design Contract
<b>11/3/15</b>	Charles Bonn	1.1.0	Sprint 2 Documentation
<b>12/11/15</b>	Charles Bonn	1.2.0	Sprint 3 finished, résumés added
<b>1/15/15</b>	Daniel Andrus	1.2.1	iOS documentation added
<b>1/18/16</b>	Joseph Mowry	1.3.0	Winter Sprint Report added
<b>2/12/16</b>	Charles Bonn	1.4.0	Sprint 4 Report, general content added
<b>2/18/16</b>	Joseph Mowry	1.5.0	Sprint 5 Report, various chapter revisions
<b>2/19/16</b>	Charles Bonn	1.5.1	Sprint 5 Report, organizational changes, chapter revisions
<b>2/24/16</b>	Johnathan Ackerman	1.5.2	Overview rewrite
<b>3/17/16</b>	Evan Hammer	1.5.3	Document cleanup, organizational changes





## Overview and Concept of Operations

---

### 1.1 Bowtaps and Its Team

Bowtaps is a start up company from Rapid City, SD that began working together at the SDSM&T campus. Our goal is to create easy to use software applications that help ease the everyday life of the user. Their software aims to be both well-constructed and maintainable, and their products are made with sustainability in mind. Bowtaps currently consists of the members Charles Bonn, Johnathan Ackerman, Daniel Andrus, Evan Hammer, and Joesph Mowry. Their roles and experience are further detailed in section C of this document.

### 1.2 Crowd Control

Crowd Control is our flagship product designed and created by Bowtaps. Its goal is to combine GPS tracking, group messaging and group management features into one easy to use application. A primary focus of this product is to be maintainable and modular, so that if better solutions arise, those can be implemented with minimal refactoring.

User information is perhaps our greatest focus in Crowd Control's design; careful measures were taken to assure that sensitive user information is kept safely, vulnerabilities are removed, and risks are mitigated. Before Crowd Control is released to the public, we will implement an encryption scheme called AES-256. Bowtaps also uses third-party services such as Parse and Sinch that guarantee safety in storage and transmission of data through their access points.

Crowd Control, in addition to being written in a maintainable, well-designed manner, is aimed to be a sustainable commercial product. Bowtaps is using what they have gathered from various business accelerators and entrepreneurship-focused learning material to apply those concepts to the real-life startup company, Bowtaps, LLC. Bowtaps uses their recently acquired business skills to market Crowd Control, project associated finances, and seek investors for expansion.

#### 1.2.1 Purpose of the System

Crowd Control is a mobile application designed to ease the experience of going out though the implementation of integrated group messaging, GPS tracking and group management features. Along with the features to manage your group at the event Crowd Control also gives suggestions of local events, restaurants and attraction. This allows the group to continue even when the next item on the agenda is a mystery.

Even though Crowd Control is initially designed for the event-goer scene, it's uses can be expanded to fit more purposes. Crowd Control can be used to help manage any kind of group at an event such as church groups, tour groups, or school field trips.

### 1.3 Business Need

Currently, there is no product on the market that encompasses all the features of group management, in-app messaging, and GPS tracking in one easy-to-use package. For example, Facebook is a popular option for group

messaging and event creation, but it doesn't allow users to track each other for a duration of time. Crowd Control allows for both group messaging and event creation, as well as GPS tracking and better group management, specifically tailored to those at an event. Facebook's limited group management features are specifically designed for planning an event ahead-of-time, not necessarily managing during an event.

Crowd Control not only addresses the needs of those seeking group management/communication during events, but also helps serve as a platform for businesses to advertise themselves to users in the form of events and promotions. Those events are available in the form of nearby events that users can choose to set as their destination upon creating a group. This is a mutually beneficial feature for the users and for the businesses themselves.

## 1.4 Deliverables

The deliverables for this two-semester senior design project are the following items:

- Crowd Control mobile application
- Associated JavaDoc documentation
- Senior Design document - some included items include:
  - General documentation
  - User manual and various code documentation
  - Business plan for Bowtaps, LLC
  - Sprint reports
- Design fair presentation

## 1.5 System Description

Behind the UI, Crowd Control is written using an MVC architecture. IOS is written natively in Swift under the IDE XCode. On the Android side, the code is written in Native Mobile Java under Android Studio.

The code for Android uses XML files for storing layout-related code, which act as the view in the MVC pattern. Each activity acts as a controller. Each one of the models has an interface, which is how the controllers get access to the functions and data provided by the model. Each interface is set up in such a way that it uses OOP inheritance to generalize the models, thus abstracting our third party software. This contract allows us to write our code in such a way that, if ever needed, we could change the underlying implementation of certain modules with minimal refactoring.

The iOS platform follows a very similar MVC design pattern, too.  
(TODO: iOS details needed.)

### 1.5.1 Integrated Group Messaging

Integrated group messaging is an important feature of Crowd Control. It allows for communication across different platforms, different phone brands, and different carriers. This allows for seamless communication between users without the issues associated with SMS such as messages not using the same format, messages not going to all recipients, and messages with users in the group that you do not want to have your personal information.

Bowtaps integrates a third-party called Sinch as our message-handling service. Sinch handles the encryption of messages to ensure security of user data. Sinch uses app to app messaging, so that any device running Crowd Control can send a message to other group members, independent of platform or carrier. However, since our app is currently only fully implemented on Android, messages can only be passed between Android users.

### 1.5.2 GPS Location Services

Crowd Control utilizes GPS functionality to track users that belong to groups through the Google Play services location application program interfaces (APIs). This allows users to find fellow group members by retrieving their current or last known location. This is useful to help locate members of the group that maybe lost or unable to be located, perhaps towards the end of an event, or when group members want to meet up again.

Because GPS functionality can draw heavily from a device's power supply, users are able to opt out of a GPS retrieval on their device. If a user does not want to have their location known to the group, or simply has a low battery level, their GPS retrieval can be shut off. Alternatively, when the user's battery is low, it will allow for the GPS check-in interval to be extended or turned off completely to save battery life.

### 1.5.3 Group Management Features

Perhaps the most important feature set, are those pertaining to group management. The party leader sets the initial information for a group for the other members to view and interact with. The party leader can edit certain information about the group, and even kick certain members if needed. A group management menu allows for a group agenda to be posted, updating members when the agenda changes. Pairing with the GPS features, Crowd Control also allows for the group leader to set way-points for the group.

### 1.5.4 Suggestions

Sponsorship by local businesses take the form of an unobtrusive advertisement called a "suggestion". Suggestions are both a plus for the user and serve as our way of making revenue. Although these are not traditional ads, they alert the user to local points of interest such as restaurants, bars, amusement parks, concerts, and many more. With our suggestion interface, users can browse events for their group to attend while local businesses gain exposure, and we gain revenue.

## 1.6 System Overview and Diagram

The basic overview of Crowd Control can be seen in the diagram below. See Figure 1.1. Crowd Control will be using a model-view-controller design structure. With the model view controller design method we are able to abstract the user interface from the control structures that will communicate with the third party services such as Parse, Google play services, or Sinch. The model of each respective operating system ( Android or iOS ) will be able to communicate with the respective mapping feature ( Google Play Services or Apple Map Features ). While both models will be able to communicate with Parse, our back end server. Though Parse, using their features, will be able to connect user profiles to their Facebook and twitter accounts for faster log in.




Figure 1.1: Basic System Flow Diagram

## 1.7 Technologies Overview

Crowd Control accesses various different external technology entities. Some technologies used in the creation of Crowd Control are Google Play Services, Apple Map Features, Parse, Sinch, and Android Studio.

### 1.7.1 Google Play Services

#### 1.7.1.a Description

Google Play Services contains a number of APIs that allows Crowd Control to access Google-powered features. One such feature is Google Maps, which allows the app to access mapping capabilities managed by Google. Using their API, users can place pins and find their friends on a map that is smoothly integrated into Crowd Control, without Bowtaps having to maintain the map functionality.

REFERENCE LINK: <https://developers.google.com/android/guides/setup>

#### 1.7.1.b Usage

Google Play Services will be used on the Android device as the default map. Google Play Services provides a more native feel to Android users when interacting with mapping features. This allows for a more consistent user experience when it comes to using Crowd Control. At a set interval which can be changed, the map is updated with the user's current location, as well as all other users in the group. From the map, data is securely stored and transmitted safely to other group members.

### 1.7.2 Apple Map Features

#### 1.7.2.a Description

Apple Map Features is the native iOS API for mapping features. With this it allows for commiseration between a map and your gps location along with other mapping features.

REFERENCE LINK: <https://developer.apple.com/maps/>

#### 1.7.2.b Usage

Apple Map Features will be used on the iOS device as default. We chose to go with Apple Map Features to give iOS users a more native, less intrusive feel. This will be used for displaying your location, displaying other users from your group, and displaying local event suggestions on the map.

### 1.7.3 Parse

#### 1.7.3.a Description

Parse is a third-party service that serves as a secure no-SQL datastore. The service is free under a certain number amount of data transacted to and from Parse. The Parse API allows Crowd Control to access various methods to store and fetch data pertaining to the datastore. It should be noted that Parse will cease server hosting in January of 2017. Parse has provided tools to migrate existing applications to use another database solution such as MongoDB.

REFERENCE LINK: <http://parse.com/>

#### 1.7.3.b Usage

Crowd Control currently saves all group and user information on Parse servers. This data is to be considered sensitive and is treated with the utmost consideration for security and protecting that data. Some data is also cached to the local device, to both reduce data transmission to and from the server, as well as increasing the speed of the user's overall performance. Some of the cached data includes any previous existing user data and group data, so that if the user closes the app, they should not need to re-enter their login information.

## **1.7.4 Sinch**

### **1.7.4.a Description**

Sinch is a third party device-to-device communication API. Bowtaps selected it for its built-in encryption, and ready-to-use messaging platform. The Sinch API provides message-passing functionality various message broadcasting methods. This platform requires either a Wi-Fi connection, or cellular data service.

REFERENCE LINK: <https://www.sinch.com/>

### **1.7.4.b Usage**

Sinch enables Crowd Control to handle the sending and receiving of messages between group members. Through use of the Sinch help manuals, Bowtaps has constructed a fragment to control a user interface that fetches messages sent by users. We have also modified the basic one-to-one message sending implementation to broadcast the message to the entire group.



## 2

---

# User Stories, Requirements, and Product Backlog

---

## 2.1 Overview

This document contains the features, creation and development of crowd control. It covers prerequisite user stories, to the design and implementation of the application itself.

## 2.2 User Stories

### 2.2.1 User Story #1

As a user i want to be able to join a group.

#### 2.2.1.a User Story #1 Breakdown

As a user i want the ability to join a group. Group joining options would be from a list or from an invite from a user.

### 2.2.2 User Story #2

As a user i want the ability to track locations of other members in the group.

#### 2.2.2.a User Story #2 Breakdown

### 2.2.3 User Story #3

As a user i want post agenda for the group.

### 2.2.4 User Story #4

As a user i want to i want the ability to look for local groups

### 2.2.5 User Story #5

As a user i want the ability to have suggestions of local activities.

### 2.2.6 User Story #6

As a user i want the ability to leave a group.

### 2.2.7 User Story #7

As a user i want the ability to have a list of local groups.

### 2.2.8 User Story #8

As a user i want the abilitiy to login.

### 2.2.9 User Story #9

As a user i would like to message other members of the group.

### 2.2.10 User Story #10

As a user i would like my information protected.

## 2.3 Requirements and Design Constraints

This section will cover the main design requirement in all aspects of crowd control.

### 2.3.1 System Requirements

Sense there we are creating Crowd Control to run on two different platforms, both iOS and Android, there are two sets of requirements that will be similar between both platforms. Even though they are both similar, implimentation between both will be differnet. With them both being different they are split into two sections as listed below.

#### 2.3.1.a iOS Requirements

- Use Apple Mapping Features
- Access Parse as the Database

#### 2.3.1.b Android Requirements

- Use Google Maps
- Access Parse as the Database

#### 2.3.1.c Parse Requirements

- Delete groups when group is not in use

### 2.3.2 Network Requirements

Network requirements are mobile networks as this is a mobile applications. The requirement on our part is making sure that the application is able to reach the server and use at little data as possible when connected to the network. Making sure we use as little data as possible will help our users not use all of their data.

### 2.3.3 Development Environment Requirements

The development enviroment requirement is that Crowd Control be avalabe on both iOS and Android platforms. Being cross platform allows for us to reach as many users as possible. Android development will be handled with Android Studio and iOS will be developed with xCode.



### 2.3.4 Project Management Methodology

We have set restrictions on the developemnt of Crowd Control and are listed as follows:

- GitHub issues will be used to keep track of current status as well as backlogs for the product.
- There will be 6 total sprints over 2 scimesters for this products.
- The sprint cycles are 3 weeks long.
- Progress reports will be summited to Dr. McGough and Brian Butterfeild at the end of each sprint.
- Github will be used for source control.

## 2.4 Specifications

### 2.5 Product Backlog

- What system will be used to keep track of the backlogs and sprint status?
- Will all parties have access to the Sprint and Product Backlogs?
- How many Sprints will encompass this particular project?
- How long are the Sprint Cycles?
- Are there restrictions on source control?

### 2.6 Research or Proof of Concept Results

The Proof of conecpt is a rough design that impliments basic features of Crowd Control. Basic features are currently under construction. This is currently a functional prototype with improvements in the future.

Below are screen shots of both android and iOS proof of concepts. (current formatting issues need to fix)

#### 2.6.1 iOS Proof of Concept Screen Shots

Below are screen shots from the iOS version of CrowdControl.

#### 2.6.2 Android Proof of Concept Screen Shots

Below are screen shots from the Android version of CrowdControl.

## 2.7 Supporting Material




Figure 2.1: iOS login select screen






Figure 2.2: iOS email login screen



The image shows an iOS 'Create Account' screen. At the top, the status bar displays 'AT&T' and '4:53 PM'. The screen has a 'Cancel' link and a 'Create Account' title. Below the title are four text input fields: 'Display Name' (containing 'Carl Smith'), 'Email' (containing 'carl.smith@mines.sdsmt.edu'), 'Password' (containing seven dots), and 'Retype Password' (containing seven dots). A blue 'Create Account' button is positioned below the password fields. At the bottom, a standard iOS keyboard is visible, featuring a blue 'Join' button in the bottom right corner.

Figure 2.3: iOS create account screen



The image shows an iOS 'Group Info' screen. The status bar at the top shows 'AT&T' and '4:54 PM'. The screen title is 'Group Info'. Below the title, the group name 'Carl's Awesome Group' is displayed. Underneath, there are two sections: 'Leader' and 'Party Members', each followed by a horizontal line representing a list of members. At the bottom, there is a tab bar with three icons: a blue circle labeled 'Group Info', a gray square labeled 'Second', and a gray triangle labeled 'Chat'.

Figure 2.4: iOS group information screen




Figure 2.5: iOS map view screen




Figure 2.6: iOS messaging main screen




Figure 2.7: Android login screen




Figure 2.8: Android create group screen




Figure 2.9: Android group information screen




Figure 2.10: Android group join screen




Figure 2.11: Android messaging main screen





## 3

---

### Project Overview

---

This section provides some housekeeping type of information with regard to the team, project, environment, etc.

#### 3.1 Team Member's Roles

Johnnathon Ackerman - Johnnathon is leading the GUI design and implimentation side for the android version of Crowd Control. This entails:

1. Graphical Design
2. Smooth Moving Interfaces
3. Easy to Use and learn layout

Daniel Andrus - Daniel is leading the Gui design ad implimentation for the iOS version of Crowd Control. This entails:

1. Graphical Design
2. Smooth Moving Interfaces
3. Easy to Use and learn layout

Charles Bonn - Charles is leading the database side of Crowd Control. This database is for both iOS and andriod versions. This entails:

1. Creating and managing database qurries
2. Creating Cloud Code to manage database information
3. Database load testing

Charles is also working on future encryption of data going to and from the database.

Evan Hammer - Evan is leading the backend side for the iOS version of Crowd Control. This entails:

1. Creating links from the database to the mobile application
  - (a) Login link
  - (b) Group Join Link
  - (c) Group Member

2. Creating links to Apple maps to the mobile application

Joseph Mowry - Joseph is leading the backend side for the android version of Crowd Control. This entails:

1. Creating links from the database to the mobile application

- (a) Login link
- (b) Group Join Link
- (c) Group Member

2. Creating links to Apple maps to the mobile application

## 3.2 Project Management Approach

This section will provide an explanation of the basic approach to managing the project. Typically, this would detail how the project will be managed through a given Agile methodology. The sprint length (i.e. 2 weeks) and product backlog ownership and location (ex. Trello) are examples of what will be discussed. An overview of the system used to track sprint tasks, bug or trouble tickets, and user stories would be warranted.

## 3.3 Stakeholder Information

This section would provide the basic description of all of the stakeholders for the project. Who has an interest in the successful and/or unsuccessful completion of this project?

### 3.3.1 Customer or End User (Product Owner)

Who? What role will they play in the project? Will this person or group manage and prioritize the product backlog? Who will they interact with on the team to drive product backlog priorities if not done directly?

### 3.3.2 Management or Instructor (Scrum Master)

Who? What role will they play in the project? Will the Scrum Master drive the Sprint Meetings?

### 3.3.3 Investors

Are there any? Who? What role will they play?

### 3.3.4 Developers –Testers

Who? Is there a defined project manager, developer, tester, designer, architect, etc.?

## 3.4 Budget

Describe the budget for the project including gifted equipment and salaries for people on the project.

## 3.5 Intellectual Property and Licensing

Describe the IP ownership and issues surrounding IP.

## 3.6 Sprint Overview

If the system will be implemented in phases, describe those phases/sub-phases (design, implementation, testing, delivery) and the various milestones in this section. This section should also contain a correlation between the phases of development and the associated versioning of the system, i.e. major version, minor version, revision.

All of the Agile decisions are listed here. For example, how do you order your backlog? Did you use planning poker?

## 3.7 Terminology and Acronyms

Provide a list of terms used in the document that warrant definition. Consider industry or domain specific terms and acronyms as well as system specific.

## 3.8 Sprint Schedule

The sprint schedule. Can be tables or graphs. This can be a list of dates with the visual representation given below.

## 3.9 Timeline

Gantt chart or other type of visual representation of the project timeline.

## 3.10 Backlogs

Place the sprint backlogs here. The product backlog will be in the chapter with the user stories.

## 3.11 Burndown Charts

Place your burndown charts, team velocity information, etc here.

## 3.12 Development Environment

The basic purpose for this section is to give a developer all of the necessary information to setup their development environment to run, test, and/or develop.

## 3.13 Development IDE and Tools

Describe which IDE and provide links to installs and/or reference material.

## 3.14 Source Control

Which source control system is/was used? How was it setup? How does a developer connect to it?

## 3.15 Dependencies

Describe all dependencies associated with developing the system.

## 3.16 Build Environment

How are the packages built? Are there build scripts?

## 3.17 Development Machine Setup

If warranted, provide a list of steps and details associated with setting up a machine for use by a developer.



## 4

---

# Design and Implementation

---

This section is used to describe the design details for each of the major components in the system. Note that this chapter is critical for all tracks. Research tracks would do experimental design here where other tracks would include the engineering design aspects. This section is not brief and requires the necessary detail that can be used by the reader to truly understand the architecture and implementation details without having to dig into the code. Sample algorithm: Algorithm 1. This algorithm environment is automatically placed - meaning it floats. You don't have to worry about placement or numbering.

---

**Algorithm 1** Calculate  $y = x^n$

---

**Require:**  $n \geq 0 \vee x \neq 0$

**Ensure:**  $y = x^n$

```
 $y \leftarrow 1$ 
if  $n < 0$  then
   $X \leftarrow 1/x$ 
   $N \leftarrow -n$ 
else
   $X \leftarrow x$ 
   $N \leftarrow n$ 
end if
while  $N \neq 0$  do
  if  $N$  is even then
     $X \leftarrow X \times X$ 
     $N \leftarrow N/2$ 
  else  $\{N \text{ is odd}\}$ 
     $y \leftarrow y \times X$ 
     $N \leftarrow N - 1$ 
  end if
end while
```

---

Citations look like [?, ?, ?] and [?, ?, ?]. These are done automatically. Just fill in the database `designrefs.bib` using the same field structure as the other entries. Then `pdflatex` the document, `bibtex` the document and `pdflatex` twice again. The first `pdflatex` creates requests for bibliography entries. The `bibtex` extracts and formats the requested entries. The next `pdflatex` puts them in order and assigns labels. The final `pdflatex` replaces references in the text with the assigned labels. The bibliography is automatically constructed.

## 4.1 Architecture and System Design

This is where you will place the overall system design or the architecture. This section should be image rich. There is the old phrase *a picture is worth a thousand words*, in this class it could be worth a hundred points (well if you sum up over the entire team). One needs to enter the design and why a particular design has been done.

### 4.1.1 Design Selection

Failed designs, design ideas, rejected designs here.

### 4.1.2 Data Structures and Algorithms

Describe the special data structures and any special algorithms.

### 4.1.3 Data Flow

### 4.1.4 Communications

### 4.1.5 Classes

### 4.1.6 UML

### 4.1.7 GUI

### 4.1.8 MVVM, etc

## 4.2 Major Component #1

### 4.2.1 Technologies Used

This section provides a list of technologies used for this component. The details for the technologies have already been provided in the Overview section.

### 4.2.2 Component Overview

This section can take the form of a list of features.

### 4.2.3 Phase Overview

This is an extension of the Phase Overview above, but specific to this component. It is meant to be basically a brief list with space for marking the phase status.

### 4.2.4 Architecture Diagram

It is important to build and maintain an architecture diagram. However, it may be that a component is best described visually with a data flow diagram.

### 4.2.5 Data Flow Diagram

It is important to build and maintain a data flow diagram. However, it may be that a component is best described visually with an architecture diagram.

### 4.2.6 Design Details

This is where the details are presented and may contain subsections. Here is an example code listing:

```
#include <stdio.h>
#define N 10
/* Block
 * comment */

int main()
{
    int i;
```

```
// Line comment.  
puts("Hello world!");  
  
for (i = 0; i < N; i++)  
{  
    puts("LaTeX is also great for programmers!");  
}  
  
return 0;  
}
```

This code listing is not floating or automatically numbered. If you want auto-numbering, put it in the algorithm environment (not algorithmic however) shown above.

## 4.3 Major Component #2

### 4.3.1 Technologies Used

This section provides a list of technologies used for this component. The details for the technologies have already been provided in the Overview section.

### 4.3.2 Component Overview

This section can take the form of a list of features.

### 4.3.3 Phase Overview

This is an extension of the Phase Overview above, but specific to this component. It is meant to be basically a brief list with space for marking the phase status.

### 4.3.4 Architecture Diagram

It is important to build and maintain an architecture diagram. However, it may be that a component is best described visually with a data flow diagram.

### 4.3.5 Data Flow Diagram

It is important to build and maintain a data flow diagram. However, it may be that a component is best described visually with an architecture diagram.

### 4.3.6 Design Details

This is where the details are presented and may contain subsections.

## 4.4 Major Component #3

### 4.4.1 Technologies Used

This section provides a list of technologies used for this component. The details for the technologies have already been provided in the Overview section.

### 4.4.2 Component Overview

This section can take the form of a list of features.

#### **4.4.3 Phase Overview**

This is an extension of the Phase Overview above, but specific to this component. It is meant to be basically a brief list with space for marking the phase status.

#### **4.4.4 Architecture Diagram**

It is important to build and maintain an architecture diagram. However, it may be that a component is best described visually with a data flow diagram.

#### **4.4.5 Data Flow Diagram**

It is important to build and maintain a data flow diagram. However, it may be that a component is best described visually with an architecture diagram.

#### **4.4.6 Design Details**

This is where the details are presented and may contain subsections.



---

## System and Unit Testing

---

Crowd Control utilizes multiple services across different platforms, requiring all parts to be operating correctly in order to provide consistent service to all users. We use system and unit testing to assist developers in identifying potential issues and to verify that the product being produced meets requirements. The goal of system and unit testing is to automate the process to increase development efficiency and reduce testing errors.

Given the time constraints and scope of Crowd Control, we have been forced to make compromises in regards to system and unit testing. Implementing and running automated unit testing, can be as time-consuming as writing production code. In fact, it is extremely common for a single function of production code to require many times as many lines of unit testing code to completely test the function. While automated testing provides many invaluable benefits, it would ultimately be a hindrance to the project if it means missing critical deadlines and not achieving crucial project milestones.

In this section, we describe our approach to testing, our goals, and the test cases that we have developed and implemented thus far. We also discuss the future plans for testing and how we will be able to devote more time and energy towards this project in the upcoming months.

### 5.1 Overview

For this project, we use a combination of “black-box” and “white-box” testing. This means that there are some aspects of the project that we have created ourselves and have full control over its execution, and there are others that we have little control over because it was provided by a third party. In practical terms, it means that we can test our own code with the full knowledge of how it is intended to work, allowing us to design tests that target potential problem areas. When designing tests that make use of a third-party service or a library that we have not written ourselves, we can only write tests that verify that the supplied functionality works as documented.

Because one of the goals of this project is to develop the applications using native languages and technology, we make use of the most established testing frameworks for the platform we are testing on. For the iOS application, we use the testing tools and frameworks built directly into Xcode. For the Android application, we use Espresso for testing our interface and JUnit for testing our classes and methods. To test Parse, the third party service we use for data storage and retrieval, we use unit testing on both Android and iOS, as interacting with Parse requires a running application on a device. To test Sinch, the third party service we use for instant messaging between users, we use the unit testing frameworks we use for testing our Android and iOS applications since interacting with Sinch also requires a running instance of the application on a device.

Running unit tests in all of the frameworks above yields a list of binary results; for each test executed, we receive either a “pass” or “fail” result. If a test fails, we may also receive a message describing the issue that caused the test to fail. There exist several conditions that could cause a test to fail.

- An uncaught exception is thrown
- A runtime error is encountered
- The application crashes
- A test assertion fails

When designing test cases, we begin with the set of user stories identified at the beginning of the project. A list of user stories can be found in the section 2.2. From these user stories, we build a testing matrix that will be referenced when writing our automated tests. Tests are then written as the code they are intended to test is written.

Tests are also to be run relatively frequently. Ideally, developers would enable the set of tests relevant for the aspect of the project they are currently working on and run those tests as needed during development and again before the code is merged in with the rest of the project. Then, the full set of tests would be run automatically and at a time that would not interfere with development or execution of the product.

## **5.2 Dependencies**

Describe the basic dependencies which should include unit testing frameworks and reference material.

## **5.3 Test Setup and Execution**

Describe how test cases were developed, setup, and executed. This section can be extremely involved if a complete list of test cases was warranted for the system. One approach is to list each requirement, module, or component and describe the test.

The unit tests are described here.

## **5.4 System Testing**

## **5.5 System Integration Analysis**

## **5.6 Risk Analysis**

### **5.6.1 Risk Mitigation**

## **5.7 Successes, Issues and Problems**

### **5.7.1 Changes to the Backlog**

# 6

---

## Prototypes

---

This chapter is for recording each prototype developed. It is a historical record of what you accomplished in 464/465. This should be organized according to Sprints. It should have the basic description of the sprint deliverable and what was accomplished. Screen shots, photos, captures from video, etc should be used.

### 6.1 Sprint 1 Prototype

#### 6.1.1 Deliverable

#### 6.1.2 Backlog

#### 6.1.3 Success/Fail

### 6.2 Sprint 2 Prototype

#### 6.2.1 Deliverable

#### 6.2.2 Backlog

#### 6.2.3 Success/Fail

### 6.3 Sprint 3 Prototype

#### 6.3.1 Deliverable

#### 6.3.2 Backlog

#### 6.3.3 Success/Fail

### 6.4 Sprint 4 Prototype

#### 6.4.1 Deliverable

#### 6.4.2 Backlog

#### 6.4.3 Success/Fail

### 6.5 Sprint 5 Prototype

#### 6.5.1 Deliverable

#### 6.5.2 Backlog

### 6.5.3 Success/Fail

# 7

---

## Release – Setup – Deployment

---

This section should contain any specific subsection regarding specifics in releasing, setup, and/or deployment of the system.

### 7.1 Deployment Information and Dependencies

Are there dependencies that are not embedded into the system install?

### 7.2 Setup Information

How is a setup/install built?

### 7.3 System Versioning Information

How is the system versioned?



## 8

---

# User Documentation

---

This section should contain the basis for any end user documentation for the system. End user documentation would cover the basic steps for setup and use of the system. It is likely that the majority of this section would be present in its own document to be delivered to the end user. However, it is recommended the original is contained and maintained in this document.

### 8.1 User Guide

The source for the user guide can go here. You have some options for how to handle the user docs. If you have some `newpage` commands around the guide then you can just print out those pages. If a different formatting is required, then have the source in a separate file `userguide.tex` and include that file here. That file can also be included into a driver (like the senior design template) which has the client specified formatting. Again, this is a single source approach.

### 8.2 Installation Guide

### 8.3 Programmer Manual





## 9

---

# Class Index

---

### 9.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Poly . . . . . 35



# 10

---

## Class Documentation

---

### 10.1 Poly Class Reference

#### Public Member Functions

- Poly ()
- ~Poly ()
- int myfunction (int)

#### 10.1.1 Constructor & Destructor Documentation

##### 10.1.1.a Poly::Poly ( )

My constructor

##### 10.1.1.b Poly::~~Poly ( )

My destructor

#### 10.1.2 Member Function Documentation

##### 10.1.2.a int Poly::myfunction ( int *a* )

my own example function fancy new function

new variable

The documentation for this class was generated from the following file:

- hello.cpp



**11**

---

**Business Plan**

---

# Crowd Control Business Plan



BowTaps, LLC

Charles Bonn:	<a href="mailto:nick.bonn@bowtaps.com">nick.bonn@bowtaps.com</a>
Johnathan Ackerman:	<a href="mailto:johnny.ackerman@bowtaps.com">johnny.ackerman@bowtaps.com</a>
Daniel Andrus:	<a href="mailto:dan.andrus@bowtaps.com">dan.andrus@bowtaps.com</a>
▣Evan Hammer:	<a href="mailto:evan.hammer@bowtaps.com">evan.hammer@bowtaps.com</a>
Joseph Mowry:	<a href="mailto:joe.mowry@bowtaps.com">joe.mowry@bowtaps.com</a>

---

%sectionMetrics and Milestones





# SDSMT SENIOR DESIGN SOFTWARE DEVELOPMENT AGREEMENT

This Software Development Agreement (the "Agreement") is made between the SDSMT Computer Science

Senior Design Team: \_\_\_\_\_ CrowdControl \_\_\_\_\_  
( "Student Group" )

consisting of team members: Charles Bonn, Evan Hammer, Joseph Mowry, Daniel Andrus, Johnathan Ackerman,  
( "Student Names" )

and Sponsor: \_\_\_\_\_ Bowtaps ( self ) \_\_\_\_\_,  
( "Company Name" )

with address: \_\_\_\_\_ 2326 Lance Street, Rapid City , SD 57702 \_\_\_\_\_.

## 1 RECITALS

1. The Bowtaps team will be designing, implimenting, and distributing CrowdControl under the SDSMT Senior Design program.

NOW, THEREFORE, in consideration of the mutual covenants and promises herein contained, Bowtaps and Brian Butterfeild agree as follows:

## 2 EFFECTIVE DATE

This Agreement shall be effective as of \_\_\_\_\_ 9/30/2015. \_\_\_\_\_

## 3 DEFINITIONS

1. "Software" shall mean the computer programs in machine readable object code and any subsequent error corrections or updates created by Bowtaps for CrowdControl pursuant to this Agreement.
2. "Acceptance Criteria" means the written technical and operational performance and functional criteria and documentation standards set out in the backlog.
3. "Acceptance Date" means the date for each Milestone when all Deliverables included in that Milestone have been accepted by BowTaps under the supervision of Brian Butterfeild in accordance with the Acceptance Criteria and this Agreement.
4. "Deliverable" means the product requirements specified in the backlog under the acceptance date.
5. "Delivery Date" shall mean, with respect to a particular sprint, the date on which BowTaps will evaluate all of the Deliverables for that sprint in accordance with the backlog and this Agreement.
6. "Documentation" means the documents, manuals and written materials (including end-user manuals) referenced, indicated or described in the project plan or otherwise developed pursuant to this Agreement.
7. "Milestone" means the completion and delivery of all of the Deliverables or other events which are included or described in backlog scheduled for developement and/or completion on a given target date; a Milestone will not be considered completed until the Acceptance Date has occurred with respect to all of the Deliverables for that Milestone.

## 4 DEVELOPMENT OF SOFTWARE

1. The BowTaps Team will use its best efforts to develop the Software described in backlog The Software development will be under the direction of Its members with the supervision of Brian Butterfeild. BowTaps will deliver the Software to the satisfaction of the course instructor that reasonable effort has been made to design and release CrowdControl as a mobile application. The Team understands that failure to deliver the Software is grounds for failing the course.
2. Brian Butterfeild understands that the Senior Design course's mission is education and advancement of knowledge, and, consequently, the development of Software must further that mission. The Senior Design Course does not guarantee specific results or any results, and the Software will be developed only on a best efforts basis. The Software created will be intened as a beta release for future refinement before the release of CrowdControl.
3. The Senior Design instructor will act as mediator for BowTaps to help guide twords a start up software engineering company

## 5 COMPENSATION

NONE. This is a company start up with the goals of releasing a mobile application and starting a software developement company.

## 6 CONSULTATION AND REPORTS

1. Sponsor's designated representative for consultation and communications with the BowTaps team shall be \_\_\_\_\_ Brian Butterfeild \_\_\_\_\_ or such other person as consultant(s) may from time to time designate to the BowTaps team.
2. During the Term of the Agreement, consultant's representatives may consult informally with course instructor regarding the project, both personally and by telephone. Access to work carried on in University facilities, if any, in the course of this Agreement shall be entirely under the control of University personnel but shall be made available on a reasonable basis.
3. BowTaps will submit written progress reports. At the conclusion of this Agreement, the BowTaps team shall submit a comprehensive final report in the form of the formal course documentation at the conclusion of the Senior Design II course.

## 7 CONFIDENTIAL INFORMATION

1. The parties may wish, from time to time, in connection with work contemplated under this Agreement, to disclose confidential information to each other ("Confidential Information"). Each party will use reasonable efforts to prevent the disclosure of any of the other party's Confidential Information to third parties for a period of three (3) years after the termination of this Agreement, provided that the recipient party's obligation shall not apply to information that:
  - (a) is not disclosed in writing or reduced to writing and so marked with an appropriate confidentiality legend within thirty (30) days of disclosure;
  - (b) is already in the recipient party's possession at the time of disclosure thereof;
  - (c) is or later becomes part of the public domain through no fault of the recipient party;
  - (d) is received from a third party having no obligations of confidentiality to the disclosing party;

- (e) is independently developed by the recipient party; or
  - (f) is required by law or regulation to be disclosed.
2. In the event that information is required to be disclosed pursuant to subsection (6), the party required to make disclosure shall notify the other to allow that party to assert whatever exclusions or exemptions may be available to it under such law or regulation.

## **8 INTELLECTUAL PROPERTY RIGHTS**

Intellectual Property created during the development, testing, deployment, and updating of CrowdControl. Intellectual Property consists of any documents drafted, products designed, and code written and implemented by BowTaps. The Intellectual Property belongs to the development team, BowTaps, under the direction and guidance of SDSM&T and consultants.

## **9 WARRANTIES**

The BowTaps Team represents and warrants to Sponsor that:

- 1. the Software is the original work of the BowTaps Team in each and all aspects;
- 2. the Software and its use do not infringe any copyright or trade secret rights of any third party.

No agreements will be made beyond items (1) and (2).

## **10 INDEMNITY**

- 1. BowTaps is responsible for claims and damages, losses or expenses held against the BowTaps team.
- 2. NEITHER PARTY TO THIS AGREEMENT NOR THEIR AFFILIATED COMPANIES, NOR THE OFFICERS, AGENTS, STUDENTS AND EMPLOYEES OF ANY OF THE FOREGOING, SHALL BE LIABLE TO ANY OTHER PARTY HERETO IN ANY ACTION OR CLAIM FOR CONSEQUENTIAL OR SPECIAL DAMAGES, LOSS OF PROFITS, LOSS OF OPPORTUNITY, LOSS OF PRODUCT OR LOSS OF USE, WHETHER THE ACTION IN WHICH RECOVERY OF DAMAGES IS SOUGHT IS BASED ON CONTRACT TORT (INCLUDING SOLE, CONCURRENT OR OTHER NEGLIGENCE AND STRICT LIABILITY), STATUTE OR OTHERWISE. TO THE EXTENT PERMITTED BY LAW, ANY STATUTORY REMEDIES WHICH ARE INCONSISTENT WITH THE PROVISIONS OF THESE TERMS ARE WAIVED.

## **11 INDEPENDENT CONTRACTOR**

For the purposes of this Agreement and all services to be provided hereunder, the parties shall be, and shall be deemed to be, independent contractors and not agents or employees of the other party. Neither party shall have authority to make any statements, representations or commitments of any kind, or to take any action which shall be binding on the other party, except as may be expressly provided for herein or authorized in writing.

## **12 TERM AND TERMINATION**

1. This Agreement shall commence on the Effective Date and extend until the end of classes of the second semester of Senior Design (CSC 467), unless sooner terminated in accordance with the provisions of this Section (“Term”).
2. This Agreement may be terminated by the written agreement of both parties.
3. In the event that either party shall be in default of its materials obligations under this Agreement and shall fail to remedy such default within thirty (30) days after receipt of written notice thereof, this Agreement shall terminate upon expiration of the thirty (30) day period.
4. Any provisions of this Agreement which by their nature extend beyond termination shall survive such termination.

## **13 GENERAL**

1. This Agreement constitutes the entire and only agreement between the parties relating to the Senior Design Course, and all prior negotiations, representations, agreements and understandings are superseded hereby. No agreements altering or supplementing the terms hereof may be made except by means of a written document signed by the duly authorized representatives of the parties.
2. This Agreement shall be governed by, construed, and enforced in accordance with the internal laws of the State of South Dakota.

## 14 SIGNATURES



10 / 6 / 2015

---

Charles Bonn

---

Date



10 / 6 / 2015

---

Evan Hammer

---

Date



10 / 6 / 2015

---

Joseph Mowry

---

Date



10 / 6 / 2015

---

Daniel Andrus

---

Date



10 / 6 / 2015

---

Johnathan Ackerman

---

Date



10 / 6 / 2015

---

Brian Butterfeild

---

Date



# A

---

## Product Description

---

CrowdControl is a group management application that will be an application that has gps features, group messaging, group management features.

### 1 GPS Features

#### 1.1 Group Members

The Group member gps features will allow for users to track other users in the same group as they are. This will be under user permission to allow other user to see there location.

#### 1.2 Suggestions

The suggestion side of the GPS will take a user or group location and give even suggestions of places to go or things to do in the area of the group.

### 2 Group Messaging

Integrated group messaging on a single platform uniform to iOS and android.

### 3 Group Manangement Features

This will allow for members to join a group, add a member to a group, and leave a group.

### 4 Parse Features

Parse will be used to store user data and group data.





**B**

---

## **Sprint Reports**

---

### **1 Sprint Report #1**

# Sprint Report #1

---

## Team Overview

---

### Name

Crowd Control

### Members

Johnathan Ackerman, Daniel Andrus, Charles Bonn, Evan Hammer, Joseph Mowry

### Project Title

Crowd Control Group Management Mobile Application

### Company

Bowtaps

---

## Customer Overview

---

### Customer Description

Bowtaps is a start up company based out of Rapid City, SD. Bowtaps plans on having their initial market presence with the mobile application Crowd Control.

### Customer Problem

The design, creation, and marketing of the mobile application Crowd Control along with the creation of the company Bowtaps.

### Customer

- GPS mapping of Members in the group
- Integrated group messaging
- Group management features ( add/remove members )
- Intuitive UI
- Product testing
- Marketing plan and strategies
- Business plan
- End-user Documentation

---

## Project Overview

---

The creation of Crowd Control, a mobile application on Android and iOS platforms for group management.

### Phase 1

The design of the database and the basic design of the user interface.

---

## Project Environment

---

### Project Boundaries

- Crowd Control will be a free app available for download on the Android and iOS marketplaces.
- The product will be coded in Java ( Android ) , swift ( iOS ), and parse (back-end server).
- Source code will be kept in a private GitHub repository.
- Crowd Control will be planned on release by summer of 2016.

### Project Context

- There will be 2 versions of the application ( one for iOS and one for Android )
- Crowd Control will access a parse server
- Crowd Control will access GPS information

---

## Deliverables

---

### Phase 1

Deliverables will be UX design, database design and implementation.

---

## Backlog

---

### Phase 1

- Design UX
  1. Create groups
  2. Leave groups
  3. Group messaging
  4. Start page
- Database

1. Design database schema
  2. Implement database on Parse
- Design application layers ( MVC )
  - Set up GitHub repository

---

## **Sprint Report**

---

### **Work for this sprint included:**

- Designs for Create Group page
- Design for Leave Group page
- Design for Group Messaging page
- Design for Start Page
- Design for Database Schema
- Database implementation
- Git Repository Initialization

## 2 Sprint Report #2

# Sprint Report #2

---

## Team Overview

---

### Name

Crowd Control

### Members

Johnathan Ackerman, Daniel Andrus, Charles Bonn, Evan Hammer, Joseph Mowry

### Project Title

Crowd Control Group Management Mobile Application

### Company

Bowtaps

---

## Work Summary

---

- Code UX
  1. Map Screen
  2. Group info Screen
  3. Group Messaging
  4. Start page
  5. Group Info UI
- Model
  1. User Model
  2. Communication layer
- Research on public/private key passing

---

## Backlog

---

- Code UX
  1. Mapping features
  2. Messaging UI
- Model

1. User Model
  2. Communication Layer
  3. Link back-end and front end
- Implement Cloud code
  - Business Plan

---

## Successes

---

Successes have been jumps in the code progress. Testing has been going well and progress has been made towards the end goal.

---

## Issues and Changes

---

Some issues that have been ran into have been

- Public/Private key passing for increased security
- Differences between iOS and android coding standards not allowing for similar looks between operating systems.
- Testing of mapping features

---

## Team Details

---

The team is going strong. With a busy semester, not all meeting times have worked out. But with a hard drive, we are working towards our goal of creating an app and starting our own business. We are still currently meeting with advisors to better our business plan and create marketing plans.

### **3 Sprint Report #3**



# Sprint Report #3

---

## Team Overview

---

### Name

Crowd Control

### Members

Johnathan Ackerman, Daniel Andrus, Charles Bonn, Evan Hammer, Joseph Mowry

### Project Title

Crowd Control Group Management Mobile Application

### Company

Bowtaps

---

## Work Summary

---

- iOS
  1. Login
    - (a) Create User
    - (b) Facebook integration
  2. Mapping
  3. Working on Join Group
- Android
  1. Login
    - (a) Create User
    - (b) Facebook integration
  2. Mapping
  3. Working on Join Group
- Server
  1. Fixed Connection Issues
  2. User Connections Created

---

## Backlog

---

- Messaging API
- Join Group Implementation
- Cloud Code
  1. Group Clean Up
  2. User Information Links
- Business Plan
  1. South Dakota Giant Vision
  2. SDSM&T Business Plan Competition

---

## Success

---

Successes have been group team work towards the business plan competitions on the business side. On the development side was recreating some of the database to increase efficiency with parse. Logging in has been connected to Facebook accounts.

---

## Issues and Changes

---

Some issues that have been ran into have been

- Public/Private key passing for increased security
- Server connection issues from table to table with group creation
- Changes in the database schema
- GUI updates to more modern standards.

---

## Team Details

---

With business plan competitions, and the end of the semester, we have all been busy. We have come together to fix issues that where not planned for in the beginning, and furthered development of features in general.

The business plan and business plan competition are coming along well, and allowing us to focus more on the primary goals of the direction of the company, as well as development of Crowd Control.

## **4 Sprint Report Winter Sprint**

# Winter Sprint Report

---

## Team Overview

---

### Name

Crowd Control

### Members

Johnathan Ackerman, Daniel Andrus, Charles Bonn, Evan Hammer, Joseph Mowry

### Project Title

CrowdControl - Group Management Mobile Application

### Company

Bowtaps

---

## Deliverables

---

- iOS
  1. Login/Logout
    - (a) Improved login/signup screens
    - (b) Logout feature added
  2. Settings
    - (a) Settings screen implemented
    - (b) Logout functionality nested in the Settings screen
  3. Groups
    - (a) Leaving/Joining a group implemented
    - (b) Basic group operations
    - (c) Detect if users are in a group
- Android
  1. Login
    - (a) Automatic login on startup (from datastore)
    - (b) Login to existing account via email address
  2. Settings
    - (a) Page layout created and linked from GroupJoin page
    - (b) Logout functionality implemented
  3. Groups

- (a) Leave button implemented
- (b) Tested adding/removing users from groups
- Misc/Transitional
  1. Further documented Android code to prepare for team merge
  2. Android code review with iOS team, to prepare for team merge

---

## Remaining Backlog

---

Here are the incomplete items/features for this sprint:

- Android
  - Messaging (Sinch API)
  - GPS Location (backend models)
  - Persistent groups through local datastore
- iOS
  - Messaging (Sinch API)

---

## Successes

---

- Android
  - Login through email
  - Settings page (layout and implementation)
  - Local Datastore (individual automatic login)
- iOS
  - Login/Logout
  - Settings page (layout and implementation)
  - Group functionality written

---

## Issues and Changes

---

Some issues that we encountered include:

- Android
  - Issues
    - \* Tried to manually create queries in the Parse API. We were unaware of built-in methods to accomplish the tasks. This set us back a bit.

- \* Encountered NullPointerException in the UserModel model. Had to change the structure to use an application global variable.
- Changes
  - \* Further development on Settings is now added to the backlog
  - \* Sign out functionality is now added to the backlog
  - \* Leave Group functionality is now added to the backlog
- iOS
  - Issues
    - \* Unexpected complications with database design
    - \* Layout complications
    - \* Issues with the underlying data models
    - \* Parallel programming complications
- Misc/Transitional
  - iOS development will be postponed, in favor of an Android prototype. This is to ensure that Android will meet expectations for the design fair.
  - Team communication and long-distance coordination was difficult.
  - Holidays and vacations impeded our ability to be productive.

---

## Team Details

---

Our team fell behind in the first semester, and in an effort to mitigate this, we allocated work towards the Winter Sprint. From here, unsatisfactory progress was still met, and we decided on another large refactor.

For the remainder of our project development, the iOS team will halt development and assist the Android team, so that Bowtaps can guarantee a satisfactory product for the design fair in Spring 2016.

Finally, to hopefully achieve better group management, we have elected Daniel Andrus to serve as acting Scrum Master.

## 5 Sprint Report #4

# Sprint Report #4

---

## Team Overview

---

### Name

Crowd Control

### Members

Johnathan Ackerman, Daniel Andrus, Charles Bonn, Evan Hammer, Joseph Mowry

### Project Title

Crowd Control - Group Management Mobile Application

### Company

Bowtaps

---

## Backlog

---

The following items/features were assigned at the beginning of the sprint, and worked on throughout its duration. It is broken down by week as such:

### Week 1

- Android
  - Begin implementing Sinch
  - Create location and messaging views and managers
  - Design models and manager classes for messaging and location
  -
- Cloud Code
  - Group data parsing started

### Week 2

- Android
  - Broadcast/receive messages to/from all members in a group
  - Create a layout for messaging
  - Create a MapFragment to display a map
  - Created buttons overtop the MapFragment to correspond to syncing and homing locations
- Cloud code
  - Leaving and joining groups handled
  - Checking existing email upon login (validation)



## Week 3

- Android
  - Retrieve locations of group members, place their locations on the map via pins
  - Update group settings and data when changed
  - Update Group members if someone leaves or joins a group
  - Group messaging unit tests
  - GPS Location unit tests
- Cloud Code
  - Returning group information upon changes
  - Functional Group update indicator complete
  - Basic group functionality implemented fully (login/logout, join/leave groups, update on change)

Documentation and Business Plan work was carried out through all weeks of the sprint, and is ongoing.

---

## Deliverables

---

During this sprint, these are the items/features from the backlog that were successfully achieved:

- Android
  1. Group Messaging
    - (a) Created a Layout
    - (b) Used Sinch code to create a service
    - (c) Implemented group messaging
    - (d) Group messaging is working with no known bugs
  2. Location
    - (a) Page layout created and linked from GroupJoin page
    - (b) MapFragment has buttons for homing and syncing group locations
    - (c) Retrieving the user's location on instantiation of the MapFragment
    - (d) User and group locations implemented
  3. Group update service
    - (a) Checks for updates in near real-time
    - (b) Updates group settings when changed
    - (c) Updates group members if someone leaves or joins
- Server (cloud code)
  1. Functional Group update indicator
  2. Returning group update information
  3. Join group function (created but not functioning)
  4. Leave group function (created but not functioning)

## 5. Check for Existing Email

- Misc/Transitional

1. Business Plan filled out, also a version tailored towards the Governor's Giant Vision contest (converted to latex)
2. Documentation done inside and outside of the source code files

---

## Issues and Changes

---

Some issues that we encountered include:

- Android

- Issues

- \* Permissions to obtain contacts and locations from the device posed a challenge - still not handling the request gracefully
    - \* Had difficulty implementing a custom AlertDialogFragment that extends DialogFragment, inside of other fragments such as MapFragment, GroupInfoFragment, etc.

- Changes

- \* Added group update service - was not part of original backlog
    - \* Added user location homing on MapFragment - was not part of original backlog

- Server (cloud code)

- Issues

- \* Cloud functions improperly writing data.

- Changes

- \* Added join and leave cloud functions - was not part of original backlog

---

## Remaining Backlog

---

The following items/features remain either incomplete or need improvement for this sprint, and will carry onto the next sprint:

- Android

- Group messaging unit tests

- GPS Location unit tests

- Cloud Code

- Testing on Group Functions.

- Completing Join and Leave functions

---

## Team Details

---

Here are some auxiliary details about our workflow and division of responsibilities, during the sprint:

Dan and Johnny started off Sprint 4 by working on messaging-related features, while Joe and Evan worked on GPS and map features. Nick focused on the business plan, updating the existing documentation to use the updated layout, and was tasked with installing the Fabric SDK.

For week two of the sprint, Johnny focused on group messaging. Dan and Nick also worked together on cloud code, targeting the leaving/joining groups, and a group update service in Android. Evan wrote a `LocationManager` class and stubbed out methods, that Joe wrote an interface for and made a UI for in the `MapFragment`.

Week three continued with Joe and Evan working on various location features, while Dan and Johnny worked on the update service and messaging features respectively. Nick focused on cloud code and business plan/documentation writing.

Additionally, this was the first sprint in which we had Dan serve as acting Scrum Master, to aid in organization and appointment of responsibilities. Though he did officially take this role on during our Winter Sprint (Sprint 3.5), most of us were either working remotely or unavailable, thus we were unable to fully utilize this new organizational change until now.

## 6 Sprint Report #5

# Sprint Report #5

---

## Team Overview

---

### Name

Crowd Control

### Members

Johnathan Ackerman, Daniel Andrus, Charles Bonn, Evan Hammer, Joseph Mowry

### Project Title

Crowd Control - Group Management Mobile Application

### Company

Bowtaps

---

## Backlog

---

The following items/features were assigned at the beginning of the sprint, and worked on throughout its duration. It is broken down by week as such:

### Week 1

- Senior Design Doc
  - Do a general revision of the doc
  - Business Plan
    - \* Finish business plan for 2016 Governor's Giant Vision Competition
- Android
  - Model Caching/ Uniformity
  - Clean up appearance

### Week 2

- Android
  - Clean up the appearance of the app
  - Display Group Members on group info page
  - Safe group operations(leaving/joining group)
  - Loading animations on homing and syncing
- Cloud code
  - Safe group operations(leaving/joining group)

### Week 3

- Android
  - Integration Testing
  - Start Alpha Testing
- Cloud Code
  - test join and leave functionality

---

## Deliverables

---

During this sprint, these are the items/features from the backlog that were successfully achieved:

- Android
  1. Group Messaging
    - (a) Discovered and removed a bug
  2. Location
    - (a) Moved remote functionality to model manager
    - (b) Updated location model to reflect changes
    - (c) Caching objects
  3. App Appearance
    - (a) Reformatted the entire theme of the app (all pages are based of the same theme now - no more custom themes per page)
    - (b) Added a tool bar to the group join page/ removed settings button (now in tool bar)
    - (c) Group Information Page
      - i. Added a group leader display
      - ii. Added padding to appearance of display and modified text sizes
      - iii. Displays all group members
      - iv. Displays Dialog box if user attempts to leave the group
- Server (cloud code)
  1. Join function
  2. Leave function
- Misc/Transitional
  1. Business Plan revised and submitted to The Governor's Giant Vision Competition
  2. Finalist for The Governor's Giant Vision Competition
  3. Some of the overall Senior Design Doc has been touched up

---

## Issues and Changes

---

Some issues that we encountered include:

- Android
  - Issues
    - \* Another bug came up in messaging which took precious time from other parts of the sprint
  - Changes
    - \* Many code related things were pushed to later in the sprint
- Server (cloud code)
  - Issues
    - \* Unable to do proper stress tests
    - \* Unrepeatable errors popped up ( could have been a network error)
  - Changes
    - \* added more functions
    - \* more comments.

This is no excuse, but the team was seriously hindered by the amount of other responsibilities due during this sprint.

---

## Remaining Backlog

---

The following items/features remain either incomplete or need improvement for this sprint, and will carry onto the next sprint:

- Android
  - Messaging still needs an appearance update for usability
- Cloud Code
  - Testing on Group Functions.
  - Completing Join and Leave functions

---

## Team Details

---

Here are some auxiliary details about our work-flow and division of responsibilities, during the sprint:

The team focused heavily the first week on the Business Plan.

For week two of the sprint, very little was accomplished due to other responsibilities

Week three: Johnny was able to get many little things in the app to display better, such as more information on the group page. Joe put a lot of work into the theme and got custom pictures displaying in the tabs bar for groups. Evan got the map to function properly with syncing. Dan was able to finally fix the messaging bug. Nicks loud code was created to have safe group alteration functions such as joining and leaving groups.



# C

---

## Industrial Experience and Resumes

---

### 1 Resumes

Below are the resumes for the group members: Johnathon Ackerman, Daniel Andrus, Charles Bonn, Evan Hammer, and Joseph Mowry.

# Johnathan Ackerman

605-877-1757

Johnathan.ackerman@mines.sdsmt.edu

GitHub profile <https://github.com/Kiwii12>

## Education

South Dakota School of Mines and Technology

- **Computer Science Major**
- Start Date: Fall 2012
- Expected Graduation Date: **December 2016**
- Going for a Bachelor's Degree
- Enrolled Currently as a Senior

Central High School

- Graduated 2012

## Programs

### Team Projects

With Glut and C++, in teams of two, I have made the following:

- Pong ( [https://github.com/Kiwii12/CSC433\\_Program1\\_Pong](https://github.com/Kiwii12/CSC433_Program1_Pong) )
- Solar System Model ( [https://github.com/Kiwii12/CSC433\\_Program3\\_SolarSystem](https://github.com/Kiwii12/CSC433_Program3_SolarSystem) )

In C++

- Simulated a B17 computer ( <https://github.com/Kiwii12/B17> )

In Lisp

- Missionary Vs Cannibals ( <https://github.com/Kiwii12/missionaryVsCannibal> )

### Solo Projects

In C++

- WVX playlist creator ( <https://github.com/Kiwii12/WVX-Playlist-Creator> )
- Basic Picture Editor ( [https://github.com/Kiwii12/Basic\\_Picture\\_Editor](https://github.com/Kiwii12/Basic_Picture_Editor) )

## Skills

I have worked in the Operating Systems of Windows and Linux ( Fedora and Ubuntu )

I am very comfortable in **C++** and **Python**.

I am comfortable in **Android Studios**

I have also done work in SQL, HTML, Assembly, and PHP.

## Goals

I wish to work with computer graphics, in virtual reality or augmented reality.

## Work Experience

Pizza Ranch – 3 years, currently employed

- Rapid City, South Dakota, 57701
- 605-791-5255

# DANIEL ANDRUS

Phone: (605) 269-1728  
Email: danieleandrus@gmail.com  
Twitter Handle: @deaboy100  
Github Name: Deaboy

## PROFILE

I am an undergraduate college student at the South Dakota School of Mines and Technology. I have a passion for video games and technology, and my career goal is to become a developer in the games industry, the mobile application industry, or the desktop application industry. I grew up in Los Angeles, California, then moved to South Dakota in Summer, 2010. I attended Black Hills State University for two years before transferring to South Dakota School of Mines and Technology, where I plan to graduate with a bachelors degree of computer science in May, 2016 and immediately begin working in software or game development.

## EXPERIENCE

### INTERN DEVELOPER, 7400 CIRCUITS — SUMMER 2015 - PRESENT

I held an internship at 7400 Circuits, a circuit board company located in Rapid City. Here I worked to improve an existing iOS and Android game called *Trouble with Robots*. I also worked on a cross-platform desktop application that interacted via USB with a handheld game cartridge reader and writer that allows users to create and play Neo Geo Pocket and WonderSwan games on their handheld game devices.

### SDSMT PROGRAMMING TEAM — 2014 - PRESENT

In fall 2014, I joined the SDSMT programming team and participated in the ACM regional Programming Competition where my team finished 14th in the region out of over 285 competing teams and 1st in the school.

### SERVER ADMINISTRATOR, PROGRAMMER — 2010 - PRESENT

Since 2010, I have owned and operated a public game server for which I and another developer have written hundreds of lines of server software to help manage the community. Through this, I have become greatly acquainted with Linux, SSH, and managing small communities.

### WEB DESIGNER AND DEVELOPER, BLACKHILLS.COM — 2013 - 2015

In May 2013, I started working for a local web development company as a full-time web developer. The job entailed designing and building websites of diverse sizes and varieties. Many sites were for small businesses located throughout the Black Hills, but a few were for large, high-traffic businesses such as BlackHillsNews.com and Sturgis.com.

### INTERN, FTW INTERACTIVE (NOW RED SHED TECHNOLOGY) — SUMMER 2012

I held an internship at FTW Interactive, now known as Red Shed Technology where I worked with experienced developers on mobile app projects. I gained experience working with server and client communications and data processing.

## SKILLS

- Programming in the **Java**, **C**, **C++**, **C#**, **PHP**, **Python**, **Objective-C**, and **Swift** programming languages.
- **OS X**, **iOS**, and **Android** development.
- Working with web technologies, including **HTML5**, **CSS**, **JavaScript**, and **PHP**.
- **Designing database systems** using **MySql**
- Working on **team projects**, **object-oriented program design**, and source control systems such as **Git** and **Subversion**

## EDUCATION

Black Hills State University, Spearfish, SD — 2010-2012

South Dakota School of Mines and Technology, Rapid City, SD — 2012-2016

## PERSONAL INFORMATION

I am good at math, am a fast learner, can pick up on new programming languages and standards quickly, and am a stickler for the proper usage of the word "literally". I can easily adapt to design patterns as well as programming paradigms and am perpetually learning the technologies and techniques employed in the software development, UX design, and games industries.

In my spare time, I enjoy playing and creating video games, creating YouTube videos, and learning more about the ever-changing technology industry. I love spending time with friends who enjoy similar things as I do. My career goals are to go into mobile application design and development, desktop application design and development, or game design and development. My ultimate personal goal with technology is to create applications that make people's lives better.

# C. Nicholas Bonn

---

2326 Lance Street, Rapid City SD 57702  
(651) 503-2877 charlesnicholasbonn@gmail.com

## Education:

**South Dakota School of Mines and Technology**, Rapid City, SD

*Bachelor of Science in Computer Science*

Anticipated Graduation: May 2016

Cumulative GPA: 2.5

### Relevant Coursework:

Database

Software Engineering

Cyber Security

Graphic User Interface

### Projects:

Crowd Control App – on-going senior design project

*Description:* a phone app designed to manage groups in a social setting, to track the members of the groups and ease social gatherings

## Technical Skills:

### **Languages:**

*Proficient in:* C/C++, Python, C#

*Familiar with:* Java, ARM Assembly, HTML/XML, Lisp, Qt Environment, Visual Basic

### **Other Technical Services:**

*Databases:* SQL Server, MySQL

*Platforms:* Microsoft Windows (Active Directory), Mac OSX, and Linux

## Work Experience:

**Discover Program - Rapid City School District**, Rapid City, SD

September 2009 – Current

*Program Assistant*

- Co-leader for after school and summer programs for elementary aged children
- Coordinate activities for 2nd and 3rd grade program
- Tutor children with their homework
- Mentor children and provide a positive environment for learning and activities

**TMI Coatings Inc.**, Eagan, MN

May 2012 – August 2012

*Summer Intern*

- Traveled to potential clients in Midwest region to collect specifications for job bids
- Drove equipment and job supplies to job sites in the Midwest
- Assisted in shop preparing equipment and supplies
- Oversaw scanning and organization of job components into electronic storage database

## Awards:

**Butterfield Cup**

May 2015

Award from local entrepreneurs to the best mobile app business plan, product and investor pitch

## References:

Available upon request

# Evan Paul Hammer

402 South St  
Rapid City, SD 57701  
Phone: 763-257-5060  
E-mail: evan.hammer@mines.sdsmt.edu

## Objective

Looking for a Full-Time opportunity in a competitive and leading edge company with a focus on intrapreneurship.

## Education

**South Dakota School Of Mines and Technology**, Rapid City, SD  
B.S. Computer Science; **GPA: 2.9**

**Expected Graduation:** May 2016  
August 2009 - Present

### Activities:

- Member in Triangle Fraternity, a fraternity of Engineers, Architects and Scientists
- Member of SDSM&T's Society of Mining, Metallurgy, and Exploration Engineers

## Experience

### Software Developer

May 2015 – Present

Golden West Telecommunications, Rapid City, SD

- Used mostly Python and JavaScript for development
- Mobile development with the use of Sencha Touch and Apache Cordova
- Proof of Concept work with SDK's and API's

### Operator

January 2014 – September 2014

Deadwood Biofuels, Rapid City, SD

- General shop cleaning
- Help with maintenance of equipment and Machines

### Night Chaperone/Office Assistant

September 2009 - July 2013

SDSM&T Youth Programs, Rapid City, SD

- Work with students attending the SDSM&T Engineering and Science camps.
- Teach the students about Engineering and Science
- Trained all the other chaperones and TA's
- Assisted in general office work

## Skills and Interests

### Leadership:

- Taught leadership skills to upcoming Boy Scout Leaders at a camp called Grey Wolf
- Eagle Scout

### Computer Science:

- C,C++, Python, ARM Assembly, JavaScript, Lisp
- Experience with Native Mobile Development
- Experience with Cross-Platform Development and MVC
- Experience with Open GL
- Operating Systems: Windows, Linux, Mac OS
- Experience in Database Management - MySql, PostgreSQL
- Experience with Git and Subversion

### Awards:

- Butterfield Cup - 2015

# JOSEPH MOWRY

## SKILLS

---

<b>Computer Languages</b>	C/C++, C#, ARM, SQL, HTML5, JavaScript, Java, Visual Basic, Python (3.X+)
<b>Protocols &amp; APIs</b>	JSON, XML, .NET, REST
<b>Databases</b>	Microsoft SQL
<b>Tools/Misc.</b>	GitHub, Mercurial(Hg), Team Foundation Server, Android Studio, Visual Studio, Xamarin, $\LaTeX$ , SQL Server Management Studio

## ORGANIZATIONS/MISC

---

- Educated in over four years of Spanish
- SDSM&T ACM Chapter Member
- SDSM&T Programming Team
- Attended the Black Hills Engineering Business Accelerator
- Awarded the Butterfield Cup for “Excellence in Software Engineering”

## WORK EXPERIENCE

---

PERIOD	<b>May 2015 — August 2015 (Full-Time)</b>	
EMPLOYER	<b>Innovative Systems</b>	Rapid City, SD
JOB TITLE	<b>Software Developer (Intern)</b>	
LANGUAGES	<b>C#, SQL, Xamarin.Forms, .NET Framework</b>	
	Cross-platform mobile development (MVVM) in Xamarin Forms, C# back-end development/stored procedures in MSSQL	
PERIOD	<b>May 2014 — August 2014 (Full-Time)</b>	
EMPLOYER	<b>Emit Technologies</b>	Sheridan, WY
JOB TITLE	<b>Software Developer (Intern)</b>	
LANGUAGES	<b>C#, JavaScript, HTML, .NET Framework, SQL</b>	
	Front-end (web) development in C#, stored procedures in MSSQL, followed MVC development pattern	

## EDUCATION

---

UNIVERSITY	<b>South Dakota School of Mines &amp; Technology</b>	
MAJOR	<b>B.S. in Computer Science</b>	
GPA	<b>2.7</b>	
GRAD DATE	<b>Spring 2016</b>	(Projected)

2326 LANCE STREET, RAPID CITY, SD, 57702 ·  
✉ JOE.MOWRY92@GMAIL.COM ☎ (605) 209-0208 ·  
[HTTPS://GITHUB.COM/JMOWRY](https://github.com/jmowry)

## 2 ABET: Industrial Experience Reports

As a group we have attended the SD Engineering Accelerator. We have competed in multiple business plan competitions including:

- Butterfield Cup
- SD Innovation Expo Business Plan Competition
- 2015 SD Mines CEO Student Business Plan Competition

We also have also have and regular meetings with SDSMT EIR's to help format our business plan and Crowd Control.

### 2.1 Johnathon Ackerman

I have had no Internship experience. However, before the project Crowd Control, I worked with C++, lisp, and python. I have worked with Visual Studios on Windows side, and Vim and G edit in Linux.

### 2.2 Daniel Andrus

I first learned the basics of web design and development in high school. After my second year of college, I obtained an internship with FTW Interactive (now known as Red Shed Technologies). Later, I hold a position as Web Developer for 2 years before becoming an intern software developer at 7400 Circuits.

My course experience has ranged from data structures, image processing, database design, web development, group projects, computer graphics (including 3D graphics), mobile app development, and even compression.

### 2.3 Charles Bonn

I currently have little internship experience. What industry experience i do have is HTML. In my personal/professional life i help manage a website and a minecraft server. Though this is work i have worked with HTML and C code. I have also worked with game code that is java based.

### 2.4 Evan Hammer

I am working for Golden West Telecommunications(GW), a rural telecommunications provider in the state of South Dakota. Since May of 2015 I have been a Software Developer for GW working on both mobile and back-end products. For the mobile side, I have been working with a product called Cordova that is wrapped with another product called Sencha Touch. Together these two products allow a developer to use JavaScript, HTML, CSS and more to produce a mobile application for Android, iOS and many other mobile platforms. I have also written the back-end for this app, using Python and a PostgreSQL Database creating a server-side API for the mobile application. While I am not working on the mobile application I have spent my time working on other in-house products using languages like Python and JavaScript. These projects have ranged from updating existing code to ground-up projects. Also as a Software Developer for GW, I have been tasked with creating some proof of concept work. This work has ranged from testing possible new services as well as testing new platforms for development. My work continues to grow and change as I continue to work for Golden West Telecommunications.

### 2.5 Joseph Mowry

In his prior industry experience, Joseph specialized in C# development and database management. His employers gave him a solid footing in AGILE and Scrum methodologies, as well as general product development. Though his experience lies primarily on the Visual Studio/C# side of things, there is a large amount of skill overlap in Android Studio and Java that he can bring to the table for this project.





## D

---

### Acknowledgment

---

As a special thanks we would like to thank Brian Butterfeild. His mentoring has made this project possible. Another thanks goes to Dr. Logar, With out your soft engineering class this would have never been possible.



# E

---

## Supporting Materials

---

This document will contain several appendices used as a way to separate out major component details, logic details, or tables of information. Use of this structure will help keep the document clean, readable, and organized.

