EMACS TUTORIAL-MAC

2020年5月14日星期四 下午5:31

Option=>m

C-h-t tutorial

C-xk 关闭当前界面

C-v 向下翻页

M-v 向上翻页

C-L移动指定光标的位置

C-p上一行

c-n下一行

c-a每行第一个位置

c-b光标往前

M-b 光标往前 (by word)

c-e光标往后

M-e 光标往后 (by word)

M-< 移动到整个文档的最开始

M->移动到整个文档的最后

C-x c-c 关闭Emacs所有窗口

| C-f | Move forward a character |
|-----|---------------------------|
| C-b | Move backward a character |
| | |
| M-f | Move forward a word |
| M-b | Move backward a word |
| | |
| C-n | Move to next line |
| С-р | Move to previous line |
| | |
| C-a | Move to beginning of line |
| | |

| С-е | Move to end of line |
|-----|------------------------------------|
| M-a | Move back to beginning of sentence |
| M-e | Move forward to end of sentence |

C-u 8 c-f 重复c-f命令8次

C-u8*重复输入8次*

c-g 停止任何命令

C-x2 竖直划分2个窗口

C-x0只保存一个窗口

删除:

| C-d | Delete the character just before the cursor Delete the next character after the cursor |
|------------------------|-------------------------------------------------------------------------------------------|
| M- M-d | Kill the word immediately before the cursor Kill the next word after the cursor |
| C-k M-k | Kill from the cursor position to end of line Kill to the end of the current sentence |

C-u 2 C-k kills two

lines and their Newlines; typing C-k twice would not do that.

C-y重新插入已经kill了的text

C-/undo

C-x c-f 查找文件

C-x c-s 保存文件

C-x C-b List buffers

C-x1 to get rid of the buffer list. 只保留当前光标闪烁的窗口

| <u>C-x C-f</u> | Find file | |
|----------------|-----------|--|
| C-x C-s | Save file | |

C-x s Save some buffers
C-x C-b List buffers
C-x b Switch buffer
C-x C-c Quit Emacs
C-x 1 Delete all but one window
C-x u Undo

M-x repl s<Return>changed<Return>altered<Return> 替换字符串 C-s 搜索

C-x分屏

c-xo(other)在分屏中切换光标的位置 c-m-v 滚动另一个窗口

C-x 5 2 创建新的窗口 c-x 5 0删除当前光标所在的窗口 <ESC><ESC><ESC> 退出某个recursive 编辑 C-h c (命令)查询当前命令的含义