

[My Github URL](#)

[My Vercel URL](#)

W12-P1: show answer of p1_84, p2_84, p3_84 in midterm exam

=> show p1_84

```

<!DOCTYPE html>
<html lang="en"> <scroll>
  <head> ::</head>
    <body>
      <div class="nav"> ::</div>
      <section class="show-midterm-answer"> == $0
        <iframe src="/p1_84/p1_84.html" width="100%" height="100%"></iframe>
      </section>
      <script src="../js/main_84.js"></script>
      <!-- Code injected by live-server -->
      <script src="../js/pd_84.js"></script>
    </body>
</html>

```

元素

html body section.show-midterm-answer

樣式 已計算 版面配置 事件接聽程式 DOM 中斷點 內容 幫助工具

html body section.show-midterm-answer

元素

樣式 已計算 版面配置 事件接聽程式 DOM 中斷點 內容 幫助工具

主控台 問題 +

=> show p2_84

```

<!DOCTYPE html>
<html lang="en"> <scroll>
  <head> ::</head>
    <body>
      <div class="nav"> ::</div>
      <section class="show-midterm-answer"> == $0
        <iframe src="/p2_84/p2_84.html" width="100%" height="100%"></iframe>
      </section>
      <script src="../js/main_84.js"></script>
      <script src="../js/pd_84.js"></script>
      <!-- Code injected by live-server -->
      <script> ::</script>
    </body>
</html>

```

元素

樣式 已計算 版面配置 事件接聽程式 DOM 中斷點 內容 幫助工具

元素

樣式 已計算 版面配置 事件接聽程式 DOM 中斷點 內容 幫助工具

主控台 問題 +

=> show p3_84

Midter Boxun,213410284

P1_84 P2_84 P3_84

Midterm -- Boxun0718, 213410284

High-Back Bench \$9.99

Albany Table \$79.99

Accent Chair

Wooden Table

元素

```
<!DOCTYPE html>
<html lang="en"> scroll
  <head> m</head>
  <body>
    <div class="nav"> ... </div>
    <section class="show-midterm-answer"> == $0
      <iframe src="/p3_84/p3_84.html" width="100%" height="100%"> ...
    </section>
    <script src="/js/main_84.js"></script>
    <script src="/js/pd_84.js"></script>
    <!-- Code injected by live-server -->
    <script> ... </script>
  </body>
</html>
```

html body section.show-midterm-answer

樣式 已計算 版面配置 事件接聽程式 DOM 中斷點 內容 幫助工具

.show-midterm-answer {
 width: 100%;
 height: 92vh;
 background-color: #rgba(152, 230, 230, 0.5);
}

* ::after, ::before {
 box-sizing: border-box;
}

section {
 display: block;
 unicode-bidi: isolate;
}

616ff6d Boxun0718 Thu Nov 28 20:33:21 2024 +0800 W12-P1: show answer of p1_84, p2_84, p3_84 in midterm exam

W12-P2: Embed p1_84, p2_84, p3_84 content into index.html, and make it to work correctly

=> select p3_84 nav link, navbar-fixed will be displayed

Midter Boxun,213410284

P1_84 P2_84 P3_84

High-Back Bench \$9.99

Albany Table \$79.99

Accent Chair

Wooden Table

元素

```
<!DOCTYPE html>
<html lang="en"> scroll
  <head> m</head>
  <body>
    <div class="nav navbar-fixed"> ... </div> == $0
    <section class="cards" id="p1_84"> ... </section>
    <section class="image-container" id="p2_84"> ... </section>
    <section class="products-container" id="p3_84"> ... </section>
    <script src="/js/main_84.js"></script>
    <script src="/js/pd_84.js"></script>
    <!-- Code injected by live-server -->
    <script> ... </script>
  </body>
</html>
```

html body div.nav.navbar-fixed

樣式 已計算 版面配置 事件接聽程式 DOM 中斷點 內容 幫助工具

.navbar-fixed {
 position: fixed;
 top: 0;
 left: 0;
 width: 100%;
 background-color: #var(--grey-300);
 box-shadow: var(--shadow-2);
 z-index: 2;
}

.nav {
 background: #var(--grey-300);
 box-shadow: var(--shadow-2);
 line-height: 1;
}

=> select p1_84 nav link, navbar-fixed will be displayed

The screenshot shows a web application interface. At the top, there is a navigation bar with three tabs: "P1_84" (highlighted with a red box), "P2_84", and "P3_84". Below the navigation bar is a grid of eight cards arranged in two rows of four. Each card contains a small image, a title, some placeholder text, and a "Sign in" button.

Card 1: 7-First Card
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Minima, quae!

Card 2: 8-Second Card
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Minima, quae!

Card 3: 9-Third Card
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Minima, quae!

Card 4: 1-Fourth Card
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Minima, quae!

Card 5: (empty)

Card 6: (empty)

Card 7: (empty)

Card 8: (empty)

The sidebar on the right displays the DOM tree and the corresponding CSS styles for the "nav" element. The "nav" element has a background color of #var(--grey-300) and a box shadow of var(--shadow-2). It also includes a line height of 1 and a height of 1px. The "div.nav" element has a display of block and a unicode-bidi of isolate.

=> select p2_84 nav link, navbar-fixed will be displayed

The screenshot shows a web application interface similar to the previous one, but with a different navigation bar configuration. The top navigation bar now has three tabs: "P1_84", "P2_84" (highlighted with a red box), and "P3_84". The sidebar on the right shows the DOM structure and CSS styles for the current page.

The sidebar highlights the "nav.navbar-fixed" element in the DOM tree. This element has a position of fixed, a top of 0, a left of 0, a width of 100%, a background color of #var(--grey-300), a box shadow of var(--shadow-2), and a z-index of 2.

2ae27e6 Boxun0718 Mon Dec 2 20:21:12 2024 +0800 W12-P2:Embed p1_84, p2_84, p3_84 content into index.html, and make it to work correctly

w12-p3: git logs for W12

Commits

main

All users All time

W12-P2: Embed p1_84, p2_84, p3_84 content into index.html, and make it work correctly
Boxun0718 committed 1 hour ago · 2ae27e6

W12-P1: show answer of p1_84, p2_84, p3_84 in midterm exam
Boxun0718 committed 4 days ago · 616ff6d

```
6388d93 Boxun0718      Mon Dec 2 22:26:19 2024 +0800    w12-p3: git logs for W12
```