

Supporting Information

Supplementary Table 1. Reasons for discard of perfused organs that were not transplanted.

Study ID	Reason for Discard
ORGXD01	Failed to clear lactate; no bile production
ORGXD02	Rising lactate; no bile production
ORGXD03	Rising lactate; no bile production
ORGXD04	Moderate macrovascular steatosis (50%) on biopsy
ORGXD05	Harvesting injury on biopsy; no bile production

Supplementary Table 2. Donor and recipient demographics for donation after circulatory death.

	SCS (n=51)	NMP (n=16)	p value
Donor Characteristics			
Age, years	47 (32-57)	50.5 (25.5-56)	0.686
Female (%)	18 (35.3)	5 (31.5)	0.766
BMI	24.3 (21.6-27.2)	23.6 (20.4-27.4)	0.665
Cause of death (%)			
Intracranial event	11 (21.6)	3 (18.6)	0.809
Anoxia/hypoxia	19 (37.6)	5 (31.3)	0.662
Trauma	8 (15.7)	3 (18.6)	0.773
Overdose	5 (9.8)	0 (0.0)	0.193
Other	8 (15.7)	5 (31.3)	0.170
Local (%)	12 (23.5)	4 (25.0)	0.904
Preservation Details			
Functional warm ischemia time, minutes	19 (12-27)	21.5 (15-25.5)	0.527
Cold ischemia time, minutes	317 (259-383)	355.5 (296-441.5)	0.174
NMP time, minutes	N/A	534 (384-825)	N/A
Rewarm time, minutes	40 (35-47)	38 (35.5-42.5)	0.234
Total storage time, minutes	317 (259-383)	964.5 (734.5-1217.5)	<0.0001
Recipient Characteristics			
Age, years	54.2 (47.8-63.0)	62.7 (54.7-64.8)	0.065
Female (%)	18 (35.3)	8 (50.0)	0.292
BMI	28.4 (24.8-32.8)	29.8 (22.6-38.1)	0.613
MELD-Na (at time of transplant)	20 (11-25)	20 (10-26.5)	0.939
Creatinine, $\mu\text{mol/L}$	79 (60-107)	86.5 (73-111)	0.567
Diagnosis (%)			
EtOH cirrhosis	19 (37.3)	5 (31.3)	0.662
Hep C cirrhosis	15 (29.4)	6 (37.5)	0.543
Hep B cirrhosis	4 (7.8)	2 (12.5)	0.569
NASH cirrhosis	53 (15.7)	4 (25.0)	0.397
HCC	22 (43.1)	7 (43.8)	0.966
Autoimmune	3 (5.9)	0 (0.0)	0.321
PBC	4 (7.8)	1 (6.3)	0.832
PSC	2 (3.9)	1 (6.3)	0.694
Retransplant (%)	1 (2.0)	0 (0.0)	0.573

values presented with IQR where applicable; BMI=body mass index, EtOH=ethanol, HCC=hepatocellular carcinoma, Hep B=hepatitis B, Hep C=hepatitis C, MELD=model of end-stage liver disease, N/A=not applicable, NASH=non-alcoholic steatohepatitis, NMP=normothermic machine perfusion, PBC=primary biliary cholangitis, PSC=primary sclerosing cholangitis, SCS=static cold storage

Supplementary Table 3. Donor and recipient demographics for local liver donation.

	SCS (n=139)	NMP (n=23)	p value
Donor Characteristics			
Age, years	36 (26-51)	38 (26-56)	0.677
Female (%)	47 (33.8)	8 (34.8)	0.928
BMI	26.6 (23.2-30.3)	27.6 (24.7-33.2)	0.228
Cause of death (%)			
Intracranial event	34 (24.5)	6 (26.1)	0.867
Anoxia/hypoxia	41 (29.5)	3 (13.0)	0.100
Trauma	30 (21.6)	5 (21.7)	0.987
Overdose	28 (20.1)	5 (21.7)	0.860
Other	6 (4.3)	4 (17.4)	0.016
DCD (%)	12 (8.6)	4 (17.4)	0.192
Preservation Details			
Functional warm ischemia time, minutes*	25.5 (14.5-28.5)	20.5 (17-23.5)	0.468
Cold ischemia time, minutes	145 (99-209)	223 (140-292)	0.003
NMP time, minutes	N/A	612 (387-689)	N/A
Rewarm time, minutes	39 (34-45)	40 (34-45)	0.902
Total storage time, minutes	295 (99-209)	818 (689-911)	<0.0001
Recipient Characteristics			
Age, years	57.6 (47.2-63.0)	58.1 (46.5-62.9)	0.786
Female (%)	37 (26.6)	5 (21.7)	0.621
BMI	28.7 (24.7-32.4)	29.2 (24.6-36.0)	0.387
MELD-Na (at time of transplant)	19 (11-25)	17 (13-28)	0.561
Creatinine, $\mu\text{mol/L}$	83 (64-100)	92 (62-103)	0.734
Diagnosis (%)			
EtOH cirrhosis	45 (32.4)	6 (26.1)	0.548
Hep C cirrhosis	37 (26.6)	5 (21.7)	0.621
Hep B cirrhosis	6 (4.3)	2 (8.7)	0.369
NASH cirrhosis	29 (20.8)	5 (21.7)	0.924
HCC	52 (37.4)	7 (30.4)	0.520
Autoimmune	7 (5.0)	3 (13.0)	0.139
PBC	12 (8.6)	0 (0.0)	0.143
PSC	16 (11.5)	1 (4.4)	0.299
Retransplant (%)	14 (10.1)	1 (4.4)	0.380
Multi-organ transplant (%)	0 (0.0)	3 (13.0)	<0.0001

values presented with IQR where applicable; BMI=body mass index, EtOH=ethanol, HCC=hepatocellular carcinoma, Hep B=hepatitis B, Hep C=hepatitis C, MELD=model of end-stage liver disease, N/A=not applicable, NASH=non-alcoholic steatohepatitis, NMP=normothermic machine perfusion, PBC=primary biliary cholangitis, PSC=primary sclerosing cholangitis, SCS=static cold storage

Supplementary Table 4. Kaplan Meier estimates of graft and patient survival at various time points.

	SCS (n=386)	NMP (n=79)	p value
Graft survival (% $\pm$ std. error)			
30 days	94.3 $\pm$ 1.2	100	0.031
6 months	90.2 $\pm$ 1.5	89.9 $\pm$ 3.4	0.980
1 year	88.9 $\pm$ 1.6	87.3 $\pm$ 3.7	0.793
3 year	84.5 $\pm$ 1.9	84.7 $\pm$ 4.1	0.969
5 year	80.7 $\pm$ 2.3	81.0 $\pm$ 4.7	0.975
7 year	76.8 $\pm$ 2.9	73.7 $\pm$ 8.2	0.845
Recipient survival* (n=369/76; % $\pm$ std. error)			
30 days	97.0 $\pm$ 0.9	100	0.130
6 months	93.5 $\pm$ 1.3	93.4 $\pm$ 2.8	0.988
1 year	92.1 $\pm$ 1.4	92.1 $\pm$ 3.1	0.971
3 year	87.9 $\pm$ 1.8	89.4 $\pm$ 3.6	0.775
5 year	84.4 $\pm$ 2.1	80.5 $\pm$ 4.3	0.910
7 year	80.5 $\pm$ 2.9	77.7 $\pm$ 8.4	0.936

* Excludes patients retransplanted during the study period

Supplementary Table 5. Comparison of clinical outcomes between liver transplantation after static cold storage versus normothermic machine perfusion in donation after circulatory death.

	SCS (n=51)	NMP (n=16)	p value
Crude graft survival			
30 days (n=51/16)	47 (92.2)	16 (100.0)	0.248
6 months (n=51/16)	46 (90.2)	14 (87.5)	0.758
1 year (n=44/15)	41 (93.2)	13 (86.7)	0.434
3 year (n=25/12)	16 (64.0)	10 (83.3)	0.228
Crude patient survival*			
30 days (n=50/16)	49 (98.0)	16 (100.0)	0.569
6 months (n=50/16)	47 (94.0)	15 (93.8)	0.971
1 year (n=44/15)	43 (97.7)	14 (93.3)	0.417
3 year (n=21/11)	16 (76.2)	10 (90.9)	0.311
EAD (%)	33 (64.7)	7 (43.8)	0.136
Peak AST POD1-7, U/L	2600 (1279-2600)	1700 (606-2284.5)	0.045
Total bilirubin POD7, μ mol/L	47.5 (26-105.5)	52.5 (35.5-111)	0.466
INR POD7	1.1 (1.0-1.2)	1.2 (1.1-1.35)	0.079
Primary non-function	2 (3.9)	0 (0.0)	0.421
ICU length of stay (days)	4 (2-8)	4 (2.5-9)	0.932
Hospital length of stay (days)	20 (13-32)	20.5 (18-34.5)	0.500
Major complications (Clavien-Dindo $\geq$ 3b)	33 (64.7)	9 (56.3)	0.542
Biliary complications at 1yr	18 (35.3)	7 (43.8)	0.542
Anastomotic stricture	10 (19.6)	6 (37.5)	0.143
Leak	6 (11.8)	0 (0.0)	0.150
Biliary complications >1yr	3 (5.9)	1 (6.3)	0.957
Ischemic cholangiopathy	2 (3.9)	1 (6.3)	0.694
Vascular complications at 1yr	9 (17.7)	5 (31.3)	0.243
HA stenosis	4 (7.8)	3 (18.6)	0.213
HA thrombosis	0 (0.0)	0 (0.0)	--
Rejection episode within 1yr	9 (17.7)	2 (12.5)	0.628

* Excludes patients retransplanted during the study period; values presented with IQR where applicable;

AST=aspartate transaminase, EAD=early allograft dysfunction, HA=hepatic artery, ICU=intensive care unit,

INR=international normalized ratio, ITBL=ischemic type biliary lesion, POD=post-operative day,

NMP=normothermic machine perfusion, SCS=static cold storage

Supplementary Table 6. Comparison of clinical outcomes between liver transplantation after static cold storage versus normothermic machine perfusion in local liver donation.

	SCS (n=139)	NMP (n=23)	p value
Crude graft survival			
30 days (n=139/23)	137 (97.8)	23 (100.0)	0.477
6 months (n=139/23)	132 (95.0)	21 (91.3)	0.478
1 year (n=123/23)	115 (93.5)	21 (91.3)	0.703
Crude patient survival*			
30 days (n=134/22)	138 (99.2)	22 (100.0)	0.684
6 months (n=134/22)	130 (97.0)	20 (90.9)	0.168
1 year (n=118/22)	114 (96.6)	20 (90.9)	0.225
EAD (%)	26 (18.7)	8 (34.8)	0.079
Peak AST POD1-7, U/L	416 (205-1020)	923 (326-2190)	0.041
Total bilirubin POD7, μ mol/L	32.5 (20-69)	40 (21-101)	0.301
INR POD7	1.1 (1.0-1.2)	1.1 (1.0-1.2)	0.324
Primary non-function	0 (0.0)	0 (0.0)	--
ICU length of stay (days)	3 (2-6)	7 (3-39)	0.001
Hospital length of stay (days)	16 (11-32)	32 (17-86)	0.003
Major complications (Clavien-Dindo $\geq$ 3b)	57 (41.0)	14 (60.9)	0.075
Biliary complications at 1yr	21 (15.1)	4 (17.4)	0.779
Anastomotic stricture	13 (9.4)	3 (13.0)	0.583
Leak	8 (5.8)	1 (4.4)	0.785
Vascular complications at 1yr	16 (11.5)	2 (8.7)	0.691
HA stenosis	7 (5.0)	1 (4.4)	0.888
HA thrombosis	3 (2.2)	0 (0.0)	0.477
Rejection episode within 1yr	31 (22.3)	5 (21.7)	0.952

* Excludes patients retransplanted during the study period; values presented with IQR where applicable;
 AST=aspartate transaminase, EAD=early allograft dysfunction, HA=hepatic artery, ICU=intensive care unit,
 INR=international normalized ratio, ITBL=ischemic type biliary lesion, POD=post-operative day,
 NMP=normothermic machine perfusion, SCS=static cold storage

Supplementary Table 7. Donor and recipient demographics after 1:1 matching.

	SCS (n=79)	NMP (n=79)	p value
Donor Characteristics			
Age, years	42 (27-55)	40 (25-56)	0.958
Female (%)	23 (29.1)	27 (34.2)	0.494
BMI	25.1 (21.8-28.7)	25.7 (22.4-29.2)	0.373
Cause of death (%)			
Intracranial event	25 (31.7)	22 (27.9)	0.602
Anoxia/hypoxia	25 (31.7)	21 (26.6)	0.484
Trauma	12 (15.2)	17 (21.5)	0.304
Overdose	12 (15.2)	8 (10.1)	0.339
Other	5 (6.3)	11 (13.9)	0.114
Local (%)	20 (25.3)	23 (29.1)	0.592
DCD (%)	16 (20.3)	16 (20.3)	1.000
Preservation Details			
Functional warm ischemia time, minutes	21.5 (18-26)	21.5 (15-25.5)	0.773
Cold ischemia time, minutes	312 (251-385)	359 (301-412)	0.013
NMP time, minutes	N/A	475 (387-620)	N/A
Rewarm time, minutes	39 (34-46)	40 (36-47)	0.234
Total storage time, minutes	312 (251-385)	847 (767-964)	<0.0001
Recipient Characteristics			
Age, years	55.9 (48.2-63.0)	58.1 (46.9-63.1)	0.923
Female (%)	24 (30.4)	23 (29.1)	0.862
BMI	26.6 (23.1-31.5)	28.0 (23.8-35.0)	0.175
MELD-Na (at time of transplant)	20 (14-28)	16 (11-23)	0.045
Creatinine, μ mol/L	89 (69-115)	84 (65-103)	0.240
Diagnosis (%)			
EtOH cirrhosis	23 (29.1)	25 (31.7)	0.729
Hep C cirrhosis	17 (21.5)	20 (25.3)	0.573
Hep B cirrhosis	3 (3.8)	6 (7.6)	0.303
NASH cirrhosis	11 (13.9)	12 (15.2)	0.822
HCC	20 (25.3)	25 (31.7)	0.378
Autoimmune	6 (7.6)	4 (5.1)	0.513
PBC	4 (5.1)	4 (5.1)	1.000
PSC	6 (7.6)	8 (10.1)	0.576
Retransplant (%)	7 (8.9)	7 (8.9)	1.000
Combined (%)	2 (2.5)	3 (3.8)	0.649

values presented with IQR where applicable; BMI=body mass index, EtOH=ethanol, HCC=hepatocellular carcinoma, Hep B=hepatitis B, Hep C=hepatitis C, MELD=model of end-stage liver disease, N/A=not applicable, NASH=non-alcoholic steatohepatitis, NMP=normothermic machine perfusion, PBC=primary biliary cholangitis, PSC=primary sclerosing cholangitis, SCS=static cold storage

Supplementary Table 8. Adjusted odds ratios for selected clinical outcomes between liver transplantation after normothermic machine perfusion versus static cold storage only.

	Adjusted OR*	95% CI	p value
Graft failure at 1yr	1.13	0.52-2.46	0.759
Recipient mortality at 1yr	0.95	0.35-2.58	0.927
Early allograft dysfunction	0.63	0.35-1.15	0.133
Major complications (Clavien-Dindo $\geq 3b$)	0.60	0.25-1.41	0.241
Biliary complications at 1yr	1.46	0.77-2.73	0.256
Vascular complications at 1yr	1.39	0.71-2.75	0.339

* Odds of outcome in NMP cohort compared to SCS cohort

Supplementary Table 9. Summary of univariate analyses used to build multivariate logistic regression model.

	Graft Failure at 1 year	Recipient Mortality at 1 year	Early Allograft Dysfunction	Major Complications (≥3b Clavien- Dindo)	Biliary Complications at 1 year	Vascular Complications at 1 year
Donor age	p=0.7638	p=0.5672	p=0.0283	p=0.2073	p=0.7275	p=0.6829
Donor sex	p=0.3074	p=0.4015	p=0.6506	p=0.6764	p=0.1081	p=0.6405
Donor BMI	p=0.6946	p=0.5784	p=0.6000	p=0.4863	p=0.8600	p=0.6197
Donor cause of death	p=0.1471	p=0.6638	p=0.0135	p=0.8062	p=0.4030	p=0.1898
Death from intracranial event	p=0.6143	p=0.5570	p=0.1137	p=0.5485	p=0.8378	p=0.3013
Death from anoxia/hypoxia	p=0.0371	p=0.0218	p=0.0464	p=0.8594	p=0.6242	p=0.7790
Death from trauma	p=0.0701	p=0.1236	p=0.0639	p=0.5691	p=0.8132	p=0.3137
Death from overdose	p=0.1177	p=0.3630	p=0.0016	p=0.0069	p=0.8421	p=0.1062
Donor location	p=0.0443	p=0.0800	p=0.0200	p=0.1082	p=0.6223	p=0.4479
Donor type	p=0.4917	p=0.2013	p<0.0001	p=0.0149	p<0.0001	p=0.0300
Functional warm ischemic time	p=0.7558	p=0.9947	p=0.7867	p=0.7396	p=0.9299	p=0.6464
Cold ischemic time	p=0.0009	p=0.0028	p=0.0108	p=0.0148	p=0.7146	p=0.7146
Normothermic machine perfusion time	p=0.6306	p=0.4880	p=0.8470	p=0.1793	p=0.0132	p=0.5066
Total storage time	p=0.0102	p=0.0198	p=0.0544	p=0.0107	p=0.7004	p=0.4102
Age at transplant	p=0.6923	p=0.9598	p=0.6678	p=0.4905	p=0.5791	p=0.1256
Sex	p=0.6755	p=0.8841	p=0.8034	p=0.0086	p=0.5156	p=0.5594

BMI	p=0.2268	p=0.5326	p=0.4411	p=0.2463	p=0.0715	p=0.7727
MELD-Na	p=0.0362	p=0.0174	p=0.3347	p<0.0001	p=0.0304	p=0.9635
Creatinine at transplant	p=0.0002	p=0.0004	p=0.1455	p=0.0002	p=0.0169	p=0.7056
EtOH cirrhosis	p=0.1067	p=0.1245	p=0.5967	p=0.0240	p=0.2736	p=0.2254
Hepatitis C cirrhosis	p=0.6853	p=0.9301	p=0.4943	p=0.8767	p=0.9426	p=0.6572
Hepatitis B cirrhosis	p=0.1157	p=0.2066	p=0.0806	p=0.0248	p=0.9162	p=0.9614
NASH cirrhosis	p=0.8209	p=0.3232	p=0.4939	p=0.1418	p=0.3545	p=0.8224
Hepatocellular carcinoma	p=0.2081	p=0.3260	p=0.4185	p=0.0068	p=0.2855	p=0.3833
Autoimmune hepatitis	p=0.6129	p=0.9101	p=0.8068	p=0.0576	p=0.0609	p=0.1269
Primary biliary cholangitis	p=0.4245	p=0.8693	p=0.9073	p=0.1654	p=0.1311	p=0.2161
Primary sclerosing cholangitis	p=0.1834	p=0.0595	p=0.2313	p=0.7503	p=0.8438	p=0.8960
Retransplant	p=0.1125	p=0.5979	p=0.7021	p=0.0140	p=0.8723	p=0.0523
Multi-visceral transplant	p=0.0385	p=0.0149	p=0.9532	p=0.2305	p=0.8687	p=0.3094

BMI = body mass index, EtOH = ethanol, MELD-Na = model of end-stage liver disease sodium, NASH = non-alcoholic steatohepatitis

Supplementary Table 10. Detail cause of death and/or graft failure for study patients.

Study ID*	Transplant Date	Graft Failure Date	Cause
ORGX04	Apr 29, 2015	Aug 23, 2020	Deceased; recurrent HCC
ORGX07	Sep 10, 2015	Dec 7, 2015	Deceased; recurrent hepatitis C
ORGX09	Nov 30, 2015	Sep 4, 2017	Deceased; unknown (died outside of hospital)
ORGX23	Sep 21, 2017	Nov 17, 2017	Deceased; combined liver & kidney transplant, intra-abdominal sepsis
ORGX24-1	Sep 29, 2017	Jan 9, 2018	Retransplantation; hepatic artery & portal vein stenosis resulting in ischemic cholangiopathy
ORGX26	Nov 7, 2017	Nov 3, 2021	Deceased; metastatic breast cancer
ORGX41	Jun 29, 2018	Jun 26, 2022	Deceased; metastatic pancreatic cancer
ORGX46	Nov 25, 2018	Jan 6, 2019	Deceased; previous double lung transplant, systemic fungal infection
ORGX52	Apr 5, 2019	Jul 19, 2019	Deceased; acute tubular necrosis & diaphragmatic paralysis, culminating in respiratory failure
ORGX57	Oct 12, 2019	Feb 19, 2020	Retransplantation; hepatic artery thrombosis with secondary bile duct necrosis
ORGX61	Jan 23, 2020	Apr 2, 2021	Deceased; recurrent HCC
ORGX63	Jul 4, 2020	Jan 19, 2021	Deceased; right heart failure secondary to pulmonary hypertension
ORGX69	Nov 18, 2020	Mar 31, 2021	Deceased; respiratory failure, multi-factorial
ORGX70	Dec 10, 2020	May 27, 2021	Retransplantation; allograft dysfunction secondary to ischemic cholangiopathy
ORGX72	Dec 20, 2020	Dec 19, 2021	Deceased; metastatic small cell lung cancer
SCS15	Aug 3, 2020	Aug 9, 2020	Retransplantation; hepatic artery thrombosis
SCS19	Jul 12, 2020	Jul 25, 2020	Retransplantation; acute portal thrombosis resulting in bile duct necrosis
SCS25	Jun 26, 2020	Jul 4, 2020	Retransplantation; hepatic artery thrombosis
SCS27	Jun 18, 2020	Mar 7, 2022	Deceased; unknown (died outside of hospital)
SCS29	Jun 6, 2020	Mar 26, 2021	Deceased; respiratory failure secondary to COVID-19 pneumonia
SCS31	May 31, 2020	May 18, 2022	Deceased; recurrent metastatic HCC
SCS37	May 8, 2020	May 19, 2020	Deceased; acute liver failure secondary to undiagnosed urea cycle disorder in transplanted graft
SCS38	May 5, 2020	May 8, 2020	Retransplantation; primary non-function
SCS41	Apr 17, 2020	Apr 13, 2022	Deceased; unknown (died outside of hospital)
SCS72	Nov 16, 2019	Nov 29, 2019	Deceased; small bowel, liver infarction
SCS76	Nov 3, 2019	Nov 6, 2019	Retransplantation; primary non-function

SCS86	Oct 15, 2019	Oct 19, 2019	Retransplantation; primary non-function
SCS89	Oct 8, 2019	Oct 12, 2019	Retransplantation; hepatic artery thrombosis
SCS91	Sep 22, 2019	Dec 24, 2020	Deceased; ruptured splenic artery pseudoaneurysm
SCS94	Sep 9, 2019	Dec 6, 2019	Deceased; intra-abdominal sepsis
SCS111	Jul 13, 2019	Sep 4, 2019	Deceased; central pontine myelinolysis & aspiration pneumonia
SCS116	Jul 7, 2019	Jan 14, 2022	Deceased; metastatic adenocarcinoma of unknown origin
SCS138	Mar 23, 2019	Sep 2, 2020	Deceased; cholestatic liver failure secondary to bile duct stricture
SCS144	Mar 8, 2019	Apr 12, 2019	Deceased; sudden cardiac arrest
SCS181	Aug 7, 2018	Aug 15, 2018	Deceased; allograft dysfunction secondary to portal venous & superior mesenteric venous thrombosis
SCS187	Jul 6, 2018	Jul 9, 2018	Deceased; primary non-function
SCS188	Jul 3, 2018	Jul 6, 2018	Retransplantation; primary non-function
SCS194	Jun 14, 2018	Oct 4, 2020	Deceased; sepsis secondary to COVID-19 pneumonia
SCS213	Mar 17, 2018	Sep 30, 2018	Deceased; pneumonia
SCS215	Mar 8, 2018	Mar 14, 2018	Retransplantation; hepatic artery thrombosis
SCS236	Dec 18, 2017	Feb 4, 2018	Retransplantation; biliary reconstruction complicated by hepatic artery pseudoaneurysm & intra-abdominal sepsis
SCS240	Dec 3, 2017	Dec 18, 2018	Deceased; ischemic cholangiopathy
SCS249	Oct 24, 2017	Dec 11, 2017	Deceased; graft versus host disease
SCS257	Sep 30, 2017	Mar 8, 2018	Deceased; variceal bleeding
SCS261	Sep 20, 2017	Sep 30, 2017	Deceased; liver failure secondary to small for size syndrome
SCS263	Sep 18, 2017	Jan 4, 2018	Deceased; respiratory failure secondary to fungal infection
SCS275	Jul 24, 2017	Apr 8, 2020	Deceased; respiratory failure secondary to non-small cell lung carcinoma
SCS284	Jul 3, 2017	Jul 9, 2020	Deceased; recurrent hepatic epithelioid hemangioendothelioma
SCS292	Apr 22, 2017	Mar 1, 2022	Deceased; recurrent metastatic HCC
SCS296	Apr 14, 2017	May 5, 2022	Deceased; recurrent liver cirrhosis secondary to ischemic stricture
SCS299	Apr 4, 2017	Oct 25, 2021	Deceased; unknown (died outside of hospital)
SCS306	Feb 28, 2017	Jan 9, 2018	Deceased; urosepsis
SCS311	Feb 10, 2017	Mar 22, 2022	Deceased; progressive multifocal leukoencephalopathy
SCS313	Jan 31, 2017	Mar 18, 2017	Deceased; intra-abdominal sepsis secondary to recurrent bile leak
SCS331	Nov 8, 2016	Sep 27, 2019	Deceased; unknown (died outside of hospital)
SCS337	Sep 13, 2016	Jan 25, 2019	Deceased; unknown (died outside of hospital)

SCS338	Sep 5, 2016	Nov 26, 2016	Deceased; metastatic HCC
SCS359	Jul 3, 2016	Aug 11, 2016	Retransplantation; acute liver failure secondary to bleeding hepatic artery pseudoaneurysm
SCS361	Jul 1, 2016	Jul 3, 2016	Retransplantation; primary non-function
SCS366	Jun 6, 2016	Aug 21, 2018	Retransplantation; hepatic artery thrombosis resulting in ischemic biliary strictures
SCS375	May 7, 2016	Dec 27, 2021	Retransplantation; recurrent biliary sepsis secondary to ischemic cholangiopathy
SCS388	Apr 5, 2016	Oct 22, 2019	Deceased; spontaneous bacterial peritonitis
SCS391	Mar 26, 2016	Jun 30, 2019	Retransplantation; recurrent primary sclerosing cholangitis
SCS400	Jan 27, 2016	Jan 8, 2017	Retransplantation; chronic rejection resulting in cholestasis
SCS406	Dec 23, 2015	Jan 22, 2018	Deceased; unknown (died outside of hospital)
SCS409	Dec 15, 2015	May 22, 2016	Deceased; chronic ductopenic rejection
SCS416	Nov 28, 2015	Nov 30, 2015	Deceased; primary non-function
SCS423	Oct 17, 2015	Dec 23, 2017	Deceased; recurrent metastatic HCC
SCS431	Sep 1, 2015	Mar 9, 2019	Deceased; recurrent metastatic HCC
SCS432	Aug 23, 2015	Aug 30, 2015	Deceased; hepatic artery thrombosis
SCS463	Apr 15, 2015	May 11, 2018	Deceased; rejection secondary to medication non-compliance
SCS471	Mar 12, 2015	May 9, 2019	Deceased; acute coronary syndrome in the setting of MRSA bacteremia
SCS478	Feb 18, 2015	Feb 18, 2015	Deceased; ST-elevated myocardial infarction
SCS484	Jan 2, 2015	Jan 21, 2021	Deceased; COVID-19 pneumonia
SCS489	Jun 12, 2016	Dec 28, 2016	Deceased; intra-abdominal sepsis
SCS516	Jul 16, 2021	Jul 21, 2021	Deceased; primary non-function
SCS522	Feb 26, 2021	Feb 28, 2021	Deceased; UGIB, sepsis
SCS525	Aug 12, 2021	Sep 13, 2021	Deceased; hepatic artery thrombosis
SCS529	Jul 23, 2021	Jul 28, 2021	Deceased; hyperacute antibody mediated rejection
SCS535	Mar 27, 2021	Apr 28, 2021	Deceased; distributive shock & ARDS in the setting of acute UGIB
SCS543	Aug 20, 2020	Aug 21, 2020	Retransplantation; primary non-function
SCS548	Sep 4, 2021	Jan 6, 2022	Deceased; multi-system infection
SCS554	Dec 17, 2021	Feb 5, 2022	Deceased; hypercarbic respiratory arrest
SCS564	Dec 27, 2021	Mar 26, 2022	Deceased; septic shock, COVID-19 pneumonia

* 'ORGX' indicates patients in the NMP cohort, while 'SCS' indicated patients in the SCS cohort; ARDS=acute respiratory distress syndrome, COVID-19=corona virus disease 2019, HCC=hepatocellular carcinoma, MRSA= Methicillin-resistant *Staphylococcus aureus*, UGIB=upper gastrointestinal bleed