

Supplementary Table 1 Trial Inclusion/Exclusion Criteria and the Criteria for ECD Graft Selection

Inclusion Criteria*	Exclusion Criteria*	ECD Criteria†
1. Signed informed consent	1. Recipients of split or living donor liver transplantation 2. Previous liver transplantation 3. Combined transplantations (liver-kidney, liver-lung, and so on) 4. Participation in other liver related trials	• Donors 65 years of age and older • Intensive care therapy of the donor was required before donation for at least 7 days • Obesity of the donor with a body mass index >30 kg/m²
2. Patients 18 years or older	5. The subject received an investigational drug within 30 days before inclusion	• Fatty liver (with histology) >40% macrosteatosis or mixed steatosis
3. Patients suffering from end stage-liver disease and/or malignant liver tumors	6. The subject is unwilling or unable to follow the procedures outlined in the protocol	• Serum-Sodium >165 mmol/L
4. Listed for liver transplantation	7. The subject is mentally or legally incapacitated	• Serum AST or ALT >3 × upper limits of normal
5. Receiving ECD-allografts	8. Patient is not able to understand the procedures due to language barriers 9. Family members of the investigators or employees of the participating department	• sSerum-bilirubin >2 mg/dL

*Based on the trial protocol Czigany et al.¹¹.

†Based on Czigany et al. and the definitions of ECD liver allografts in DBD donors as recommended by the guidelines of the Germany Medical Chamber (Bundesärztekammer)¹¹.