

Table 1. Baseline characteristics of patients undergoing liver transplantation with dHOPE or static cold storage.

Variables	dHOPE group (n=26)	Static cold storage group (n=78)	p
Patient sex			.81
male	18 (69.2%)	50 (64.1%)	
female	8 (30.8%)	28 (35.9%)	
Patient age (years)	46 (39-62)	51 (41-60)	.59
Model for end-stage liver disease	12 (8-21)	14 (10-21)	.48
Child-Turcotte-Pugh class			.042
A	15 (57.7%)	24 (30.8%)	
B	9 (34.6%)	39 (50.0%)	
C	2 (7.7%)	15 (19.2%)	
Hepatitis C virus infection	5 (19.2%)	12 (15.4%)	.76
Hepatitis B virus infection	1 (3.8%)	14 (17.9%)	.11
Alcoholic liver disease	6 (23.1%)	18 (23.1%)	.99
Autoimmune hepatitis	3 (11.5%)	11 (14.1%)	>.99
Primary sclerosing cholangitis	6 (23.1%)	13 (16.7%)	.56
Primary biliary cirrhosis	1 (3.8%)	4 (5.1%)	>.99
Non-alcoholic steatohepatitis	1 (3.8%)	3 (3.8%)	>.99
Hepatocellular carcinoma	5 (19.2%)	11 (14.1%)	.54
Recipient body mass index (kg/m ²)	26.1 (23.0-27.7)	24.1 (21.5-27.2)	.22
Retransplantation	2 (7.7%)	5 (6.4%)	.82
Liver transplantation technique			.81
piggyback	16 (61.5%)	51 (65.4%)	
conventional	10 (38.5%)	27 (34.6%)	
Veno-venous bypass	10 (38.5%)	27 (34.6%)	.81
Temporary porto-caval shunt	1 (3.8%)	1 (1.3%)	.44
Biliary anastomosis			.79
duct to duct	19 (73.1%)	60 (76.9%)	
hepaticojejunostomy	7 (26.9%)	18 (23.1%)	
Intraoperative PRBC transfusions (units)	4 (1-6)	4 (2-8)	.15
Intraoperative FFP transfusions (units)	3 (1-6)	4 (2-8)	.23
Donor age (years)	53 (40-60)	44 (35-56)	.22
Donor body mass index (kg/m ²)	26 (25-29)	25 (22-27)	.018
Donor height (cm)	178 (170-180)	175 (168-180)	.70
Donor risk index	1.74 (1.41-1.98)	1.52 (1.26-1.79)	.063
Extended criteria donor ^a	17 (65.4%)	39 (50.0%)	.26
Donor laboratory tests			
serum bilirubin	0.5 (0.3-0.7)	0.5 (0.3-0.7)	.99
serum aspartate transaminase (U/L)	66 (40-80)	60 (32-100)	.77
serum alanine transaminase	53 (34-100)	48 (30-100)	.60
serum sodium (mmol/L)	155 (150-160)	152 (146-160)	.27
international normalized ratio	1.3 (1.1-1.4)	1.2 (1.1-1.4)	.86
Graft steatosis >30%	1 (3.8%)	2 (2.5%)	>.99
Cold ischemic time (minutes)	450 (420-550)	567 (480-630)	.001
Total hypothermic time	608 (560-687)	567 (480-630)	.062
dHOPE – dual hypothermic oxygenated machine perfusion; PRBC – packed red blood cells; FFP – fresh frozen plasma. Data are presented as n (%) and median (interquartile range).			
a – defined according to Czigan et al [25]			