- '\	Logo	
3000	3450, 3450,	0,3
	STUDENT REPORT	53BR
JAS DE	STUDENT REPORT AREA SCHOOL SARE AS CHOOL SA	0
رني DE	ETAILS, COV 34FT 375 35 35CTV 34FT 375ST 35CTV	00
	Name CDO ARP C	282301
	BOYA RUCHITHA	300
3BR23C	Roll Number	
	000000015	Dove
2/5	SUM OF NUMBERS AT PRIME FACTORS Description 13 April 20 1 1 2 3 April 20 1 2 3 April	
ુંું E X	(PERIMENT	233
110		7/2 3B,
3823	SUM OF NUMBERS AT PRIME FACTORS	3
7 ₂	CPERIMENT the Sum of Numbers at Prime Factors Description Sum of Numbers at Prime Factors Sum of Numbers at Prime Factors	600
	SUM OF NUMBERS AT PRIME FACTORS Description AREA COLORS AREA COLORS	773
5BR23CF	Prime factors of a positive integer are the prime numbers that divide that integer exactly.	
BRE		30153E
	Let's suppose prime factorization of num is: $p^a x q^b x r^c x x z^f$, where p,q,rz are prime numbers.	20.
300016	Sum of numbers in array arr at indices of prime factors of number num is: a x arr[p] + b x arr[q] + c x arr[r] + + f x arr[z].	
3	You are given an array arr of size n and a positive integer num. You are required to calculate the sum of numbers in arr as mentioned above, and print the same.	-8R23
C))
153BR	If arr is empty, print -1.	
5	If prime factor of num not found as indices, print 0.	23000
	Input Format:	SV.
8R23CC	The input consists of three lines:	
5	The first line contains an integer, i.e. n.	30 ¹⁵ 3 ^E
6	 The second line contains an array arr of length of n. The third line contains an integer num 	Ş -
300015	The input will be read from the STDIN by the candidates.	20
,	Output Format:	38E7
3BR)
30	Example:	-01
	Input:	2300
	6	
	11 21 32 45 1 23	2/96
	6	38%
	Output:	
		. R. P. S. C.
	77	684

Explanation:

~

39528/23

```
Source Code:
```

```
from collections import defaultdict
def prime_factors(num):
   factors = defaultdict(int)
   while num % 2 == 0:
        factors[2] += 1
        num //= 2
    for i in range(3, int(num**0.5) + 1, 2):
        while num % i == 0:
            factors[i] += 1
            num //= i
    if num > 2:
        factors[num] += 1
    return factors
def calculate_prime_index_sum(arr, num):
    if not arr:
        return -1
    factors = prime_factors(num)
    total_sum = 0
    valid_prime_found = False
    for prime, power in factors.items():
        if prime < len(arr):</pre>
            total_sum += power * arr[prime]
            valid_prime_found = True
    return total_sum if valid_prime_found else 0
if __name__ == "__main__":
    n = int(input())
    arr = list(map(int, input().split()))
    num = int(input())
    result = calculate_prime_index_sum(arr, num)
    print(result)
```

RESULT

4 / 5 Test Cases Passed | 80 %

4 / 3 Test Cases Fasseu | 80 %