
ETERNITY: NUMBERS - PI

August 1, 2019

Baiyu Huo 40076004
Concordia University
Department of Computer Engineering

Git Repo: <https://github.com/BoyuHuo/soen6481-irrational-number>

Contents

1	User Story	2
1.1	US-1 Clear the result	2
1.2	US-2 Basic calculation	3
1.3	US-3 Store and recover the result or number	4
1.4	US-4 Get value of PI	5
1.5	US-5 Calculate the area of circle	6
1.6	US-6 Calculate the circumference of the circle	7
1.7	US-7 Calculate the Trigonometric functions	8
2	Backward Traceability Matrix	9
2.1	Traceability Table	9
3	Implementation Instruction	10
3.1	Implementation Instruction	10

Chapter 1

User Story

Global constraint: The calculation inputs and outputs should be within the range of 15 Numbers.

1.1 US-1 CLEAR THE RESULT

US-1 - Clear the result	
Story ID	US-1
Priority	LOW
Description	As an user of calculator, I want to clear the previous calculation, so that I can start a new calculation from beginning
Acceptance Criteria	<ul style="list-style-type: none">• User can clear the result of a calculation and start a new one• It should not only clear the result number but also the calculator (in the middle of the calculation)
Estimate	1 point
Constraints	None
Acceptance Test	<ul style="list-style-type: none">• GIVEN user does calculation WHEN he/she press the clean button, THEN the calculation and result should be gone.

1.2 US-2 BASIC CALCULATION

US-2 - Basic calculation	
Story ID	US-2
Priority	HIGH
Description	As an user of calculator, I want to use the basic operands so I can do the calculation such as addition, subtraction, multiplication and division
Acceptance Criteria	<ul style="list-style-type: none"> • Users should able to choose the operator from + , - , * , / in his or her calculation task. • Users should get correct result after choose "="
Estimate	3 points
Constrains	the operators cannot be appeared in a row such as 5+/*3 or 3++-5
Acceptance Test	<p>GIVEN user use calculator</p> <ul style="list-style-type: none"> • WHEN he/she input 2, 3 and select "+" as operator, THEN the result should be 5. • WHEN he/she input 5, 3 and select "-" as operator, THEN the result should be 2. • WHEN he/she input 5, 3 and select "*" as operator, THEN the result should be 15. • WHEN he/she input 15, 3 and select "/" as operator, THEN the result should be 5.

1.3 US-3 STORE AND RECOVER THE RESULT OR NUMBER

US-3 - Store and recover the result and number	
Story ID	US-3
Priority	MEDIUM
Description	As an user of calculator, I want to store a result or number into the memory so that I can recover it when I need it
Acceptance Criteria	<ul style="list-style-type: none"> • The user should able to use the stored record as a number in the calculation • The original record should be erased, when the new record is saved.
Estimate	2 points
Constrains	It can only store the result number not the operators
Acceptance Test	<ul style="list-style-type: none"> • GIVEN user get the result of "150" WHEN he/she select "save", THEN the result "150" should be shaved in memory. • GIVEN user has saved a record "150" in last calculation WHEN he/she select "memo number", THEN 150 will be used in this calculation as a number.

1.4 US-4 GET VALUE OF PI

US-4 - Get the value of PI	
Story ID	US-4
Priority	HIGH
Description	As an user of calculator, I want to get a value of PI and also able to change the Precision degree according to my requirement, so that I can use PI in my calculation.
Acceptance Criteria	<ul style="list-style-type: none"> • The users should able to get 3.141592 when press the pi button • The users should able to use pi in any kinds calculation as a number • The users should able to get the pi in two different algorithms • The users should able to get the pi in HIGH, MEDIUM, LOW level of precision.
Estimate	5 points
Constrains	the display accuracy should at least keep 5 decimal places
Acceptance Test	<ul style="list-style-type: none"> • GIVEN user does the calculation WHEN he/she input pi, then the result should be 3.14159..(based on the precision degree) • GIVEN user configures the pi WHEN he/she select HIGH degree, THEN the pi should calculated to 3.141592653. • GIVEN user configures the pi WHEN he/she select MEDIUM degree, THEN the pi should calculated to 3.1415926.

1.5 US-5 CALCULATE THE AREA OF CIRCLE

US-5 - Calculate the area of circle	
Story ID	US-5
Priority	MEDIUM
Description	As an user of calculator, I want to calculate the are of a circle just by input the r so that I can calculate the area of circle very fast
Acceptance Criteria	<ul style="list-style-type: none"> • Users should able to input only r to get the area of a circle. • the result should be correct and precise within 15 digital numbers.
Estimate	3 points
Constrains	the r must larger than 0 (since it doesn't make sense in the real life if the r is smaller than 0)
Acceptance Test	<ul style="list-style-type: none"> • GIVEN the user calculates the area of a circle, WHEN he/she input the $r = 2$, THEN the result should be 12.5663704..(based on the precision degree of pi)

1.6 US-6 CALCULATE THE CIRCUMFERENCE OF THE CIRCLE

US-6 - Calculate the circumference of the circle	
Story ID	US-6
Priority	MEDIUM
Description	As an user of calculator, I want to calculate the are of a circumference just by input the r so that I can calculate the circumference of circle very fast
Acceptance Criteria	<ul style="list-style-type: none"> • Users should able to input only r to get the circumference of a circle. • the result should be correct and precise within 15 digital numbers.
Estimate	3 points
Constrains	the r must larger than 0 (since it doesn't make sense in the real life if the r is smaller than 0)
Acceptance Test	<ul style="list-style-type: none"> • GIVEN the user calculates the circumference of a circle, WHEN he/she input the $r = 3$, THEN the result should be 18.8495556..(based on the precision degree of pi)

1.7 US-7 CALCULATE THE TRIGONOMETRIC FUNCTIONS

US-7 - Calculate the Trigonometric functions	
Story ID	US-7
Priority	LOW
Description	As an user of calculator, I want use trigonometric functions such as sine, the cosine, and the tangent, so I can do the calculation for the trigonometric problems.
Acceptance Criteria	<ul style="list-style-type: none"> • The calculation should provides functions include sine, cosine and tangent, and should able to use the pi to show the angle. • The result should be correct and precise within 15 digital numbers.
Estimate	8 points
Constrains	$\tan \pi/2$ and $\tan \pi*3/2$ does not exist.
Acceptance Test	<ul style="list-style-type: none"> • GIVEN the user use the sin function, WHEN he/she inputs pi , THEN the result should be 0 • GIVEN the user use the cosine function, WHEN he/she inputs pi , THEN the result should be -1 • GIVEN the user use the tan function, WHEN he/she inputs $\pi/3$, THEN the result should be 1.73205080..

Chapter 2

Backward Traceability Matrix

2.1 TRACEABILITY TABLE

	Interview	Use Case	Domain Model	Online Source
US-1		UC - Clear the result	DM1	
US-2		UC - Calculate the result	DM1	
US-3				Internet URL 1
US-4	Interviewee: Yanpeng Wang	UC - Use the number pi	DM1	
US-5	Interviewee: Yanpeng Wang	UC - Calculate the are of circle		
US-6	Interviewee: Yanpeng Wang			
US-7	Interviewee: Yanpeng Wang			

Table 2.1: Backward Traceability Matrix

- Interview (US4, US5, US6, US7): Yanpeng Wang: [D1 Report Chapter - 2](#)
- Internet URL 1 (US3) [1]: <https://www.oodesign.com/memento-pattern-calculator-example-java-sourcecode.html>
- Domain model:DM1 (US1, US2, US4): [D1 Report Chapter - 4](#)
- Use case (US1, US2, US4, US5): [D1 Report Chapter - 5](#)

Chapter 3

Implementation Instruction

3.1 IMPLEMENTATION INSTRUCTION

User Story	Implemented
US-1	✓
US-2	✓
US-3	✓
US-4	✓
US-5	✓
US-6	✓
US-7	

Table 3.1: Project implementation table

Total User Story Implementation: 6 / 7

For more information about project implementation, please check the README file in the Git Repo.

Git Repo: <https://github.com/BoyuHuo/soen6481-irrational-number>

Bibliography

- [1] oodesign author. Calculator — Memento Pattern - Calculator Example, the free encyclopedia, 2019. [Online; accessed 2-August-2019].