


## DESIGN LAYOUT

### Menggunakan Balsamic



**CODE**

The screenshot shows a VS Code editor window titled "1. Homework HTML & CSS Framework". The editor is open to the "index.html" file, which contains the following code:

```

1  index.html M X # style.css M
2  <html lang="en">
3    <body>
4      <div id="carousel-owl" class="owl-carousel owl-theme">
5        <div class="item">
6          
7        </div>
8      </div>
9      <!-- Section Gallery END -->
10
11      <!-- Section FOOTER START -->
12      <!-- Footer 2 - Bootstrap Brain Component -->
13      <footer id="about" class="footer">
14
15        <!-- Widgets - Bootstrap Brain component -->
16        <section class="bg-light py-4 py-md-5 py-xl-8 border-top border-light">
17          <div class="container overflow-hidden">
18            <div class="row gy-4 gy-lg-0 justify-content-xl-between">
19              <div class="col-12 col-md-4 col-lg-3 col-xl-2">
20                <div class="widget">
21                  <a href="#">
22                    
23                  </a>
24                </div>
25              </div>
26              <div class="col-12 col-md-4 col-lg-3 col-xl-2">
27                <div class="widget">
28                  <h4 class="widget-title mb-4">Get in touch</h4>
29                  <address class="mb-4">8014 Edith Blvd NE, Albuquerque, New York, United States</address>
30                  <p class="mb-1">
31                    <a class="link-secondary text-decoration-none" href="tel:+15057922430">(505) 792-2430</a>
32                  </p>
33                  <p class="mb-0">
34                    <a class="link-secondary text-decoration-none" href="mailto:demo@yourdomain.com">demo@yourdomain.com</a>
35                  </p>
36                </div>
37              </div>
38            </div>
39          </div>
40        </section>
41      </div>
42    </body>
43  </html>

```

The code is a mix of HTML and CSS classes, including Bootstrap classes like "bg-light", "py-4", "py-md-5", "py-xl-8", "border-top", "border-light", "container", "overflow-hidden", "row", "gy-4", "gy-lg-0", "justify-content-xl-between", "col-12", "col-md-4", "col-lg-3", "col-xl-2", "widget", "widget-title", "mb-4", "mb-1", "mb-0", "link-secondary", "text-decoration-none", "href", "tel", "mailto", "demo@yourdomain.com".

[illegible]

```
File Edit Selection View Go ... 1. Homework HTML & CSS Framework
index.html M X # style.css M
index.html > html > body
2 <html lang="en">
23 <body>
25 <nav class="navbar navbar-expand-lg fixed-top" id="navbar">
26 <div class="container">
31 <div class="collapse navbar-collapse" id="navbarSupportedContent">
44 <ul>
45 <form class="d-flex" role="search">
46 <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search" />
47 <button class="btn" type="submit">Search</button>
48 </form>
49 </div>
50 </div>
51 </nav>
52 <!-- Section Header dan tombol navigasi END-->
53
54 <!-- Section Banner Start -->
55 <div class="home">
56 <div class="content">
57 <h5>Selamat Datang di Indonesia</h5>
58 <h1>Kunjungi <span id="changecontent"></span></h1>
59 <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Ea, earum.</p>
60 <a href="#book">Book Place</a>
61 </div>
62 </div>
63 <!-- Section Banner END -->
64
65 <!-- Section konten Start -->
66 <section class="book mt-5 mb-5" id="trip">
67 <div class="container">
68 <div class="main-text"><span>OUR</span> TRIP</div>
69
70 <div class="row" style="justify-content: space-around">
71 <div class="card border-0 shadow mt-4" style="width: 20rem">
72 
73 <div class="card-body">
74 <h3 class="card-title">Pulau Dewata</h3>
```

```
File Edit Selection View Go ... 1. Homework HTML & CSS Framework
index.html M X # style.css M
index.html > html > body
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8" />
5 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6 <title>Travel with me</title>
7
8 <link rel="stylesheet" href="style.css" />
9 <!-- Untuk Styling beberapa komponen diluar styling Bootstrap -->
10
11 <link rel="stylesheet" href="https://unpkg.com/bootstrap@5.3.2/dist/css/bootstrap.min.css">
12 <link rel="stylesheet" href="https://unpkg.com/bs-brain@2.0.3/components/footers/footer-2/assets/css/footer-2.css">
13 <!-- Untuk Styling Footer -->
14
15 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-RbZA2VBKQhgqzX77pPCaAq04GNgN0B0ZK1RMuH61DGLw"
16 Digunakan agar dapat menggunakan Styling Bootstrap
17
18 <link rel="stylesheet" href="owl.carousel.min.css" />
19 <link rel="stylesheet" href="owl.theme.default.min.css" />
20 <!-- Digunakan untuk styling pada carousel owl untuk section GALERY -->
21
22 </head>
23 <body>
24 <!-- Section Header dan tombol navigasi Start-->
25 <nav class="navbar navbar-expand-lg fixed-top" id="navbar">
26 <div class="container">
27 <a class="navbar-brand" href="index.html" id="logo"><span>Tour</span>ist.Func</a>
28 <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expand
29 <span class="navbar-toggler-icon"></span>
30 </button>
31 <div class="collapse navbar-collapse" id="navbarSupportedContent">
32 <ul class="navbar-nav me-auto mb-2 mb-lg-0">
33 <li class="nav-item">
34 <a class="nav-link active" aria-current="page" href="index.html">Home</a>
35 </li>
36 <li class="nav-item">
```

```

1  @font-face {
2    font-family: 'Poppins';
3    src: url('https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900&display=block');
4  }
5
6  * {
7    margin: 0;
8    padding: 0;
9    box-sizing: border-box;
10   text-decoration: none;
11   list-style: none;
12   scroll-behavior: smooth;
13   font-family: "Poppins", sans-serif;
14 }
15
16 #navbar {
17   background: #f9f9f9;
18 }
19
20 #logo {
21   font-size: 36px;
22   font-weight: 600;
23   color: #000000;
24   text-shadow: 0px 1px 1px black;
25   margin-bottom: 5px;
26 }
27
28 #logo span {
29   color: #ffa500;
30 }
31
32 .navbar-nav {
33   margin-left: 20px;
34 }
35
36 .nav-item .nav-link {
37   font-size: 16px;
38   font-weight: 400;
39   color: #000000;
40 }


```

The screenshot displays a Windows 11 desktop environment. The primary focus is the Visual Studio Code (VS Code) editor, which is open to a file named 'style.css'. The code within the editor is a CSS keyframe animation. It starts with a comment '@keyframes changecontent' and defines a keyframe named 'changecontent'. This keyframe specifies a 10-second duration with a linear animation. The content of the element is changed at various percentages: 0% (Tanah Toraja), 20% (Raja Ampat), 40% (Trio Gili), 60% (Pulau Dewata), 80% (Pulau Komodo), and 100% (Danau Toba). The background of the desktop is a scenic wallpaper of a lake and mountains. The taskbar at the bottom shows various application icons, including the Start menu, Search, and several open applications like Edge, File Explorer, and VS Code. The system tray in the bottom right corner indicates the date and time as 23:04 on 20/03/2024.

```

1  style.css > @keyframes changecontent
2  .home .content h1 {
3    text-shadow: 0px 1px 1px black;
4    margin-top: 5px;
5  }
6
7  #changecontent::after {
8    content: "";
9    color: #ff4500;
10   text-shadow: 0px 1px 1px black;
11   animation: changecontent 10s infinite linear;
12 }
13
14 @keyframes changecontent {
15   0% {
16     content: "Tanah Toraja";
17   }
18   20% {
19     content: "Raja Ampat";
20   }
21   40% {
22     content: "Trio Gili";
23   }
24   60% {
25     content: "Pulau Dewata";
26   }
27   80% {
28     content: "Pulau Komodo";
29   }
30   100% {
31     content: "Danau Toba";
32   }
33 }
34
35 .home .content p {
36   color: #fff;
37   font-size: 24px;

```



## TES RESPONSIF WEB YANG TELAH DIBUAT

