

PERSONAL AI AGENTS LIVE · JULY 21, 2026

Using Personal AI in 2026: OpenClaw and the New Developer Workflow

A 45-minute hands-on workshop: messy discovery to PRD, PRD to issues, issues to /goal, /goal to a working local app.

Brad Groux

Digital Meld

OpenClaw Maintainer

Local-only demo

THE PROBLEM

One-off prompts skip the work that makes software shippable.

1 Context gets lost

Stakeholder nuance, constraints, source confidence, and decision history disappear between chats.

2 Plans stay vague

Requirements, risks, acceptance criteria, and sequencing are implied instead of written down.

3 Code starts early

The agent builds before the team agrees what problem the product is supposed to solve.

THE SPLIT

OpenClaw plans. Codex builds. The repo preserves the trail.

OpenClaw

- Ingests stakeholder context
- Runs the grill-with-docs loop
- Forces missing decisions into the open
- Generates the PRD contract

Codex

- Turns PRD into issue artifacts
- Creates the /goal prompt
- Implements scoped work
- Runs verification and merges PRs

FICTIONAL SCENARIO

E Corp Cyber Escalation Command Center

A fictional Mr. Robot-inspired company needs to triage recovery risks, issues, and threat signals without connecting live systems.



First useful win

Angela filters critical escalations, checks reviewed evidence, assigns an owner, and exports a concise executive brief.

SOURCE CORPUS

The demo starts with business context, not code.

D Docs

Company brief, stakeholder brief, discovery transcript, systems, people, and signals.

C Comms

Fabricated emails, memos, and chat excerpts that create realistic ambiguity.

S Safety

No private records, no live accounts, no credentials, no sends, no operational attack steps.

\$GRILL-WITH-DOCS

The planning loop makes the hidden decisions explicit.

Users

Who triages, who decides, who reviews evidence, and who needs the brief?

Scope

What belongs in the first local app, and what stays out?

Safety

What must remain draft-only, fictional, reviewed, and local?

Proof

What would prove the workflow worked by the end of the workshop?

THE CONTRACT

The PRD becomes the handoff point.

It names the app, product output, presentation output, non-goals, app requirements, safety requirements, and acceptance criteria.

```
PRD.md
Problem
Goal
Product Output
Presentation Output
App Requirements
Safety Requirements
Acceptance Criteria
```

ISSUE ARTIFACTS

The PRD turns into scoped implementation work.

1 Data and shell

Seed JSON, static app files, and five-tab structure.

2 Workflow views

Queue, evidence feed, executive brief, fabricated repo, and Build Trace.

3 Handoff

Slides, PDF, speaker notes, smoke checks, and repo audit.

IMPLEMENTATION START

/goal is the durable start line.

It carries the PRD, issue artifacts, source corpus, app spec, ordering, safety boundary, and verification gates into the build loop.

```
/goal Build the E Corp Cyber Escalation  
Command Center static app.
```

Read:

- PRD.md
- app-output-spec.md
- issue-artifacts.md
- source-corpus/

Verify:

- all tabs render
- filters and local state work
- export and reset work

THE ARTIFACT

A local command center, not a static report.

The app runs from local HTML, CSS, JavaScript, and JSON. It filters, edits local state, marks evidence reviewed, exports JSON, and resets cleanly.



PROOF

The Build Trace shows the artifact chain.

1

Corpus

Briefs, transcript, emails, memos, chats, signals.

2

Grill

Questions force scope and safety decisions.

3

PRD

Requirements become the contract.

4

Issues

Work becomes scoped and reviewable.

5

/goal

The build loop starts with context.

6

App

Local command center output.

7

Export

State is reviewable JSON.

RECREATE IT

The repo documents the steps so attendees can run the pattern later.

R Run the path

- Read the packet README
- Open the prompt pack
- Use the checked-in corpus if live generation is slow
- Start from the saved /goal prompt

F Fallback cleanly

- Use the full corpus
- Use the implementation plan
- Use the finished app as proof
- Keep all external action manual

FOLLOW-UP

Start with a bounded workflow and leave a trail.

1 OpenClaw

github.com/openclaw/openclaw
docs.openclaw.ai

2 Workshop repo

github.com/BradGroux/openclaw-dev-days

3 Hard stop line

Do not automate external actions until the context, boundary, review path, and rollback are clear.