

MICROSOFT BUILD OPEN SOURCE ZONE · JUNE 2-3, 2026

OpenClaw for real agent workflows


A personal AI assistant and local-first Gateway for durable context, bounded tools, channels, nodes, sessions, and visible work.

@BradGroux

Digital Meld

OpenClaw Maintainer

Fort Mason Center, San Francisco



SSTB Discord

Follow-up, office hours, and Dev Days material

THE 30-SECOND VERSION

OpenClaw is what comes after the one-off prompt.

Real work needs project context, tools, sessions, channels, device capabilities, memory, and human review. OpenClaw gives those pieces a local control plane.

C Context

Workspace files, instructions, sessions, memory, and source notes.

A Access

Bounded tools, channels, nodes, clients, and automations.

V Visibility

Streaming output, checkpoints, logs, drafts, and review artifacts.

WHY BUSINESS USERS SHOULD CARE

AI value shows up in operating loops.

1 Intake

Turn messy notes, chats, issues, and docs into structured work context.

2 Decision

Surface assumptions, missing facts, risks, and approval points before action.

3 Execution

Create task maps, runbooks, drafts, checklists, and reviewable artifacts.

! The safe first win

Draft-only workflows with synthetic or sanitized data. No live sends, no private accounts, no production actions, and no credentials on the floor.

MENTAL MODEL

Gateway, runtime, tools, memory.

OpenClaw routes work into agent runs that assemble context, call models, execute tools, stream progress, and persist useful state.

- 1 Clients and channels**
Dashboard, CLI, WebChat, automations, and messaging surfaces.
- 2 OpenClaw Gateway**
The local switchboard for routing, sessions, and events.
- 3 Agent runtime**
Assembles context, talks to models, calls tools, and streams output.
- 4 Files, memory, skills, nodes**
The working surface that turns answers into repeatable workflows.

THE REPEATABLE PATTERN

Context, role, boundary, artifact, verification.

1

Context

Write the source memory before asking for output.

2

Role

Choose the right agent lens for this pass.

3

Boundary

Name unsafe data and forbidden actions.

4

Artifact

Ask for one useful output at a time.

5

Verify

Challenge assumptions before using it.

This is the business story: agent output becomes reviewable work, not uncontrolled action.

DEMO 1

Business intake to execution plan.

Turn synthetic notes into a draft operating packet, decision list, risks, approval gates, and Veritas-ready task map.

Run order:

1. Read memory, PRD, SOP, and notes.
2. Ask clarifying questions.
3. Build the operating packet.
4. Map it into task cards.
5. Review safety and approvals.

OK

Expected attendee takeaway

OpenClaw can help transform messy business context into a bounded, draft-only workflow that a human can review and execute.

DEMO 2

Open source maintainer triage.

Classify synthetic issues, find missing reproduction details, propose labels, identify risk, and draft next maintainer actions without posting anything live.

T Triage

Group issues by type, severity, missing info, and likely owner.

R Review

Name what a maintainer must verify before labels, comments, closes, or PR work.

! Floor boundary

No private repo data, no tokens, no comments, no labels, no merges, no external changes.

EXECUTION LAYER EXAMPLE

Veritas Kanban shows what happens after the plan.

Veritas started as a way to manage OpenClaw-driven work and has grown into a local-first agentic execution platform.

1 Tasks

Agent output becomes durable task cards, owners, dependencies, and acceptance criteria.

2 Workflow

Work moves through states, review, evidence, and gates instead of disappearing into chat history.

3 Orchestration

Optional agent, MCP, OpenClaw, workflow, and governance layers can be added when the basics are working.

SAFETY AND TRUST

The first serious use case is controlled assistance.

Do Safe defaults

- Use sanitized context.
- Keep outputs draft-only.
- Require approval for external actions.
- Use allowlists and least privilege.
- Verify facts before use.

Stop Risky moves

- Pasting secrets or customer records.
- Connecting live accounts on the floor.
- Letting agents post automatically.
- Granting broad production access.
- Skipping human review.

HOW TO ROUTE A WALK-UP CONVERSATION

Ask one useful question.

What workflow would you want an agent to help with if it had the right context?

30s

Walking by

Use the hook and point to links.

2m

Curious

Explain Gateway, runtime, context, tools, memory.

5m

Business or OSS

Run business intake or maintainer triage.

10m

Serious adopter

Go deeper on safety, install path, Veritas, and follow-up.

OPENCLAW DURING BUILD WEEK

All times are Pacific. Confirm onsite details.

TUE
Jun 2

Open Source Zone

Assumed 9:00 AM-5:00 PM · Microsoft Build floor

WED
Jun 3

Open Source Zone

Assumed 12:00-5:00 PM · Microsoft Build floor

WED
Jun 3

OpenClaw: After Hours @ GitHub

Evening gathering at GitHub HQ · check current registration page

ANY
Next

Follow-up Path

Docs, repo, Dev Days packet, Discord, and maintainer conversations

where.bradgroux.com

KEEP BUILDING

Start with a safe draft-only workflow.

Install later. Connect channels intentionally. Keep secrets out. Verify before external action.

github.com/openclaw/openclaw

docs.openclaw.ai

github.com/BradGroux/openclaw-dev-days

github.com/BradGroux/veritas-kanban




Brad Groux

Digital Meld · OpenClaw maintainer · Veritas Kanban creator

github.com/BradGroux

twitter.com/BradGroux

digitalmeld.io



Join the Discord

OpenClaw help and Dev Days follow-up