

GITHUB BUILD CREATOR PRE-DAY DEMO · JUNE 1, 2026

OpenClaw in 10 minutes

A local-first control plane for giving agents durable context, bounded access, integrations, and a visible workflow.

@BradGroux

CEO @DigitalMeld

OpenClaw Maintainer

GitHub HQ, San Francisco



SSTB Discord

Office hours, follow-up, and
Dev Days material

WHY IT MATTERS

Useful agents need more than a prompt box.

C Context

Workspace files, Markdown memory, session history, and instructions make the agent less generic.

A Access

Tools, files, clients, channels, and nodes let the agent act inside a bounded environment.

V Visibility

Streaming output, logs, review checkpoints, and saved state make the work inspectable.

OpenClaw's superpower is bringing useful agent work into one place: deep project context, controlled system access, and connectivity across the tools and channels where work happens.

Deep project context

Controlled system access

Connected workflows

MENTAL MODEL

Gateway, runtime, tools, memory.

OpenClaw routes work into serialized agent runs that assemble context, call models, execute tools, stream progress, and persist useful state.

1 Clients and channels

- 1 Dashboard, CLI, automations, WebChat, and messaging entry points.

2 OpenClaw Gateway

The always-on switchboard for routing and events.

3 Agent runtime

- 3 Assembles context, talks to models, calls tools, and streams output.

4 Files, memory, tools, nodes

- 4 The working surface that turns answers into useful workflows.

CREATOR USE CASES

Creators already run messy multi-step workflows.

R Research

Guest prep, source trails, release notes, conference context, and technical explainers.

S Structure

Turn notes into episode outlines, clip plans, recap posts, newsletters, and community prompts.

G Guardrails

Keep private DMs, sponsor terms, contact data, credentials, and unreleased details out.

! The safe first win

Draft-only content planning with public-safe notes. No live posting. No private accounts. No credentials. Human review before anything leaves the workspace.

THE REPEATABLE PATTERN

Context, role, boundary, artifact, verification.

1

Context

Write the workflow memory in Markdown.

2

Role

Choose the agent role for this pass.

3

Boundary

Name unsafe data and forbidden actions.

4

Artifact

Ask for one useful output, not everything.

5

Verify

Challenge assumptions before using it.

This turns a vague request into a governed run: the PRD defines the target, the SOP defines the method, and verification defines what is ready to keep, publish, or discard.

PRDS AND SOPS

Agents work better when the target and method are explicit.

A PRD gives the agent requirements, and an SOP gives it the repeatable way you want the work done. Together they turn intent into a reviewable workflow.

P PRD

Problem, audience, scope, constraints, acceptance criteria, and what stays out.

S SOP

Steps, quality bars, tooling, review checks, stop conditions, and handoff rules.

PRD: Creator Content Pack

Goal: turn public-safe Build notes into reusable content.

Outcomes: recap post, segment outline, review checklist.

Out of scope: private DMs, sponsor terms, unreleased details.

LIVE DEMO

Conference notes to a repo-backed content pack.

We will turn public-safe Build week notes into a recap and short video outline using memory, a PRD, an SOP, role prompts, and a verification pass.

demo/creator-content-pack-memory.md

Public-safe context for the run.

demo/creator-content-pack-prd.md

Requirements and acceptance criteria.

demo/creator-content-pack-sop.md

Repeatable method and review steps.

prompt-pack.md

Role prompts for the live pass.

Run order:

1. Clarify before drafting.
2. Plan against the PRD.
3. Apply the SOP boundary.
4. Draft one artifact.
5. Verify before publishing.

WHAT TO WATCH IN THE DEMO

The agent should slow down before it speeds up.

OK Good signs

- Asks clarifying questions.
- Restates the data boundary.
- Creates a small output plan.
- Names assumptions and checks.

NO Stop signs

- Asks for private data.
- Invents facts or dates.
- Tries to post or send content.
- Turns a draft task into broad automation.

FOLLOW-UP PATH

Follow Brad. Join the Discord.

OpenClaw notes, Dev Days material, practical AI/operator playbooks, office hours, and follow-up after Build week. I am here to help.

Follow @BradGroux

Builder, operator, Digital Meld CEO, OpenClaw maintainer.



-  twitter.com/BradGroux
-  github.com/BradGroux
-  linkedin.com/in/BradGroux
-  youtube.com/BradGroux
-  digitalmeld.io
-  sstb.ai

Get started with OpenClaw today.

Install the one-liner from openclaw.ai.

MACOS AND LINUX

```
curl -fsSL https://openclaw.ai/install.sh | bash
```

WINDOWS

```
powershell -c "irm https://openclaw.ai/install.ps1 | iex"
```



Join the Discord

Scan for help and follow-up

WHERE TO FIND THE OPENCLAW TEAM DURING MICROSOFT BUILD WEEK

20 OpenClaw maintainers on the ground.

MON
Jun 1

GitHub Build on Tap

6:00–8:30 PM · SF Brewing Co

TUE
Jun 2

BUILD: Open Source Zone

9:00 AM–5:00 PM · Conference floor

TUE
Jun 2

Breakout with Peter Steinberger

4:30–5:15 PM · BRK245

TUE
Jun 2

Dev Your Own Way

6:00–9:00 PM · Terra Event Gallery

WED
Jun 3

BUILD: Open Source Zone

12:00–5:00 PM · Conference floor

WED
Jun 3

OpenClaw: After Hours @GitHub

5:30–9:00 PM · GitHub Offices

where.bradgroux.com