



Analytical Report

PREPARED FOR:

Attn: Brandon Bowen
Micro-Bac International, Inc.
3200 North IH35
Round Rock, TX 78681-2410

JOB DESCRIPTION:

[River Birch Landfill](#)

SPL REPORT ID:

2608029

SPL, INC

2300 Double Creek Drive
Round Rock, TX 78664

THE SCIENCE OF SURE®

Table of Contents

Miscellaneous Documents 3

Analytical Report 2608029 5

AnalyticalQCSummaryReport 2608029 8





Sample Receipt Checklist

Client Name: **Micro-Bac International, Inc.**

Date Received: **08/04/2026 11:18**

Work Order Number: **2608029**

Received by: **EL**

Checklist completed by:


Signature

8/4/2026

Date

Reviewed by:


Initials

8/4/2026

Date

Carrier name: Hand Delivered

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☒
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☒ NA ☐
Water - pH<2 acceptable upon receipt?	Yes ☐	No ☐	NA ☒ LOT #
	Adjusted?	Checked by	
Water - pH>9 (S) or pH>10 (CN) acceptable upon receipt?	Yes ☐	No ☐	NA ☒ LOT #
	Adjusted?	Checked by	
Container/Temp Blank temperature in compliance?	Yes ☒	No ☐	

Cooler # 1

Temp °C 5.4

Seal Intact NP

Any No response must be detailed in the comments section below.

Client contacted:

Date contacted:

Person contacted:

Contacted by:

Regarding:

Comments:

Corrective Action:



SPL

Results Report

Order ID : 2608029

Report ID : 2608029

Client Name: Micro-Bac International, Inc.
Address: 3200 North IH35
 Round Rock, TX 78681-2410
Attn: Brandon Bowen

Project Name: River Birch Landfill

Sample Number: 2608029-01	Sample Location:	Client Sample ID: 2513 - 0 time	Location ID:
Collect Date/Time: 08/04/2026 10:00	Received Date/Time: 08/04/2026 11:18	Matrix: LIQUID	Regulatory Sample Type:
Collector: Client	Sample Collection Type: Grab	Regulatory Sample ID:	Monitor Reason:

Dept / Analysis / Parameter	Result	Units	MRL	MDL	DF	Prep Date	By	Analysis Date	By	Qual	Accred
-----------------------------	--------	-------	-----	-----	----	-----------	----	---------------	----	------	--------

GC Semivolatiles

Analysis / Prep Method: TX1005

Laboratory: SPL - Round Rock

T/R Hydrocarbons: C6-C12	<13.4	mg/Kg	38.2	13.4	1	08/06/26 11:52	RA	08/06/26 16:10	RA		Y
T/R Hydrocarbons: >C12-C28	<13.4	mg/Kg	38.2	13.4	1	08/06/26 11:52	RA	08/06/26 16:10	RA		Y
T/R Hydrocarbons: >C28-C35	<13.4	mg/Kg	38.2	13.4	1	08/06/26 11:52	RA	08/06/26 16:10	RA		Y
T/R Hydrocarbons: C6-C35	<13.4	mg/Kg	38.2	13.4	1	08/06/26 11:52	RA	08/06/26 16:10	RA		Y
Surrogate Recoveries	%Recovery	Units	Limits (%Recovery)	DF				Analysis Date			
Surrogate: Isopropylbenzene	90.7	%REC	70-130	1				08/06/26 16:10			
Surrogate: Octacosane	87.7	%REC	70-130	1				08/06/26 16:10			

The Science of Sure®

SPL - Round Rock, 2300 Double Creek Dr, Round Rock, TX 78664
 512.388.8222 - RoundRock.Reporting@spllabs.com



DEFINITIONS

MRL - Minimum Reporting Level: The lowest concentration of a parameter that the laboratory can reliably quantify and report with a specified degree of confidence. This value has been adjusted for preparation factors, dilution factors and percent solids where applicable.

MDL - Method Detection Limit: The minimum concentration of a parameter that can be detected with 99% confidence that the parameter concentration is greater than zero. This value has been adjusted for preparation factors, dilution factors and percent solids where applicable.

ND - Not Detected: Indicates the parameter/analyte was not found at or above the Minimum Reporting Level (MRL).

DF - Dilution Factor: The factor by which a sample was diluted prior to analysis. Reported results already account for this factor.

Qual - Data Qualifier: A flag indicating a result requires further evaluation for useability (e.g., a QC criterion outside acceptance limits).

Accred - Accreditation: Indicates whether the laboratory is accredited for the specific method/matrix/parameter combination (Y = accredited)

% Rec - Percent Recovery: The measured concentration of a spiked parameter or surrogate expressed as a percentage of the known spiked amount, used to assess analytical accuracy.

Units P/A = Present / Absent

Units P/F = Pass / Fail

TNTC - Too Numerous to Count

MB/BLK/MBLK/Blank - Method / Quality Control Blank

LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate

BS/BSD - Blank Spike / Blank Spike Duplicate

MS/MSD - Matrix Spike / Matrix Spike Duplicate

DUP - Sample Duplicate

RPD - Relative Percent Difference

CAS - Chemical Abstract Service number.

MAL - Minimum Analytical Level.

SAMPLE RECEIPT CONDITIONS

There were no problems with the analyses and all data met requirements of NELAP except where noted in the Case Narrative. All non-NELAP methods will be identified accordingly in the case narrative and all estimated uncertainties of test results are within method or EPA specifications.

If you have any questions regarding these tests results, please feel free to call. Thank you for using SPL.

WORKORDER COMMENTS / MINI NARRATIVE

SPL Laboratories

Accreditations · Disclaimers · Sign-off

LABORATORY ACCREDITATIONS

REGULATORY AUTHORITY	PROGRAM	LAB ID
Texas CEQ	NELAP	T104704211
OK-DEQ	NELAP	9518



Results Report

Report ID : 2608029

Order ID : 2608029

REPORT NOTES & DISCLAIMERS

All analysis were performed at SPL - Round Rock unless otherwise noted.

The test pH is performed by the Laboratory as soon as possible. These results are not appropriate for compliance with NPDES, SDWA or other regulatory programs that require analysis within 15 minutes of sample collection and should be considered for informational purposes only.

All results meet the requirements of SPL's NELAP Accredited Quality System unless otherwise noted. If your results contain any data qualifiers or comments, you should evaluate usability relative to your needs.

All results reported on an As Received (Wet Weight) basis unless otherwise noted.

This laboratory report may not be reproduced, except in full, without the written approval of SPL.

REVIEWED AND RELEASED BY

Karyn Lane
Laboratory Manager

Authorized signatory - SPL Round Rock

REPORT GENERATED ON

08/11/2026 15:20

REPORT IDENTIFIER

2608029

TEMPLATE

SPL_RR Rev 1.0 (Effective 07/01/26)

The Science of Sure®

SPL - Round Rock, 2300 Double Creek Dr, Round Rock, TX 78664
512.388.8222 - RoundRock.Reporting@spllabs.com



SPL®

Results Report

Report ID : 2608029

Order ID : 2608029

Quality Control Data Cross Reference

Lab Number	Sample ID	Analysis / Prep Method	Batch ID	Analysis Batch ID
2608029-01	2513 - 0 time	TX1005	126999	147032

The Science of Sure®

SPL - Round Rock, 2300 Double Creek Dr, Round Rock, TX 78664
512.388.8222 - RoundRock.Reporting@spllabs.com



Results Report

Report ID : 2608029

Order ID : 2608029

GC Semivolatiles - Quality Control SPL - Round Rock

Analyte	Result	Units	MRL	MDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 126999 - Analysis/Prep Method: TX1005											
MBLK (MB-126999)						Analyzed: 08/06/2026 14:35					
T/R Hydrocarbons: C6-C12	<7.00	mg/Kg	20.0	7.00							
T/R Hydrocarbons: >C12-C28	<7.00	mg/Kg	20.0	7.00							
T/R Hydrocarbons: >C28-C35	<7.00	mg/Kg	20.0	7.00							
T/R Hydrocarbons: C6-C35	<7.00	mg/Kg	20.0	7.00							
Surrogate: Isopropylbenzene	87.7	%REC		0	25.00		87.7	70-130			
Surrogate: Octacosane	84.4	%REC		0	25.00		84.4	70-130			
LCS (LCS-126999)						Analyzed: 08/06/2026 14:44					
T/R Hydrocarbons: C6-C35	241	mg/Kg	20.0	7.00	250.0	0	96.6	75-125			
Surrogate: Isopropylbenzene	97.5	%REC		0	25.00		97.5	70-130			
Surrogate: Octacosane	90.9	%REC		0	25.00		90.9	70-130			
LCSD (LCSD-126999)						Analyzed: 08/06/2026 14:54					
T/R Hydrocarbons: C6-C35	238	mg/Kg	20.0	7.00	250.0	0	95.3	75-125	1.36	20	
Surrogate: Isopropylbenzene	97.7	%REC		0	25.00		97.7	70-130	0	0	
Surrogate: Octacosane	86.6	%REC		0	25.00		86.6	70-130	0	0	
MS (2608048-01AMS)			Source: 2608048-01A			Analyzed: 08/06/2026 16:20					
T/R Hydrocarbons: C6-C35	245	mg/Kg-dry	20.3	7.09	253.3	0	96.9	75-125			
Surrogate: Isopropylbenzene	98.5	%REC		0	25.33		98.5	70-130			
Surrogate: Octacosane	94.1	%REC		0	25.33		94.1	70-130			
MSD (2608048-01AMSD)			Source: 2608048-01A			Analyzed: 08/06/2026 16:29					
T/R Hydrocarbons: C6-C35	253	mg/Kg-dry	21.0	7.33	262.0	0	96.5	75-125	2.94	20	
Surrogate: Isopropylbenzene	98.1	%REC		0	26.20		98.1	70-130	0	0	
Surrogate: Octacosane	94.3	%REC		0	26.20		94.3	70-130	0	0	
Batch R147032 - Analysis/Prep Method: TX1005											
ICV (ICV-260806)						Analyzed: 08/06/2026 12:25					
T/R Hydrocarbons: C6-C35	977	mg/Kg	20.0	7.00	1000	0	97.7	75-125			
Surrogate: Isopropylbenzene	95.2	%REC		0	50.00		95.2	70-130			
Surrogate: Octacosane	88.8	%REC		0	50.00		88.8	70-130			
CCV (CCV1-260806)						Analyzed: 08/06/2026 16:39					
T/R Hydrocarbons: C6-C35	493	mg/Kg	20.0	7.00	500.0	0	98.5	75-125			
Surrogate: Isopropylbenzene	101	%REC		0	25.00		101	70-130			
Surrogate: Octacosane	92.2	%REC		0	25.00		92.2	70-130			

The Science of Sure®

SPL - Round Rock, 2300 Double Creek Dr, Round Rock, TX 78664
512.388.8222 - RoundRock.Reporting@spllabs.com



DEFINITIONS

MRL - Minimum Reporting Level: The lowest concentration of a parameter that the laboratory can reliably quantify and report with a specified degree of confidence. This value has been adjusted for preparation factors, dilution factors and percent solids where applicable.

MDL - Method Detection Limit: The minimum concentration of a parameter that can be detected with 99% confidence that the parameter concentration is greater than zero. This value has been adjusted for preparation factors, dilution factors and percent solids where applicable.

ND - Not Detected: Indicates the parameter/analyte was not found at or above the Minimum Reporting Level (MRL).

DF - Dilution Factor: The factor by which a sample was diluted prior to analysis. Reported results already account for this factor.

Qual - Data Qualifier: A flag indicating a result requires further evaluation for useability (e.g., a QC criterion outside acceptance limits).

Accred - Accreditation: Indicates whether the laboratory is accredited for the specific method/matrix/parameter combination (Y = accredited)

% Rec - Percent Recovery: The measured concentration of a spiked parameter or surrogate expressed as a percentage of the known spiked amount, used to assess analytical accuracy.

Units P/A = Present / Absent

Units P/F = Pass / Fail

TNTC - Too Numerous to Count

MB/BLK/MBLK/Blank - Method / Quality Control Blank

LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate

BS/BSD - Blank Spike / Blank Spike Duplicate

MS/MSD - Matrix Spike / Matrix Spike Duplicate

DUP - Sample Duplicate

RPD - Relative Percent Difference

CAS - Chemical Abstract Service number.

MAL - Minimum Analytical Level.

SPL Laboratories

Accreditations · Disclaimers

LABORATORY ACCREDITATIONS

REGULATORY AUTHORITY	PROGRAM	LAB ID
Texas CEQ	NELAP	T104704211
OK-DEQ	NELAP	9518

REPORT NOTES & DISCLAIMERS

All analysis were performed at SPL - Round Rock unless otherwise noted.

The test pH is performed by the Laboratory as soon as possible. These results are not appropriate for compliance with NPDES, SDWA or other regulatory programs that require analysis within 15 minutes of sample collection and should be considered for informational purposes only.

All results meet the requirements of SPL's NELAP Accredited Quality System unless otherwise noted. If your results contain any data qualifiers or comments, you should evaluate usability relative to your needs.

All results reported on an As Received (Wet Weight) basis unless otherwise noted.

This laboratory report may not be reproduced, except in full, without the written approval of SPL.

REPORT GENERATED ON

08/11/2026 15:20

REPORT IDENTIFIER

2608029

TEMPLATE

SPL_RR QCRpt Rev 1.0 (Eff 07/01/26)