



March 06, 2025

Trey Franklin
CG Environmental/The Cleaning Guys
5255 Teague Road
Ft. Worth, Texas 76140
TEL: (512) 550-0185
FAX:
RE: Kingsland 3-250162

Order No.: 2502407

Dear Trey Franklin:

DHL Analytical, Inc. received 3 samples on 02/27/2025 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative and all estimated uncertainties of results are within method specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink that reads "Karyn Lane". The signature is written in a cursive, flowing style.

Karyn Lane
Laboratory Manager

This report was performed under the accreditation of the State of Texas Laboratory Certification Number: T104704211 - TX-C24-00120



Table of Contents

Miscellaneous Documents	3
CaseNarrative 2502407	5
WorkOrderSampleSummary 2502407	6
Analytical Report 2502407	7
AnalyticalQCSummaryReport 2502407	10

Sample Receipt Checklist


Client Name: CG Environmental/The Cleaning Guys

Date Received: 2/27/2025

Work Order Number: 2502407

Received by: EL

Checklist completed by:


 Signature

2/27/2025

Date

Reviewed by:


 Initials

2/27/2025

Date

Carrier name: Hand Delivered

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☒
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☒ NA ☐
Water - pH<2 acceptable upon receipt?	Yes ☐	No ☐	NA ☒ LOT #
	Adjusted? _____	Checked by _____	
Water - pH>9 (S) or pH>10 (CN) acceptable upon receipt?	Yes ☐	No ☐	NA ☒ LOT #
	Adjusted? _____	Checked by _____	
Container/Temp Blank temperature in compliance?	Yes ☒	No ☐	

Cooler # 1

Temp °C 0.1

Seal Intact NP

Any No response must be detailed in the comments section below.

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Comments: _____

Corrective Action: _____

CLIENT: CG Environmental/The Cleaning Guys
Project: Kingsland 3-250162
Lab Order: 2502407

CASE NARRATIVE

Samples were analyzed using the methods outlined in the following references:

Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW846, 3rd Edition and TCEQ Method TX1005.

As per the TCEQ-NELAP accreditation requirement the following must be noted: For TX1005 analyses of soils, the samples were collected in 4 ounce jars. This is allowed in Method TX1005 and by regulatory agencies for specific situations. For analyses reported to the Texas Railroad Commission, bulk sampling is allowed. For analyses reported for the TCEQ PST program, for waste classification, or for remediation project where process knowledge can document that C6-C12 hydrocarbons are not present, then Method 1005 allows for bulk sampling. NELAP requires a note that if 5035 sampling method for TX1005 is not utilized and none of the exceptions are applicable, the results of samples collected in bulk containers for C6-C12 hydrocarbon components may be compromised. The client has been notified and has requested the Laboratory to proceed with analysis.

For TPH analysis sample H2 was diluted prior to analysis due to the nature of the sample (concentration of hydrocarbons).

All method blanks, sample duplicates, laboratory spikes, and/or matrix spikes met quality assurance objectives except where noted in the following. For TPH analysis by method Tx1005 the matrix spike and matrix spike duplicate recoveries were slightly above control limits. These are flagged accordingly in the enclosed QC summary report. The "S" flag denotes spike recovery was outside control limits. The LCS was within control limits. No further corrective actions were taken.

For TPH analysis by method Tx1005 the surrogate recoveries for samples H1 and H2 were above control limits Isopropylbenzene and/or Octacosane. This was due to matrix effect. No further corrective actions were taken.

CLIENT: CG Environmental/The Cleaning Guys
Project: Kingsland 3-250162
Lab Order: 2502407

Work Order Sample Summary

Lab Smp ID	Client Sample ID	Tag Number	Date Collected	Date Recved
2502407-01	BG		02/26/25 05:00 PM	02/27/2025
2502407-02	H1		02/26/25 05:00 PM	02/27/2025
2502407-03	H2		02/26/25 05:00 PM	02/27/2025

DHL Analytical, Inc.**Date:** 06-Mar-25

CLIENT: CG Environmental/The Cleaning Guys
Project: Kingsland 3-250162
Project No: 3-250162
Lab Order: 2502407

Client Sample ID: BG
Lab ID: 2502407-01
Collection Date: 02/26/25 05:00 PM
Matrix: SOIL

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
TX1005 TPH SOIL		TX1005		Analyst: RA			
T/R Hydrocarbons: C6-C12	<8.42	8.42	24.0		mg/Kg-dry	1	03/05/25 09:19 AM
T/R Hydrocarbons: >C12-C28	<8.42	8.42	24.0		mg/Kg-dry	1	03/05/25 09:19 AM
T/R Hydrocarbons: >C28-C35	<8.42	8.42	24.0		mg/Kg-dry	1	03/05/25 09:19 AM
T/R Hydrocarbons: C6-C35	<8.42	8.42	24.0		mg/Kg-dry	1	03/05/25 09:19 AM
Surr: Isopropylbenzene	108	0	70-130		%REC	1	03/05/25 09:19 AM
Surr: Octacosane	124	0	70-130		%REC	1	03/05/25 09:19 AM
PERCENT MOISTURE		D2216		Analyst: KER			
Percent Moisture	15.2	0	0		WT%	1	03/05/25 09:50 AM

Qualifiers:	*	Value exceeds TCLP Maximum Concentration Level	C	Sample Result or QC discussed in the Case Narrative
	DF	Dilution Factor	E	TPH pattern not Gas or Diesel Range Pattern
	J	Analyte detected between MDL and RL	MDL	Method Detection Limit
	ND	Not Detected at the Method Detection Limit	RL	Reporting Limit
	S	Spike Recovery outside control limits	N	Parameter not NELAP certified

DHL Analytical, Inc.**Date:** 06-Mar-25

CLIENT: CG Environmental/The Cleaning Guys
Project: Kingsland 3-250162
Project No: 3-250162
Lab Order: 2502407

Client Sample ID: H1
Lab ID: 2502407-02
Collection Date: 02/26/25 05:00 PM
Matrix: SOIL

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
TX1005 TPH SOIL		TX1005		Analyst: RA			
T/R Hydrocarbons: C6-C12	25100	875	2500		mg/Kg-dry	100	03/05/25 11:19 AM
T/R Hydrocarbons: >C12-C28	211000	875	2500		mg/Kg-dry	100	03/05/25 11:19 AM
T/R Hydrocarbons: >C28-C35	1550	875	2500	J	mg/Kg-dry	100	03/05/25 11:19 AM
T/R Hydrocarbons: C6-C35	238000	875	2500		mg/Kg-dry	100	03/05/25 11:19 AM
Surr: Isopropylbenzene	276	0	70-130	S	%REC	100	03/05/25 11:19 AM
Surr: Octacosane	969	0	70-130	S	%REC	100	03/05/25 11:19 AM
PERCENT MOISTURE		D2216		Analyst: KER			
Percent Moisture	16.4	0	0		WT%	1	03/05/25 09:50 AM

Qualifiers:	*	Value exceeds TCLP Maximum Concentration Level	C	Sample Result or QC discussed in the Case Narrative
	DF	Dilution Factor	E	TPH pattern not Gas or Diesel Range Pattern
	J	Analyte detected between MDL and RL	MDL	Method Detection Limit
	ND	Not Detected at the Method Detection Limit	RL	Reporting Limit
	S	Spike Recovery outside control limits	N	Parameter not NELAP certified

DHL Analytical, Inc.**Date:** 06-Mar-25

CLIENT: CG Environmental/The Cleaning Guys
Project: Kingsland 3-250162
Project No: 3-250162
Lab Order: 2502407

Client Sample ID: H2
Lab ID: 2502407-03
Collection Date: 02/26/25 05:00 PM
Matrix: SOIL

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
TX1005 TPH SOIL		TX1005		Analyst: RA			
T/R Hydrocarbons: C6-C12	<709	709	2020		mg/Kg-dry	100	03/05/25 11:28 AM
T/R Hydrocarbons: >C12-C28	10600	709	2020		mg/Kg-dry	100	03/05/25 11:28 AM
T/R Hydrocarbons: >C28-C35	5880	709	2020		mg/Kg-dry	100	03/05/25 11:28 AM
T/R Hydrocarbons: C6-C35	16500	709	2020		mg/Kg-dry	100	03/05/25 11:28 AM
Surr: Isopropylbenzene	115	0	70-130		%REC	100	03/05/25 11:28 AM
Surr: Octacosane	4010	0	70-130	S	%REC	100	03/05/25 11:28 AM
PERCENT MOISTURE		D2216		Analyst: KER			
Percent Moisture	2.09	0	0		WT%	1	03/05/25 09:50 AM

Qualifiers:	*	Value exceeds TCLP Maximum Concentration Level	C	Sample Result or QC discussed in the Case Narrative
	DF	Dilution Factor	E	TPH pattern not Gas or Diesel Range Pattern
	J	Analyte detected between MDL and RL	MDL	Method Detection Limit
	ND	Not Detected at the Method Detection Limit	RL	Reporting Limit
	S	Spike Recovery outside control limits	N	Parameter not NELAP certified

CLIENT: CG Environmental/The Cleaning Guys
Work Order: 2502407
Project: Kingsland 3-250162

ANALYTICAL QC SUMMARY REPORT**RunID: GC15_250305A**

The QC data in batch 119414 applies to the following samples: 2502407-01A, 2502407-02A, 2502407-03A

Sample ID: MB-119414	Batch ID: 119414	TestNo: TX1005	Units: mg/Kg							
SampType: MBLK	Run ID: GC15_250305A	Analysis Date: 3/5/2025 8:51:44 AM	Prep Date: 3/4/2025							
Analyte	Result	RL	SPK value	Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

T/R Hydrocarbons: C6-C12 <7.00 20.0
T/R Hydrocarbons: >C12-C28 <7.00 20.0
T/R Hydrocarbons: >C28-C35 <7.00 20.0
T/R Hydrocarbons: C6-C35 <7.00 20.0
Surr: Isopropylbenzene 26.5 25.00 106 70 130
Surr: Octacosane 30.9 25.00 123 70 130

Sample ID: LCS-119414	Batch ID: 119414	TestNo: TX1005	Units: mg/Kg							
SampType: LCS	Run ID: GC15_250305A	Analysis Date: 3/5/2025 9:00:35 AM	Prep Date: 3/4/2025							
Analyte	Result	RL	SPK value	Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

T/R Hydrocarbons: C6-C35 312 20.0 250.0 0 125 75 125
Surr: Isopropylbenzene 28.9 25.00 116 70 130
Surr: Octacosane 31.1 25.00 124 70 130

Sample ID: LCSD-119414	Batch ID: 119414	TestNo: TX1005	Units: mg/Kg							
SampType: LCSD	Run ID: GC15_250305A	Analysis Date: 3/5/2025 9:09:26 AM	Prep Date: 3/4/2025							
Analyte	Result	RL	SPK value	Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

T/R Hydrocarbons: C6-C35 306 20.0 250.0 0 123 75 125 1.79 20
Surr: Isopropylbenzene 29.0 25.00 116 70 130 0 0
Surr: Octacosane 30.0 25.00 120 70 130 0 0

Sample ID: 2502407-01AMS	Batch ID: 119414	TestNo: TX1005	Units: mg/Kg-dry							
SampType: MS	Run ID: GC15_250305A	Analysis Date: 3/5/2025 10:38:49 AM	Prep Date: 3/4/2025							
Analyte	Result	RL	SPK value	Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

T/R Hydrocarbons: C6-C35 406 24.2 302.1 0 134 75 125 S
Surr: Isopropylbenzene 36.2 30.21 120 70 130
Surr: Octacosane 38.6 30.21 128 70 130

Sample ID: 2502407-01AMSD	Batch ID: 119414	TestNo: TX1005	Units: mg/Kg-dry							
SampType: MSD	Run ID: GC15_250305A	Analysis Date: 3/5/2025 10:47:40 AM	Prep Date: 3/4/2025							
Analyte	Result	RL	SPK value	Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

T/R Hydrocarbons: C6-C35 394 24.6 307.8 0 128 75 125 3.12 20 S
Surr: Isopropylbenzene 35.8 30.78 116 70 130 0 0
Surr: Octacosane 38.7 30.78 126 70 130 0 0

Qualifiers: B Analyte detected in the associated Method Blank
J Analyte detected between MDL and RL
ND Not Detected at the Method Detection Limit
RL Reporting Limit
J Analyte detected between SDL and RL

DF Dilution Factor
MDL Method Detection Limit
R RPD outside accepted control limits
S Spike Recovery outside control limits
N Parameter not NELAP certified

CLIENT: CG Environmental/The Cleaning Guys
Work Order: 2502407
Project: Kingsland 3-250162

ANALYTICAL QC SUMMARY REPORT

RunID: PMOIST_250304A

The QC data in batch 119409 applies to the following samples: 2502407-01A, 2502407-02A, 2502407-03A

Sample ID: 2502393-01A-DUP		Batch ID: 119409		TestNo: D2216		Units: WT%					
SampType: DUP		Run ID: PMOIST_250304A		Analysis Date: 3/5/2025 9:50:00 AM		Prep Date: 3/4/2025					
Analyte		Result	RL	SPK value	Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Percent Moisture		6.00	0	0	4.631				25.8	30	

Qualifiers: B Analyte detected in the associated Method Blank
J Analyte detected between MDL and RL
ND Not Detected at the Method Detection Limit
RL Reporting Limit
J Analyte detected between SDL and RL

DF Dilution Factor
MDL Method Detection Limit
R RPD outside accepted control limits
S Spike Recovery outside control limits
N Parameter not NELAP certified