



TORNADO



**NOW
AVAILABLE
IN USA**

**NEW
PRODUCT**



TORNADO

GR-A①

- Regional all position tire engineered for fuel efficiency, longer wear, and exceptional retreadability, the GR-A delivers performance and value in this high demand application.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V87630-3	245/70R17.5	16	136/134	M	TBLS	9.8	31.1	125	4940/4675	7.50	DR06	15.7	210
V87632-3	265/70R19.5	16	140/138	M	TBLS	10.3	34.1	110	5510/5205	7.50	DR06	15.1	220
V87634-3	285/70R19.5	16	146/144	L	TBLS	11.1	35.2	130	S6610/D6175	8.25	DR07	15.7	235
V87636-3	315/70R22.5	20	156/150	L	TBLS	12.3	39.9	125	8820/7390	9.00	DR08	18.3	265
V87638-3	315/80R22.5	20	156/150	L	TBLS	12.3	42.4	125	8820/7390	9.00	DR08	20.2	260
V87610-3	11R22.5	14	144/142	M	TBLS	11.0	41.5	100	6175/5840	8.25	DR07	21.4	225
V87612-3	11R22.5	16	146/143	L	TBLS	11.0	41.5	120	6610/6005	8.25	DR07	21.4	225
V87616-3	11R24.5	16	149/146	L	TBLS	11.0	43.5	120	7160/6610	8.25	DR08	21.4	225
V87618-3	255/70R22.5	16	140/137	M	TBLS	10.0	36.6	120	5510/5070	7.50	DR06	21.4	205
V87620-3	275/80R22.5	14	144/141	L	TBLS	10.9	39.8	110	6175/5675	8.25	DR07	21.4	225
V87622-3	275/80R22.5	16	149/146	L	TBLS	10.9	39.8	120	7160/6610	8.25	DR07	21.4	225
V87624-3	285/75R24.5	16	147/144	L	TBLS	11.1	41.3	120	6780/6175	8.25	DR07	18.3	235
V87626-3	295/75R22.5	14	144/141	L	TBLS	11.6	39.9	110	6175/5675	9.00	DR08	21.4	230
V87628-3	295/75R22.5	16	146/143	L	TBLS	11.6	39.9	120	6610/6005	9.00	DR08	21.4	230

**NEW
PRODUCT**



Make transportation on wheels safer

TORNADO

GL-D①

- A fuel-efficient drive tire that delivers even treadwear and extended service life.
- The GL-D addresses the most important factors when choosing a long-haul drive tire.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V86200-3	11R22.5	14	144/142	M	TBLS	11.0	41.9	100	6175/5840	8.25	DR07	23.9	230
V86202-3	11R22.5	16	146/143	L	TBLS	11.0	41.9	120	6610/6005	8.25	DR07	23.9	230
V86204-3	11R24.5	14	146/143	M	TBLS	11.0	43.9	105	6610/6005	8.25	DR08	23.9	230
V86206-3	11R24.5	16	149/146	L	TBLS	11.0	43.9	120	7160/6610	8.25	DR08	23.9	230
V86208-3	275/80R22.5	14	144/141	L	TBLS	10.9	40.1	110	6175/5675	8.25	DR07	20.8	230
V86210-3	275/80R22.5	16	149/146	L	TBLS	10.9	40.1	120	7160/6610	8.25	DR07	20.8	230
V86212-3	285/75R24.5	16	147/144	L	TBLS	11.1	41.6	120	6780/6175	8.25	DR07	23.9	225
V86214-3	295/75R22.5	14	144/141	L	TBLS	11.6	40.2	110	6175/5675	9.00	DR08	23.9	240
V86216-3	295/75R22.5	16	146/143	L	TBLS	11.6	40.2	120	6610/6005	9.00	DR08	23.9	240

**NEW
PRODUCT**



THOMAS TIRE SALES CO.



Make transportation on wheels safer

TORNADO

GL-S①

- Our most advanced compounding for fuel efficiency and tread durability.
- Enhanced siping provides superior traction throughout tread life.
- Upgraded tread groove design helps maintain integrity as the tread wears, providing water evacuation throughout life.
- Enhanced siping design to help reduce irregular wear, maximizing usable tread life.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V86710-3	11R22.5	14	144/142	M	TBLS	11.0	41.5	100	6175/5840	8.25	DR07	18.3	230
V86712-3	11R22.5	16	146/143	L	TBLS	11.0	41.5	120	6610/6005	8.25	DR07	18.3	230
V86714-3	11R24.5	16	149/146	L	TBLS	11.0	43.4	120	7160/6610	8.25	DR08	18.3	230
V86716-3	275/80R22.5	14	144/141	L	TBLS	10.9	39.8	110	6175/5675	8.25	DR07	18.3	235
V86718-3	275/80R22.5	16	149/146	L	TBLS	10.9	39.8	120	7160/6610	8.25	DR07	18.3	235
V86720-3	285/75R24.5	16	147/144	L	TBLS	11.1	41.3	120	6780/6175	8.25	DR07	18.3	235
V86722-3	295/75R22.5	14	144/141	L	TBLS	11.6	39.9	110	6175/5675	9.00	DR08	18.3	235
V86724-3	295/75R22.5	16	146/143	L	TBLS	11.6	39.9	120	6610/6005	9.00	DR08	18.3	235

**NEW
PRODUCT**



THOMAS TIRE SALES CO.



Make transportation on wheels safer

TORNADO

GR-D①

- An open shoulder regional drive tire engineered for fuel efficiency, longer wear, and exceptional retreadability, the GR-D delivers performance and value in this high demand application.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V87710-3	11R22.5	14	144/142	M	TBLS	11.0	41.9	100	6175/5840	8.25	DR07	27.7	230
V87712-3	11R22.5	16	146/143	L	TBLS	11.0	41.9	120	6610/6005	8.25	DR07	27.7	230
V87716-3	11R24.5	16	149/146	L	TBLS	11.0	43.9	120	7160/6610	8.25	DR08	27.7	230
V87718-3	285/75R24.5	16	147/144	L	TBLS	11.1	41.6	120	6780/6175	8.25	DR07	27.7	240
V87720-3	295/75R22.5	14	144/141	L	TBLS	11.6	40.2	110	6175/5675	9.00	DR08	27.7	240
V87722-3	295/75R22.5	16	146/143	L	TBLS	11.6	40.2	120	6610/6005	9.00	DR08	27.7	240
V87724-3	295/80R22.5	20	154/149	M	TBLS	11.7	41.1	130	8270/7160	9.00	DR08	24.6	260
V87726-3	315/82R22.5	20	156/150	L	TBLS	12.3	42.4	125	8820/7390	9.00	DR08	25.2	270

**NEW
PRODUCT**



THOMAS TIRE SALES CO.



Make transportation on wheels safer



TORNADO

GC-A①

- Built with durability and extended life, the GC-A delivers.
- With a variety of wide base on- and off-highway applications, this tire is ideal for concrete mixers, dump trucks and waste/sanitation trucks.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V87500-3	11R22.5	14	144/142	M	TBLS	11	41.5	100	6175/5840	8.25	DR07	23.9	230
V87502-3	11R22.5	16	146/143	L	TBLS	11	41.5	120	6610/6005	8.25	DR07	23.9	230
V87504-3	11R24.5	16	149/146	L	TBLS	11	43.5	120	7160/6610	8.25	DR08	23.9	230
V87506-3	13R22.5	20	156/150	K	TBLS	12.6	44.3	125	8820/7390	9.75	DR08	21.4	250
V87508-3	295/80R22.5	18	152/148	K	TBLS	11.7	41.1	125	7830/6940	9.00	DR08	20.8	240
V87510-3	315/80R22.5	20	156/150	K	TBLS	12.3	42.4	125	8820/7390	9.00	DR08	20.2	250

NEW
PRODUCT



Make transportation on wheels safer

TORNADO

GC-D①

- Outstanding traction and excellent on/offroad wear performance.
- Features a robust 4-belt layer casing for maximum retreadability.
- M+S and 3PMSF markings.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V86222-3	13R22.5	20	156/150	K	TBLS	12.6	44.3	125	8820/7390	9.75	DR08	26.5	255
V86218-3	295/80R22.5	18	152/148	K	TBLS	11.7	41.1	125	7830/6940	9.00	DR08	23.9	245
V86220-3	315/80R22.5	20	156/150	K	TBLS	12.3	42.4	125	8820/7390	9.00	DR08	27.1	265
V86224-3	11R22.5	16	146/143	L	TBLS	11.0	41.5	120	6610/6005	8.25	DR08	27.72	230
V86226-3	11R24.5	16	149/146	L	TBLS	11.0	43.5	120	7160/6610	8.25	DR08	27.72	230
V86228-3	295/75R22.5	16	146/143	L	TBLS	11.7	39.9	120	6610/6005	9.00	DR08	27.72	240
V86230-3	285/75R24.5	16	147/144	L	TBLS	11.1	41.3	120	6780/6175	8.25	DR08	27.72	240



TORNADO



Make transportation on wheels safer

GL116S

Features & Benefits

- Premium 19/32nds long haul highway steer tire with decoupler groove to help resist irregular wear for an even footprint.
- Technologically Advanced tread compound for low rolling resistance and improved fuel economy.
- Enhanced bead and belt package for increased tire performance and multiple retreads.
- Mid/Long Haul Highway Service.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V86330-3	295/75R22.5	14	144/141	M	TBLS	11.7	39.9	110	6175/5675	9.00	DR08	18.9	/
V86335-3	295/75R22.5	16	146/143	L	TBLS	11.7	39.9	120	6610/6005	9.00	DR08	18.9	/
V86320-3	285/75R24.5	14	144/141	M	TBLS	11.1	41.3	110	6175/5675	8.25	DR07	18.9	/
V86325-3	285/75R24.5	16	147/144	L	TBLS	11.1	41.3	120	6780/6175	8.25	DR07	18.9	/



THOMAS TIRE SALES CO.



Make transportation on wheels safer

TORNADO

GL261D

Features & Benefits

- Premium 28/32nds regional haul open shoulder drive tire for long mileage and even tread wear.
- Advanced tread compound for low rolling resistance and increased fuel economy.
- Tapered groove technology and stone ejectors to minimize stone retention and increasing casing life.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V261007T	295/75R22.5	20	144/141	M	TBLS	11.7	39.9	110	6175/5675	9.00	DR08	28.3	/
V261007T	295/7 R22.5	18	146/143	L	TBLS	11.7	39.9	120	6610/6005	9.00	DR08	28.3	/



Make transportation on wheels safer

TORNADO

GL266D ULT

Features & Benefits

- Premium closed shoulder design.
- Tread depth of up to 32/32" provide maximum traction.
and long service life, lowering cost per mile.
- Mid/Long Haul Highway Service.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V86000-3	11R22.5	14	144/142	M	TBLS	11.0	41.3	105	6175/5840	8.25	DR07	32.1	/
V86005-3	11R22.5	16	146/143	M	TBLS	11.0	41.3	120	6610/6005	8.25	DR07	32.1	/
V86020-3	295/75R22.5	14	144/141	M	TBLS	11.7	41.0	110	6175/5675	9.00	DR08	32.1	/
V86021-3	295/75R22.5	16	146/143	L	TBLS	11.7	41.0	120	6610/6005	9.00	DR08	32.1	/
V86010-3	11R24.5	14	146/143	M	TBLS	11.0	43.5	105	6175/5675	8.25	DR08	32.1	/
V86015-3	11R24.5	16	149/146	L	TBLS	11.0	43.5	120	7160/6610	8.25	DR08	32.1	/
V86025-3	285/75R24.5	14	144/141	M	TBLS	11.1	41.3	110	6175/5675	8.25	DR07	32.1	/
V86026-3	285/75R24.5	16	147/144	L	TBLS	11.1	41.3	120	6780/6175	8.25	DR07	32.1	/



Make transportation on wheels safer

TORNADO

GL267D

Features & Benefits

- Completely Optimized structure and compound design improves tyre cost performance ratio.
- The most recent low rolling resistance design makes the fuel consumption of the vehicle significantly decrease and the cost of the truck load effectively decrease.
- Use the double tread structure decreases tyre heat.
- Optimized pattern shape design guarantees tyre excellent wet grip performance.
- Unidirectional pattern designing and unique block designing provide excellent driving properties.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V88590-3	315/80R22.5	18	154/150	M	TBLS	12.3	42.4	120	8270/7390	9.00	DR08	22.4	236
V88592-3	315/70R22.5	18	152/148	L	TBLS	12.3	39.9	125	7830/6940	9.00	DR08	22.4	235
V88580-3	295/80R22.5	18	152/148	L	TBLS	11.7	41.1	125	7830/6940	9.00	DR08	22.4	220



TORNADO



Make transportation on wheels safer

GL268D

Features & Benefits

- Premium open shoulder with directional tread pattern.
- Deep tread with siping allows for superior traction
in varying road conditions.
- SmartWay approved. Low Emission Technology.
- Mid/Long Haul Highway Service.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V86052-3	225/70R19.5	14	128/126	M	TBLS	8.9	31.9	100	3970/3750	6.75	DR06	21.4	/
V86071-3	245/70R19.5	16	136/134	J	TBLS	9.8	33.0	120	4940/4675	7.5	DR06	21.4	196
V86050-3	11R22.5	14	144/142	M	TBLS	11.0	41.3	105	6175/5840	8.25	DR07	25.8	/
V86055-3	11R22.5	16	146/143	M	TBLS	11.0	41.3	120	6610/6005	8.25	DR07	25.8	/



THOMAS TIRE SALES CO.



Make transportation on wheels safer

TORNADO

GL293D ULT

Features & Benefits

- Enhanced tread shape allows for uniformed pressure distribution.
- Optimized bead construction provides excellent load capability.
- Wider tread allows for excellent wear.
- Mid/Long Haul Highway Service

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V86101-3	11R22.5	14	144/142	M	TBLS	11.0	41.3	105	6175/5840	8.25	DR07	24.6	/
V86100-3	11R22.5	16	146/143	M	TBLS	11.0	41.3	120	6610/6005	8.25	DR07	24.6	/
V86104-3	11R24.5	14	146/143	M	TBLS	11.0	43.5	105	6610/6005	8.25	DR08	24.2	/
V86105-3	11R24.5	16	149/146	L	TBLS	11.0	43.5	120	6610/6005	8.25	DR08	24.2	/



THOMAS TIRE SALES CO.



Make transportation on wheels safer

TORNADO

GL282A

Features & Benefits

- Completely optimized structure and compound designing improves tyre's cost performance ratio.
- Low rolling resistance designing makes the fuel consumption of the vehicle significantly decrease and the cost of the truckload effectively decrease.
- Optimized shoulder profile designing improves tyre's heat dispersion and increases crown durability.
- Completely new crown designing largely strengthens tyre puncture resistance and effectively improves safety.
- Optimized groove designing guarantees tyre wet grip performance.
- Mid/Long Haul Highway Service.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V88535-3	11R22.5	16	146/143	M	TBLS	11.0	41.3	120	6610/6005	8.25	DR07	17.5	250
V88531-3	315/70R22.5	18	152/148	L	TBLS	12.3	39.9	125	7830/6940	9.00	DR08	18.6	226
V88533-3	295/80R22.5	18	152/148	L	TBLS	11.7	41.1	125	7830/6940	9.00	DR08	18.6	215
V88532-3	315/80R22.5	18	154/150	M	TBLS	12.3	42.4	120	8270/7390	9.00	DR08	19.3	228



THOMAS TIRE SALES CO.



Make transportation on wheels safer

TORNADO

GL283A

Features & Benefits

- Dual compound tread with heat resistant material ensures suitability for long distance hauling.
- Specialized bead toe designed for improved durability.
- Mid/Long Haul Highway Service.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V88016-3	10R17.5	16	139/137	K	TBLS	10.0	33.6	125	5355/5070	7.50	CJ05	16.4	180
V88000-3	215/75R17.5	16	135/133	L	TBLS	8.3	30.2	125	4805/4540	6.00	DR04	15.1	164
V88011-3	235/75R17.5	16	143/141	L	TBLS	9.2	31.4	125	6005/5675	6.75	DR05	16.4	192
V88015-3	225/70R19.5	14	128/126	L	TBLS	8.9	31.9	100	3970/3750	6.75	DR06	16.4	176
V88020-3	245/70R19.5	16	136/134	M	TBLS	9.8	33.0	120	4940/4675	7.50	DR06	17.6	192
V88023-3	265/70R19.5	16	140/138	M	TBLS	10.3	34.1	110	5510/5205	7.50	DR06	16.4	212
V88034-3	11R22.5	14	144/142	M	TBLS	11.0	41.3	105	6175/5840	8.25	DR07	18.9	205
V88035-3	11R22.5	16	146/143	M	TBLS	11.0	41.3	120	6610/6005	8.25	DR07	18.9	205
V88025-3	225/70R22.5	16	140/137	M	TBLS	10.0	36.6	115	5510/5070	7.50	DR06	17.6	190
V88027-3	275/70R22.5	16	144/141	M	TBLS	10.9	37.7	120	6175/5675	8.25	DR07	18.9	218
V88070-3	275/80R22.5	16	147/144	M	TBLS	10.9	39.8	120	6780/6175	8.25	DR07	18.9	208
V88045-3	295/75R22.5	14	144/141	M	TBLS	11.7	39.9	110	6175/5675	9.00	DR08	18.9	/
V88046-3	295/75R22.5	16	146/143	L	TBLS	11.7	39.9	120	6610/6005	9.00	DR08	18.3	/
V88040-3	11R24.5	14	146/143	M	TBLS	11.0	43.5	105	6610/6005	8.25	DR08	18.9	/
V88042-3	11R24.5	16	149/146	L	TBLS	11.0	43.5	120	6610/6005	8.25	DR08	18.9	/
V88161-3	ST225/90R16	14	129/124	L	TBLS	8.5	31.7	120	7160/6610	6.00	TL	17.6	/
V88148-3	ST215/75R17.5	16	135/133	L	TBLS	8.3	30.2	125	4805/4540	6.00	DR04	15.1	164
V88149-3	ST235/75R17.5	16	143/141	L	TBLS	9.2	31.4	125	6005/5675	6.75	DR05	16.4	192
V88141-3	ST265/70R19.5	16	140/138	M	TBLS	10.3	34.1	110	5510/5205	7.50	DR06	16.4	212



TORNADO

GL289A



Make transportation on wheels safer

Features & Benefits

- Beefy, buttressed shoulders help resist tearing and accelerated wear in high scrub applications.
- Extra strong sidewalls to help protect against most impacts and abrasions for long casing life.
- Tapered grooves help deliver additional defense against stone drilling.
- High scrub compound (chip and cut resistant) makes the GL289A our longest wear regional steer tire.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V289003S	10R22.5	16	144/142	L	TBLS	10.0	40.2	130	6175/5840	R06	15.5	24.6	/
V289001T	11R22.5	16	146/143	M	TBLS	11.0	41.3	120	6610/6005	8.25	DR07	28.6	/
V289004T	275/80R22.5	16	147/144	M	TBLS	10.9	39.8	120	6780/6175	8.25	DR07	28.6	/
V289002T	11R24.5	16	149/146	L	TBLS	10.9	43.5	120	7160/6610	8.25	DR08	28.6	/
V289005T	285/75R24.5	18	147/144	L	TBLS	11.1	41.3	120	6780/6175	8.25	DR07	28.6	/



THOMAS TIRE SALES CO.



TORNADO

GL291A

Features & Benefits

- Unique corner design of the groove can avoid irregular wear .
- Unique groove bottom makes tire good self- clean property, which can effectively protect crown.
- Larger lateral groove at shoulder area guarantees tire better traction and grip.
- Optimized belt structure designing strengthens the rigidity and ffflex at crown, Designed for uniform wear.
- Mid/Long Haul Highway Service.

Make transportation on wheels safer

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V87251-3	12.00R24	20	160/157	K	TT	12.4	47.9	130	9920/9090	8.50	G09C	20.2	220



THOMAS TIRE SALES CO.



Make transportation on wheels safer

TORNADO

GL296A

Features & Benefits

- Unique tread pattern with straight grooves.
- Mid/Long Haul Highway Service.
- S shaped siping allows for excellent stability.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V88030-3	295/80R22.5	16	150/146	M	TBLS	11.7	41.1	115	7390/6780	9.00	DR08	19.5	222
V88031-3	295/80R22.5	18	152/148	L	TBLS	11.7	41.1	125	7830/6940	9.00	DR08	19.5	222
V88032-3	315/80R22.5	18	154/150	M	TBLS	12.3	42.4	120	8270/7390	9.00	DR08	20.8	236
V88033-3	315/80R22.5	20	156/150	L	TBLS	12.3	42.4	125	8820/7390	9.00	DR08	20.8	236



TORNADO



Make transportation on wheels safer

GL656D

Features & Benefits

- Aggressive 32/32nds tread design for the most demanding applications.
- Special compound helps resist cuts and chips.
- Stone ejectors prevent stone retention.
- Short/Mid Haul Mixed Service.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V88330-3	11R22.5	16	146/143	M	TBLS	11.0	41.3	120	6610/6005	8.25	DR07	30.9	/
V88335-3	11R24.5	18	149/146	L	TBLS	11.0	43.5	120	7610/6610	8.25	DR08	30.9	/



TORNADO



Make transportation on wheels safer

GL662A

Features & Benefits

- Aggressive on/offroad, all position radial.
- Designed for the extra traction with cut and chip resistant compound.
- Short/Mid Haul Mixed Service.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V88501-3	11R22.5	16	146/143	M	TBLS	11.0	41.3	120	6610/6005	8.25	DR07	19.3	/
V88588-3	11R24.5	16	149/146	L	TBLS	11.0	43.5	120	7610/6610	8.25	DR08	19.3	/



THOMAS TIRE SALES CO.



Make transportation on wheels safer

TORNADO

GL665A

Features & Benefits

- Double tread structure makes tire less heat.
- Deeper tread makes tire longer service life.
- Special pattern designing makes tire stronger traction.
- Lateral groove at shoulder area, which can strengthen heat dispersion, has higher durability.
- Completely new tread compound makes wear and tear resistance reach the optimum compromise.
- On & OffRoad ALL-position Radial.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V87003-3	13R22.5	18	154/150	K	TBLS	12.6	44.3	125	8270/7390	9.75	DR08	22.0	/
V87006-3	315/80R22.5	20	157/154	L	TBLS	12.3	42.4	130	8270/9090	9.00	DR08	22.7	238



TORNADO



Make transportation on wheels safer

GL671A

Features & Benefits

- Rugged 4-rib design delivers outstanding off-road and wet traction.
- Designed with special tear resistant compound.
- Shoulder lug grooves designed to aid in excellent traction.
- Short/Mid Haul Mixed Service.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V87125-3	255/70R22.5	16	140/137	M	TBLS	10.0	36.6	120	5510/5070	7.50	DR06	18.3	/
V87175-3	11R22.5	16	146/143	M	TBLS	11.0	41.3	120	6610/6005	8.25	DR07	20.2	/
V87188-3	11R24.5	16	149/146	L	TBLS	11.0	43.5	120	7160/6610	8.25	DR08	20.8	/
V87116-3	ST225/90R16	14	129/124	L	TBLS	8.5	31.7	120	4080/3520	6.00	TL	13.9	/



THOMAS TIRE SALES CO.



Make transportation on wheels safer

TORNADO

GL689A

Features & Benefits

- Specialized Z shaped grooves provide for excellent traction and braking abilities.
- Compound is specifically designed to ensure tear-resistance.
- The deep-grooved tread pattern allows for long service life.
- Short/Mid Haul Mixed Service.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V88421-3	385/65R22.5	20	160	K	TBLS	15.3	42.2	130	9920	11.75	TL	23.3	293
V88425-3	425/65R22.5	20	165	K	TBLS	16.9	44.3	120	11400	12.25	TL	23.3	/
V88427-3	445/65R22.5	20	169	K	TBLS	17.5	45.3	130	12800	13	TL	23.3	/



THOMAS TIRE SALES CO.



TORNADO

GL670T


Features & Benefits

- Open shoulder design improves tyre adaptability to transportation under various mixed road conditions.
- Good heat dispersion gives tyre excellent durability.
- Excellent compound makes tyre super strong abrasion resistance.
- Optimized crown designing gives tyre good puncture resistance.
- Strengthened carcass design gives tyre longer service life and can be retreaded several times.
- Trailer Use Only.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
-------	-----------	------------	------------	--------------	------	--------------------	-------------------	------------	---------------	------------------	------------	---------------------	------------------

V88225-3 445/65R22.5 20 169 K TBLS 17.5 45.3 130 12800 13 TL 21.4 350

Make transportation on wheels safer



THOMAS TIRE SALES CO.



TORNADO

GL251T

Features & Benefits

- Engineered to replace duals on highway and regional trailer axle fitments.
- Advanced tread compounds offer fuel efficiency balanced with wet traction and long even wear.
- The new generation wide base tire for trailer axles that deliver exceptional weight savings and fuel efficiency in regional and long-haul applications.
- Trailer Use Only.

Make transportation on wheels safer

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V88230-3	445/50R22.5	20	161	L	TBLS	17.5	40.1	120	10200	14	TL	16.0	380



THOMAS TIRE SALES CO.



Make transportation on wheels safer

TORNADO

GL285T

Features & Benefits

- Specialized tread compound designed for superb wear at highway speeds.
- Tread pattern provides for excellent drainage and slip resistance.
- SmartWay approved. Low Emission Technology.
- Mid/Long Haul Trailer Service – Trailer Use Only.
- All-Steel Casing.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V88105-3	11R22.5	14	144/142	M	TBLS	11.0	41.3	105	6175/5840	8.25	DR07	12.0	/
V88106-3	11R22.5	16	146/143	M	TBLS	11.0	41.3	120	6610/6005	8.25	DR07	12.0	/
V88125-3	295/75R22.5	14	144/141	M	TBLS	11.7	39.9	110	6175/5675	9.00	DR08	12.0	/
V88120-3	295/75R22.5	16	146/143	L	TBLS	11.7	39.9	120	6610/6005	8.25	DR08	12.0	/
V88131-3	11R24.5	14	149/146	M	TBLS	11.0	43.5	105	6610/6005	8.25	DR08	12.0	/
V88130-3	11R24.5	16	149/146	L	TBLS	11.0	43.5	120	7160/6610	8.25	DR08	12.0	/
V88102-3	285/75R24.5	14	144/141	M	TBLS	11.1	41.3	110	6175/5675	8.25	DR07	12.0	/
V88100-3	285/75R24.5	16	147/144	L	TBLS	11.1	41.3	120	6780/6175	9.00	DR07	12.0	/
V88142-3	ST235/85R16	14	132/127	M	TBLS	9.3	31.7	110	4400/3860	6.5	CF01	12.0	/
V88147-3	ST235/80R16	14	129/125	M	TBLS	9.3	31.1	110	4080/3640	6.5	CF01	12.0	/



THOMAS TIRE SALES CO.



Make transportation on wheels safer

TORNADO

GL286A

Features & Benefits

- Specialized tread compound designed for excellent wear at highway speeds.
- Tread pattern provides for superior drainage and slip resistance.
- Fine grooves ensure regular wear and improve stability.
- Mid/Long Haul Highway Service.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
-------	-----------	------------	------------	--------------	------	--------------------	-------------------	------------	---------------	------------------	------------	---------------------	------------------

V88210-3 385/65R22.5 18 158 L TBLS 15.2 42.2 120 9370 11.75 TL 19.3 293



Make transportation on wheels safer

TORNADO

GL286T

Features & Benefits

- Specialized tread compound designed for excellent wear at highway speeds.
- Tread pattern provides for superior drainage and slip resistance.
- Fine grooves ensure regular wear and improve stability.
- Mid/Long Haul Trailer Service – Trailer Use Only.

Cat #	Tyre Size	Ply Rating	Load Index	Speed Symbol	Type	Section Width (in)	Overall Diam (in)	Infl (psi)	Max Load (lb)	Design Rim Width	Tyre Valve	Tread Depth (32nds)	Tread Width (mm)
V88200-3	385/65R22.5	18	158	L	TBLS	15.3	42.2	125	9370	11.75	TL	19.5	293
V88206-3	425/65R22.5	18	165	K	TBLS	16.9	44.3	120	11400	12.25	TL	20.8	/