

Lavender_NG

SGID 011-0026


Date Fri Jan 13 14:10:33 MST 2017

PlateUID E.10


PipelineMD5 0fd1d9f97679c90b2f8729c20b5cf52a

Stability Ancestry

Greater genetic homozygosity leads to greater phenotypic stability which is the goal when breeding a consistently superior strain. Lavender_NG tested as 70.21 % homozygous (stable) and would be over 90% stable after 4 generations of sibling crosses.




Ancestry is a description of how Lavender_NG partitions into the four major clades currently identified within *Cannabis*. The pedigree of Lavender_NG is 0.00 % NLDT1 (similar to the Durban Poisons and Haze), 98.16 % NLDT2 (Hawaiian types fall into this clade), 1.83 % BLDT (Afghan and/or Kush genetics), and 0.00 % Hemp (like Carmagnola and USO-31).




Similarity Evolution

The heat map represents how similar at the DNA level Lavender_NG is in relation to those in our reference database. The most similar strains (darker) are more recently related strains.




The figure shows the closest relatives to Lavender_NG and it's most likely relation to fifteen popular and well-defined strains. Branch lengths are proportional to evolutionary distance.



Population Structure

The population structure is similar to the ancestry analysis, but shows Lavender_NG in the broader context of our reference database. Bars of a single color indicate strains with the smallest degree of admixture.



Cannabis is a diverse plant taxa with a complex breeding history. This star chart illustrates hybridization events leading to the modern strains. Evolutionary distance is measured outwards from the inside of the star. Connections between rays indicate the degree of hybridization between lines.

