

Alias	Code Page ID (to be used in CONVERTCP)	Description
037	37	IBM EBCDIC US-Canada
cp037	37	IBM EBCDIC US-Canada
cp37	37	IBM EBCDIC US-Canada
cpibm37	37	IBM EBCDIC US-Canada
csIBM037	37	IBM EBCDIC US-Canada
ebcdic-cp-ca	37	IBM EBCDIC US-Canada
ebcdic-cp-nl	37	IBM EBCDIC US-Canada
ebcdic-cp-us	37	IBM EBCDIC US-Canada
ebcdic-cp-wt	37	IBM EBCDIC US-Canada
IBM037	37	IBM EBCDIC US-Canada
ibm-037	37	IBM EBCDIC US-Canada
ibm-37	37	IBM EBCDIC US-Canada
cp437	437	OEM United States
csPC8CodePage437	437	OEM United States
IBM437	437	OEM United States
ibm-437	437	OEM United States
windows-437	437	OEM United States
CP500	500	IBM EBCDIC International
csIBM500	500	IBM EBCDIC International
ebcdic-cp-be	500	IBM EBCDIC International
ebcdic-cp-ch	500	IBM EBCDIC International
IBM500	500	IBM EBCDIC International
ibm-500	500	IBM EBCDIC International
ASMO-708	708	Arabic (ASMO 708)
DOS-720	720	Arabic (Transparent ASMO); Arabic (DOS)
ibm-720	720	Arabic (Transparent ASMO); Arabic (DOS)
windows-720	720	Arabic (Transparent ASMO); Arabic (DOS)
x-IBM720	720	Arabic (Transparent ASMO); Arabic (DOS)
cp737	737	OEM Greek (formerly 437G); Greek (DOS)
IBM737	737	OEM Greek (formerly 437G); Greek (DOS)
ibm-737	737	OEM Greek (formerly 437G); Greek (DOS)
windows-737	737	OEM Greek (formerly 437G); Greek (DOS)
x-IBM737	737	OEM Greek (formerly 437G); Greek (DOS)
cp775	775	OEM Baltic; Baltic (DOS)
csPC775Baltic	775	OEM Baltic; Baltic (DOS)
IBM775	775	OEM Baltic; Baltic (DOS)
ibm-775	775	OEM Baltic; Baltic (DOS)
windows-775	775	OEM Baltic; Baltic (DOS)
cp850	850	OEM Multilingual Latin 1; Western European (DOS)
csPC850Multilingual	850	OEM Multilingual Latin 1; Western European (DOS)
IBM850	850	OEM Multilingual Latin 1; Western European (DOS)
ibm-850	850	OEM Multilingual Latin 1; Western European (DOS)
windows-850	850	OEM Multilingual Latin 1; Western European (DOS)
cp852	852	OEM Latin 2; Central European (DOS)
csPCp852	852	OEM Latin 2; Central European (DOS)
IBM852	852	OEM Latin 2; Central European (DOS)
ibm-852	852	OEM Latin 2; Central European (DOS)
windows-852	852	OEM Latin 2; Central European (DOS)
cp855	855	OEM Cyrillic (primarily Russian)
csIBM855	855	OEM Cyrillic (primarily Russian)
csPCp855	855	OEM Cyrillic (primarily Russian)
IBM855	855	OEM Cyrillic (primarily Russian)
ibm-855	855	OEM Cyrillic (primarily Russian)
windows-855	855	OEM Cyrillic (primarily Russian)
cp857	857	OEM Turkish; Turkish (DOS)
csIBM857	857	OEM Turkish; Turkish (DOS)
IBM857	857	OEM Turkish; Turkish (DOS)
ibm-857	857	OEM Turkish; Turkish (DOS)
windows-857	857	OEM Turkish; Turkish (DOS)
CCSID00858	858	OEM Multilingual Latin 1 + Euro symbol
CP00858	858	OEM Multilingual Latin 1 + Euro symbol
cp858	858	OEM Multilingual Latin 1 + Euro symbol
IBM00858	858	OEM Multilingual Latin 1 + Euro symbol
ibm-858	858	OEM Multilingual Latin 1 + Euro symbol
PC-Multilingual-850+euro	858	OEM Multilingual Latin 1 + Euro symbol
windows-858	858	OEM Multilingual Latin 1 + Euro symbol
cp860	860	OEM Portuguese; Portuguese (DOS)
csIBM860	860	OEM Portuguese; Portuguese (DOS)
IBM860	860	OEM Portuguese; Portuguese (DOS)
ibm-860	860	OEM Portuguese; Portuguese (DOS)
cp861	861	OEM Icelandic; Icelandic (DOS)
cp-is	861	OEM Icelandic; Icelandic (DOS)
csIBM861	861	OEM Icelandic; Icelandic (DOS)
IBM861	861	OEM Icelandic; Icelandic (DOS)
ibm-861	861	OEM Icelandic; Icelandic (DOS)
windows-861	861	OEM Icelandic; Icelandic (DOS)
cp862	862	OEM Hebrew; Hebrew (DOS)
csPC862LatinHebrew	862	OEM Hebrew; Hebrew (DOS)
DOS-862	862	OEM Hebrew; Hebrew (DOS)
IBM862	862	OEM Hebrew; Hebrew (DOS)
ibm-862	862	OEM Hebrew; Hebrew (DOS)

Alias	Code Page ID (to be used in CONVERTCP)	Description
windows-862	862	OEM Hebrew; Hebrew (DOS)
cp863	863	OEM French Canadian; French Canadian (DOS)
csIBM863	863	OEM French Canadian; French Canadian (DOS)
IBM863	863	OEM French Canadian; French Canadian (DOS)
ibm-863	863	OEM French Canadian; French Canadian (DOS)
cp864	864	OEM Arabic; Arabic (864)
csIBM864	864	OEM Arabic; Arabic (864)
IBM864	864	OEM Arabic; Arabic (864)
ibm-864	864	OEM Arabic; Arabic (864)
cp865	865	OEM Nordic; Nordic (DOS)
csIBM865	865	OEM Nordic; Nordic (DOS)
IBM865	865	OEM Nordic; Nordic (DOS)
ibm-865	865	OEM Nordic; Nordic (DOS)
cp866	866	OEM Russian; Cyrillic (DOS)
csIBM866	866	OEM Russian; Cyrillic (DOS)
IBM866	866	OEM Russian; Cyrillic (DOS)
ibm-866	866	OEM Russian; Cyrillic (DOS)
windows-866	866	OEM Russian; Cyrillic (DOS)
cp869	869	OEM Modern Greek; Greek, Modern (DOS)
cp-gr	869	OEM Modern Greek; Greek, Modern (DOS)
csIBM869	869	OEM Modern Greek; Greek, Modern (DOS)
IBM869	869	OEM Modern Greek; Greek, Modern (DOS)
ibm-869	869	OEM Modern Greek; Greek, Modern (DOS)
windows-869	869	OEM Modern Greek; Greek, Modern (DOS)
CP870	870	IBM EBCDIC Multilingual/ROECE (Latin 2); IBM EBCDIC Multilingual Latin 2
csIBM870	870	IBM EBCDIC Multilingual/ROECE (Latin 2); IBM EBCDIC Multilingual Latin 2
ebcdic-cp-roece	870	IBM EBCDIC Multilingual/ROECE (Latin 2); IBM EBCDIC Multilingual Latin 2
ebcdic-cp-yu	870	IBM EBCDIC Multilingual/ROECE (Latin 2); IBM EBCDIC Multilingual Latin 2
IBM870	870	IBM EBCDIC Multilingual/ROECE (Latin 2); IBM EBCDIC Multilingual Latin 2
ibm-870	870	IBM EBCDIC Multilingual/ROECE (Latin 2); IBM EBCDIC Multilingual Latin 2
cp874	874	ANSI/OEM Thai (ISO 8859-11); Thai (Windows)
euclTH	874	ANSI/OEM Thai (ISO 8859-11); Thai (Windows)
ibm-1161	874	ANSI/OEM Thai (ISO 8859-11); Thai (Windows)
ibm-874	874	ANSI/OEM Thai (ISO 8859-11); Thai (Windows)
ibm-9066	874	ANSI/OEM Thai (ISO 8859-11); Thai (Windows)
MS874	874	ANSI/OEM Thai (ISO 8859-11); Thai (Windows)
TIS-620	874	ANSI/OEM Thai (ISO 8859-11); Thai (Windows)
tis620.2533	874	ANSI/OEM Thai (ISO 8859-11); Thai (Windows)
windows-874	874	ANSI/OEM Thai (ISO 8859-11); Thai (Windows)
x-IBM874	874	ANSI/OEM Thai (ISO 8859-11); Thai (Windows)
x-windows-874	874	ANSI/OEM Thai (ISO 8859-11); Thai (Windows)
cp875	875	IBM EBCDIC Greek Modern
ibm-4971	875	IBM EBCDIC Greek Modern
IBM875	875	IBM EBCDIC Greek Modern
ibm-875	875	IBM EBCDIC Greek Modern
ibm-9067	875	IBM EBCDIC Greek Modern
x-IBM875	875	IBM EBCDIC Greek Modern
cp932	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
cp932	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
cp943	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
cp943c	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
csShiftJIS	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
csWindows31J	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
ibm-932	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
ibm-932_VSUB_VPUA	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
ibm-942	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
ibm-942_VSUB_VPUA	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
ibm-943	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
ibm-943_VASCI_VSUB_VPUA	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
ibm-943_VSUB_VPUA	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
IBM-943C	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
MS_Kanji	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
ms932	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
pck	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
Shift_JIS	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
shift_jis78	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
sjis	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
sjis78	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
windows-31j	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
windows-932	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
x-IBM942	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
x-IBM942C	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
x-IBM943	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
x-JISAutoDetect	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
x-MS932_0213	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
x-ms-cp932	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
x-sjis	932	ANSI/OEM Japanese; Japanese (Shift-JIS)
cp1386	936	ANSI/OEM Simplified Chinese (PRC, Singapore); Chinese Simplified (GB2312)
CP936	936	ANSI/OEM Simplified Chinese (PRC, Singapore); Chinese Simplified (GB2312)
gb2312	936	ANSI/OEM Simplified Chinese (PRC, Singapore); Chinese Simplified (GB2312)
GBK	936	ANSI/OEM Simplified Chinese (PRC, Singapore); Chinese Simplified (GB2312)

Alias	Code Page ID (to be used in CONVERTCP)	Description
ibm-1386	936	ANSI/OEM Simplified Chinese (PRC, Singapore); Chinese Simplified (GB2312)
ibm-1386_VSUB_VPUA	936	ANSI/OEM Simplified Chinese (PRC, Singapore); Chinese Simplified (GB2312)
MS936	936	ANSI/OEM Simplified Chinese (PRC, Singapore); Chinese Simplified (GB2312)
windows-936	936	ANSI/OEM Simplified Chinese (PRC, Singapore); Chinese Simplified (GB2312)
cp949	949	ANSI/OEM Korean (Unified Hangul Code)
cp949c	949	ANSI/OEM Korean (Unified Hangul Code)
csKSC56011987	949	ANSI/OEM Korean (Unified Hangul Code)
ibm-949	949	ANSI/OEM Korean (Unified Hangul Code)
ibm-949_VASCII_VSUB_VPUA	949	ANSI/OEM Korean (Unified Hangul Code)
ibm-949_VSUB_VPUA	949	ANSI/OEM Korean (Unified Hangul Code)
IBM-949C	949	ANSI/OEM Korean (Unified Hangul Code)
ibm-951	949	ANSI/OEM Korean (Unified Hangul Code)
iso-ir-149	949	ANSI/OEM Korean (Unified Hangul Code)
korean	949	ANSI/OEM Korean (Unified Hangul Code)
KS_C_5601-1987	949	ANSI/OEM Korean (Unified Hangul Code)
KS_C_5601-1989	949	ANSI/OEM Korean (Unified Hangul Code)
KSC_5601	949	ANSI/OEM Korean (Unified Hangul Code)
ms949	949	ANSI/OEM Korean (Unified Hangul Code)
windows-949	949	ANSI/OEM Korean (Unified Hangul Code)
x-IBM949	949	ANSI/OEM Korean (Unified Hangul Code)
x-IBM949C	949	ANSI/OEM Korean (Unified Hangul Code)
x-IBM951	949	ANSI/OEM Korean (Unified Hangul Code)
x-KSC5601	949	ANSI/OEM Korean (Unified Hangul Code)
Big5	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
Big5_Solaris	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
big5hk	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
Big5-HKSCS	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
cp950	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
csBig5	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
hkb5	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
HKSCS-BIG5	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
ibm-1373	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
ibm-1375	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
ibm-5471	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
ibm-950	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
ms950	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
MS950_HKSCS	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
windows-950	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
x-big5	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
x-Big5-Solaris	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
x-IBM950	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
x-MS950-HKSCS	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
x-windows-950	950	ANSI/OEM Traditional Chinese (Taiwan; Hong Kong SAR, PRC); Chinese Traditional (Big5)
CP1026	1026	IBM EBCDIC Turkish (Latin 5)
csIBM1026	1026	IBM EBCDIC Turkish (Latin 5)
IBM01026	1026	IBM EBCDIC Turkish (Latin 5)
IBM1026	1026	IBM EBCDIC Turkish (Latin 5)
ibm-1026	1026	IBM EBCDIC Turkish (Latin 5)
cp1047	1047	IBM EBCDIC Latin 1/Open System
IBM01047	1047	IBM EBCDIC Latin 1/Open System
IBM1047	1047	IBM EBCDIC Latin 1/Open System
ibm-1047	1047	IBM EBCDIC Latin 1/Open System
CCSID01140	1140	IBM EBCDIC US-Canada (037 + Euro symbol); IBM EBCDIC (US-Canada-Euro)
CP01140	1140	IBM EBCDIC US-Canada (037 + Euro symbol); IBM EBCDIC (US-Canada-Euro)
cp1140	1140	IBM EBCDIC US-Canada (037 + Euro symbol); IBM EBCDIC (US-Canada-Euro)
ebcdic-us-37+euro	1140	IBM EBCDIC US-Canada (037 + Euro symbol); IBM EBCDIC (US-Canada-Euro)
IBM01140	1140	IBM EBCDIC US-Canada (037 + Euro symbol); IBM EBCDIC (US-Canada-Euro)
ibm-1140	1140	IBM EBCDIC US-Canada (037 + Euro symbol); IBM EBCDIC (US-Canada-Euro)
CCSID01141	1141	IBM EBCDIC Germany (20273 + Euro symbol); IBM EBCDIC (Germany-Euro)
CP01141	1141	IBM EBCDIC Germany (20273 + Euro symbol); IBM EBCDIC (Germany-Euro)
cp1141	1141	IBM EBCDIC Germany (20273 + Euro symbol); IBM EBCDIC (Germany-Euro)
ebcdic-de-273+euro	1141	IBM EBCDIC Germany (20273 + Euro symbol); IBM EBCDIC (Germany-Euro)
IBM01141	1141	IBM EBCDIC Germany (20273 + Euro symbol); IBM EBCDIC (Germany-Euro)
ibm-1141	1141	IBM EBCDIC Germany (20273 + Euro symbol); IBM EBCDIC (Germany-Euro)
CCSID01142	1142	IBM EBCDIC Denmark-Norway (20277 + Euro symbol); IBM EBCDIC (Denmark-Norway-Euro)
CP01142	1142	IBM EBCDIC Denmark-Norway (20277 + Euro symbol); IBM EBCDIC (Denmark-Norway-Euro)
cp1142	1142	IBM EBCDIC Denmark-Norway (20277 + Euro symbol); IBM EBCDIC (Denmark-Norway-Euro)
ebcdic-dk-277+euro	1142	IBM EBCDIC Denmark-Norway (20277 + Euro symbol); IBM EBCDIC (Denmark-Norway-Euro)
ebcdic-no-277+euro	1142	IBM EBCDIC Denmark-Norway (20277 + Euro symbol); IBM EBCDIC (Denmark-Norway-Euro)
IBM01142	1142	IBM EBCDIC Denmark-Norway (20277 + Euro symbol); IBM EBCDIC (Denmark-Norway-Euro)
ibm-1142	1142	IBM EBCDIC Denmark-Norway (20277 + Euro symbol); IBM EBCDIC (Denmark-Norway-Euro)
CCSID01143	1143	IBM EBCDIC Finland-Sweden (20278 + Euro symbol); IBM EBCDIC (Finland-Sweden-Euro)
CP01143	1143	IBM EBCDIC Finland-Sweden (20278 + Euro symbol); IBM EBCDIC (Finland-Sweden-Euro)
cp1143	1143	IBM EBCDIC Finland-Sweden (20278 + Euro symbol); IBM EBCDIC (Finland-Sweden-Euro)
ebcdic-fi-278+euro	1143	IBM EBCDIC Finland-Sweden (20278 + Euro symbol); IBM EBCDIC (Finland-Sweden-Euro)
ebcdic-se-278+euro	1143	IBM EBCDIC Finland-Sweden (20278 + Euro symbol); IBM EBCDIC (Finland-Sweden-Euro)
IBM01143	1143	IBM EBCDIC Finland-Sweden (20278 + Euro symbol); IBM EBCDIC (Finland-Sweden-Euro)
ibm-1143	1143	IBM EBCDIC Finland-Sweden (20278 + Euro symbol); IBM EBCDIC (Finland-Sweden-Euro)
CCSID01144	1144	IBM EBCDIC Italy (20280 + Euro symbol); IBM EBCDIC (Italy-Euro)
CP01144	1144	IBM EBCDIC Italy (20280 + Euro symbol); IBM EBCDIC (Italy-Euro)
cp1144	1144	IBM EBCDIC Italy (20280 + Euro symbol); IBM EBCDIC (Italy-Euro)

Alias	Code Page ID (to be used in CONVERTCP)	Description
ebcdic-it-280+euro	1144	IBM EBCDIC Italy (20280 + Euro symbol); IBM EBCDIC (Italy-Euro)
IBM01144	1144	IBM EBCDIC Italy (20280 + Euro symbol); IBM EBCDIC (Italy-Euro)
ibm-1144	1144	IBM EBCDIC Italy (20280 + Euro symbol); IBM EBCDIC (Italy-Euro)
CCSID01145	1145	IBM EBCDIC Latin America-Spain (20284 + Euro symbol); IBM EBCDIC (Spain-Euro)
CP01145	1145	IBM EBCDIC Latin America-Spain (20284 + Euro symbol); IBM EBCDIC (Spain-Euro)
cp1145	1145	IBM EBCDIC Latin America-Spain (20284 + Euro symbol); IBM EBCDIC (Spain-Euro)
ebcdic-es-284+euro	1145	IBM EBCDIC Latin America-Spain (20284 + Euro symbol); IBM EBCDIC (Spain-Euro)
IBM01145	1145	IBM EBCDIC Latin America-Spain (20284 + Euro symbol); IBM EBCDIC (Spain-Euro)
ibm-1145	1145	IBM EBCDIC Latin America-Spain (20284 + Euro symbol); IBM EBCDIC (Spain-Euro)
CCSID01146	1146	IBM EBCDIC United Kingdom (20285 + Euro symbol); IBM EBCDIC (UK-Euro)
CP01146	1146	IBM EBCDIC United Kingdom (20285 + Euro symbol); IBM EBCDIC (UK-Euro)
cp1146	1146	IBM EBCDIC United Kingdom (20285 + Euro symbol); IBM EBCDIC (UK-Euro)
ebcdic-gb-285+euro	1146	IBM EBCDIC United Kingdom (20285 + Euro symbol); IBM EBCDIC (UK-Euro)
IBM01146	1146	IBM EBCDIC United Kingdom (20285 + Euro symbol); IBM EBCDIC (UK-Euro)
ibm-1146	1146	IBM EBCDIC United Kingdom (20285 + Euro symbol); IBM EBCDIC (UK-Euro)
IBM01147	1147	IBM EBCDIC France (20297 + Euro symbol); IBM EBCDIC (France-Euro)
CCSID01148	1148	IBM EBCDIC International (500 + Euro symbol); IBM EBCDIC (International-Euro)
CP01148	1148	IBM EBCDIC International (500 + Euro symbol); IBM EBCDIC (International-Euro)
cp1148	1148	IBM EBCDIC International (500 + Euro symbol); IBM EBCDIC (International-Euro)
ebcdic-international-500+euro	1148	IBM EBCDIC International (500 + Euro symbol); IBM EBCDIC (International-Euro)
IBM01148	1148	IBM EBCDIC International (500 + Euro symbol); IBM EBCDIC (International-Euro)
ibm-1148	1148	IBM EBCDIC International (500 + Euro symbol); IBM EBCDIC (International-Euro)
CCSID01149	1149	IBM EBCDIC Icelandic (20871 + Euro symbol); IBM EBCDIC (Icelandic-Euro)
CP01149	1149	IBM EBCDIC Icelandic (20871 + Euro symbol); IBM EBCDIC (Icelandic-Euro)
cp1149	1149	IBM EBCDIC Icelandic (20871 + Euro symbol); IBM EBCDIC (Icelandic-Euro)
ebcdic-is-871+euro	1149	IBM EBCDIC Icelandic (20871 + Euro symbol); IBM EBCDIC (Icelandic-Euro)
IBM01149	1149	IBM EBCDIC Icelandic (20871 + Euro symbol); IBM EBCDIC (Icelandic-Euro)
ibm-1149	1149	IBM EBCDIC Icelandic (20871 + Euro symbol); IBM EBCDIC (Icelandic-Euro)
ibm-1202	1200	Unicode UTF-16, little endian byte order
ibm-1203	1200	Unicode UTF-16, little endian byte order
ibm-13490	1200	Unicode UTF-16, little endian byte order
ibm-13491	1200	Unicode UTF-16, little endian byte order
ibm-17586	1200	Unicode UTF-16, little endian byte order
ibm-17587	1200	Unicode UTF-16, little endian byte order
ibm-21682	1200	Unicode UTF-16, little endian byte order
ibm-21683	1200	Unicode UTF-16, little endian byte order
ibm-25778	1200	Unicode UTF-16, little endian byte order
ibm-25779	1200	Unicode UTF-16, little endian byte order
ibm-29874	1200	Unicode UTF-16, little endian byte order
ibm-29875	1200	Unicode UTF-16, little endian byte order
UnicodeLittleUnmarked	1200	Unicode UTF-16, little endian byte order
utf-16	1200	Unicode UTF-16, little endian byte order
UTF-16 LittleEndian	1200	Unicode UTF-16, little endian byte order
UTF-16LE	1200	Unicode UTF-16, little endian byte order
windows-1200	1200	Unicode UTF-16, little endian byte order
x-utf-16le	1200	Unicode UTF-16, little endian byte order
cp1200	1201	Unicode UTF-16, big endian byte order
cp1201	1201	Unicode UTF-16, big endian byte order
ibm-1200	1201	Unicode UTF-16, big endian byte order
ibm-1201	1201	Unicode UTF-16, big endian byte order
ibm-13488	1201	Unicode UTF-16, big endian byte order
ibm-13489	1201	Unicode UTF-16, big endian byte order
ibm-17584	1201	Unicode UTF-16, big endian byte order
ibm-17585	1201	Unicode UTF-16, big endian byte order
ibm-21680	1201	Unicode UTF-16, big endian byte order
ibm-21681	1201	Unicode UTF-16, big endian byte order
ibm-25776	1201	Unicode UTF-16, big endian byte order
ibm-25777	1201	Unicode UTF-16, big endian byte order
ibm-29872	1201	Unicode UTF-16, big endian byte order
ibm-29873	1201	Unicode UTF-16, big endian byte order
ibm-61955	1201	Unicode UTF-16, big endian byte order
ibm-61956	1201	Unicode UTF-16, big endian byte order
unicodeFFFE	1201	Unicode UTF-16, big endian byte order
UTF-16 BigEndian	1201	Unicode UTF-16, big endian byte order
UTF-16BE	1201	Unicode UTF-16, big endian byte order
windows-1201	1201	Unicode UTF-16, big endian byte order
x-utf-16be	1201	Unicode UTF-16, big endian byte order
cp1250	1250	ANSI Central European; Central European (Windows)
ibm-1250	1250	ANSI Central European; Central European (Windows)
ibm-5346	1250	ANSI Central European; Central European (Windows)
windows-1250	1250	ANSI Central European; Central European (Windows)
ANSI1251	1251	ANSI Cyrillic; Cyrillic (Windows)
cp1251	1251	ANSI Cyrillic; Cyrillic (Windows)
ibm-1251	1251	ANSI Cyrillic; Cyrillic (Windows)
ibm-5347	1251	ANSI Cyrillic; Cyrillic (Windows)
windows-1251	1251	ANSI Cyrillic; Cyrillic (Windows)
cp1252	1252	ANSI Latin 1; Western European (Windows)
ibm-1252	1252	ANSI Latin 1; Western European (Windows)
ibm-5348	1252	ANSI Latin 1; Western European (Windows)
windows-1252	1252	ANSI Latin 1; Western European (Windows)
cp1253	1253	ANSI Greek; Greek (Windows)

Alias	Code Page ID (to be used in CONVERTCP)	Description
ibm-1253	1253	ANSI Greek; Greek (Windows)
ibm-5349	1253	ANSI Greek; Greek (Windows)
windows-1253	1253	ANSI Greek; Greek (Windows)
bm-1254	1254	ANSI Turkish; Turkish (Windows)
cp1254	1254	ANSI Turkish; Turkish (Windows)
ibm-5350	1254	ANSI Turkish; Turkish (Windows)
windows-1254	1254	ANSI Turkish; Turkish (Windows)
cp1255	1255	ANSI Hebrew; Hebrew (Windows)
ibm-1255	1255	ANSI Hebrew; Hebrew (Windows)
ibm-5351	1255	ANSI Hebrew; Hebrew (Windows)
ibm-9447	1255	ANSI Hebrew; Hebrew (Windows)
windows-1255	1255	ANSI Hebrew; Hebrew (Windows)
cp1256	1256	ANSI Arabic; Arabic (Windows)
ibm-1256	1256	ANSI Arabic; Arabic (Windows)
ibm-5352	1256	ANSI Arabic; Arabic (Windows)
ibm-9448	1256	ANSI Arabic; Arabic (Windows)
windows-1256	1256	ANSI Arabic; Arabic (Windows)
x-windows-1256S	1256	ANSI Arabic; Arabic (Windows)
cp1257	1257	ANSI Baltic; Baltic (Windows)
ibm-1257	1257	ANSI Baltic; Baltic (Windows)
ibm-5353	1257	ANSI Baltic; Baltic (Windows)
ibm-9449	1257	ANSI Baltic; Baltic (Windows)
windows-1257	1257	ANSI Baltic; Baltic (Windows)
cp1258	1258	ANSI/OEM Vietnamese; Vietnamese (Windows)
ibm-1258	1258	ANSI/OEM Vietnamese; Vietnamese (Windows)
ibm-5354	1258	ANSI/OEM Vietnamese; Vietnamese (Windows)
windows-1258	1258	ANSI/OEM Vietnamese; Vietnamese (Windows)
johab	1361	Korean (Johab)
ksc5601_1992	1361	Korean (Johab)
ms1361	1361	Korean (Johab)
x-Johab	1361	Korean (Johab)
csMacintosh	10000	MAC Roman; Western European (Mac)
mac	10000	MAC Roman; Western European (Mac)
macintosh	10000	MAC Roman; Western European (Mac)
macroman	10000	MAC Roman; Western European (Mac)
windows-10000	10000	MAC Roman; Western European (Mac)
x-macroman	10000	MAC Roman; Western European (Mac)
x-mac-japanese	10001	Japanese (Mac)
x-mac-chinesetrad	10002	MAC Traditional Chinese (Big5); Chinese Traditional (Mac)
x-mac-korean	10003	Korean (Mac)
MacArabic	10004	Arabic (Mac)
x-MacArabic	10004	Arabic (Mac)
x-mac-arabic	10004	Arabic (Mac)
MacHebrew	10005	Hebrew (Mac)
x-MacHebrew	10005	Hebrew (Mac)
x-mac-hebrew	10005	Hebrew (Mac)
macgr	10006	Greek (Mac)
windows-10006	10006	Greek (Mac)
x-MacGreek	10006	Greek (Mac)
x-mac-greek	10006	Greek (Mac)
maccy	10007	Cyrillic (Mac)
mac-cyrillic	10007	Cyrillic (Mac)
windows-10007	10007	Cyrillic (Mac)
x-MacCyrillic	10007	Cyrillic (Mac)
x-mac-cyrillic	10007	Cyrillic (Mac)
x-mac-chinesesimp	10008	MAC Simplified Chinese (GB 2312); Chinese Simplified (Mac)
MacRomania	10010	Romanian (Mac)
x-MacRomania	10010	Romanian (Mac)
x-mac-romania	10010	Romanian (Mac)
x-mac-romanian	10010	Romanian (Mac)
x-MacUkraine	10017	Ukrainian (Mac)
x-mac-ukrainian	10017	Ukrainian (Mac)
MacThai	10021	Thai (Mac)
x-MacThai	10021	Thai (Mac)
x-mac-thai	10021	Thai (Mac)
macce	10029	MAC Latin 2; Central European (Mac)
maccentraleurope	10029	MAC Latin 2; Central European (Mac)
windows-10029	10029	MAC Latin 2; Central European (Mac)
x-mac-ce	10029	MAC Latin 2; Central European (Mac)
x-MacCentralEurope	10029	MAC Latin 2; Central European (Mac)
x-mac-centraleurroman	10029	MAC Latin 2; Central European (Mac)
MacIceland	10079	Icelandic (Mac)
x-MacIceland	10079	Icelandic (Mac)
x-mac-iceland	10079	Icelandic (Mac)
x-mac-icelandic	10079	Icelandic (Mac)
mactr	10081	Turkish (Mac)
windows-10081	10081	Turkish (Mac)
x-MacTurkish	10081	Turkish (Mac)
x-mac-turkish	10081	Turkish (Mac)
MacCroatian	10082	Croatian (Mac)
x-MacCroatian	10082	Croatian (Mac)

Alias	Code Page ID (to be used in CONVERTCP)	Description
x-mac-croatian	10082	Croatian (Mac)
ibm-1234	12000	Unicode UTF-32, little endian byte order
ibm-1235	12000	Unicode UTF-32, little endian byte order
utf-32	12000	Unicode UTF-32, little endian byte order
UTF32_LittleEndian	12000	Unicode UTF-32, little endian byte order
UTF-32LE	12000	Unicode UTF-32, little endian byte order
ibm-1232	12001	Unicode UTF-32, big endian byte order
ibm-1233	12001	Unicode UTF-32, big endian byte order
ibm-9424	12001	Unicode UTF-32, big endian byte order
UTF32_BigEndian	12001	Unicode UTF-32, big endian byte order
UTF-32BE	12001	Unicode UTF-32, big endian byte order
x-Chinese_CNS	20000	CNS Taiwan; Chinese Traditional (CNS)
x-cp20001	20001	TCA Taiwan
x_Chinese-Eten	20002	Eten Taiwan; Chinese Traditional (Eten)
x-cp20003	20003	IBM5550 Taiwan
x-cp20004	20004	TeleText Taiwan
x-cp20005	20005	Wang Taiwan
x-IA5	20105	IA5 (IRV International Alphabet No. 5, 7-bit); Western European (IA5)
x-IA5-German	20106	IA5 German (7-bit)
x-IA5-Swedish	20107	IA5 Swedish (7-bit)
x-IA5-Norwegian	20108	IA5 Norwegian (7-bit)
646	20127	US-ASCII (7-bit)
ANSI_X3.4-1968	20127	US-ASCII (7-bit)
ANSI_X3.4-1986	20127	US-ASCII (7-bit)
ASCII	20127	US-ASCII (7-bit)
ascii7	20127	US-ASCII (7-bit)
cp367	20127	US-ASCII (7-bit)
csASCII	20127	US-ASCII (7-bit)
ibm-367	20127	US-ASCII (7-bit)
ISO_646.irv:1991	20127	US-ASCII (7-bit)
ISO646-US	20127	US-ASCII (7-bit)
iso-ir-6	20127	US-ASCII (7-bit)
so_646.irv:1983	20127	US-ASCII (7-bit)
us	20127	US-ASCII (7-bit)
US-ASCII	20127	US-ASCII (7-bit)
windows-20127	20127	US-ASCII (7-bit)
x-cp20261	20261	T.61
x-cp20269	20269	ISO 6937 Non-Spacing Accent
273	20273	IBM EBCDIC Germany
CP273	20273	IBM EBCDIC Germany
csIBM273	20273	IBM EBCDIC Germany
ebcdic-de	20273	IBM EBCDIC Germany
IBM273	20273	IBM EBCDIC Germany
ibm-273	20273	IBM EBCDIC Germany
277	20277	IBM EBCDIC Denmark-Norway
cp277	20277	IBM EBCDIC Denmark-Norway
csIBM277	20277	IBM EBCDIC Denmark-Norway
EBCDIC-CP-DK	20277	IBM EBCDIC Denmark-Norway
EBCDIC-CP-NO	20277	IBM EBCDIC Denmark-Norway
ebcdic-dk	20277	IBM EBCDIC Denmark-Norway
IBM277	20277	IBM EBCDIC Denmark-Norway
ibm-277	20277	IBM EBCDIC Denmark-Norway
278	20278	IBM EBCDIC Finland-Sweden
cp278	20278	IBM EBCDIC Finland-Sweden
csIBM278	20278	IBM EBCDIC Finland-Sweden
ebcdic-cp-fi	20278	IBM EBCDIC Finland-Sweden
ebcdic-cp-se	20278	IBM EBCDIC Finland-Sweden
ebcdic-sv	20278	IBM EBCDIC Finland-Sweden
IBM278	20278	IBM EBCDIC Finland-Sweden
ibm-278	20278	IBM EBCDIC Finland-Sweden
280	20280	IBM EBCDIC Italy
CP280	20280	IBM EBCDIC Italy
csIBM280	20280	IBM EBCDIC Italy
ebcdic-cp-it	20280	IBM EBCDIC Italy
IBM280	20280	IBM EBCDIC Italy
ibm-280	20280	IBM EBCDIC Italy
284	20284	IBM EBCDIC Latin America-Spain
CP284	20284	IBM EBCDIC Latin America-Spain
cpibm284	20284	IBM EBCDIC Latin America-Spain
csIBM284	20284	IBM EBCDIC Latin America-Spain
ebcdic-cp-es	20284	IBM EBCDIC Latin America-Spain
IBM284	20284	IBM EBCDIC Latin America-Spain
ibm-284	20284	IBM EBCDIC Latin America-Spain
285	20285	IBM EBCDIC United Kingdom
CP285	20285	IBM EBCDIC United Kingdom
cpibm285	20285	IBM EBCDIC United Kingdom
csIBM285	20285	IBM EBCDIC United Kingdom
ebcdic-cp-gb	20285	IBM EBCDIC United Kingdom
ebcdic-gb	20285	IBM EBCDIC United Kingdom
IBM285	20285	IBM EBCDIC United Kingdom
ibm-285	20285	IBM EBCDIC United Kingdom

Alias	Code Page ID (to be used in CONVERTCP)	Description
cp290	20290	IBM EBCDIC Japanese Katakana Extended
csIBM290	20290	IBM EBCDIC Japanese Katakana Extended
EBCDIC-JP-kana	20290	IBM EBCDIC Japanese Katakana Extended
IBM290	20290	IBM EBCDIC Japanese Katakana Extended
ibm-290	20290	IBM EBCDIC Japanese Katakana Extended
297	20297	IBM EBCDIC France
cp297	20297	IBM EBCDIC France
cpibm297	20297	IBM EBCDIC France
csIBM297	20297	IBM EBCDIC France
ebcdic-cp-fr	20297	IBM EBCDIC France
IBM297	20297	IBM EBCDIC France
ibm-297	20297	IBM EBCDIC France
420	20420	IBM EBCDIC Arabic
cp420	20420	IBM EBCDIC Arabic
csIBM420	20420	IBM EBCDIC Arabic
ebcdic-cp-ar1	20420	IBM EBCDIC Arabic
IBM420	20420	IBM EBCDIC Arabic
ibm-420	20420	IBM EBCDIC Arabic
IBM423	20423	IBM EBCDIC Greek
424	20424	IBM EBCDIC Hebrew
cp424	20424	IBM EBCDIC Hebrew
csIBM424	20424	IBM EBCDIC Hebrew
ebcdic-cp-he	20424	IBM EBCDIC Hebrew
IBM424	20424	IBM EBCDIC Hebrew
ibm-424	20424	IBM EBCDIC Hebrew
ibm-833	20833	IBM EBCDIC Korean Extended
x-EBCDIC-KoreanExtended	20833	IBM EBCDIC Korean Extended
x-IBM833	20833	IBM EBCDIC Korean Extended
838	20838	IBM EBCDIC Thai
cp838	20838	IBM EBCDIC Thai
csIBMThai	20838	IBM EBCDIC Thai
IBM838	20838	IBM EBCDIC Thai
ibm-838	20838	IBM EBCDIC Thai
ibm-9030	20838	IBM EBCDIC Thai
IBM-Thai	20838	IBM EBCDIC Thai
cp878	20866	Russian (KOI8-R); Cyrillic (KOI8-R)
csKOI8R	20866	Russian (KOI8-R); Cyrillic (KOI8-R)
ibm-878	20866	Russian (KOI8-R); Cyrillic (KOI8-R)
koi8	20866	Russian (KOI8-R); Cyrillic (KOI8-R)
KOI8-R	20866	Russian (KOI8-R); Cyrillic (KOI8-R)
windows-20866	20866	Russian (KOI8-R); Cyrillic (KOI8-R)
871	20871	IBM EBCDIC Icelandic
CP871	20871	IBM EBCDIC Icelandic
csIBM871	20871	IBM EBCDIC Icelandic
ebcdic-cp-is	20871	IBM EBCDIC Icelandic
ebcdic-is	20871	IBM EBCDIC Icelandic
IBM871	20871	IBM EBCDIC Icelandic
ibm-871	20871	IBM EBCDIC Icelandic
cp880	20880	IBM EBCDIC Cyrillic Russian
csIBM880	20880	IBM EBCDIC Cyrillic Russian
EBCDIC-Cyrillic	20880	IBM EBCDIC Cyrillic Russian
IBM880	20880	IBM EBCDIC Cyrillic Russian
ibm-880	20880	IBM EBCDIC Cyrillic Russian
windows-20880	20880	IBM EBCDIC Cyrillic Russian
CP905	20905	IBM EBCDIC Turkish
csIBM905	20905	IBM EBCDIC Turkish
ebcdic-cp-tr	20905	IBM EBCDIC Turkish
IBM905	20905	IBM EBCDIC Turkish
ibm-905	20905	IBM EBCDIC Turkish
windows-20905	20905	IBM EBCDIC Turkish
CCSID00924	20924	IBM EBCDIC Latin 1/Open System (1047 + Euro symbol)
CP00924	20924	IBM EBCDIC Latin 1/Open System (1047 + Euro symbol)
ebcdic-Latin9--euro	20924	IBM EBCDIC Latin 1/Open System (1047 + Euro symbol)
IBM00924	20924	IBM EBCDIC Latin 1/Open System (1047 + Euro symbol)
ibm-924	20924	IBM EBCDIC Latin 1/Open System (1047 + Euro symbol)
EUC-JP	20932	Japanese (JIS 0208-1990 and 0212-1990)
1383	20936	Simplified Chinese (GB2312); Chinese Simplified (GB2312-80)
cp1383	20936	Simplified Chinese (GB2312); Chinese Simplified (GB2312-80)
csGB2312	20936	Simplified Chinese (GB2312); Chinese Simplified (GB2312-80)
EUC-CN	20936	Simplified Chinese (GB2312); Chinese Simplified (GB2312-80)
GB2312	20936	Simplified Chinese (GB2312); Chinese Simplified (GB2312-80)
hp15CN	20936	Simplified Chinese (GB2312); Chinese Simplified (GB2312-80)
ibm-1383	20936	Simplified Chinese (GB2312); Chinese Simplified (GB2312-80)
ibm-1383_VPUA	20936	Simplified Chinese (GB2312); Chinese Simplified (GB2312-80)
ibm-eucCN	20936	Simplified Chinese (GB2312); Chinese Simplified (GB2312-80)
windows-20936	20936	Simplified Chinese (GB2312); Chinese Simplified (GB2312-80)
x-cp20936	20936	Simplified Chinese (GB2312); Chinese Simplified (GB2312-80)
x-euc-cn	20936	Simplified Chinese (GB2312); Chinese Simplified (GB2312-80)
x-cp20949	20949	Korean Wansung
1025	21025	IBM EBCDIC Cyrillic Serbian-Bulgarian
cp1025	21025	IBM EBCDIC Cyrillic Serbian-Bulgarian

Alias	Code Page ID (to be used in CONVERTCP)	Description
ibm-1025	21025	IBM EBCDIC Cyrillic Serbian-Bulgarian
x-IBM1025	21025	IBM EBCDIC Cyrillic Serbian-Bulgarian
???	21027	(deprecated)
ibm-1168	21866	Ukrainian (KOI8-U); Cyrillic (KOI8-U)
KOI8-U	21866	Ukrainian (KOI8-U); Cyrillic (KOI8-U)
windows-21866	21866	Ukrainian (KOI8-U); Cyrillic (KOI8-U)
819	28591	ISO 8859-1 Latin 1; Western European (ISO)
8859_1	28591	ISO 8859-1 Latin 1; Western European (ISO)
cp819	28591	ISO 8859-1 Latin 1; Western European (ISO)
csISOLatin1	28591	ISO 8859-1 Latin 1; Western European (ISO)
IBM819	28591	ISO 8859-1 Latin 1; Western European (ISO)
ibm-819	28591	ISO 8859-1 Latin 1; Western European (ISO)
ISO_8859-1:1987	28591	ISO 8859-1 Latin 1; Western European (ISO)
ISO-8859-1	28591	ISO 8859-1 Latin 1; Western European (ISO)
iso-ir-100	28591	ISO 8859-1 Latin 1; Western European (ISO)
I1	28591	ISO 8859-1 Latin 1; Western European (ISO)
latin1	28591	ISO 8859-1 Latin 1; Western European (ISO)
912	28592	ISO 8859-2 Central European; Central European (ISO)
8859_2	28592	ISO 8859-2 Central European; Central European (ISO)
cp912	28592	ISO 8859-2 Central European; Central European (ISO)
csISOLatin2	28592	ISO 8859-2 Central European; Central European (ISO)
ibm-912	28592	ISO 8859-2 Central European; Central European (ISO)
ISO_8859-2:1987	28592	ISO 8859-2 Central European; Central European (ISO)
ISO-8859-2	28592	ISO 8859-2 Central European; Central European (ISO)
iso-ir-101	28592	ISO 8859-2 Central European; Central European (ISO)
I2	28592	ISO 8859-2 Central European; Central European (ISO)
latin2	28592	ISO 8859-2 Central European; Central European (ISO)
windows-28592	28592	ISO 8859-2 Central European; Central European (ISO)
913	28593	ISO 8859-3 Latin 3
8859_3	28593	ISO 8859-3 Latin 3
cp913	28593	ISO 8859-3 Latin 3
csISOLatin3	28593	ISO 8859-3 Latin 3
ibm-913	28593	ISO 8859-3 Latin 3
ISO_8859-3:1988	28593	ISO 8859-3 Latin 3
ISO-8859-3	28593	ISO 8859-3 Latin 3
iso-ir-109	28593	ISO 8859-3 Latin 3
I3	28593	ISO 8859-3 Latin 3
latin3	28593	ISO 8859-3 Latin 3
windows-28593	28593	ISO 8859-3 Latin 3
914	28594	ISO 8859-4 Baltic
8859_4	28594	ISO 8859-4 Baltic
cp914	28594	ISO 8859-4 Baltic
csISOLatin4	28594	ISO 8859-4 Baltic
ibm-914	28594	ISO 8859-4 Baltic
ISO_8859-4:1988	28594	ISO 8859-4 Baltic
ISO-8859-4	28594	ISO 8859-4 Baltic
iso-ir-110	28594	ISO 8859-4 Baltic
I4	28594	ISO 8859-4 Baltic
latin4	28594	ISO 8859-4 Baltic
windows-28594	28594	ISO 8859-4 Baltic
915	28595	ISO 8859-5 Cyrillic
8859_5	28595	ISO 8859-5 Cyrillic
cp915	28595	ISO 8859-5 Cyrillic
csISOLatinCyrillic	28595	ISO 8859-5 Cyrillic
cyrillic	28595	ISO 8859-5 Cyrillic
ibm-915	28595	ISO 8859-5 Cyrillic
ISO_8859-5:1988	28595	ISO 8859-5 Cyrillic
ISO-8859-5	28595	ISO 8859-5 Cyrillic
iso-ir-144	28595	ISO 8859-5 Cyrillic
windows-28595	28595	ISO 8859-5 Cyrillic
1089	28596	ISO 8859-6 Arabic
8859_6	28596	ISO 8859-6 Arabic
arabic	28596	ISO 8859-6 Arabic
ASMO-708	28596	ISO 8859-6 Arabic
cp1089	28596	ISO 8859-6 Arabic
csISOLatinArabic	28596	ISO 8859-6 Arabic
ECMA-114	28596	ISO 8859-6 Arabic
ibm-1089	28596	ISO 8859-6 Arabic
ISO_8859-6:1987	28596	ISO 8859-6 Arabic
ISO-8859-6	28596	ISO 8859-6 Arabic
ISO-8859-6-E	28596	ISO 8859-6 Arabic
ISO-8859-6-I	28596	ISO 8859-6 Arabic
iso-ir-127	28596	ISO 8859-6 Arabic
windows-28596	28596	ISO 8859-6 Arabic
x-ISO-8859-6S	28596	ISO 8859-6 Arabic
8859_7	28597	ISO 8859-7 Greek
csISOLatinGreek	28597	ISO 8859-7 Greek
ECMA-118	28597	ISO 8859-7 Greek
ELOT_928	28597	ISO 8859-7 Greek
greek	28597	ISO 8859-7 Greek
greek8	28597	ISO 8859-7 Greek

Alias	Code Page ID (to be used in CONVERTCP)	Description
ibm-9005	28597	ISO 8859-7 Greek
ISO_8859-7:1987	28597	ISO 8859-7 Greek
ISO-8859-7	28597	ISO 8859-7 Greek
iso-ir-126	28597	ISO 8859-7 Greek
sun_eu_greek	28597	ISO 8859-7 Greek
windows-28597	28597	ISO 8859-7 Greek
8859_8	28598	ISO 8859-8 Hebrew; Hebrew (ISO-Visual)
csISOLatinHebrew	28598	ISO 8859-8 Hebrew; Hebrew (ISO-Visual)
hebrew	28598	ISO 8859-8 Hebrew; Hebrew (ISO-Visual)
hebrew8	28598	ISO 8859-8 Hebrew; Hebrew (ISO-Visual)
ibm-5012	28598	ISO 8859-8 Hebrew; Hebrew (ISO-Visual)
ISO_8859-8:1988	28598	ISO 8859-8 Hebrew; Hebrew (ISO-Visual)
ISO-8859-8	28598	ISO 8859-8 Hebrew; Hebrew (ISO-Visual)
ISO-8859-8-E	28598	ISO 8859-8 Hebrew; Hebrew (ISO-Visual)
iso-ir-138	28598	ISO 8859-8 Hebrew; Hebrew (ISO-Visual)
windows-28598	28598	ISO 8859-8 Hebrew; Hebrew (ISO-Visual)
920	28599	ISO 8859-9 Turkish
8859_9	28599	ISO 8859-9 Turkish
cp920	28599	ISO 8859-9 Turkish
csISOLatin5	28599	ISO 8859-9 Turkish
ECMA-128	28599	ISO 8859-9 Turkish
ibm-920	28599	ISO 8859-9 Turkish
ISO_8859-9:1989	28599	ISO 8859-9 Turkish
ISO-8859-9	28599	ISO 8859-9 Turkish
iso-ir-148	28599	ISO 8859-9 Turkish
I5	28599	ISO 8859-9 Turkish
latin5	28599	ISO 8859-9 Turkish
turkish	28599	ISO 8859-9 Turkish
turkish8	28599	ISO 8859-9 Turkish
windows-28599	28599	ISO 8859-9 Turkish
921	28603	ISO 8859-13 Estonian
8859_13	28603	ISO 8859-13 Estonian
cp921	28603	ISO 8859-13 Estonian
ibm-921	28603	ISO 8859-13 Estonian
ISO-8859-13	28603	ISO 8859-13 Estonian
windows-28603	28603	ISO 8859-13 Estonian
x-IBM921	28603	ISO 8859-13 Estonian
923	28605	ISO 8859-15 Latin 9
8859_15	28605	ISO 8859-15 Latin 9
cp923	28605	ISO 8859-15 Latin 9
csisolatin0	28605	ISO 8859-15 Latin 9
csisolatin9	28605	ISO 8859-15 Latin 9
ibm-923	28605	ISO 8859-15 Latin 9
iso8859_15_fdis	28605	ISO 8859-15 Latin 9
ISO-8859-15	28605	ISO 8859-15 Latin 9
I9	28605	ISO 8859-15 Latin 9
latin0	28605	ISO 8859-15 Latin 9
Latin-9	28605	ISO 8859-15 Latin 9
windows-28605	28605	ISO 8859-15 Latin 9
x-Europa	29001	Europa 3
iso-8859-8-i	38598	ISO 8859-8 Hebrew; Hebrew (ISO-Logical)
csISO2022JP	50220	ISO 2022 Japanese with no halfwidth Katakana; Japanese (JIS)
ISO-2022-JP	50220	ISO 2022 Japanese with no halfwidth Katakana; Japanese (JIS)
x-windows-50220	50220	ISO 2022 Japanese with no halfwidth Katakana; Japanese (JIS)
x-windows-iso2022jp	50220	ISO 2022 Japanese with no halfwidth Katakana; Japanese (JIS)
csJISEncoding	50221	ISO 2022 Japanese with halfwidth Katakana; Japanese (JIS-Allow 1 byte Kana)
ibm-5054	50221	ISO 2022 Japanese with halfwidth Katakana; Japanese (JIS-Allow 1 byte Kana)
ISO-2022-JP-1	50221	ISO 2022 Japanese with halfwidth Katakana; Japanese (JIS-Allow 1 byte Kana)
JIS	50221	ISO 2022 Japanese with halfwidth Katakana; Japanese (JIS-Allow 1 byte Kana)
JIS_Encoding	50221	ISO 2022 Japanese with halfwidth Katakana; Japanese (JIS-Allow 1 byte Kana)
x-windows-50221	50221	ISO 2022 Japanese with halfwidth Katakana; Japanese (JIS-Allow 1 byte Kana)
iso-2022-jp	50222	ISO 2022 Japanese JIS X 0201-1989; Japanese (JIS-Allow 1 byte Kana - SO/SI)
iso-2022-kr	50225	ISO 2022 Korean
x-cp50227	50227	ISO 2022 Simplified Chinese; Chinese Simplified (ISO 2022)
???	50229	ISO 2022 Traditional Chinese
euc-jp	51932	EUC Japanese
EUC-CN	51936	EUC Simplified Chinese; Chinese Simplified (EUC)
970	51949	EUC Korean
5601	51949	EUC Korean
cp970	51949	EUC Korean
csEUCKR	51949	EUC Korean
EUC-KR	51949	EUC Korean
ibm-970	51949	EUC Korean
ibm-970_VPUA	51949	EUC Korean
ibm-eucKR	51949	EUC Korean
KS_C_5601-1987	51949	EUC Korean
KSC_5601	51949	EUC Korean
windows-51949	51949	EUC Korean
x-euc-kr	51949	EUC Korean
x-IBM970	51949	EUC Korean
hz-gb-2312	52936	HZ-GB2312 Simplified Chinese; Chinese Simplified (HZ)

Alias	Code Page ID (to be used in CONVERTCP)	Description
gb18030	54936	Windows XP and later: GB18030 Simplified Chinese (4 byte); Chinese Simplified (GB18030)
ibm-1392	54936	Windows XP and later: GB18030 Simplified Chinese (4 byte); Chinese Simplified (GB18030)
windows-54936	54936	Windows XP and later: GB18030 Simplified Chinese (4 byte); Chinese Simplified (GB18030)
ibm-4902	57002	ISCII Devanagari
iscii-dev	57002	ISCII Devanagari
windows-57002	57002	ISCII Devanagari
x-ISCII91	57002	ISCII Devanagari
x-iscii-de	57002	ISCII Devanagari
iscii-bng	57003	ISCII Bangla
windows-57003	57003	ISCII Bangla
x-iscii-be	57003	ISCII Bangla
iscii-tml	57004	ISCII Tamil
windows-57004	57004	ISCII Tamil
x-iscii-ta	57004	ISCII Tamil
iscii-tlg	57005	ISCII Telugu
windows-57005	57005	ISCII Telugu
x-iscii-te	57005	ISCII Telugu
windows-57006	57006	ISCII Assamese
x-iscii-as	57006	ISCII Assamese
iscii-ori	57007	ISCII Odia
windows-57007	57007	ISCII Odia
x-iscii-or	57007	ISCII Odia
iscii-knd	57008	ISCII Kannada
windows-57008	57008	ISCII Kannada
x-iscii-ka	57008	ISCII Kannada
iscii-mlm	57009	ISCII Malayalam
windows-57009	57009	ISCII Malayalam
x-iscii-ma	57009	ISCII Malayalam
iscii-guj	57010	ISCII Gujarati
windows-57010	57010	ISCII Gujarati
x-iscii-gu	57010	ISCII Gujarati
iscii-gur	57011	ISCII Punjabi
windows-57011	57011	ISCII Punjabi
x-iscii-pa	57011	ISCII Punjabi
unicode-1-1-utf-7	65000	Unicode (UTF-7)
unicode-2-0-utf-7	65000	Unicode (UTF-7)
UTF-7	65000	Unicode (UTF-7)
windows-65000	65000	Unicode (UTF-7)
cp1208	65001	Unicode (UTF-8)
ibm-1208	65001	Unicode (UTF-8)
ibm-1209	65001	Unicode (UTF-8)
ibm-13496	65001	Unicode (UTF-8)
ibm-13497	65001	Unicode (UTF-8)
ibm-17592	65001	Unicode (UTF-8)
ibm-17593	65001	Unicode (UTF-8)
ibm-5304	65001	Unicode (UTF-8)
ibm-5305	65001	Unicode (UTF-8)
unicode-1-1-utf-8	65001	Unicode (UTF-8)
unicode-2-0-utf-8	65001	Unicode (UTF-8)
UTF-8	65001	Unicode (UTF-8)
windows-65001	65001	Unicode (UTF-8)
x-UTF_8J	65001	Unicode (UTF-8)