

# Structured Reference to HTML Elements

A logical overview of HTML elements highlighting their roles and organization within a web page.

by Brahim BOUSSADA

[LinkedIn](#)

[GitHub](#)

[Instagram](#)

# 1. Document Type & Root

`<!DOCTYPE html>`

Declares HTML5 document type; tells browser how to interpret HTML

`<html>`

Root element of the page; contains **`<head>`** and **`<body>`**

## 2. Head & Metadata

`<title>`

Page title shown in browser tab; important for SEO

`<meta>`

Metadata about the page (description, Open Graph, charset, viewport, SEO, etc.)

`<link>`

Links external resources (CSS, icons, fonts)

`<script>`

JavaScript code or external JS files

`<style>`

Internal CSS styles.

## 3. Body & Page Structure

`<body>`

Container for all visible page content

`<header>`

Header of page or section; usually contains logo, nav, and occasional buttons

`<nav>`

Navigation links

`<aside>`

Content beside or around the main page, like sidebars, related links, or tips.

`<main>`

Main content of the page

`<section>`

is a block of content about a single topic, usually with a heading.

`<article>`

Independent content (blog post, news)

`<div>`

Generic block container for layout or styling

`<span>` An inline element used to style or add behavior to part of text.

`<footer>` is the bottom part of a page or section with contact info, copyright, or links.

## 4. Text & Typography

`<h1>–<h6>` Headings that structure content hierarchically; `<h1>` is the main heading, `<h6>` the least important.

`<p>` Paragraph; groups sentences together as a block of text.

`<br>` Line break; moves text to the next line without creating a new paragraph.

`<hr>` Horizontal rule; visually separates content sections.

`<strong>` Text with strong importance; browsers typically render as **bold**.

`<em>` Emphasized text; browsers typically render as *italic*.

## 5. Links & Media

`<a>` Anchor/link to another page, section, or file; uses **href** attribute

`<img>` Displays an image; **src** defines the file, **alt** provides descriptive text.

`<video>` Embeds a video; supports attributes like **controls**, **autoplay**, and **loop**.

`<audio>` Embeds audio; supports **controls**, **autoplay**, and similar attributes.

`<figure>` Groups media content (image, video, diagram) as a single unit.

`<figcaption>` Adds a caption or description for content inside a `<figure>`.

## 6. List

|                         |                                                                       |
|-------------------------|-----------------------------------------------------------------------|
| <code>&lt;ol&gt;</code> | Ordered (numbered) list.                                              |
| <code>&lt;ul&gt;</code> | Unordered (bulleted) list.                                            |
| <code>&lt;li&gt;</code> | List item inside <code>&lt;ul&gt;</code> or <code>&lt;ol&gt;</code> . |

## 7. Tables

|                            |                                                       |
|----------------------------|-------------------------------------------------------|
| <code>&lt;table&gt;</code> | Defines a table.                                      |
| <code>&lt;tr&gt;</code>    | Table row                                             |
| <code>&lt;th&gt;</code>    | Header cell in a table; bold and centered by default. |
| <code>&lt;td&gt;</code>    | Standard table cell with data.                        |

## 8. Forms & Input

|                               |                                                                                        |
|-------------------------------|----------------------------------------------------------------------------------------|
| <code>&lt;form&gt;</code>     | Container for form elements; defines how data is submitted.                            |
| <code>&lt;input&gt;</code>    | Single-line input field; type defined by type attribute (text, password, email, etc.). |
| <code>&lt;label&gt;</code>    | Text label for form inputs; improves accessibility.                                    |
| <code>&lt;textarea&gt;</code> | Multi-line text input.                                                                 |
| <code>&lt;select&gt;</code>   | Dropdown list.                                                                         |
| <code>&lt;option&gt;</code>   | Individual option inside <code>&lt;select&gt;</code> .                                 |
| <code>&lt;button&gt;</code>   | Clickable button; to submit forms or trigger actions.                                  |

## 9. Comments / Notes

```
<!-- -->
```

HTML comment; ignored by the browser.  
Example: `<!-- my comment -- >`

## 10. Template

```
<!DOCTYPE html>
<html lang="en">
<head>...</head>
<body>

<header>
  
  <nav>
    <a href="...">...</a>
    <a href="...">...</a>
  </nav>
</header>

<main>
  <section>
    <h1>...</h1>
    <p>...</p>
  </section>

  <section>
    <h1>...</h1>
    <p>...<span>...</span></p>
  </section>

</main>

<footer>
  <p>...</p>
  <nav>
    <a href="...">...</a>
    <a href="...">...</a>
  </nav>
</footer>

</body>
</html>
```

**Good\_Luck!**