
delivery_navigation_eve...
id INT
session_id INT
delivery_id INT
driver_id VARCHAR(20)
event_type ENUM(...)
event_data JSON
location_lat DECIMAL(10,8)
location_lng DECIMAL(11,8)
notes TEXT
created_at DATETIME
Indexes
product_collectio...
id INT
product_id INT
collection_id INT
display_order INT
created_at DATETIME
Indexes
delivery_navigation_sessio...
id INT
delivery_id INT
driver_id VARCHAR(20)
session_status ENUM(...)
navigation_started_at DATETIME
navigation_paused_at DATETIME
navigation_resumed_at DATETIME
navigation_completed_at DATETIME
navigation_cancelled_at DATETIME
current_lat DECIMAL(10,8)
current_lng DECIMAL(11,8)
destination_lat DECIMAL(10,8)
destination_lng DECIMAL(11,8)
total_distance_km DECIMAL(8,2)
remaining_distance_km DECIMAL(8,2)
current_speed_kmh DECIMAL(5,2)
average_speed_kmh DECIMAL(5,2)
eta_seconds INT
total_navigation_time_seconds INT
pause_count INT
voice_enabled TINYINT(1)
traffic_visible TINYINT(1)
route_data JSON
last_instruction TEXT
current_step_index INT
last_update_at DATETIME
update_count INT
battery_level INT
device_info JSON
audit_users
id INT
usuario_id VARCHAR(20)
accion VARCHAR(10)
usuario_modificador VARCHAR(2...
sql_usuario VARCHAR(255)
fecha TIMESTAMP
detalles TEXT
Indexes
carts
id INT
user_id VARCHAR(50)
session_id VARCHAR(25...
created_at DATETIME
updated_at DATETIME
Indexes
driver_statistics
id INT
driver_id VARCHAR(20)
total_deliveries INT
deliveries_today INT
deliveries_week INT
deliveries_month INT
delivery_navigation_cancellatio...
id INT
delivery_id INT
driver_id VARCHAR(50)
session_id INT
cancellation_reason ENUM(...)
cancellation_notes TEXT


discount_codes
id INT
code VARCHAR(20)
discount_type_id INT
discount_value DECIMAL(10,...
max_uses INT
used_count INT
start_date DATETIME
end_date DATETIME
is_active TINYINT(1)
is_single_use TINYINT(1)
created_by VARCHAR(20)
created_at DATETIME
updated_at DATETIME
Indexes
order_items
id INT
order_id INT
product_id INT
color_variant_id INT
size_variant_id INT
product_name VARCHAR(255)
variant_name VARCHAR(255)
price DECIMAL(10,2)
quantity INT
total DECIMAL(10,2)
created_at DATETIME
Indexes
discount_code_produc...
id INT
discount_code_id INT
product_id INT
created_at DATETIME
Indexes
delivery_problem_repo...
id INT
delivery_id INT
driver_id VARCHAR(50)
session_id INT
problem_type ENUM(...)
problem_title VARCHAR(255)
problem_description TEXT
severity ENUM(...)
latitude DECIMAL(10,8)
longitude DECIMAL(11,8)
location_accuracy INT
photo_path VARCHAR(500)
status ENUM(...)
admin_notes TEXT
resolved_at TIMESTAMP
resolved_by VARCHAR(50)
device_info JSON
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes
Triggers
collections
id INT
name VARCHAR(100)
slug VARCHAR(100)
description MEDIUMTE...
image VARCHAR(255)
launch_date DATE
is_active TINYINT(1)
created_at DATETIME
updated_at DATETIME
Indexes
bulk_discount_rules
id INT
min_quantity INT
max_quantity INT
discount_percentage DECIMAL(5,...
is_active TINYINT(1)
created_at DATETIME
updated_at DATETIME
Indexes
colombian_ban...
id INT
bank_code VARCHAR(10)
bank_name VARCHAR(10...
is_active TINYINT(1)
Indexes
discount_code_usa...
id INT
discount_code_id INT
user_id VARCHAR(20)
order_id INT
used_at DATETIME
Indexes
question_answe...
id INT
question_id INT
user_id VARCHAR(20)
answer TEXT
is_seller TINYINT(1)
created_at DATETIME
Indexes
search_history
id INT
user_id VARCHAR(20)
search_term VARCHAR(25...
created_at DATETIME
Indexes
discount_types
id INT
name VARCHAR(50)
description VARCHAR(25...
is_active TINYINT(1)
created_at DATETIME
updated_at DATETIME
Indexes
review_vot...
id INT
review_id INT
user_id VARCHAR(20)
is_helpful TINYINT(1)
created_at DATETIME
Indexes
users
id VARCHAR(20)
name VARCHAR(100)
email VARCHAR(100)
phone VARCHAR(15)
identification_type ENUM(...)
identification_number VARCHAR(2...
variant_images
id INT
color_variant_id INT
product_id INT
image_path VARCHAR(25...
alt_text VARCHAR(255)
order INT
cart_items
id INT
cart_id INT
product_id INT
color_variant_id INT
size_variant_id INT
quantity INT
product_color_varia...
id INT
product_id INT
color_id INT
is_default TINYINT(1)
Indexes


user_addresses
id INT
user_id VARCHAR(20)
address_type ENUM(...)
alias VARCHAR(50)
recipient_name VARCHAR(100)
recipient_phone VARCHAR(15)
address VARCHAR(255)
complement VARCHAR(100)
neighborhood VARCHAR(100)
building_type ENUM(...)
building_name VARCHAR(100)
apartment_number VARCHAR(2...
delivery_instructions TEXT
is_default TINYINT(1)
is_active TINYINT(1)
created_at DATETIME
updated_at DATETIME
gps_latitude DECIMAL(10,8)
gps_longitude DECIMAL(11,8)
gps_accuracy DECIMAL(10,2)
gps_timestamp DATETIME
gps_used TINYINT(1)
Indexes
products
id INT
name VARCHAR(255)
slug VARCHAR(255)
description TEXT
brand VARCHAR(100)
gender ENUM(...)
collection VARCHAR(50)
material VARCHAR(100)
care_instructions TEXT
compare_price DECIMAL(10,...
price DECIMAL(10,2)
category_id INT
collection_id INT
is_featured TINYINT(1)
is_active TINYINT(1)
created_at DATETIME
updated_at DATETIME
Indexes
location_tra
id INT
delivery_id INT
driver_id VARCH
latitude DECIMA
longitude DECIM
accuracy DECIM
speed DECIMAL(
heading DECIMA
altitude DECIMA
battery_level IN
is_moving TINYI
recorded_at TIM
Indexes
navigation_eve...
id INT
delivery_id INT
driver_id VARCHAR(20)
event_type ENUM(...)
event_data JSON
latitude DECIMAL(10,8)
longitude DECIMAL(11,8)
created_at TIMESTAMP
Indexes
popular_searches
id INT
search_term VARCHAR(25...
search_count INT
last_searched DATETIME
Indexes
sliders
id INT
title VARCHAR(255)
subtitle VARCHAR(25...
image VARCHAR(500)
link VARCHAR(500)
order_position INT
is_active TINYINT(1)
created_at DATETIME
updated_at DATETIME
Indexes
v_order_history_summa...
categories
id INT
name VARCHAR(100)
slug VARCHAR(100)
description TEXT
image VARCHAR(255)
parent_id INT
is_active TINYINT(1)
created_at DATETIME
updated_at DATETI...
Indexes
Triggers
bank_accou
id INT
bank_code VARC
account_numbe
account_type EN
account_holder
identification_typ
identification_nu
email VARCHAR(
phone VARCHAR
is_active TINYIN
created_by VARC
created_at DATE
updated_at DAT
Indexes
product_size_varia...
id INT
color_variant_id INT
size_id INT
sku VARCHAR(50)
barcode VARCHAR(50)
price DECIMAL(10,2)
user_applied_discou...
id INT
user_id VARCHAR(20)
discount_code_id INT
discount_code VARCHAR(20)
discount_amount DECIMAL(10,2)
applied_at DATETIME


acki...
AR(20)
L(10,8)
IAL(11,8)
AL(10,2)
(6,2)
AL(5,2)
L(8,2)
T
INT(1)
IESTAMP


nt_config
CHAR(10)
VARCHAR(50)
IUM(...)
VARCHAR(100)
pe ENUM(...)
mber VARCHAR(2...
100)
(15)
IT(1)
CHAR(20)
ETIME
ETIME
payment_transactio...
id INT
order_id INT
user_id VARCHAR(20)
amount DECIMAL(10,2)
reference_number VARCHAR(50)
payment_proof VARCHAR(255)
status ENUM(...)
admin_notes TEXT
verified_by VARCHAR(20)
verified_at DATETIME
created_at DATETIME
updated_at DATETIME
Indexes


total_rejected INT
total_cancelled INT
average_rating DECIMAL(3,2)
total_ratings INT
acceptance_rate DECIMAL(5,...
completion_rate DECIMAL(5,2)
average_delivery_time INT
last_delivery_date DATETIME
is_available TINYINT(1)
updated_at DATETIME
Indexes
created_at DATETIME
updated_at DATETIME
Indexes
Triggers
latitude DECIMAL(10,8)
longitude DECIMAL(11,8)
location_accuracy INT
distance_completed DECIMAL(10,2)
time_elapsed INT
progress_percentage DECIMAL(5,2)
device_info JSON
created_at TIMESTAMP
Indexes
notification_preferenc...
id INT
user_id VARCHAR(20)
type_id INT
email_enabled TINYINT(1)
sms_enabled TINYINT(1)
push_enabled TINYINT(1)
created_at DATETIME
updated_at DATETIME
Indexes
delivery_cities
id INT
city_name VARCHAR(10...
is_active TINYINT(1)
created_at DATETIME
Indexes
productos_auditoria
id INT
nombre VARCHAR(100)
accion VARCHAR(50)
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes
Triggers
v_active_deliveries_with_locati...
news
id INT
title VARCHAR(255)
slug VARCHAR(255)
content TEXT
image VARCHAR(255)
is_featured TINYINT(1)
is_active TINYINT(1)
published_at DATETI...
created_at DATETIME
updated_at DATETIME
Indexes
notification_que...
id INT
notification_id INT
channel ENUM(...)
status ENUM(...)
attempts TINYINT
last_attempt_at DATETIME
scheduled_at DATETIME
sent_at DATETIME
error_message TEXT
Indexes
shipping_price_rul...
id INT
min_price DECIMAL(10,2)
max_price DECIMAL(10,2)
shipping_cost DECIMAL(10,2)
is_active TINYINT(1)
created_at DATETIME
updated_at DATETIME
Indexes
google_auth
id INT
user_id VARCHAR(20)
google_id VARCHAR(255)
access_token VARCHAR(25...
created_at DATETIME
Indexes
sizes
id INT
name VARCHAR(50)
description VARCHAR(10...
is_active TINYINT(1)
created_at DATETIME
Indexes
colors
id INT
name VARCHAR(50)
hex_code VARCHAR(...
is_active TINYINT(1)
created_at DATETIME
Indexes


password VARCHAR(255)
image VARCHAR(255)
role ENUM(...)
is_blocked TINYINT(1)
created_at DATETIME
updated_at DATETIME
last_access DATETIME
remember_token VARCHAR(255)
token_expiry DATETIME
Indexes
Triggers
is_primary TINYINT(1)
created_at DATETIME
Indexes
created_at DATETIME
updated_at DATETI...
Indexes
password_res...
id INT
user_id VARCHAR(20)
token VARCHAR(255)
expires_at DATETIME
is_used TINYINT(1)
created_at DATETIME
Indexes
delivery_status_histo...
id INT
delivery_id INT
order_id INT
driver_id VARCHAR(20)
old_status VARCHAR(50)
new_status VARCHAR(50)
changed_by VARCHAR(20)
changed_by_name VARCHAR(100)
notes TEXT
location_lat DECIMAL(10,8)
location_lng DECIMAL(11,8)
ip_address VARCHAR(45)
created_at DATETIME
Indexes
access_tokens
id INT
user_id VARCHAR(20)
token VARCHAR(255)
ip_address VARCHAR(4...
user_agent TEXT
created_at DATETIME
expires_at DATETIME
is_revoked TINYINT(1)
Indexes
delivery_waypoi...
id INT
delivery_id INT
waypoint_order INT
waypoint_type ENUM(...)
latitude DECIMAL(10,8)
longitude DECIMAL(11,8)
address TEXT
notes TEXT
is_completed TINYINT(1)
completed_at TIMESTAMP
created_at TIMESTAMP
Indexes
audit_categories
audit_id INT
category_id INT
action_type VARCHAR(10)
old_name VARCHAR(100)
new_name VARCHAR(10...
action_date TIMESTAMP
Indexes
shipping_methods
id INT
name VARCHAR(100)
description TEXT
base_cost DECIMAL(10,2)
delivery_time VARCHAR(50)
is_active TINYINT(1)
created_at DATETIME
updated_at DATETIME
free_shipping_threshold DECIMAL
available_cities TEXT
estimated_days_min INT
estimated_days_max INT
city VARCHAR(100)
free_shipping_minimum DECIMAL
icon VARCHAR(50)
Indexes
product_images
id INT
product_id INT
color_variant_id INT
image_path VARCHAR(25...
alt_text VARCHAR(255)
order INT
created_at DATETIME
is_primary TINYINT(1)
Indexes
orders
id INT
order_number VARCHAR(20)
invoice_number VARCHAR(20)
user_id VARCHAR(20)
status ENUM(...)
subtotal DECIMAL(10,2)
shipping_cost DECIMAL(10,2)
discount_amount DECIMAL(10,...
total DECIMAL(10,2)
payment_method VARCHAR(50)
payment_status ENUM(...)
shipping_address TEXT
shipping_city VARCHAR(100)
shipping_address_id INT
delivery_notes TEXT
billing_address TEXT
billing_address_id INT
notes TEXT
created_at DATETIME
updated_at DATETIME
invoice_resolution VARCHAR(50)
invoice_date DATETIME
Indexes
Triggers
product_questio...
id INT
product_id INT
user_id VARCHAR(20)
question TEXT
created_at DATETIME
Indexes
percentage_discounts
id INT
discount_code_id INT
percentage DECIMAL(5,2)
max_discount_amount DECIMAL(10,...
Indexes
wishlist
id INT
user_id VARCHAR(2...
product_id INT
created_at DATETI...
Indexes
free_shipping_discou...
id INT
discount_code_id INT
shipping_method_id INT
Indexes
v_active_deliveries_by_driv...
v_driver_rankin...


compare_price DECIMAL(10,2)
quantity INT
is_active TINYINT(1)
Indexes
last_location_update TIMESTAMP
2 more...
Indexes
Triggers
expires_at DATETIME
is_used TINYINT(1)
used_at DATETIME
Indexes
audit_orders
id INT
orden_id INT
accion VARCHAR(10)
usuario_id VARCHAR(20)
sql_usuario VARCHAR(25...
fecha TIMESTAMP
detalles TEXT
Indexes
eliminaciones_audito...
id INT
nombre VARCHAR(100)
accion VARCHAR(50)
fecha_eliminacion TIMESTAMP
Indexes
order_status_history
id INT
order_id INT
changed_by VARCHAR(20)
changed_by_name VARCHAR(10...
change_type ENUM(...)
field_changed VARCHAR(100)
old_value TEXT
new_value TEXT
description TEXT
ip_address VARCHAR(45)
user_agent TEXT
created_at DATETIME
Indexes
stock_histo
id INT
variant_id INT
user_id VARCHA
previous_qty IN
new_qty INT
operation ENUM
notes TEXT
created_at DATE
Indexes
notification_typ...
id INT
name VARCHAR(50)
description VARCHAR(255)
template TEXT
is_active TINYINT(1)
created_at DATETIME
updated_at DATETIME
Indexes
product_revie...
id INT
product_id INT
user_id VARCHAR(20)
order_id INT
rating TINYINT(1)
title VARCHAR(100)
comment TEXT
images TEXT
is_verified TINYINT(1)
is_approved TINYINT(1)
created_at DATETIME
updated_at DATETIME
Indexes
notification
id INT
user_id VARCHA
type_id INT
title VARCHAR(1
message TEXT
related_entity_ty
related_entity_id
is_read TINYINT
is_email_sent TI
is_sms_sent TIN
is_push_sent TI
expires_at DATE
created_at DATE
read_at DATETI
Indexes
(10,...
(10,...
v_active_navigation_sessio...
order_views
id INT
order_id INT
user_id VARCHAR(2...
viewed_at DATETIME
Indexes
login_attempts
id INT
username VARCHAR(255)
ip_address VARCHAR(45)
attempt_date DATETIME
Indexes
fixed_amount_discou...
id INT
discount_code_id INT
amount DECIMAL(10,2)
min_order_amount DECIMAL(10,2)
Indexes
v_navigation_issu...


...
R(20)
T
(...)
ETIME

v_orders_awaiting_driv...


s
R(20)
00)
/pe ENUM(....
I INT
'(1)
NYINT(1)
YINT(1)
NYINT(1)
TIME
ETIME
ME