

Test 7 reconstruction audit

Test 7: bounded reconstruction and event timing

Run run-ca19609e702134b1; analysis analysis-0001-a8cc0c93; classification fail.
No nonlinear receiver or new clock-phase forecast was executed. Original Test 7 remains failed and Test 8 remains blocked.

causal-capture: pass
causal-timing: unresolved
continuum-events: unresolved
decomposition: pass
inverse-observability: fail
prediction-first: pass
sampling: unresolved
source-energy: pass
surface-replay: pass
broad first: causal error 6.205580e-08; budget 2.981606e-06; target 1.0e-04 inverse-mass units.
broad last: causal error 7.064919e+00; budget 3.197129e+00; target 1.0e-04 inverse-mass units.
carrier first: causal error 1.197330e-07; budget 4.281598e-06; target 1.0e-04 inverse-mass units.
carrier last: causal error 4.009644e+00; budget 5.390440e+00; target 1.0e-04 inverse-mass units.
new first: causal error 1.762566e-08; budget 3.751641e-07; target 1.0e-04 inverse-mass units.
new last: causal error 7.332622e+00; budget 3.211918e+00; target 1.0e-04 inverse-mass units.

local-reconstruction

Question: How do the inverse and causal surface capture reproduce the local waveform and its late tail?

Reading: Top panels show the complete local linear field; lower panels resolve the threshold neighborhood of the last event.

Significance: A close overall waveform can still produce a sensitive late threshold time.

Limitation: Causal capture uses an extra neighboring surface site. The known-source curve is a downstream audit; no nonlinear clock is evolved.

singular-observability

Question: Which surface singular directions remain relevant to each local event?

Reading: The dashed cutoff divides the retained inverse from weakly observed directions. Lower panels show how those directions enter each event field.

Significance: Observability depends on interior sensitivity as well as the size of the surface singular value.

Limitation: The norm radii and surface tolerance are declared conditional assumptions; root linearization is checked with finite witnesses but is not a global event theorem.

event-budgets

Question: Are first and last reconstruction errors separately below their uncertainty budgets?

Reading: Each event has its own capture residual budget; small first-event errors cannot hide a last-event discrepancy.

Test 7 reconstruction audit

Significance: Tests a strict reconstruction prerequisite with target $1e-4$ time units, preserving the original Test 7 thresholds.

Limitation: Budgets are direct difference estimates. They measure reconstruction residuals; absolute continuum event shifts and nonlinear phase acceptance are separate.

sampling-continuum


Question: How much do sampling and mesh changes move each event?

Reading: Lines are adjacent absolute event mesh changes; crosses show output-decimation shifts on the finest grid.


Significance: Separates absolute event convergence from agreement between source and reconstruction on one grid.

Limitation: The $h=0.0125$ source is not an exact continuum reference. Surface-sampling and independent time/domain components are also retained in the saved budgets.


broad local field




carrier local field




new local field




Last-event neighborhood




Last-event neighborhood




Last-event neighborhood




broad surface singular spectrum




carrier surface singular spectrum




new surface singular spectrum



Event sensitivity in the same directions



Event sensitivity in the same directions



Event sensitivity in the same directions

