

# Experiment Results

# Test 7 discrete-transfer discriminator

Run run-941d5c9e1c37ccc8; analysis analysis-0001-792256a8; classification pass.

Original Test 7 remains failed. Test 8 needs separate acceptance. No two-object, gravity, invariance or emergent-spacetime claim.

Scientific assessment: forecast-inclusive order discrimination remains unresolved for carrier. A controlled two-spectrum extension is not established.

Recovery repeats inspected histories; it is not a new held-out prediction. Synthetic linear surface acquisition assumes known support and  $v=D_h b$ .

conservation: pass

continuum-convergence: pass

fourth-order-prediction: pass

marker-transfer: pass

order-resolution: pass

prediction-first: pass

profile-refinement: pass

sign-even: pass

surface-inverse: pass

broad:  $B=3.85775693e-10$  cycles, order separation= $3.00910121e-08$ , second error= $3.01316078e-08$ , fourth error= $4.05957144e-11$ .

carrier:  $B=5.19670288e-09$  cycles, order separation= $2.59361432e-08$ , second error= $2.52869622e-08$ , fourth error= $6.49180984e-10$ .

Post-hoc audit: original checks remain unchanged. Forecast convergence and known-source linear replay are additional diagnostics.

broad: forecast-inclusive audit budget  $6.93947311e-10$  versus quarter-order target  $7.52275302e-09$  cycles.

carrier: forecast-inclusive audit budget  $1.00280038e-08$  versus quarter-order target  $6.48403580e-09$  cycles.

surface-transfer

Question: How does the external record determine the local neutral and clock response?

Reading: Each column follows a different recorded spectrum from  $r=14$  to  $r=0.1$ , at  $A=.012$ .

Significance: The prediction uses a discrete initial-data inverse and derived response coefficients.

Limitation: Acquisition and inverse share a discretization and assume support plus  $v=D_h b$ ; surface replay error alone does not bound interior error.

profile-convergence

# Experiment Results

Question: Does independent radial calibration converge beyond the interpolated old profile?

Reading: Profiles are independently solved and frozen at each mesh; frozen denotes the earlier interpolated fine profile.

Significance: Separates a refined physical preparation from merely interpolating old samples.

Limitation: The calibrated readout frequency stays fixed; this does not repeat the 100-period longevity test.

order-budget

Question: Is the fourth-order improvement larger than every declared numerical uncertainty?

Reading: Compare both errors with the locked budget. The hatched post-hoc audit also includes convergence of the forecast itself.

Significance: A fourth-order claim requires sufficient resolution on both spectra; the ordinary 5% gate is insufficient.

Limitation: The audit cannot promote or rewrite a locked check. Budgets are difference estimates, not rigorous bounds.


marker-convergence

Question: Do first and last marker prediction residuals decrease under the controls?

Reading: Each point compares a locked forecast with independently evolved receiver markers on the same mesh.

Significance: Tests the discrete transfer separately from clock-phase order discrimination.

Limitation: First/last events are selected retrospectively in the declared window; no autonomous trigger is modeled.




Question: Do first and last marker prediction residuals decrease under the controls?

Reading: Each point compares a locked forecast with independently evolved receiver markers on the same mesh.

Significance: Tests the discrete transfer separately from clock-phase order discrimination.

Limitation: First/last events are selected retrospectively in the declared window; no autonomous trigger is modeled.




Question: Is the fourth-order improvement larger than every declared numerical uncertainty?

Reading: Compare both errors with the locked budget. The hatched post-hoc audit also includes convergence of the forecast itself.

Significance: A fourth-order claim requires sufficient resolution on both spectra; the ordinary 5% gate is insufficient.

Limitation: The audit cannot promote or rewrite a locked check. Budgets are difference estimates, not rigorous bounds.




Question: How does the external record determine the local neutral and clock response?

Reading: Each column follows a different recorded spectrum from  $r=14$  to  $r=0.1$ , at  $A=.012$ .

Significance: The prediction uses a discrete initial-data inverse and derived response coefficients.

Limitation: Acquisition and inverse share a discretization and assume support plus  $v=D_h b$ ; surface replay error alone does not bound interior error.



Question: Does independent radial calibration converge beyond the interpolated old profile?

Reading: Profiles are independently solved and frozen at each mesh; frozen denotes the earlier interpolated fine profile.

Significance: Separates a refined physical preparation from merely interpolating old samples.

Limitation: The calibrated readout frequency stays fixed; this does not repeat the 100-period longevity test.