

Test 7: predicted reception

Signal Space Test 7: surface-only reception

Run run-b1677e67610c5870; analysis analysis-0001-036cbbf0; classification fail.

Scope: frozen calibrated flat radial receiver; SS OCF 1 action unchanged.

All predictions are saved before nonlinear receiver evolution. Quiet marker times are a counterfactual reference.

No two-object recoil, observer invariance, angular stability or emergent spacetime is established.

Technical execution completed; 10 checks pass and 2 fail.

Locked local interval prediction: fail; local marker timing: fail.

These checks concern the response approximation and protocol; they do not re-test clock existence.

Finest-grid local interval results (cycles; deterministic error budgets):

single: actual -4.567289e-09; error budget 1.486e-10; prediction discrepancy 2.720e-10.

second: actual 4.008877e-08; error budget 2.490e-10; prediction discrepancy 1.271e-09.

both: actual -6.850352e-08; error budget 6.647e-10; prediction discrepancy 1.092e-09.

changed phase: actual -1.398646e-07; error budget 1.386e-10; prediction discrepancy 2.504e-10.

No acceptance threshold was changed after execution. See the reviewed analysis for the next calculation.

amplitude-square: pass

conservation: pass

frozen-core-control: pass

frozen-inputs: pass

local-markers: fail

marker-prediction: fail

numerical-controls: pass

prediction-first: pass

pulse-overlap: pass

record-resolution: pass

sign-even: pass

surface-prediction: pass

surface-characteristics

Question: Can the upstream record distinguish incoming drive from returning radiation?

Reading: Incoming and outgoing characteristics are built from a , a_t and a_r . Only $t=0..16$ is inverted.

Significance: The predictor no longer consumes the prescribed interior neutral history.

Limitation: This is a linear acquisition on a frozen core. Exterior vacuum inversion has mesh and tail errors.

Test 7: predicted reception

packet-overlap

Question: Where do the reflected first pulse and incoming second pulse overlap?

Reading: Both packets begin outside $r=14$. Central reflection sends the first outward through the second incoming packet.

Significance: This supplies opposite radial directions and allows both-minus-each-alone subtraction.

Limitation: The left panel removes the $1/r$ focusing factor. The right uses symmetric log color; this is not two planar beams.

withheld-response

Question: Does surface-only prediction match the withheld local clock and density response?

Reading: Finest trace errors: single 0.193%; both 0.375%.

Significance: This tests the neutral-to-core-to-clock coefficient without fitting the withheld evolution.

Limitation: The Taylor and full evolutions share the discrete Hamiltonian. Agreement is bounded by independent numerical controls.

local-markers

Question: Do locally triggered intervals carry a resolved predicted clock record?

Reading: Local marker check: fail; resolution: pass; interval prediction: fail.

Significance: The interval uses locally recorded neutral events and local clock quadrature, rather than coordinate arrival alone.

Limitation: The quiet history is evaluated at counterfactual event times. Last-fall selection is retrospective in a finite window.

controls

Question: Do sign, amplitude, pulse-overlap and clock-phase controls support the response mechanism?

Reading: Weak amplitude exponent 1.999370; overlap check pass; frozen-core control pass.

Significance: Individual pulses isolate the interaction term; clock phase changes test a held-out response configuration.

Limitation: Sign symmetry is enforced by the action and is not independent evidence for the response coefficient.

error-budget

Question: Is the local record larger than independent numerical errors?


Reading: Bars compare absolute interval magnitude, direct numerical error and prediction residual.

Resolution requires signal greater than five error budgets.


Significance: A good-looking trace cannot substitute for a resolved local interval.


Limitation: The budget is deterministic, not a statistical confidence interval. The finest profile is interpolated, not independently re-solved.

Only upstream field and derivatives cross the prediction boundary








Solid: incoming; dashed: outgoing; shaded: inversion window






Radial neutral amplitude r^*a 

Gradient contraction (symmetric log)







Start: first rise; end: last fall through local threshold




Amplitude ladder




Sign reversal




Both minus each alone



Clock phase and frozen-core control



Local interval and absolute error budget



Independent discretization and boundary controls

