

Physical ER Diagram — Unified Regulatory Reporting Platform

Persisted / materialised model. These are the actual tables and views the pipeline builds, with real column names and engine types. Production targets **BigQuery + Dataform**; the offline harness builds the identical objects in **DuckDB**. Types shown are logical (VARCHAR , DECIMAL , TIMESTAMP , DATE) and map 1:1 to each engine via `includes/dialect.js` .


The pipeline is layered; each layer is a separate diagram below so it stays readable:

1. **Source** — `cdc_landing.*` (23 CDC tables, populated by Datastream)
2. **Staging** — `staging.stg_*` (dedupe latest-per-key, `_op` $\neq$ 'D')
3. **Reference** — `reference.*` (nomenclature spine, from git-versioned data)
4. **Core & Gaming** — `dim_*` / `fct_*` marts
5. **Player Protection** — wallet, compliance, and the 6 breach detectors
6. **Submissions** — per-market regulator files + tax summaries

Every `cdc_landing` table also carries CDC metadata columns `_op` (`I` / `U` / `D`) and `_commit_ts` (`TIMESTAMP`), used by staging to keep the latest non-deleted row per business key. They are omitted from the diagrams to reduce noise.


1 · Source layer — `cdc_landing`

Landing tables written by Datastream from the operator's SQL Server OLTP. Grain and shape are whatever the upstream system emits (including provider feeds of differing grain — Evolution is transaction-grain in cents).




2 · Staging layer — `staging` (views: dedupe latest-per-key)

Each `stg_*` is a **view** that keeps one row per business key (latest `_commit_ts`, dropping `_op = 'D'`). The four provider feeds collapse into one normalised `stg_game_rounds` via the adapter layer (`includes/providers.js`), which also converts Evolution's cent transactions into euro rounds.




3 · Reference layer — reference (nomenclature spine)

Published from **git-versioned** mapping data (`includes/nomenclature/`), so a mapping change is a reviewable data diff with a full audit trail. The two `map_*_regulator` tables are **effective-dated** (`valid_from` / `valid_to`), so a resubmission of a historical period reproduces the code that was in force then.





4 · Core & Gaming marts — dim_* / fct_*

The jurisdiction-agnostic canonical facts and dimensions. `fct_gaming_activity` unifies casino rounds, poker, and the operator opt-in jackpot (contributions & wins on the phantom game) onto one grain.



5 · Player protection — wallet, compliance, breach detectors

The **breach detectors** (`rg_breach_*`) each select rows that constitute a regulatory breach. Under **quarantine-first** (see `DATA-FLOW.md` and `ARCHITECTURE.md` §6) a breach no longer aborts the run — it feeds a per-entity `HELD` exception in `fct_exceptions` and the entity is excluded from its file, while everyone else ships.



`_mkt` is a placeholder for each of the six market codes: `mt`, `es`, `dk`, `bg`, `gr`, `nl`. The `submission_ready_*` tables are incremental and partitioned by `report_date`.