



Jas et al. 2018, Figure 1 -- Maxwell filtering comparison  
(published figure, frontiersin.org)




our reproduction

Figure 1 (reproduction) — Subject 09, Run 02 — magnetometers, 1-40 Hz





Jas et al. 2018, Figure 2 -- PSD quality control  
(published figure, frontiersin.org)



our reproduction


Figure 2 (reproduction) — Subject 09, Run 02 — EEG channel PSD (raw, pre-SSS)






our reproduction


Figure 3 (reproduction) — filter response, MNE 0.12 vs. current MNE 1.12.1



Jas et al. 2018, Figure 4 -- Baseline vs. highpass vs. tSSS (subject 3, famous faces)  
(published figure, frontiersin.org)




our reproduction  
sub003: famous faces




No per-timepoint topomap insets (cosmetic only, not a data difference).



Jas et al. 2018, Figure 5 -- Grand-average evoked (EEG065)  
(published figure, frontiersin.org)





our reproduction





Panel A only ( $I_{freq}=None$ ). Panel B ( $I_{freq}=1$ ) would need 06/07 re-run for all 16 subjects under  $I_{freq}=1$  -- not done, out of scope for this clean-up.

Jas et al. 2018, Figure 6 -- Sensor-space statistics: cluster stats (A) + decoding (B)  
(published figure, frontiersin.org)





our reproduction (jas\_fig6a\_sensor\_cluster\_stats\_highpass-NoneHz.pdf)



our reproduction (jas\_fig6b\_decoding\_highpass-NoneHz.pdf)

Jas et al. 2018, Figure 7 -- Spatiotemporal sensor cluster  
(published figure, frontiersin.org)



our reproduction

