

Uniminuto Oriente

Sofia López Chiquiza

Brajan Velasquez Sarmiento

Sebastian Cogollo Palomino

09 de Mayo 2026

Mejora del proyecto Final

Frameworks

Docente: Ricardo Andres Valencia Barrera

CLIENTES

<http://localhost:8080/api/clientes> (POST)

The screenshot shows a REST client interface with the URL `http://localhost:8080/api/clientes` and the method `POST`. The request body is a JSON object: `{ "name": "Juan Perez", "email": "juan@email.com", "cellphone": "123456789" }`. The response status is `200 OK` with a response time of 280 ms and a body size of 269 B. The response body is a JSON object: `{ "cellphone": "123456789", "email": "juan@email.com", "id": 2, "name": "Juan Perez", "superAdministradorId": null }`.

```
1 { "name": "Juan Perez", "email": "juan@email.com", "cellphone": "123456789" }
```

```
1 {  
2   "cellphone": "123456789",  
3   "email": "juan@email.com",  
4   "id": 2,  
5   "name": "Juan Perez",  
6   "superAdministradorId": null  
7 }
```

<http://localhost:8080/api/clientes> (GET)

The screenshot shows a REST client interface with the URL `http://localhost:8080/api/clientes` and the method `GET`. The response status is `200 OK` with a response time of 8 ms and a body size of 378 B. The response body is a JSON array containing two objects: `[ { "cellphone": "123456789", "email": "juan@email.com", "id": 1, "name": "Juan Pérez", "superAdministradorId": null }, { "cellphone": "123456789", "email": "juan@email.com", "id": 2, "name": "Juan Pérez", "superAdministradorId": null } ]`.

```
1 [  
2   {  
3     "cellphone": "123456789",  
4     "email": "juan@email.com",  
5     "id": 1,  
6     "name": "Juan Pérez",  
7     "superAdministradorId": null  
8   },  
9   {  
10    "cellphone": "123456789",  
11    "email": "juan@email.com",  
12    "id": 2,  
13    "name": "Juan Pérez",  
14    "superAdministradorId": null  
15  }  
16 ]
```

<http://localhost:8080/api/clientes/1> (GET)

The screenshot shows a REST client interface with the following details:

- URL:** `http://localhost:8080/api/clientes/1`
- Method:** GET
- Body:** 1
- Response:** 200 OK, 8 ms, 270 B
- JSON Body:**

```
1 {  
2   "cellphone": "123456789",  
3   "email": "juan@email.com",  
4   "id": 1,  
5   "name": "Juan Pérez",  
6   "superAdministradorId": null  
7 }
```

<http://localhost:8080/api/clientes/1> (PUT)


The screenshot shows a REST client interface with the following details:

- URL:** `http://localhost:8080/api/clientes/1`
- Method:** PUT
- Request Body:**

```
1 {"name": "Juan Actualizado", "email": "nuevo@email.com", "cellphone": "987654321"}
```
- Response:** 200 OK, 133 ms, 276 B
- JSON Body:**


```
1 {  
2   "cellphone": "987654321",  
3   "email": "nuevo@email.com",  
4   "id": 1,  
5   "name": "Juan Actualizado",  
6   "superAdministradorId": null  
7 }
```

<http://localhost:8080/api/clientes/1> (DELETE)




Propietarias

<http://localhost:8080/api/propietarias> (POST)



<http://localhost:8080/api/propietarias> (GET)



HTTP <http://localhost:8080/api/propietarias> Save Share

GET <http://localhost:8080/api/propietarias> Send

Docs Params Authorization Headers 6 Body Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Schema Beautify

1


Body Cookies Headers 5 Test Results 200 OK • 11 ms • 238 B • ...

{ } JSON Preview Visualize

```
1 [
2   {
3     "email": "maria@email.com",
4     "id": 1,
5     "name": "Maria Garcia",
6     "password": null
7   }
8 ]
```

Manicuristas

<http://localhost:8080/api/manicuristas> (POST)



HTTP <http://localhost:8080/api/manicuristas> Save Share

POST <http://localhost:8080/api/manicuristas> Send

Docs Params Authorization Headers 8 Body Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Schema Beautify


1 {"name": "Ana Lopez", "specialization": "Uñas Acrílicas", "services": "Esmaltado, Diseños", "propietariaId": 1}

Body Cookies Headers 5 Test Results 200 OK • 17 ms • 278 B • ...

{ } JSON Preview Visualize

```
1 {
2   "id": 1,
3   "name": "Ana Lopez",
4   "propietariaId": 1,
5   "services": "Esmaltado, Diseños",
6   "specialization": "Uñas Acrílicas"
7 }
```

<http://localhost:8080/api/manicuristas> (GET)



HTTP <http://localhost:8080/api/manicuristas> Save Share

GET <http://localhost:8080/api/manicuristas> Send

Docs Params Authorization Headers 8 Body Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Schema Beautify

```
1 {"name": "Ana Lopez", "specialization": "Uñas Acrílicas", "services": "Esmaltado, Diseños", "propietariaId": 1}
```


Body Cookies Headers 5 Test Results 200 OK • 10 ms • 280 B • ...

{ } JSON Preview Visualize

```
1 [
2   {
3     "id": 1,
4     "name": "Ana Lopez",
5     "propietariaId": 1,
6     "services": "Esmaltado, Diseños",
7     "specialization": "Uñas Acrílicas"
8   }
9 ]
```

Citas

<http://localhost:8080/api/citas> (POST)



HTTP <http://localhost:8080/api/citas> Save Share

POST <http://localhost:8080/api/citas> Send

Docs Params Authorization Headers 8 Body Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Schema Beautify


```
1 {"dateHour": "2026-10-04T10:30:00", "state": "PENDIENTE", "clienteId": 2, "manicuristaId": 1}
```

Body Cookies Headers 5 Test Results 200 OK • 18 ms • 257 B • ...

{ } JSON Preview Visualize

```
1 {
2   "clienteId": 2,
3   "dateHour": "2026-10-04T10:30:00",
4   "id": 1,
5   "manicuristaId": 1,
6   "state": "PENDIENTE"
7 }
```


<http://localhost:8080/api/citas> (GET)



The screenshot shows a web browser interface for testing HTTP requests. The address bar displays `http://localhost:8080/api/citas`. The method is set to `GET`. The response status is `200 OK` with a response time of `14 ms` and a body size of `259 B`. The response body is displayed in JSON format, showing an array of appointment objects.

```
1 [{"dateHour": "2026-10-04T10:30:00", "state": "PENDIENTE", "clienteId": 2, "manicuristaId": 1}
```


<http://localhost:8080/api/citas/1> (GET)




The screenshot shows a web browser interface for testing HTTP requests. The address bar displays `http://localhost:8080/api/citas/1`. The method is set to `GET`. The response status is `200 OK` with a response time of `11 ms` and a body size of `257 B`. The response body is displayed in JSON format, showing a single appointment object.

```
1 {"dateHour": "2026-10-04T10:30:00", "state": "PENDIENTE", "clienteId": 2, "manicuristaId": 1}
```

<http://localhost:8080/api/citas/1> (PUT)



<http://localhost:8080/api/citas/1> (DELETE)



Servicios

<http://localhost:8080/api/servicios> (POST)

The screenshot shows a REST client interface with the following details:

- URL:** `http://localhost:8080/api/servicios`
- Method:** `POST`
- Body:** A single JSON object: `{ "nameService": "Manicure Clásico", "description": "Esmaltado básico", "price": 25.50, "manicuristaId": 1 }`
- Response:** `200 OK` with a status of 28 ms and 271 B.
- Body Tab:** Shows the response as a JSON object:

```
1 {  
2   "description": "Esmaltado básico",  
3   "id": 1,  
4   "manicuristaId": 1,  
5   "nameService": "Manicure Clásico",  
6   "price": 25.5  
7 }
```

<http://localhost:8080/api/servicios> (GET)

The screenshot shows a REST client interface with the following details:

- URL:** `http://localhost:8080/api/servicios`
- Method:** `GET`
- Body:** A single JSON object: `{ "nameService": "Manicure Clásico", "description": "Esmaltado básico", "price": 25.50, "manicuristaId": 1 }`
- Response:** `200 OK` with a status of 11 ms and 273 B.
- Body Tab:** Shows the response as a JSON array containing one object:

```
1 [  
2   {  
3     "description": "Esmaltado básico",  
4     "id": 1,  
5     "manicuristaId": 1,  
6     "nameService": "Manicure Clásico",  
7     "price": 25.5  
8   }  
9 ]
```

SuperAdministrador

<http://localhost:8080/api/super-administradores> (POST)

HTTP <http://localhost:8080/api/super-administradores> Save Share

POST <http://localhost:8080/api/super-administradores> Send

Docs Params Authorization Headers 8 Body Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Schema Beautify

```
1 {"name": "Admin", "email": "admin@email.com", "password": "admin123"}
```

Body Cookies Headers 5 Test Results 200 OK • 14 ms • 235 B • ...

{ } JSON Preview Visualize

```
1 {
2   "email": "admin@email.com",
3   "id": 1,
4   "name": "Admin",
5   "password": "admin123"
6 }
```

<http://localhost:8080/api/super-administradores> (GET)

HTTP <http://localhost:8080/api/super-administradores> Save Share

GET <http://localhost:8080/api/super-administradores> Send

Docs Params Authorization Headers 8 Body Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Schema Beautify

```
1 {"name": "Admin", "email": "admin@email.com", "password": "admin123"}
```

Body Cookies Headers 5 Test Results 200 OK • 10 ms • 231 B • ...

{ } JSON Preview Visualize

```
1 [
2   {
3     "email": "admin@email.com",
4     "id": 1,
5     "name": "Admin",
6     "password": null
7   }
8 ]
```

Vistas con thymeleaf

Gestión de Clientes

Nombre:

Email:

Celular:

ID	Nombre	Email	Celular	Acciones
2	Juan Perez	juan@email.com	123456789	Editar Eliminar

Gestión de Citas

Fecha y Hora:

Estado:

Cliente:

Manicurista:

ID	Fecha y Hora	Estado	Cliente	Manicurista	Acciones
2	2026-05-09T00:39:23	PENDIENTE	2	1	Editar Eliminar

Gestión de Manicuristas

Nombre:

Especialización:

Servicios:

Propietaria:

ID	Nombre	Especialización	Servicios	Propietaria	Acciones
1	Ana Lopez	Uñas Acrílicas	Esmaltado, Diseños	1	Editar Eliminar

Gestión de Propietarias

Nombre:

Email:

Contraseña:

ID	Nombre	Email	Acciones
1	Maria Garcia	maria@email.com	Editar Eliminar

Gestión de Servicios

Nombre del Servicio:

Descripción:

Precio:

Manicurista:

ID	Nombre	Descripción	Precio	Manicurista	Acciones
1	Manicure Clásico	Esmaltado básico	25.5	1	Editar Eliminar

Gestión de Super Administradores



Nombre:




Email:

Contraseña:

ID	Nombre	Email	Acciones
1	Admin	admin@email.com	Editar Eliminar

Cambios de la retroalimentacion





Repositorio

<https://github.com/Brajanvvs/tallerFrameworksFinal.git>