

PERSUADE BC_OS_output




2021-02-09

Contents

Kaplan-Meier	2
Stratified models?	3
Shape of the observed smoothed hazard function	4
Shape of the predicted hazard function	5
Standard parametric models?	7
Exponential	8
Weibull	9
Gompertz	10
Log-normal	11
Log-logistic	12
Gamma	13
Generalised Gamma	14
Parametric spline models?	15
Spline hazard 1 knot	16
Spline hazard 2 knots	17
Spline hazard 3 knots	18
Spline odds 1 knot	19
Spline odds 2 knots	20
Spline odds 3 knots	21
Spline normal 1 knot	22
Spline normal 2 knots	23
Spline normal 3 knots	24
Validity of long-term extrapolation?	25
Group Good	25
Group Medium	28
Group Poor	31
Session information	34

[Link to PERSUADE GitHub page](#)

Kaplan-Meier




	records	n.max	n.start	events	*rmean	*se(rmean)	median	0.95LCL	0.95UCL
group=Good	229	229	229	51	5.934330	0.1616003	NA	NA	NA
group=Medium	229	229	229	103	4.600852	0.1856699	5.254795	4.115068	5.572603
group=Poor	228	228	228	145	3.101736	0.1772520	2.183562	1.978082	2.619178


Stratified models?

Should stratified parametric survival models be used?


A: LN(cumulative hazard)



B: Scaled Schoenfeld residuals




C: Scaled Schoenfeld residuals






Shape of the observed smoothed hazard function


Should parametric survival models assuming a monotonic hazard rate (i.e. exponential, Weibull, Gompertz) be used?




Shape of the predicted hazard function




Group Medium



Group Poor




Group Poor



Standard parametric models?


Do standard parametric models provide an appropriate fit to the data?




Model	AIC	BIC
7. Generalised Gamma	1589.049	1629.826
4. Log-normal	1592.880	1620.066
5. Log-logistic	1609.294	1636.479
6. Gamma	1621.982	1649.167
2. Weibull	1632.618	1659.803
3. Gompertz	1660.954	1688.140
1. Exponential	1668.212	1681.805

Exponential


A: Kaplan-Meier (Exponential)



B: Annual transition probability (Exponential)




C: Diagnostic plot (Exponential)




Weibull


A: Kaplan–Meier (Weibull)



B: Annual transition probability (Weibull)




C: Diagnostic plot (Weibull)




Gompertz


A: Kaplan-Meier (Gompertz)



B: Annual transition probability (Gompertz)




C: Diagnostic plot (Gompertz)




Log-normal


A: Kaplan-Meier (Log-normal)



B: Annual transition probability (Log-normal)




C: Diagnostic plot (Log-normal)




Log-logistic


A: Kaplan-Meier (Log-logistic)



B: Annual transition probability (Log-logistic)




C: Diagnostic plot (Log-logistic)




Gamma


A: Kaplan–Meier (Gamma)



B: Annual transition probability (Gamma)




C: Diagnostic plot (Gamma)




Generalised Gamma


A: Kaplan–Meier (Generalised gamma)



B: Annual transition probability (Generalised Gamma)




C: Diagnostic plot (Generalised gamma)



Parametric spline models?


If standard parametric models are not appropriate, are spline models a more appropriate fit to the data?




Model	AIC	BIC
9. Spline 2 knots hazard	1585.894	1640.264
12. Spline 2 knots odds	1587.289	1641.659
14. Spline 1 knot normal	1587.682	1628.460
15. Spline 2 knots normal	1588.343	1642.714
7. Generalised Gamma	1589.049	1629.826
8. Spline 1 knot hazard	1589.327	1630.105
16. Spline 3 knots normal	1589.832	1657.795
10. Spline 3 knots hazard	1589.875	1657.838
11. Spline 1 knot odds	1590.221	1630.999
13. Spline 3 knots odds	1590.720	1658.683
4. Log-normal	1592.880	1620.066
5. Log-logistic	1609.294	1636.479
6. Gamma	1621.982	1649.167
2. Weibull	1632.618	1659.803
3. Gompertz	1660.954	1688.140
1. Exponential	1668.212	1681.805

Spline hazard 1 knot


A: Kaplan-Meier (Spline, 1 knot, hazard scale)



B: Annual transition probability (Spline, 1 knot, hazard scale)




C: Diagnostic plot (Spline, 1 knot, hazard scale)




Spline hazard 2 knots


A: Kaplan–Meier (Spline, 2 knots, hazard scale)



B: Annual transition probability (Spline, 2 knots, hazard scale)




C: Diagnostic plot (Spline, 2 knots, hazard scale)




Spline hazard 3 knots


A: Kaplan–Meier (Spline, 3 knots, hazard scale)




B: Annual transition probability (Spline, 3 knots, hazard scale)



C: Diagnostic plot (Spline, 3 knots, hazard scale)




Spline odds 1 knot




Spline odds 2 knots


A: Kaplan–Meier (Spline, 2 knots, odds scale)



B: Annual transition probability (Spline, 2 knots, odds scale)




C: Diagnostic plot (Spline, 2 knots, odds scale)




Spline odds 3 knots


A: Kaplan–Meier (Spline, 3 knots, odds scale)



B: Annual transition probability (Spline, 3 knots, odds scale)




C: Diagnostic plot (Spline, 3 knots, odds scale)




Spline normal 1 knot


A: Kaplan-Meier (Spline, 1 knot, normal scale)



B: Annual transition probability (Spline, 1 knot, normal scale)




C: Diagnostic plot (Spline, 1 knot, normal scale)




Spline normal 2 knots


A: Kaplan–Meier (Spline, 2 knots, normal scale)



B: Annual transition probability (Spline, 2 knots, normal scale)




C: Diagnostic plot (Spline, 2 knots, normal scale)




Spline normal 3 knots


A: Kaplan–Meier (Spline, 3 knots, normal scale)



B: Annual transition probability (Spline, 3 knots, normal scale)



C: Diagnostic plot (Spline, 3 knots, normal scale)




Validity of long-term extrapolation?


What model(s) is/are more appropriate for long-term extrapolation? Are/is the selected model(s) plausible in comparison with general population mortality?

Group Good

A: Kaplan–Meier (parametric curves)




B: Kaplan–Meier (spline curves)




	T= 0	T= 1	T= 2	T= 3	T= 4	T= 5	T= 10	T= 15	T= 20	T= 25	T= 30	T= 35
1. Exponential	1	0.941	0.886	0.834	0.785	0.739	0.547	0.404	0.299	0.221	0.163	0.121
2. Weibull	1	0.978	0.932	0.870	0.797	0.719	0.345	0.122	0.033	0.007	0.001	0.000
3. Gompertz	1	0.962	0.917	0.863	0.801	0.729	0.280	0.015	0.000	0.000	0.000	0.000
4. Log-normal	1	0.986	0.933	0.861	0.785	0.713	0.441	0.287	0.196	0.139	0.102	0.076
5. Log-logistic	1	0.980	0.932	0.865	0.789	0.712	0.403	0.240	0.156	0.108	0.080	0.061
6. Gamma	1	0.982	0.935	0.869	0.793	0.714	0.367	0.165	0.069	0.027	0.011	0.004
7. Generalised Gamma	1	0.991	0.928	0.849	0.778	0.717	0.526	0.425	0.362	0.319	0.286	0.261
8. Spline 1 knot hazard	1	0.992	0.927	0.843	0.774	0.719	0.521	0.381	0.279	0.205	0.151	0.111
9. Spline 2 knots hazard	1	0.992	0.928	0.843	0.774	0.719	0.523	0.384	0.283	0.210	0.156	0.116
10. Spline 3 knots hazard	1	0.994	0.922	0.843	0.779	0.721	0.486	0.319	0.205	0.130	0.081	0.050
11. Spline 1 knot odds	1	0.992	0.927	0.843	0.774	0.718	0.532	0.415	0.338	0.283	0.242	0.211
12. Spline 2 knots odds	1	0.992	0.928	0.843	0.774	0.718	0.533	0.418	0.340	0.285	0.245	0.213
13. Spline 3 knots odds	1	0.994	0.922	0.844	0.780	0.721	0.498	0.363	0.277	0.220	0.180	0.151
14. Spline 1 knot normal	1	0.992	0.926	0.847	0.778	0.719	0.515	0.391	0.308	0.250	0.207	0.174
15. Spline 2 knots normal	1	0.992	0.929	0.842	0.773	0.718	0.538	0.426	0.350	0.295	0.253	0.220
16. Spline 3 knots normal	1	0.994	0.921	0.845	0.780	0.721	0.503	0.371	0.285	0.225	0.182	0.150

C: Annual transition probability (parametric curves)




D: Annual transition probability (spline curves)




	Min	Q1	Median	Q3	Max
1. Exponential	0.0585969	0.0585969	0.0585969	0.0585969	0.0585969
10. Spline 3 knots hazard	0.0003310	0.0798260	0.0865334	0.0909988	0.0996328
2. Weibull	0.0039603	0.1641779	0.2507544	0.3170901	0.3714738
3. Gompertz	0.0342601	0.1256322	0.4037134	0.8634656	1.0000000
4. Log-normal	0.0000121	0.0563972	0.0670524	0.0819079	0.0936091
5. Log-logistic	0.0022936	0.0533146	0.0700441	0.0935993	0.1092616
6. Gamma	0.0014181	0.1390361	0.1644882	0.1750195	0.1807519
7. Generalised Gamma	0.0000000	0.0191123	0.0269247	0.0452063	0.0862100
8. Spline 1 knot hazard	0.0000002	0.0592140	0.0598953	0.0610195	0.0916043
9. Spline 2 knots hazard	0.0000002	0.0576502	0.0585313	0.0599923	0.0923962
11. Spline 1 knot odds	0.0000002	0.0281269	0.0363823	0.0502992	0.0917044
12. Spline 2 knots odds	0.0000002	0.0278516	0.0359503	0.0497462	0.0924439
13. Spline 3 knots odds	0.0003253	0.0358147	0.0466608	0.0638606	0.0999099
14. Spline 1 knot normal	0.0000000	0.0345970	0.0424046	0.0560095	0.0865141
15. Spline 2 knots normal	0.0000006	0.0281480	0.0348987	0.0473455	0.0953359
16. Spline 3 knots normal	0.0007793	0.0386308	0.0470013	0.0611992	0.0975846

E: Hazard function (parametric curves)




F: Hazard function (spline curves)




Group Medium

A: Kaplan–Meier (parametric curves)




B: Kaplan–Meier (spline curves)




	T= 0	T= 1	T= 2	T= 3	T= 4	T= 5	T= 10	T= 15	T= 20	T= 25	T= 30	T= 35
1. Exponential	1	0.872	0.761	0.663	0.578	0.505	0.255	0.128	0.065	0.033	0.016	0.008
2. Weibull	1	0.923	0.811	0.693	0.578	0.474	0.141	0.032	0.006	0.001	0.000	0.000
3. Gompertz	1	0.898	0.794	0.689	0.586	0.486	0.117	0.007	0.000	0.000	0.000	0.000
4. Log-normal	1	0.935	0.797	0.668	0.560	0.473	0.228	0.126	0.077	0.050	0.034	0.024
5. Log-logistic	1	0.927	0.801	0.673	0.561	0.468	0.218	0.124	0.081	0.057	0.043	0.034
6. Gamma	1	0.930	0.813	0.689	0.572	0.469	0.154	0.045	0.013	0.003	0.001	0.000
7. Generalised Gamma	1	0.937	0.774	0.648	0.556	0.488	0.310	0.232	0.187	0.158	0.138	0.122
8. Spline 1 knot hazard	1	0.939	0.782	0.652	0.558	0.486	0.265	0.150	0.087	0.052	0.031	0.019
9. Spline 2 knots hazard	1	0.935	0.766	0.673	0.579	0.490	0.184	0.061	0.018	0.005	0.001	0.000
10. Spline 3 knots hazard	1	0.936	0.761	0.674	0.585	0.491	0.159	0.040	0.008	0.001	0.000	0.000
11. Spline 1 knot odds	1	0.939	0.778	0.648	0.556	0.489	0.301	0.213	0.162	0.131	0.109	0.093
12. Spline 2 knots odds	1	0.935	0.769	0.673	0.576	0.489	0.235	0.136	0.089	0.063	0.048	0.037
13. Spline 3 knots odds	1	0.937	0.761	0.675	0.583	0.489	0.207	0.108	0.066	0.044	0.032	0.024
14. Spline 1 knot normal	1	0.938	0.775	0.648	0.557	0.488	0.290	0.195	0.141	0.107	0.084	0.067
15. Spline 2 knots normal	1	0.930	0.773	0.669	0.572	0.489	0.240	0.135	0.083	0.054	0.037	0.026
16. Spline 3 knots normal	1	0.937	0.761	0.675	0.583	0.489	0.198	0.091	0.047	0.026	0.015	0.010

C: Annual transition probability (parametric curves)




D: Annual transition probability (spline curves)




	Min	Q1	Median	Q3	Max
1. Exponential	0.1278820	0.1278820	0.1278820	0.1278820	0.1278820
10. Spline 3 knots hazard	0.0000040	0.2243467	0.2816554	0.3202621	0.3498686
2. Weibull	0.0298491	0.2382194	0.2998675	0.3413164	0.3730304
3. Gompertz	0.0960264	0.2326209	0.5026105	0.8415103	1.0000000
4. Log-normal	0.0004751	0.0692201	0.0864990	0.1175437	0.1630482
5. Log-logistic	0.0150627	0.0512119	0.0722192	0.1148301	0.1673124
6. Gamma	0.0159374	0.2105278	0.2273428	0.2338793	0.2373538
7. Generalised Gamma	0.0000000	0.0249765	0.0361491	0.0643696	0.1783037
8. Spline 1 knot hazard	0.0005533	0.0961200	0.1007177	0.1087714	0.1767370
9. Spline 2 knots hazard	0.0000006	0.1921569	0.2213494	0.2415978	0.2568265
11. Spline 1 knot odds	0.0004610	0.0331955	0.0461415	0.0743721	0.1809477
12. Spline 2 knots odds	0.0000004	0.0500917	0.0706148	0.1135216	0.2192447
13. Spline 3 knots odds	0.0000052	0.0581364	0.0821832	0.1255993	0.2117141
14. Spline 1 knot normal	0.0000012	0.0444894	0.0569700	0.0823605	0.1804334
15. Spline 2 knots normal	0.0000000	0.0682231	0.0852159	0.1164045	0.2005479
16. Spline 3 knots normal	0.0000001	0.0939627	0.1132858	0.1426801	0.2122248

E: Hazard function (parametric curves)




F: Hazard function (spline curves)




Group Poor

A: Kaplan–Meier (parametric curves)




B: Kaplan–Meier (spline curves)




	T= 0	T= 1	T= 2	T= 3	T= 4	T= 5	T= 10	T= 15	T= 20	T= 25	T= 30	T= 35
1. Exponential	1	0.755	0.570	0.430	0.325	0.245	0.060	0.015	0.004	0.001	0.000	0.000
2. Weibull	1	0.817	0.608	0.430	0.292	0.193	0.017	0.001	0.000	0.000	0.000	0.000
3. Gompertz	1	0.776	0.588	0.436	0.315	0.221	0.022	0.001	0.000	0.000	0.000	0.000
4. Log-normal	1	0.820	0.572	0.401	0.289	0.214	0.063	0.025	0.012	0.006	0.004	0.002
5. Log-logistic	1	0.819	0.568	0.389	0.275	0.203	0.069	0.034	0.021	0.014	0.010	0.008
6. Gamma	1	0.829	0.605	0.420	0.283	0.187	0.020	0.002	0.000	0.000	0.000	0.000
7. Generalised Gamma	1	0.810	0.555	0.399	0.302	0.237	0.100	0.057	0.037	0.026	0.019	0.015
8. Spline 1 knot hazard	1	0.822	0.545	0.390	0.301	0.244	0.109	0.056	0.031	0.018	0.011	0.007
9. Spline 2 knots hazard	1	0.817	0.546	0.396	0.305	0.243	0.096	0.043	0.021	0.010	0.005	0.003
10. Spline 3 knots hazard	1	0.819	0.540	0.400	0.310	0.243	0.081	0.030	0.012	0.005	0.002	0.001
11. Spline 1 knot odds	1	0.820	0.542	0.390	0.303	0.248	0.127	0.082	0.060	0.047	0.038	0.032
12. Spline 2 knots odds	1	0.817	0.544	0.393	0.304	0.246	0.120	0.075	0.054	0.041	0.033	0.027
13. Spline 3 knots odds	1	0.818	0.542	0.398	0.308	0.246	0.110	0.065	0.044	0.033	0.026	0.021
14. Spline 1 knot normal	1	0.811	0.549	0.398	0.305	0.242	0.102	0.054	0.033	0.021	0.015	0.011
15. Spline 2 knots normal	1	0.815	0.546	0.392	0.303	0.245	0.113	0.065	0.042	0.029	0.021	0.016
16. Spline 3 knots normal	1	0.818	0.541	0.398	0.308	0.244	0.100	0.051	0.030	0.019	0.013	0.009

C: Annual transition probability (parametric curves)




D: Annual transition probability (spline curves)




	Min	Q1	Median	Q3	Max
1. Exponential	0.2449482	0.2449482	0.2449482	0.2449482	0.2449482
10. Spline 3 knots hazard	0.0031604	0.1581132	0.1681704	0.1865373	0.3590229
2. Weibull	0.0907442	0.4105709	0.4790585	0.5216195	0.5525972
3. Gompertz	0.2169796	0.3698466	0.5818235	0.8071868	1.0000000
4. Log-normal	0.0022958	0.1000774	0.1279068	0.1841659	0.3070152
5. Log-logistic	0.0305143	0.0571627	0.0832145	0.1494462	0.3207417
6. Gamma	0.0471845	0.3701940	0.3852535	0.3907371	0.3935697
7. Generalised Gamma	0.0000317	0.0518395	0.0728961	0.1237607	0.3222943
8. Spline 1 knot hazard	0.0048605	0.0929348	0.1060806	0.1322263	0.3462113
9. Spline 2 knots hazard	0.0027621	0.1183362	0.1309295	0.1552006	0.3471134
11. Spline 1 knot odds	0.0040186	0.0370407	0.0534928	0.0956147	0.3493116
12. Spline 2 knots odds	0.0029239	0.0397013	0.0573770	0.1025038	0.3469030
13. Spline 3 knots odds	0.0031346	0.0443526	0.0641665	0.1145082	0.3547245
14. Spline 1 knot normal	0.0001727	0.0667705	0.0870224	0.1315769	0.3327152
15. Spline 2 knots normal	0.0003302	0.0575542	0.0758377	0.1164719	0.3361441
16. Spline 3 knots normal	0.0005575	0.0702242	0.0912163	0.1362709	0.3562720

E: Hazard function (parametric curves)



F: Hazard function (spline curves)



Session information

```
## R version 4.0.1 (2020-06-06)
## Platform: x86_64-w64-mingw32/x64 (64-bit)
## Running under: Windows 10 x64 (build 19041)
##
## Matrix products: default
##
## Random number generation:
##  RNG:      Mersenne-Twister
##  Normal:   Inversion
##  Sample:   Rejection
##
## attached base packages:
## [1] splines      stats      graphics  grDevices  utils      datasets  methods
## [8] base
##
## other attached packages:
##  [1] sft_2.2-1          SuppDists_1.1-9.5  fda_5.1.7          fds_1.8
##  [5] RCurl_1.98-1.2     rainbow_3.6        pcaPP_1.9-73        MASS_7.3-51.6
##  [9] Matrix_1.2-18      kableExtra_1.3.1   knitr_1.30          summarytools_0.9.6
## [13] data.table_1.13.4  survminer_0.4.8    ggpubr_0.4.0        muhaz_1.2.6.1
## [17] flexsurv_1.1.1     rms_6.1-0          SparseM_1.78        Hmisc_4.4-2
## [21] ggplot2_3.3.2      Formula_1.2-4      survival_3.2-7      lattice_0.20-41
##
## loaded via a namespace (and not attached):
##  [1] TH.data_1.0-10     colorspace_2.0-0   ggsignif_0.6.0
##  [4] pryr_0.1.4         ellipsis_0.3.1     rio_0.5.16
##  [7] mclust_5.4.7       htmlTable_2.1.0    base64enc_0.1-3
## [10] rstudioapi_0.13    farver_2.0.3       MatrixModels_0.4-1
## [13] mvtnorm_1.1-1      lubridate_1.7.9.2  xml2_1.3.2
## [16] codetools_0.2-16   broom_0.7.2        km.ci_0.5-2
## [19] cluster_2.1.0      png_0.1-7          compiler_4.0.1
## [22] httr_1.4.2         backports_1.2.0    htmltools_0.5.0
## [25] quantreg_5.75      tools_4.0.1        gtable_0.3.0
## [28] glue_1.4.2         dplyr_1.0.2        Rcpp_1.0.5
## [31] carData_3.0-4      cellranger_1.1.0   vctrs_0.3.5
## [34] nlme_3.1-148       conquer_1.0.2      xfun_0.19
## [37] stringr_1.4.0      openxlsx_4.2.3     rvest_0.3.6
## [40] lifecycle_0.2.0    rstatix_0.6.0      polyspline_1.1.19
## [43] zoo_1.8-8          scales_1.1.1       hms_0.5.3
## [46] sandwich_3.0-0     RColorBrewer_1.1-2 yaml_2.2.1
## [49] curl_4.3           gridExtra_2.3      KMSurv_0.1-5
## [52] pander_0.6.3       rpart_4.1-15       latticeExtra_0.6-29
## [55] stringi_1.5.3      checkmate_2.0.0    zip_2.1.1
## [58] hdrclde_3.3        bitops_1.0-6       rlang_0.4.9
## [61] pkgconfig_2.0.3    matrixStats_0.57.0 evaluate_0.14
## [64] purrr_0.3.4        labeling_0.4.2     ks_1.11.7
## [67] rapportools_1.0    htmlwidgets_1.5.2  tidyselect_1.1.0
## [70] deSolve_1.28       plyr_1.8.6         magrittr_2.0.1
## [73] R6_2.5.0           magick_2.5.2       generics_0.1.0
## [76] multcomp_1.4-15    pillar_1.4.7       haven_2.3.1
## [79] foreign_0.8-80     withr_2.3.0        abind_1.4-5
## [82] nnet_7.3-14        tibble_3.0.4       mstate_0.2.12
```

##	[85]	crayon_1.3.4	car_3.0-10	survMisc_0.5.5
##	[88]	KernSmooth_2.23-17	rmarkdown_2.5	jpeg_0.1-8.1
##	[91]	grid_4.0.1	readxl_1.3.1	forcats_0.5.0
##	[94]	digest_0.6.27	webshot_0.5.2	xtable_1.8-4
##	[97]	tidyr_1.1.2	munsell_0.5.0	viridisLite_0.3.0
##	[100]	tcltk_4.0.1	quadprog_1.5-8	