

TUGAS FUNCTION  
PRAKTIKUM MATA KULIAH MANAJEMEN BASIS DATA  
PERTEMUAN ke-2



Disusun oleh:  
Kelompok 3

Anggota:

1. Anisa Rafa Puspita (24060123120001)
2. Angel Mentari Bulawan Pariakan (24060123140200)
3. Alisha Fatima Putri Kurniawan (24060123140048)
4. Aninditya Nabilah Hendarto (24060123140134)
5. Arya Pradana (24060123140125)

PROGRAM STUDI INFORMATIKA  
FAKULTAS SAINS DAN MATEMATIKA  
UNIVERSITAS DIPONEGORO

- Buatlah kemudian aplikasikan query function untuk kasus berikut:

i. function `fn_GetCustomerFullName` yang menerima input `customer_id` dan mengembalikan nama lengkap customer (gabungan `first_name` dan `last_name`).

- Query:

```
CREATE FUNCTION fn_GetCustomerFullName (@customer_id VARCHAR(36))
RETURNS VARCHAR(255)
```

```
AS
```

```
BEGIN
```

```
    DECLARE @full_name VARCHAR(255);
```

```
    SELECT @full_name = first_name + ' ' + last_name
```

```
    FROM customers
```

```
    WHERE customer_id = @customer_id;
```

```
    RETURN @full_name;
```

```
END;
```

--Aplikasi

```
SELECT dbo.fn_GetCustomerFullName('f40f3b32-6b03-4f88-896a-949bb777a247')
AS FullName;
```

- Screenshot:

The screenshot displays the SQL Server Enterprise Manager interface. The top pane shows the SQL script for creating the function `fn_GetCustomerFullName` and its application. The bottom pane shows the results of the application query.

```
-- soal i. function fn_GetCustomerFullName yang menerima input customer_id dan
-- mengembalikan nama lengkap customer (gabungan first_name dan last_name).
CREATE FUNCTION fn_GetCustomerFullName (@customer_id VARCHAR(36))
RETURNS VARCHAR(255)
AS
BEGIN
    DECLARE @full_name VARCHAR(255);

    SELECT @full_name = first_name + ' ' + last_name
    FROM customers
    WHERE customer_id = @customer_id;

    RETURN @full_name;
END;
```

100 %  
Messages  
Commands completed successfully.  
Completion time: 2025-05-16T11:18:58.4701586+07:00

```
--Aplikasi
SELECT dbo.fn_GetCustomerFullName('f40f3b32-6b03-4f88-896a-949bb777a247') AS FullName;
```

100 %  
Results Messages

	FullName
1	Padget Waything

ii. function fn\_GetTotalBalanceByCustomer yang menerima input customer\_id dan mengembalikan total saldo dari semua akun milik customer tersebut dari tabel accounts.


- Query:

```
CREATE FUNCTION fn_GetTotalBalanceByCustomer (@customer_id CHAR (36))
RETURNS DECIMAL (10, 2)
AS
BEGIN
    DECLARE @total_balance DECIMAL (10, 2);
    SELECT @total_balance = SUM (balance)
    FROM accounts
    WHERE customer_id = @customer_id;

    IF @total_balance IS NULL
    BEGIN
        SET @total_balance = 0;
    END
    RETURN @total_balance;
END;

SELECT SELECT
dbo.fn_GetTotalBalanceByCustomer('ed4658f1-c11e-484a-b761-c911885548c2') AS
total_balance;
```

- Screenshoot:



```
CREATE FUNCTION fn_GetTotalBalanceByCustomer (@customer_id CHAR (36))
RETURNS DECIMAL (10, 2)
AS
BEGIN
    DECLARE @total_balance DECIMAL (10, 2);
    SELECT @total_balance = SUM (balance)
    FROM accounts
    WHERE customer_id = @customer_id;

    IF @total_balance IS NULL
    BEGIN
        SET @total_balance = 0;
    END
    RETURN @total_balance;
END;

SELECT SELECT
dbo.fn_GetTotalBalanceByCustomer('ed4658f1-c11e-484a-b761-c911885548c2') AS
total_balance;
```

100 %

Messages

Commands completed successfully.

Completion time: 2025-05-15T19:56:17.2797456+07:00

total_balance
11681.49

iii. function fn\_GetActiveLoanCount yang menghitung berapa jumlah pinjaman dengan status 'active' pada tabel loans.

- Query:

```
CREATE FUNCTION fn_GetActiveLoanCount()
RETURNS INT
AS
BEGIN
    DECLARE @activeLoanCount INT;

    SELECT @activeLoanCount = COUNT(*)
    FROM loans
    WHERE status = 'active';

    RETURN @activeLoanCount;
END;
```

```
SELECT dbo.fn_GetActiveLoanCount();
```

- Screenshot:

Messages
Commands completed successfully.
Completion time: 2025-05-16T06:35:48.9790854+07:00

100 %	
Results Messages	
	(No column name)
1	33

iv. function fn\_GetAccountNetFlow yang menerima account\_id dan mengembalikan selisih antara total transaksi masuk dan keluar.

- Query:

```
CREATE FUNCTION fn_GetAccountNetFlow(@account_id CHAR(36))
RETURNS DECIMAL(18,2)
AS
BEGIN
    DECLARE @totalMasuk DECIMAL(18,2);
    DECLARE @totalKeluar DECIMAL(18,2);

    SELECT @totalMasuk = ISNULL(SUM(amount), 0)
    FROM transactions
    WHERE reference_account = @account_id;

    SELECT @totalKeluar = ISNULL(SUM(amount), 0)
    FROM transactions
    WHERE account_id = @account_id AND reference_account IS NOT NULL;

    RETURN @totalMasuk - @totalKeluar;
END;

SELECT
    account_id,
    dbo.fn_GetAccountNetFlow('905660c8-d6a7-40e9-9be3-e6711d22efb6') AS
NetFlow
FROM accounts;
```

- Screenshot:

The screenshot displays two SQL queries in SQL Server Enterprise Manager. The first query is a CREATE FUNCTION statement for `fn_GetAccountNetFlow`. The second query is a SELECT statement that calls this function for a specific account ID. Below the queries, the Messages pane shows a successful completion message with a timestamp. The Results pane shows a table with 12 rows of account IDs and their corresponding NetFlow values, all of which are -118.44.

```
CREATE FUNCTION fn_GetAccountNetFlow(@account_id CHAR(36))
RETURNS DECIMAL(18,2)
AS
BEGIN
    DECLARE @totalMasuk DECIMAL(18,2);
    DECLARE @totalKeluar DECIMAL(18,2);

    SELECT @totalMasuk = ISNULL(SUM(amount), 0)
    FROM transactions
    WHERE reference_account = @account_id;

    SELECT @totalKeluar = ISNULL(SUM(amount), 0)
    FROM transactions
    WHERE account_id = @account_id AND reference_account IS NOT NULL;

    RETURN @totalMasuk - @totalKeluar;
END;
```

100 %

Messages

Commands completed successfully.

Completion time: 2025-05-16T06:28:06.7101465+07:00

```
SELECT
    account_id,
    dbo.fn_GetAccountNetFlow('905660c8-d6a7-40e9-9be3-e6711d22efb6') AS NetFlow
FROM accounts;
```

100 %

Results Messages

	account_id	NetFlow
1	07a36a4b-7943-4634-b17a-7c7eb4407cd3	-118.44
2	0937445f-d5eb-4ef9-887f-4173fe662dd4	-118.44
3	1118a259-aa7d-402b-9f1f-72555ed15180	-118.44
4	11d9d6f7-35d3-4ba3-bcca-a6b1e8f68519	-118.44
5	14f24b1b-6e86-4cb3-bbc4-0293bc90f756	-118.44
6	15b082e5-92e7-4375-a7d9-f7224d35ba13	-118.44
7	15c1de08-94a5-482d-9db5-682a1581ed84	-118.44
8	17a9ed0a-5ed3-41d6-9e20-df434296c83d	-118.44
9	1afc36b6-ae72-48ff-9d51-5f57fac653bc	-118.44
10	1d97bce1-5c94-49e4-8e2a-6ad56b99afb0	-118.44
11	2156bbb2-c082-45e5-a5d6-f66752c37690	-118.44
12	2229fe26-cc7f-4a58-9caf-d79a7f45b93e	-118.44

Query executed successfully. DESKTOP-DV919G1\INSTANCE202

v. function `fn_GetCustomerFinancialSummary` yang menerima `customer_id`, dan mengembalikan hasil total saldo + total pinjaman.

- Query:

```
CREATE FUNCTION fn_GetCustomerFinancialSummary (@customer_id
CHAR(36))
RETURNS DECIMAL(18, 2)
AS
BEGIN
    DECLARE @total_balance DECIMAL(18, 2);
    DECLARE @total_loan DECIMAL(18, 2);
    DECLARE @result DECIMAL(18, 2);
```

```

SELECT @total_balance = SUM(balance)
FROM accounts
WHERE customer_id = @customer_id;

```

```

SELECT @total_loan = SUM(loan_amount)
FROM loans
WHERE customer_id = @customer_id;

```

```

IF @total_balance IS NULL
    SET @total_balance = 0;
IF @total_loan IS NULL
    SET @total_loan = 0;

```

```

SET @result = @total_balance + @total_loan;
RETURN @result;

```

END;

```

SELECT
    c.customer_id,
    CONCAT(c.first_name, ' ', c.last_name) AS full_name,
    dbo.fn_GetCustomerFinancialSummary(c.customer_id) AS
total_saldo_dan_total_pinjaman
FROM customers c;

```

- Screenshoot:

```

CREATE FUNCTION fn_GetCustomerFinancialSummary (@customer_id CHAR(36))
RETURNS DECIMAL(18, 2)
AS
BEGIN
    DECLARE @total_balance DECIMAL(18, 2);
    DECLARE @total_loan DECIMAL(18, 2);
    DECLARE @result DECIMAL(18, 2);

    SELECT @total_balance = SUM(balance)
    FROM accounts
    WHERE customer_id = @customer_id;

    SELECT @total_loan = SUM(loan_amount)
    FROM loans
    WHERE customer_id = @customer_id;

    IF @total_balance IS NULL SET @total_balance = 0;
    IF @total_loan IS NULL SET @total_loan = 0;

    SET @result = @total_balance + @total_loan;
    RETURN @result;
END:

```

```

SELECT
    c.customer_id,
    CONCAT(c.first_name, ' ', c.last_name) AS full_name,
    dbo.fn_GetCustomerFinancialSummary(c.customer_id) AS total_saldo_dan_total_pinjaman
FROM customers c;

```

100 %

Results Messages

	customer_id	full_name	total_saldo_dan_total_pinjaman
1	079cd6ce-04a8-4c55-8c2b-b93189e9050a	Sergeant Maith	50742.07
2	0bedb8d0-0c5a-48a9-bae1-5b1fbecf4a10	Shaine Matic	59238.57
3	0ca06e8d-a7a2-40c4-893b-128336ffdf54	Buddie Sandison	70994.89
4	13aac759-5c49-42dc-9693-0f46cb1337bb	Stephanus Frear	64771.51
5	14f35ff7-5574-4e12-ad89-7e7704a02e62	Corette Vicent	73524.09
6	1833e0d4-fd6c-4474-b416-3ce9e539b363	Devon McQuode	68205.76
7	1b056bda-e6c8-46bb-a706-8db8c2e53061	Jacquetette Hilldrup	69002.31
8	1ea5ec60-3f36-4896-af24-13ee03bf06d9	Bobette Shambrooke	52204.85
9	1f2aa50e-b682-43da-b36e-f33d041691dc	Donnajeane Amerighi	57090.17
10	1f72084e-90f3-4334-9b8f-a3b350c2beb0	Barabara Swires	60697.24
11	20b542e7-3b96-4059-b30a-6d09832e17de	Sandro Alten	60200.58
12	23fd617f-9912-4a67-b5cb-60147b25930c	Nester Niccolls	56520.80
13	26ae893b-6b51-41b9-9b07-a8d07e8a2979	Rebekah Conkie	68511.83
14	27693ec7-45c9-4230-89d2-d0c98654cde7	Sidonnie Marks	66000.50
15	287bf982-89ce-44b5-bfdd-49407600309a	Niel Yuryatin	48532.01
16	29f948c1-0d27-4e13-9126-498a6e51a079	Spike Sill	51328.67
17	22716558-b68a-42ae-01a8-50207fa42276	Bilke Lufe	60272.04

Query executed successfully.