

CODE JS LIKE A PRO

# 4 JavaScript shorthands you should know

SLIDE ➔



 Dennis Osaj  
 @DennisOsaj



# Ternary



```
const isHappy = false;
let emoji;

if (isHappy) {
  emoji = '😊';
} else {
  emoji = '😓';
}

console.log(`This how I feel ${emoji}`);
// This how I feel 😓
```



```
const isHappy = true;
let emoji = (isHappy) ? '😊' : '😓';
console.log(`This how I feel ${emoji}`);
// This how I feel 😊
```

# Return



```
const weather = 'sunny';  
if (weather === 'sunny') {  
    console.log('I am going fo a walk.');}  
// I am going fo a walk.
```



```
const weather = 'sunny';  
if (weather !== 'sunny') return;  
console.log('I am going fo a walk.');// I am going fo a walk.
```



# Shortcuts &&



```
const yummy = true;  
if (yummy) {  
  console.log('The food is delicious!');  
}  
// The food is delicious!
```



```
const yummy = true;  
yummy && console.log('The food is delicious!');  
// The food is delicious!
```

# Shortcuts II



```
const price = 5.99;

if (price) {
  return price;
} else {
  return 'It is for free';
}
```



```
const price = 5.99;
return (price || 'It is for free');
```



 Dennis Osaj  
 @DennisOsaj

**Having come this far?  
You might as well leave a like  
and follow me.**

Much appreciated!

