

# **LAPORAN AKHIR PRAKTIKUM**


Mata Praktikum : Interaksi Manusia dan Komputer  
Kelas : 3IA02  
Praktikum ke- : 3  
Tanggal : 26/10/22  
Materi : Data Transaction Language  
NPM : 50420562  
Nama : Ibrahim Bramullah  
Ketua Asisten : Natasya Rahma Fadilla  
Paraf Asisten :  
Nama Asisten :  
Jumlah Lembar : 11 Lembar

**LABORATORIUM TEKNIK INFORMATIKA**


**UNIVERSITAS GUNADARMA**

**2022**


Buka Query Tool



Atau dengan




1. Buatlah database dengan nama supermart




2. Buat table dengan nama sales dengan ketentuan

Field	Type Data	Panjang	Keterangan
order_line	Integer	-	Primary Key
order_id	Varchar	255	Not Null
order_date	Date	-	Not Null
ship_date	Date	-	Not Null
ship_mode	Varchar	255	Not Null
customer_id	Varchar	255	Not Null
product_id	Varchar	255	Not Null
sales	Double Precision	-	Not Null
quantity	Integer	-	Not Null
discount	Double Precision	-	Not Null
profit	Double Precision	-	Not Null



### 3. Tampilkan struktur table sales yang telah dibuat



Data Output Messages Notifications										
order_line [PK] integer	order_id character varying (255)	order_date date	ship_date date	ship_mode character varying (255)	customer_id character varying (255)	product_id character varying (255)	sales double precision	quantity integer	discount double precision	profit double precision

Data Output Messages Notifications										
order_line [PK] integer	order_id character varying (255)	order_date date	ship_date date	ship_mode character varying (255)	customer_id character varying (255)	product_id character varying (255)	sales double precision	quantity integer	discount double precision	profit double precision

#### 4. Masukkan data berikut ke dalam table sales lalu tampilkan isi table customer tersebut

1	CA-2016-152156	2016-11-08	2016-11-11	Second Class	CG-12520	FUR-BO-10001798	261.96	2	0	41.9136
2	CA-2016-152156	2016-11-08	2016-11-11	Second Class	CG-12520	FUR-CH-10000454	731.94	3	0	219.582
3	CA-2016-138688	2016-06-12	2016-06-16	Second Class	DV-13045	OFF-LA-10000240	14.62	2	0	6.8714
4	US-2015-108966	2015-10-11	2015-10-18	Standard Class	SO-20335	FUR-TA-10000577	957.5775	5	0.45	-383.031
5	US-2015-108966	2015-10-11	2015-10-18	Standard Class	SO-20335	OFF-ST-10000760	22.368	2	0.2	2.5164
6	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-FU-10001487	48.86	7	0	14.1694
7	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AR-10002833	7.28	4	0	1.9656
8	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002275	907.152	6	0.2	90.7152
9	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-BI-10003910	18.504	3	0.2	5.7825
10	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AP-10002892	114.9	5	0	34.47
11	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-TA-10001539	1706.184	9	0.2	85.3092
12	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002033	911.424	4	0.2	68.3568
13	CA-2017-114412	2017-04-15	2017-04-20	Standard Class	AA-10480	OFF-PA-10002365	15.552	3	0.2	5.4432
14	CA-2016-161389	2016-12-05	2016-12-10	Standard Class	IM-15070	OFF-BI-10003656	407.976	3	0.2	132.5922
15	US-2015-118983	2015-11-22	2015-11-26	Standard Class	HP-14815	OFF-AP-10002311	68.81	5	0.8	-123.858
16	US-2015-118983	2015-11-22	2015-11-26	Standard Class	HP-14815	OFF-BI-10000756	2.544	3	0.8	-3.816

Query Query History

19 SELECT \* FROM sales;

20

21 --3

22 INSERT INTO sales VALUES(1,'CA-2016-152156','2016-11-08','2016-11-11','Second Class','CG-12520','FUR-BO-10001798',261.96,2,0,41.9136);

23 INSERT INTO sales VALUES(2,'CA-2016-152156','2016-11-11','2016-11-11','Second Class','CG-12520','FUR-CH-10000454',731.94,3,0,219.582);

24 INSERT INTO sales VALUES(3,'CA-2016-138688','2016-06-12','2016-06-16','Second Class','DV-13045','OFF-LA-10000240',14.62,2,0,6.8714);

25 INSERT INTO sales VALUES(4,'US-2015-108966','2015-10-11','2015-10-18','Standard Class','SO-20335','FUR-TA-10000577',957.5775,5,0.45,-383.031);

26 INSERT INTO sales VALUES(5,'US-2015-108966','2015-10-11','2015-10-18','Standard Class','SO-20335','OFF-ST-10000760',22.368,2,0.2,2.5164);

27 INSERT INTO sales VALUES(6,'CA-2014-115812','2014-06-09','2014-06-14','Standard Class','BH-11710','FUR-FU-10001487',48.86,7,0,14.1694);

28 INSERT INTO sales VALUES(7,'CA-2014-115812','2014-06-09','2014-06-14','Standard Class','BH-11710','OFF-AR-10002833',7.28,4,0,1.9656);

29 INSERT INTO sales VALUES(8,'CA-2014-115812','2014-06-09','2014-06-14','Standard Class','BH-11710','TEC-PH-10002275',907.152,6,0.2,90.7152);

30 INSERT INTO sales VALUES(9,'CA-2014-115812','2014-06-09','2014-06-14','Standard Class','BH-11710','OFF-BI-10003910',18.504,3,0.2,5.7825);

31 INSERT INTO sales VALUES(10,'CA-2014-115812','2014-06-09','2014-06-14','Standard Class','BH-11710','OFF-AP-10002892',114.9,5,0,34.47);

32 INSERT INTO sales VALUES(11,'CA-2014-115812','2014-06-09','2014-06-14','Standard Class','BH-11710','FUR-TA-10001539',1706.184,9,0.2,85.3092);

33 INSERT INTO sales VALUES(12,'CA-2014-115812','2014-06-09','2014-06-14','Standard Class','BH-11710','TEC-PH-10002033',911.424,4,0.2,68.3568);

34 INSERT INTO sales VALUES(13,'CA-2014-114412','2017-04-15','2017-04-20','Standard Class','AA-10480','OFF-PA-10002365',15.552,3,0.2,5.4432);

35 INSERT INTO sales VALUES(14,'CA-2014-161389','2016-12-05','2016-12-10','Standard Class','IM-15070','OFF-BH-10002365',407.976,3,0.2,132.5922);

36 INSERT INTO sales VALUES(15,'US-2015-118983','2015-11-22','2015-11-26','Standard Class','HP-14815','OFF-AP-10002311',68.81,5,0.8,-123.858);

37 INSERT INTO sales VALUES(16,'US-2015-118983','2015-11-22','2015-11-26','Standard Class','HP-14815','OFF-BI-10000756',2.544,3,0.8,-3.816);

38

39

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 71 msec.

Data Output Messages Notifications											
	order_line [PK] integer	order_id character varying (255)	order_date date	ship_date date	ship_mode character varying (255)	customer_id character varying (255)	product_id character varying (255)	sales double precision	quantity integer	discount double precision	prc do
1	1	CA-2016-152156	2016-11-08	2016-11-11	Second Class	CG-12520	FUR-BO-10001798	261.96	2	0	
2	2	CA-2016-152156	2016-11-11	2016-11-11	Second Class	CG-12520	FUR-CH-10000454	731.94	3	0	
3	3	CA-2016-138688	2016-06-12	2016-06-16	Second Class	DV-13045	OFF-LA-10000240	14.62	2	0	
4	4	US-2015-108966	2015-10-11	2015-10-18	Standard Class	SO-20335	FUR-TA-10000577	957.5775	5	0.45	
5	5	US-2015-108966	2015-10-11	2015-10-18	Standard Class	SO-20335	OFF-ST-10000760	22.368	2	0.2	
6	6	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-FU-10001487	48.86	7	0	
7	7	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AR-10002833	7.28	4	0	
8	8	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002275	907.152	6	0.2	
9	9	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-BI-10003910	18.504	3	0.2	
10	10	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AP-10002892	114.9	5	0	
11	11	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-TA-10001539	1706.184	9	0.2	
12	12	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002033	911.424	4	0.2	
13	13	CA-2014-114412	2017-04-15	2017-04-20	Standard Class	AA-10480	OFF-PA-10002365	15.552	3	0.2	
14	14	CA-2014-161389	2016-12-05	2016-12-10	Standard Class	IM-15070	OFF-BH-10002365	407.976	3	0.2	
15	15	US-2015-118983	2015-11-22	2015-11-26	Standard Class	HP-14815	OFF-AP-10002311	68.81	5	0.8	
16	16	US-2015-118983	2015-11-22	2015-11-26	Standard Class	HP-14815	OFF-BI-10000756	2.544	3	0.8	

Data Output Messages Notifications											
	order_id character varying (255)	order_date date	ship_date date	ship_mode character varying (255)	customer_id character varying (255)	product_id character varying (255)	sales double precision	quantity integer	discount double precision	profit double precision	
1	CA-2016-152156	2016-11-08	2016-11-11	Second Class	CG-12520	FUR-BO-10001798	261.96	2	0	41.9136	
2	CA-2016-152156	2016-11-11	2016-11-11	Second Class	CG-12520	FUR-CH-10000454	731.94	3	0	219.582	
3	CA-2016-138688	2016-06-12	2016-06-16	Second Class	DV-13045	OFF-LA-10000240	14.62	2	0	6.8714	
4	US-2015-108966	2015-10-11	2015-10-18	Standard Class	SO-20335	FUR-TA-10000577	957.5775	5	0.45	-383.031	
5	US-2015-108966	2015-10-11	2015-10-18	Standard Class	SO-20335	OFF-ST-10000760	22.368	2	0.2	2.5164	
6	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-FU-10001487	48.86	7	0	14.1694	
7	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AR-10002833	7.28	4	0	1.9656	
8	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002275	907.152	6	0.2	90.7152	
9	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-BI-10003910	18.504	3	0.2	5.7825	
10	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AP-10002892	114.9	5	0	34.47	
11	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-TA-10001539	1706.184	9	0.2	85.3092	
12	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002033	911.424	4	0.2	68.3568	
13	CA-2014-114412	2017-04-15	2017-04-20	Standard Class	AA-10480	OFF-PA-10002365	15.552	3	0.2	5.4432	
14	CA-2014-161389	2016-12-05	2016-12-10	Standard Class	IM-15070	OFF-BH-10002365	407.976	3	0.2	132.5922	
15	US-2015-118983	2015-11-22	2015-11-26	Standard Class	HP-14815	OFF-AP-10002311	68.81	5	0.8	-123.858	
16	US-2015-118983	2015-11-22	2015-11-26	Standard Class	HP-14815	OFF-BI-10000756	2.544	3	0.8	-3.816	

## 5. Tambahkan 1 record data dengan order\_line = 17 (field lain isi bebas)

```

40
41 --4
42 INSERT INTO sales VALUES(17,'CN-2022-446862','2019-12-31','2022-11-3','VIP Class','SEA-19121','CVD-OI-10000019',0.00,0.00,100.00,-100.00);
43
44 --5
45

```

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 75 msec.

..

```

41 --4
42 INSERT INTO sales VALUES(17,'CN-2022-446862','2019-12-31','2022-11-3','VIP Class','SEA-19121','CVD-OI-10000019',0.00,0.00,100.00,-100.00);
43
44 SELECT * FROM sales;
45

```

Data Output Messages Notifications

order_line [PK] integer	order_id character varying (255)	order_date date	ship_date date	ship_mode character varying (255)	customer_id character varying (255)	product_id character varying (255)	sales double precision	quantity integer	discount double precision
5	US-2015-108966	2015-10-11	2015-10-18	Standard Class	SO-20335	OFF-ST-10000760	22.368	2	0.2
6	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-FU-10001487	48.86	7	0
7	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AR-10002833	7.28	4	0
8	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002275	907.152	6	0.2
9	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-BI-10003910	18.504	3	0.2
10	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AP-10002892	114.9	5	0
11	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-TA-10001539	1706.184	9	0.2
12	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002033	911.424	4	0.2
13	CA-2014-114412	2017-04-15	2017-04-20	Standard Class	AA-10480	OFF-PA-10002365	15.552	3	0.2
14	CA-2014-161389	2016-12-05	2016-12-10	Standard Class	IM-15070	OFF-BI-10002365	407.976	3	0.2
15	US-2015-118983	2015-11-22	2015-11-26	Standard Class	HP-14815	OFF-AP-10002311	68.81	5	0.8
16	US-2015-118983	2015-11-22	2015-11-26	Standard Class	HP-14815	OFF-BI-10000756	2.544	3	0.8
17	CN-2022-446862	2019-12-31	2022-11-03	VIP Class	SEA-19121	CVD-OI-10000019	0	0	100

```

41 --4
42 INSERT INTO sales VALUES(17,'CN-2022-446862','2019-12-31','2022-11-3','VIP Class','SEA-19121','CVD-OI-10000019',0.00,0.00,100.00,-100.00);
43
44 SELECT * FROM sales;
45

```

Data Output Messages Notifications

order_id character varying (255)	order_date date	ship_date date	ship_mode character varying (255)	customer_id character varying (255)	product_id character varying (255)	sales double precision	quantity integer	discount double precision	profit double precision
US-2015-108966	2015-10-11	2015-10-18	Standard Class	SO-20335	OFF-ST-10000760	22.368	2	0.2	2.5164
CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-FU-10001487	48.86	7	0	14.1694
CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AR-10002833	7.28	4	0	1.9656
CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002275	907.152	6	0.2	90.7152
CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-BI-10003910	18.504	3	0.2	5.7825
CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AP-10002892	114.9	5	0	34.47
CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-TA-10001539	1706.184	9	0.2	85.3092
CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002033	911.424	4	0.2	68.3568
CA-2014-114412	2017-04-15	2017-04-20	Standard Class	AA-10480	OFF-PA-10002365	15.552	3	0.2	5.4432
CA-2014-161389	2016-12-05	2016-12-10	Standard Class	IM-15070	OFF-BI-10002365	407.976	3	0.2	132.5922
US-2015-118983	2015-11-22	2015-11-26	Standard Class	HP-14815	OFF-AP-10002311	68.81	5	0.8	-123.858
US-2015-118983	2015-11-22	2015-11-26	Standard Class	HP-14815	OFF-BI-10000756	2.544	3	0.8	-3.816
CN-2022-446862	2019-12-31	2022-11-03	VIP Class	SEA-19121	CVD-OI-10000019	0	0	100	-100

## 6. Buatlah perintah COMMIT dengan menghapus record yang memiliki order\_line 16 dan 17

- mas (1)
- iblic
- Aggregates
- Collations
- Domains
- FTS Configurations
- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (2)

Query    Query History

1    --5

2    BEGIN;

3    SELECT \* FROM sales;

4    DELETE FROM sales WHERE Order\_line = 16;

5    DELETE FROM sales WHERE Order\_line = 17;

6    COMMIT;

Data Output    Messages    Notifications

COMMIT

Query returned successfully in 53 msec.

..

Databases (2)

- postgres
  - supermart
    - Casts
    - Catalogs
    - Event Triggers
    - Extensions
    - Foreign Data Wrappers
    - Languages
    - Publications
    - Schemas (1)
      - public
        - Aggregates
        - Collations
        - Domains
        - FTS Configurations
        - FTS Dictionaries
        - FTS Parsers
        - FTS Templates
        - Foreign Tables
        - Functions
        - Materialized Views
        - Operators
        - Procedures
        - Sequences

Query    Query History

1    --5

2    BEGIN;

3    DELETE FROM sales WHERE Order\_line = 16;

4    DELETE FROM sales WHERE Order\_line = 17;

5    COMMIT;

6    SELECT \* FROM sales;

Data Output    Messages    Notifications

	order_line	order_id	order_date	ship_date	ship_mode	customer_id	product_id	sales	quantity	discount
	[PK] integer	character varying (255)	date	date	character varying (255)	character varying (255)	character varying (255)	double precision	integer	double
6	6	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-FU-10001487	48.86	7	
7	7	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AR-10002833	7.28	4	
8	8	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002275	907.152	6	
9	9	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-BH-10003910	18.504	3	
10	10	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AP-10002892	114.9	5	
11	11	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-TA-10001539	1706.184	9	
12	12	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002033	911.424	4	
13	13	CA-2014-114412	2017-04-15	2017-04-20	Standard Class	AA-10480	OFF-PA-10002365	15.552	3	
14	14	CA-2014-161389	2016-12-05	2016-12-10	Standard Class	IM-15070	OFF-BH-10002365	407.976	3	
15	15	US-2015-118983	2015-11-22	2015-11-26	Standard Class	HP-14815	OFF-AP-10002311	68.81	5	

..



7. Lakukan ROLLBACK dari hasil COMMIT pada nomor 5 (screenshot output/message yang dihasilkan)

• •

8. Membuat perintah ROLLBACK dengan mengupdate quantity (ditambah atau dikurangi) dari 2 record berbeda (order\_line bebas)

rations  
aries

tes  
es

Views

```
8  
9 SELECT * FROM sales;  
10 --7  
11 UPDATE sales SET Quantity = '10' WHERE Order_line = 15;  
12 UPDATE sales SET Quantity = '0' WHERE Order_line = 12;  
13 ROLLBACK;  
14
```

Data Output Messages Notifications

UPDATE 1

Query returned successfully in 80 msec.

....

```
2  
3 SELECT * FROM sales;  
4  
5 UPDATE sales SET Quantity = '10' WHERE Order_line 15;  
6 UPDATE sales SET Quantity = '0' WHERE Order_line 12;
```

Data Output Messages Notifications

	id	ship_date	ship_mode	customer_id	product_id	sales	quantity	discount	profit
	id	date	character varying (255)	character varying (255)	character varying (255)	double precision	integer	double precision	double precision
5	11	2013-10-10	Standard Class	BH-11710	FUR-FU-10001487	22.000	2	0	23.104
6	09	2014-06-14	Standard Class	BH-11710	FUR-FU-10001487	48.86	7	0	14.1694
7	09	2014-06-14	Standard Class	BH-11710	OFF-AR-10002833	7.28	4	0	1.9656
8	09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002275	907.152	6	0.2	90.7152
9	09	2014-06-14	Standard Class	BH-11710	OFF-BI-10003910	18.504	3	0.2	5.7825
10	09	2014-06-14	Standard Class	BH-11710	OFF-AP-10002892	114.9	5	0	34.47
11	09	2014-06-14	Standard Class	BH-11710	FUR-TA-10001539	1706.184	9	0.2	85.3092
12	15	2017-04-20	Standard Class	AA-10480	OFF-PA-10002365	15.552	3	0.2	5.4432
13	05	2016-12-10	Standard Class	IM-15070	OFF-BI-10002365	407.976	3	0.2	132.5922
14	22	2015-11-26	Standard Class	HP-14815	OFF-AP-10002311	68.81	10	0.8	-123.858
15	09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002033	911.424	0	0.2	68.3568

..

Foreign Data Wrappers

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (2)

customer

sales

Columns

Constraints

Indexes

RLS Policies

Rules

Triggers

Query Query History

1 UPDATE sales SET Quantity = '10' WHERE Order\_line = 15;  
2 UPDATE sales SET Quantity = '10' WHERE Order\_line = 12;  
3 rollback;  
4  
5 SELECT \* FROM sales;

Data Output Messages Notifications

order_line PK integer	order_id character varying (255)	order_date date	ship_date date	ship_mode character varying (255)	customer_id character varying (255)	product_id character varying (255)	sales double precision	quantity integer
6	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-FU-10001487	48.86	
7	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AR-10002833	7.28	
8	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002275	907.152	
9	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-BI-10003910	18.504	
10	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	OFF-AP-10002892	114.9	
11	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-TA-10001539	1706.184	
12	CA-2014-114412	2017-04-15	2017-04-20	Standard Class	AA-10480	OFF-PA-10002365	15.552	
13	CA-2014-161389	2016-12-05	2016-12-10	Standard Class	IM-15070	OFF-BI-10002365	407.976	
14	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002033	911.424	
15	US-2015-118983	2015-11-22	2015-11-26	Standard Class	HP-14815	OFF-AP-10002311	68.81	

Total rows: 15 of 15 Query complete:00:00:00.080 Ln 5, Col 1

Data Output Messages Notifications

id	ship_date date	ship_mode character varying (255)	customer_id character varying (255)	product_id character varying (255)	sales double precision	quantity integer	discount double precision	profit double precision
6	09 2014-06-14	Standard Class	BH-11710	FUR-FU-10001487	48.86	7	0	14.1694
7	09 2014-06-14	Standard Class	BH-11710	OFF-AR-10002833	7.28	4	0	1.9656
8	09 2014-06-14	Standard Class	BH-11710	TEC-PH-10002275	907.152	6	0.2	90.7152
9	09 2014-06-14	Standard Class	BH-11710	OFF-BI-10003910	18.504	3	0.2	5.7825
10	09 2014-06-14	Standard Class	BH-11710	OFF-AP-10002892	114.9	5	0	34.47
11	09 2014-06-14	Standard Class	BH-11710	FUR-TA-10001539	1706.184	9	0.2	85.3092
12	15 2017-04-20	Standard Class	AA-10480	OFF-PA-10002365	15.552	3	0.2	5.4432
13	05 2016-12-10	Standard Class	IM-15070	OFF-BI-10002365	407.976	3	0.2	132.5922
14	09 2014-06-14	Standard Class	BH-11710	TEC-PH-10002033	911.424	4	0.2	68.3568
15	22 2015-11-26	Standard Class	HP-14815	OFF-AP-10002311	68.81	5	0.8	-123.858

Total rows: 15 of 15 Query complete:00:00:00.080 Ln 5, Col 1