

# Unicode Characters in the 'Symbol, Math' Category



















Character	Name	Browser	Image
U+002B (/info/unicode/char/002b/index.htm)	PLUS SIGN	+	+
U+003C (/info/unicode/char/003c/index.htm)	LESS-THAN SIGN	<	<
U+003D (/info/unicode/char/003d/index.htm)	EQUALS SIGN	=	=
U+003E (/info/unicode/char/003e/index.htm)	GREATER-THAN SIGN	>	>
U+007C (/info/unicode/char/007c/index.htm)	VERTICAL LINE		
U+007E (/info/unicode/char/007e/index.htm)	TILDE	~	~
U+00AC (/info/unicode/char/00ac/index.htm)	NOT SIGN	¬	¬
U+00B1 (/info/unicode/char/00b1/index.htm)	PLUS-MINUS SIGN	±	±
U+00D7 (/info/unicode/char/00d7/index.htm)	MULTIPLICATION SIGN	×	×
U+00F7 (/info/unicode/char/00f7/index.htm)	DIVISION SIGN	÷	÷
U+03F6 (/info/unicode/char/03f6/index.htm)	GREEK REVERSED LUNATE EPSILON SYMBOL	ϵ	ϵ
U+0606 (/info/unicode/char/0606/index.htm)	ARABIC-INDIC CUBE ROOT	√	√




















Character	Name	Browser	Image
U+0607 (/info/unicode/char/0607/index.htm)	ARABIC-INDIC FOURTH ROOT	√	√
U+0608 (/info/unicode/char/0608/index.htm)	ARABIC RAY	ق	ق
U+2044 (/info/unicode/char/2044/index.htm)	FRACTION SLASH	/	/
U+2052 (/info/unicode/char/2052/index.htm)	COMMERCIAL MINUS SIGN	%	%
U+207A (/info/unicode/char/207a/index.htm)	SUPERSCRIFT PLUS SIGN	+	+
U+207B (/info/unicode/char/207b/index.htm)	SUPERSCRIFT MINUS	-	-
U+207C (/info/unicode/char/207c/index.htm)	SUPERSCRIFT EQUALS SIGN	=	=
U+208A (/info/unicode/char/208a/index.htm)	SUBSCRIPT PLUS SIGN	+	+
U+208B (/info/unicode/char/208b/index.htm)	SUBSCRIPT MINUS	-	-
U+208C (/info/unicode/char/208c/index.htm)	SUBSCRIPT EQUALS SIGN	=	=
U+2118 (/info/unicode/char/2118/index.htm)	SCRIPT CAPITAL P	℘	℘
U+2140 (/info/unicode/char/2140/index.htm)	DOUBLE-STRUCK N-ARY SUMMATION	∑	∑
U+2141 (/info/unicode/char/2141/index.htm)	TURNED SANS-SERIF CAPITAL G	Ɔ	Ɔ
U+2142 (/info/unicode/char/2142/index.htm)	TURNED SANS-SERIF CAPITAL L	ℓ	ℓ
U+2143 (/info/unicode/char/2143/index.htm)	REVERSED SANS-SERIF CAPITAL L	ℓ	ℓ
U+2144 (/info/unicode/char/2144/index.htm)	TURNED SANS-SERIF CAPITAL Y	Ⅎ	Ⅎ
U+214B (/info/unicode/char/214b/index.htm)	TURNED AMPERSAND	ⷮ	ⷮ
U+2190 (/info/unicode/char/2190/index.htm)	LEFTWARDS ARROW	←	←
U+2191 (/info/unicode/char/2191/index.htm)	UPWARDS ARROW	↑	↑

Character	Name	Browser	Image
U+2192 (/info/unicode/char/2192/index.htm)	RIGHTWARDS ARROW	→	→
U+2193 (/info/unicode/char/2193/index.htm)	DOWNWARDS ARROW	↓	↓
U+2194 (/info/unicode/char/2194/index.htm)	LEFT RIGHT ARROW	↔	↔
U+219A (/info/unicode/char/219a/index.htm)	LEFTWARDS ARROW WITH STROKE	↵	↵
U+219B (/info/unicode/char/219b/index.htm)	RIGHTWARDS ARROW WITH STROKE	↶	↶
U+21A0 (/info/unicode/char/21a0/index.htm)	RIGHTWARDS TWO HEADED ARROW	⇨	⇨
U+21A3 (/info/unicode/char/21a3/index.htm)	RIGHTWARDS ARROW WITH TAIL	↗	↗
U+21A6 (/info/unicode/char/21a6/index.htm)	RIGHTWARDS ARROW FROM BAR	↠	↠
U+21AE (/info/unicode/char/21ae/index.htm)	LEFT RIGHT ARROW WITH STROKE	↷	↷
U+21CE (/info/unicode/char/21ce/index.htm)	LEFT RIGHT DOUBLE ARROW WITH STROKE	↹	↹
U+21CF (/info/unicode/char/21cf/index.htm)	RIGHTWARDS DOUBLE ARROW WITH STROKE	⇛	⇛
U+21D2 (/info/unicode/char/21d2/index.htm)	RIGHTWARDS DOUBLE ARROW	⇒	⇒
U+21D4 (/info/unicode/char/21d4/index.htm)	LEFT RIGHT DOUBLE ARROW	⇔	⇔
U+21F4 (/info/unicode/char/21f4/index.htm)	RIGHT ARROW WITH SMALL CIRCLE	➡	➡
U+21F5 (/info/unicode/char/21f5/index.htm)	DOWNWARDS ARROW LEFTWARDS OF UPWARDS ARROW	↕	↕
U+21F6 (/info/unicode/char/21f6/index.htm)	THREE RIGHTWARDS ARROWS	⇢	⇢
U+21F7 (/info/unicode/char/21f7/index.htm)	LEFTWARDS ARROW WITH VERTICAL STROKE	↵	↵
U+21F8 (/info/unicode/char/21f8/index.htm)	RIGHTWARDS ARROW WITH VERTICAL STROKE	➡	➡
U+21F9 (/info/unicode/char/21f9/index.htm)	LEFT RIGHT ARROW WITH VERTICAL STROKE	↷	↷

Character	Name	Browser	Image
U+21FA (/info/unicode/char/21fa/index.htm)	LEFTWARDS ARROW WITH DOUBLE VERTICAL STROKE	⇐⇐	⇐⇐
U+21FB (/info/unicode/char/21fb/index.htm)	RIGHTWARDS ARROW WITH DOUBLE VERTICAL STROKE	⇒⇒	⇒⇒
U+21FC (/info/unicode/char/21fc/index.htm)	LEFT RIGHT ARROW WITH DOUBLE VERTICAL STROKE	⇔	⇔
U+21FD (/info/unicode/char/21fd/index.htm)	LEFTWARDS OPEN-HEADED ARROW	↤	↤
U+21FE (/info/unicode/char/21fe/index.htm)	RIGHTWARDS OPEN-HEADED ARROW	↠	↠
U+21FF (/info/unicode/char/21ff/index.htm)	LEFT RIGHT OPEN-HEADED ARROW	↔	↔
U+2200 (/info/unicode/char/2200/index.htm)	FOR ALL	∀	∀
U+2201 (/info/unicode/char/2201/index.htm)	COMPLEMENT	ᶜ	ᶜ
U+2202 (/info/unicode/char/2202/index.htm)	PARTIAL DIFFERENTIAL	∂	∂
U+2203 (/info/unicode/char/2203/index.htm)	THERE EXISTS	∃	∃
U+2204 (/info/unicode/char/2204/index.htm)	THERE DOES NOT EXIST	∄	∄
U+2205 (/info/unicode/char/2205/index.htm)	EMPTY SET	∅	∅
U+2206 (/info/unicode/char/2206/index.htm)	INCREMENT	Δ	Δ
U+2207 (/info/unicode/char/2207/index.htm)	NABLA	∇	∇
U+2208 (/info/unicode/char/2208/index.htm)	ELEMENT OF	∈	∈
U+2209 (/info/unicode/char/2209/index.htm)	NOT AN ELEMENT OF	∉	∉
U+220A (/info/unicode/char/220a/index.htm)	SMALL ELEMENT OF	∈	∈
U+220B (/info/unicode/char/220b/index.htm)	CONTAINS AS MEMBER	⊃	⊃
U+220C (/info/unicode/char/220c/index.htm)	DOES NOT CONTAIN AS MEMBER	⊄	⊄

Character	Name	Browser	Image
U+220D (/info/unicode/char/220d/index.htm)	SMALL CONTAINS AS MEMBER	≍	≍
U+220E (/info/unicode/char/220e/index.htm)	END OF PROOF	■	■
U+220F (/info/unicode/char/220f/index.htm)	N-ARY PRODUCT	∏	∏
U+2210 (/info/unicode/char/2210/index.htm)	N-ARY COPRODUCT	∐	∐
U+2211 (/info/unicode/char/2211/index.htm)	N-ARY SUMMATION	∑	∑
U+2212 (/info/unicode/char/2212/index.htm)	MINUS SIGN	-	-
U+2213 (/info/unicode/char/2213/index.htm)	MINUS-OR-PLUS SIGN	±	±
U+2214 (/info/unicode/char/2214/index.htm)	DOT PLUS	÷	÷
U+2215 (/info/unicode/char/2215/index.htm)	DIVISION SLASH	/	/
U+2216 (/info/unicode/char/2216/index.htm)	SET MINUS	\	\
U+2217 (/info/unicode/char/2217/index.htm)	ASTERISK OPERATOR	*	*
U+2218 (/info/unicode/char/2218/index.htm)	RING OPERATOR	∘	∘
U+2219 (/info/unicode/char/2219/index.htm)	BULLET OPERATOR	⋅	•
U+221A (/info/unicode/char/221a/index.htm)	SQUARE ROOT	√	√
U+221B (/info/unicode/char/221b/index.htm)	CUBE ROOT	∛	∛
U+221C (/info/unicode/char/221c/index.htm)	FOURTH ROOT	∜	∜
U+221D (/info/unicode/char/221d/index.htm)	PROPORTIONAL TO	∞	∝
U+221E (/info/unicode/char/221e/index.htm)	INFINITY	∞	∞
U+221F (/info/unicode/char/221f/index.htm)	RIGHT ANGLE	⊥	⊥




















Character	Name	Browser	Image
U+2220 (/info/unicode/char/2220/index.htm)	ANGLE	$\angle$	
U+2221 (/info/unicode/char/2221/index.htm)	MEASURED ANGLE	$\measuredangle$	
U+2222 (/info/unicode/char/2222/index.htm)	SPHERICAL ANGLE	$\sphericalangle$	
U+2223 (/info/unicode/char/2223/index.htm)	DIVIDES	$\mid$	
U+2224 (/info/unicode/char/2224/index.htm)	DOES NOT DIVIDE	$\nmid$	
U+2225 (/info/unicode/char/2225/index.htm)	PARALLEL TO	$\parallel$	
U+2226 (/info/unicode/char/2226/index.htm)	NOT PARALLEL TO	$\nparallel$	
U+2227 (/info/unicode/char/2227/index.htm)	LOGICAL AND	$\wedge$	
U+2228 (/info/unicode/char/2228/index.htm)	LOGICAL OR	$\vee$	
U+2229 (/info/unicode/char/2229/index.htm)	INTERSECTION	$\cap$	
U+222A (/info/unicode/char/222a/index.htm)	UNION	$\cup$	
U+222B (/info/unicode/char/222b/index.htm)	INTEGRAL	$\int$	
U+222C (/info/unicode/char/222c/index.htm)	DOUBLE INTEGRAL	$\iint$	
U+222D (/info/unicode/char/222d/index.htm)	TRIPLE INTEGRAL	$\iiint$	
U+222E (/info/unicode/char/222e/index.htm)	CONTOUR INTEGRAL	$\oint$	
U+222F (/info/unicode/char/222f/index.htm)	SURFACE INTEGRAL	$\oiint$	
U+2230 (/info/unicode/char/2230/index.htm)	VOLUME INTEGRAL	$\oiint$	
U+2231 (/info/unicode/char/2231/index.htm)	CLOCKWISE INTEGRAL	$\int\!\!\!\int$	
U+2232 (/info/unicode/char/2232/index.htm)	CLOCKWISE CONTOUR INTEGRAL	$\oint\!\!\!\int$	

Character	Name	Browser	Image
U+2233 (/info/unicode/char/2233/index.htm)	ANTICLOCKWISE CONTOUR INTEGRAL	$\oint$	
U+2234 (/info/unicode/char/2234/index.htm)	THEREFORE	$\therefore$	
U+2235 (/info/unicode/char/2235/index.htm)	BECAUSE	$\because$	
U+2236 (/info/unicode/char/2236/index.htm)	RATIO	$\therefore$	
U+2237 (/info/unicode/char/2237/index.htm)	PROPORTION	$\propto$	
U+2238 (/info/unicode/char/2238/index.htm)	DOT MINUS	$\dot{-}$	
U+2239 (/info/unicode/char/2239/index.htm)	EXCESS	$\therefore$	
U+223A (/info/unicode/char/223a/index.htm)	GEOMETRIC PROPORTION	$\asymp$	
U+223B (/info/unicode/char/223b/index.htm)	HOMOTHETIC	$\sim$	
U+223C (/info/unicode/char/223c/index.htm)	TILDE OPERATOR	$\sim$	
U+223D (/info/unicode/char/223d/index.htm)	REVERSED TILDE	$\smile$	
U+223E (/info/unicode/char/223e/index.htm)	INVERTED LAZY S	$\textcircled{~}$	
U+223F (/info/unicode/char/223f/index.htm)	SINE WAVE	$\sim$	
U+2240 (/info/unicode/char/2240/index.htm)	WREATH PRODUCT	$\wr$	
U+2241 (/info/unicode/char/2241/index.htm)	NOT TILDE	$\ncong$	
U+2242 (/info/unicode/char/2242/index.htm)	MINUS TILDE	$\bar{-}$	
U+2243 (/info/unicode/char/2243/index.htm)	ASYMPTOTICALLY EQUAL TO	$\asymp$	
U+2244 (/info/unicode/char/2244/index.htm)	NOT ASYMPTOTICALLY EQUAL TO	$\nasymp$	
U+2245 (/info/unicode/char/2245/index.htm)	APPROXIMATELY EQUAL TO	$\approx$	

Character	Name	Browser	Image
U+2246 (/info/unicode/char/2246/index.htm)	APPROXIMATELY BUT NOT ACTUALLY EQUAL TO	≈	⋈
U+2247 (/info/unicode/char/2247/index.htm)	NEITHER APPROXIMATELY NOR ACTUALLY EQUAL TO	≉	⋈
U+2248 (/info/unicode/char/2248/index.htm)	ALMOST EQUAL TO	≈	≈
U+2249 (/info/unicode/char/2249/index.htm)	NOT ALMOST EQUAL TO	≉	⋈
U+224A (/info/unicode/char/224a/index.htm)	ALMOST EQUAL OR EQUAL TO	≈	≈
U+224B (/info/unicode/char/224b/index.htm)	TRIPLE TILDE	≡	≡
U+224C (/info/unicode/char/224c/index.htm)	ALL EQUAL TO	≡	≡
U+224D (/info/unicode/char/224d/index.htm)	EQUIVALENT TO	≡	≡
U+224E (/info/unicode/char/224e/index.htm)	GEOMETRICALLY EQUIVALENT TO	≡	≡
U+224F (/info/unicode/char/224f/index.htm)	DIFFERENCE BETWEEN	≡	≡
U+2250 (/info/unicode/char/2250/index.htm)	APPROACHES THE LIMIT	≈	≈
U+2251 (/info/unicode/char/2251/index.htm)	GEOMETRICALLY EQUAL TO	≡	≡
U+2252 (/info/unicode/char/2252/index.htm)	APPROXIMATELY EQUAL TO OR THE IMAGE OF	≈	≈
U+2253 (/info/unicode/char/2253/index.htm)	IMAGE OF OR APPROXIMATELY EQUAL TO	≈	≈
U+2254 (/info/unicode/char/2254/index.htm)	COLON EQUALS	≡	≡
U+2255 (/info/unicode/char/2255/index.htm)	EQUALS COLON	≡	≡
U+2256 (/info/unicode/char/2256/index.htm)	RING IN EQUAL TO	≈	≈
U+2257 (/info/unicode/char/2257/index.htm)	RING EQUAL TO	≈	≈
U+2258 (/info/unicode/char/2258/index.htm)	CORRESPONDS TO	≈	≈






















Character	Name	Browser	Image
U+2259 (/info/unicode/char/2259/index.htm)	ESTIMATES	$\triangleapprox$	$\triangleapprox$
U+225A (/info/unicode/char/225a/index.htm)	EQUIANGULAR TO	$\triangleq$	$\triangleq$
U+225B (/info/unicode/char/225b/index.htm)	STAR EQUALS	$\triangleq$	$\triangleq$
U+225C (/info/unicode/char/225c/index.htm)	DELTA EQUAL TO	$\triangleapprox$	$\triangleapprox$
U+225D (/info/unicode/char/225d/index.htm)	EQUAL TO BY DEFINITION	$\triangleq$	$\triangleq$
U+225E (/info/unicode/char/225e/index.htm)	MEASURED BY	$\triangleq$	$\triangleq$
U+225F (/info/unicode/char/225f/index.htm)	QUESTIONED EQUAL TO	$\triangleq$	$\triangleq$
U+2260 (/info/unicode/char/2260/index.htm)	NOT EQUAL TO	$\neq$	$\neq$
U+2261 (/info/unicode/char/2261/index.htm)	IDENTICAL TO	$\equiv$	$\equiv$
U+2262 (/info/unicode/char/2262/index.htm)	NOT IDENTICAL TO	$\ncong$	$\ncong$
U+2263 (/info/unicode/char/2263/index.htm)	STRICTLY EQUIVALENT TO	$\equiv$	$\equiv$
U+2264 (/info/unicode/char/2264/index.htm)	LESS-THAN OR EQUAL TO	$\leq$	$\leq$
U+2265 (/info/unicode/char/2265/index.htm)	GREATER-THAN OR EQUAL TO	$\geq$	$\geq$
U+2266 (/info/unicode/char/2266/index.htm)	LESS-THAN OVER EQUAL TO	$\leq$	$\leq$
U+2267 (/info/unicode/char/2267/index.htm)	GREATER-THAN OVER EQUAL TO	$\geq$	$\geq$
U+2268 (/info/unicode/char/2268/index.htm)	LESS-THAN BUT NOT EQUAL TO	$\leq$	$\leq$
U+2269 (/info/unicode/char/2269/index.htm)	GREATER-THAN BUT NOT EQUAL TO	$\geq$	$\geq$
U+226A (/info/unicode/char/226a/index.htm)	MUCH LESS-THAN	$\ll$	$\ll$
U+226B (/info/unicode/char/226b/index.htm)	MUCH GREATER-THAN	$\gg$	$\gg$




















Character	Name	Browser	Image
U+226C (/info/unicode/char/226c/index.htm)	BETWEEN	∅	
U+226D (/info/unicode/char/226d/index.htm)	NOT EQUIVALENT TO	≠	
U+226E (/info/unicode/char/226e/index.htm)	NOT LESS-THAN	≧	
U+226F (/info/unicode/char/226f/index.htm)	NOT GREATER-THAN	≦	
U+2270 (/info/unicode/char/2270/index.htm)	NEITHER LESS-THAN NOR EQUAL TO	≢	
U+2271 (/info/unicode/char/2271/index.htm)	NEITHER GREATER-THAN NOR EQUAL TO	≤	
U+2272 (/info/unicode/char/2272/index.htm)	LESS-THAN OR EQUIVALENT TO	≦	
U+2273 (/info/unicode/char/2273/index.htm)	GREATER-THAN OR EQUIVALENT TO	≧	
U+2274 (/info/unicode/char/2274/index.htm)	NEITHER LESS-THAN NOR EQUIVALENT TO	≢	
U+2275 (/info/unicode/char/2275/index.htm)	NEITHER GREATER-THAN NOR EQUIVALENT TO	≤	
U+2276 (/info/unicode/char/2276/index.htm)	LESS-THAN OR GREATER-THAN	≡	
U+2277 (/info/unicode/char/2277/index.htm)	GREATER-THAN OR LESS-THAN	≡	
U+2278 (/info/unicode/char/2278/index.htm)	NEITHER LESS-THAN NOR GREATER-THAN	≢	
U+2279 (/info/unicode/char/2279/index.htm)	NEITHER GREATER-THAN NOR LESS-THAN	≤	
U+227A (/info/unicode/char/227a/index.htm)	PRECEDES	⋈	
U+227B (/info/unicode/char/227b/index.htm)	SUCCEEDS	⋈	
U+227C (/info/unicode/char/227c/index.htm)	PRECEDES OR EQUAL TO	⋈	
U+227D (/info/unicode/char/227d/index.htm)	SUCCEEDS OR EQUAL TO	⋈	
U+227E (/info/unicode/char/227e/index.htm)	PRECEDES OR EQUIVALENT TO	⋈	

Character	Name	Browser	Image
U+227F (/info/unicode/char/227f/index.htm)	SUCCEEDS OR EQUIVALENT TO	≈	≈
U+2280 (/info/unicode/char/2280/index.htm)	DOES NOT PRECEDE	⋈	⋈
U+2281 (/info/unicode/char/2281/index.htm)	DOES NOT SUCCEED	⋉	⋉
U+2282 (/info/unicode/char/2282/index.htm)	SUBSET OF	⊂	⊂
U+2283 (/info/unicode/char/2283/index.htm)	SUPERSET OF	⊃	⊃
U+2284 (/info/unicode/char/2284/index.htm)	NOT A SUBSET OF	⊄	⊄
U+2285 (/info/unicode/char/2285/index.htm)	NOT A SUPERSET OF	⊅	⊅
U+2286 (/info/unicode/char/2286/index.htm)	SUBSET OF OR EQUAL TO	⊆	⊆
U+2287 (/info/unicode/char/2287/index.htm)	SUPERSET OF OR EQUAL TO	⊇	⊇
U+2288 (/info/unicode/char/2288/index.htm)	NEITHER A SUBSET OF NOR EQUAL TO	⊈	⊈
U+2289 (/info/unicode/char/2289/index.htm)	NEITHER A SUPERSET OF NOR EQUAL TO	⊉	⊉
U+228A (/info/unicode/char/228a/index.htm)	SUBSET OF WITH NOT EQUAL TO	⊈	⊈
U+228B (/info/unicode/char/228b/index.htm)	SUPERSET OF WITH NOT EQUAL TO	⊉	⊉
U+228C (/info/unicode/char/228c/index.htm)	MULTISET	⊎	⊎
U+228D (/info/unicode/char/228d/index.htm)	MULTISET MULTIPLICATION	⊏	⊏
U+228E (/info/unicode/char/228e/index.htm)	MULTISET UNION	⊐	⊐
U+228F (/info/unicode/char/228f/index.htm)	SQUARE IMAGE OF	⊐	⊐
U+2290 (/info/unicode/char/2290/index.htm)	SQUARE ORIGINAL OF	⊑	⊑
U+2291 (/info/unicode/char/2291/index.htm)	SQUARE IMAGE OF OR EQUAL TO	⊑	⊑

Character	Name	Browser	Image
U+2292 (/info/unicode/char/2292/index.htm)	SQUARE ORIGINAL OF OR EQUAL TO	⊐	⊐
U+2293 (/info/unicode/char/2293/index.htm)	SQUARE CAP	⊑	⊑
U+2294 (/info/unicode/char/2294/index.htm)	SQUARE CUP	⊒	⊒
U+2295 (/info/unicode/char/2295/index.htm)	CIRCLED PLUS	⊕	⊕
U+2296 (/info/unicode/char/2296/index.htm)	CIRCLED MINUS	⊖	⊖
U+2297 (/info/unicode/char/2297/index.htm)	CIRCLED TIMES	⊗	⊗
U+2298 (/info/unicode/char/2298/index.htm)	CIRCLED DIVISION SLASH	⊘	⊘
U+2299 (/info/unicode/char/2299/index.htm)	CIRCLED DOT OPERATOR	⊙	⊙
U+229A (/info/unicode/char/229a/index.htm)	CIRCLED RING OPERATOR	⊚	⊚
U+229B (/info/unicode/char/229b/index.htm)	CIRCLED ASTERISK OPERATOR	⊛	⊛
U+229C (/info/unicode/char/229c/index.htm)	CIRCLED EQUALS	⊜	⊜
U+229D (/info/unicode/char/229d/index.htm)	CIRCLED DASH	⊝	⊝
U+229E (/info/unicode/char/229e/index.htm)	SQUARED PLUS	⊞	⊞
U+229F (/info/unicode/char/229f/index.htm)	SQUARED MINUS	⊟	⊟
U+22A0 (/info/unicode/char/22a0/index.htm)	SQUARED TIMES	⊠	⊠
U+22A1 (/info/unicode/char/22a1/index.htm)	SQUARED DOT OPERATOR	⊡	⊡
U+22A2 (/info/unicode/char/22a2/index.htm)	RIGHT TACK	⊢	⊢
U+22A3 (/info/unicode/char/22a3/index.htm)	LEFT TACK	⊣	⊣
U+22A4 (/info/unicode/char/22a4/index.htm)	DOWN TACK	⊤	⊤







































Character	Name	Browser	Image
U+22A5 (/info/unicode/char/22a5/index.htm)	UP TACK	⊥	⊥
U+22A6 (/info/unicode/char/22a6/index.htm)	ASSERTION	⊢	⊢
U+22A7 (/info/unicode/char/22a7/index.htm)	MODELS	⊨	⊨
U+22A8 (/info/unicode/char/22a8/index.htm)	TRUE	⊤	⊤
U+22A9 (/info/unicode/char/22a9/index.htm)	FORCES	⊧	⊧
U+22AA (/info/unicode/char/22aa/index.htm)	TRIPLE VERTICAL BAR RIGHT TURNSTILE	⊨	⊨
U+22AB (/info/unicode/char/22ab/index.htm)	DOUBLE VERTICAL BAR DOUBLE RIGHT TURNSTILE	⊨	⊨
U+22AC (/info/unicode/char/22ac/index.htm)	DOES NOT PROVE	⊮	⊮
U+22AD (/info/unicode/char/22ad/index.htm)	NOT TRUE	⊥	⊥
U+22AE (/info/unicode/char/22ae/index.htm)	DOES NOT FORCE	⊧	⊧
U+22AF (/info/unicode/char/22af/index.htm)	NEGATED DOUBLE VERTICAL BAR DOUBLE RIGHT TURNSTILE	⊨	⊨
U+22B0 (/info/unicode/char/22b0/index.htm)	PRECEDES UNDER RELATION	⋖	⋖
U+22B1 (/info/unicode/char/22b1/index.htm)	SUCCEEDS UNDER RELATION	⋗	⋗
U+22B2 (/info/unicode/char/22b2/index.htm)	NORMAL SUBGROUP OF	⊲	⊲
U+22B3 (/info/unicode/char/22b3/index.htm)	CONTAINS AS NORMAL SUBGROUP	⊳	⊳
U+22B4 (/info/unicode/char/22b4/index.htm)	NORMAL SUBGROUP OF OR EQUAL TO	⊴	⊴
U+22B5 (/info/unicode/char/22b5/index.htm)	CONTAINS AS NORMAL SUBGROUP OR EQUAL TO	⊵	⊵
U+22B6 (/info/unicode/char/22b6/index.htm)	ORIGINAL OF	⋈	⋈
U+22B7 (/info/unicode/char/22b7/index.htm)	IMAGE OF	⋉	⋉

Character	Name	Browser	Image
U+22B8 (/info/unicode/char/22b8/index.htm)	MULTIMAP	$\multimap$	
U+22B9 (/info/unicode/char/22b9/index.htm)	HERMITIAN CONJUGATE MATRIX	$\dagger$	
U+22BA (/info/unicode/char/22ba/index.htm)	INTERCALATE	$\intercal$	
U+22BB (/info/unicode/char/22bb/index.htm)	XOR	$\underline{\vee}$	
U+22BC (/info/unicode/char/22bc/index.htm)	NAND	$\overline{\wedge}$	
U+22BD (/info/unicode/char/22bd/index.htm)	NOR	$\overline{\vee}$	
U+22BE (/info/unicode/char/22be/index.htm)	RIGHT ANGLE WITH ARC	$\lrcorner$	
U+22BF (/info/unicode/char/22bf/index.htm)	RIGHT TRIANGLE	$\triangle$	
U+22C0 (/info/unicode/char/22c0/index.htm)	N-ARY LOGICAL AND	$\bigwedge$	
U+22C1 (/info/unicode/char/22c1/index.htm)	N-ARY LOGICAL OR	$\bigvee$	
U+22C2 (/info/unicode/char/22c2/index.htm)	N-ARY INTERSECTION	$\bigcap$	
U+22C3 (/info/unicode/char/22c3/index.htm)	N-ARY UNION	$\bigcup$	
U+22C4 (/info/unicode/char/22c4/index.htm)	DIAMOND OPERATOR	$\cdot$	
U+22C5 (/info/unicode/char/22c5/index.htm)	DOT OPERATOR	$\cdot$	
U+22C6 (/info/unicode/char/22c6/index.htm)	STAR OPERATOR	$\cdot$	
U+22C7 (/info/unicode/char/22c7/index.htm)	DIVISION TIMES	$\ast$	
U+22C8 (/info/unicode/char/22c8/index.htm)	BOWTIE	$\bowtie$	
U+22C9 (/info/unicode/char/22c9/index.htm)	LEFT NORMAL FACTOR SEMIDIRECT PRODUCT	$\ltimes$	
U+22CA (/info/unicode/char/22ca/index.htm)	RIGHT NORMAL FACTOR SEMIDIRECT PRODUCT	$\rtimes$	

Character	Name	Browser	Image
U+22CB (/info/unicode/char/22cb/index.htm)	LEFT SEMIDIRECT PRODUCT	$\ltimes$	
U+22CC (/info/unicode/char/22cc/index.htm)	RIGHT SEMIDIRECT PRODUCT	$\rtimes$	
U+22CD (/info/unicode/char/22cd/index.htm)	REVERSED TILDE EQUALS	$\approx$	
U+22CE (/info/unicode/char/22ce/index.htm)	CURLY LOGICAL OR	$\vee$	
U+22CF (/info/unicode/char/22cf/index.htm)	CURLY LOGICAL AND	$\wedge$	
U+22D0 (/info/unicode/char/22d0/index.htm)	DOUBLE SUBSET	$\Subset$	
U+22D1 (/info/unicode/char/22d1/index.htm)	DOUBLE SUPERSET	$\Supset$	
U+22D2 (/info/unicode/char/22d2/index.htm)	DOUBLE INTERSECTION	$\pitchfork$	
U+22D3 (/info/unicode/char/22d3/index.htm)	DOUBLE UNION	$\mathop{\cup}\nolimits$	
U+22D4 (/info/unicode/char/22d4/index.htm)	PITCHFORK	$\pitchfork$	
U+22D5 (/info/unicode/char/22d5/index.htm)	EQUAL AND PARALLEL TO	$\#$	
U+22D6 (/info/unicode/char/22d6/index.htm)	LESS-THAN WITH DOT	$\lessdot$	
U+22D7 (/info/unicode/char/22d7/index.htm)	GREATER-THAN WITH DOT	$\gtrdot$	
U+22D8 (/info/unicode/char/22d8/index.htm)	VERY MUCH LESS-THAN	$\lll$	
U+22D9 (/info/unicode/char/22d9/index.htm)	VERY MUCH GREATER-THAN	$\ggg$	
U+22DA (/info/unicode/char/22da/index.htm)	LESS-THAN EQUAL TO OR GREATER-THAN	$\lessgtr$	
U+22DB (/info/unicode/char/22db/index.htm)	GREATER-THAN EQUAL TO OR LESS-THAN	$\gtrless$	
U+22DC (/info/unicode/char/22dc/index.htm)	EQUAL TO OR LESS-THAN	$\lessgtr$	
U+22DD (/info/unicode/char/22dd/index.htm)	EQUAL TO OR GREATER-THAN	$\gtrless$	

Character	Name	Browser	Image
U+22DE (/info/unicode/char/22de/index.htm)	EQUAL TO OR PRECEDES	⋖	⋖
U+22DF (/info/unicode/char/22df/index.htm)	EQUAL TO OR SUCCEEDS	⋗	⋗
U+22E0 (/info/unicode/char/22e0/index.htm)	DOES NOT PRECEDE OR EQUAL	⋘	⋘
U+22E1 (/info/unicode/char/22e1/index.htm)	DOES NOT SUCCEED OR EQUAL	⋙	⋙
U+22E2 (/info/unicode/char/22e2/index.htm)	NOT SQUARE IMAGE OF OR EQUAL TO	⋚	⋚
U+22E3 (/info/unicode/char/22e3/index.htm)	NOT SQUARE ORIGINAL OF OR EQUAL TO	⋛	⋛
U+22E4 (/info/unicode/char/22e4/index.htm)	SQUARE IMAGE OF OR NOT EQUAL TO	⋜	⋜
U+22E5 (/info/unicode/char/22e5/index.htm)	SQUARE ORIGINAL OF OR NOT EQUAL TO	⋝	⋝
U+22E6 (/info/unicode/char/22e6/index.htm)	LESS-THAN BUT NOT EQUIVALENT TO	⋞	⋞
U+22E7 (/info/unicode/char/22e7/index.htm)	GREATER-THAN BUT NOT EQUIVALENT TO	⋟	⋟
U+22E8 (/info/unicode/char/22e8/index.htm)	PRECEDES BUT NOT EQUIVALENT TO	⋠	⋠
U+22E9 (/info/unicode/char/22e9/index.htm)	SUCCEEDS BUT NOT EQUIVALENT TO	⋡	⋡
U+22EA (/info/unicode/char/22ea/index.htm)	NOT NORMAL SUBGROUP OF	⋢	⋢
U+22EB (/info/unicode/char/22eb/index.htm)	DOES NOT CONTAIN AS NORMAL SUBGROUP	⋣	⋣
U+22EC (/info/unicode/char/22ec/index.htm)	NOT NORMAL SUBGROUP OF OR EQUAL TO	⋤	⋤
U+22ED (/info/unicode/char/22ed/index.htm)	DOES NOT CONTAIN AS NORMAL SUBGROUP OR EQUAL	⋥	⋥
U+22EE (/info/unicode/char/22ee/index.htm)	VERTICAL ELLIPSIS	⋮	⋮
U+22EF (/info/unicode/char/22ef/index.htm)	MIDLINE HORIZONTAL ELLIPSIS	⋯	⋯
U+22F0 (/info/unicode/char/22f0/index.htm)	UP RIGHT DIAGONAL ELLIPSIS	⋰	⋰






















Character	Name	Browser	Image
U+22F1 (/info/unicode/char/22f1/index.htm)	DOWN RIGHT DIAGONAL ELLIPSIS		
U+22F2 (/info/unicode/char/22f2/index.htm)	ELEMENT OF WITH LONG HORIZONTAL STROKE		
U+22F3 (/info/unicode/char/22f3/index.htm)	ELEMENT OF WITH VERTICAL BAR AT END OF HORIZONTAL STROKE		
U+22F4 (/info/unicode/char/22f4/index.htm)	SMALL ELEMENT OF WITH VERTICAL BAR AT END OF HORIZONTAL STROKE		
U+22F5 (/info/unicode/char/22f5/index.htm)	ELEMENT OF WITH DOT ABOVE		
U+22F6 (/info/unicode/char/22f6/index.htm)	ELEMENT OF WITH OVERBAR		
U+22F7 (/info/unicode/char/22f7/index.htm)	SMALL ELEMENT OF WITH OVERBAR		
U+22F8 (/info/unicode/char/22f8/index.htm)	ELEMENT OF WITH UNDERBAR		
U+22F9 (/info/unicode/char/22f9/index.htm)	ELEMENT OF WITH TWO HORIZONTAL STROKES		
U+22FA (/info/unicode/char/22fa/index.htm)	CONTAINS WITH LONG HORIZONTAL STROKE		
U+22FB (/info/unicode/char/22fb/index.htm)	CONTAINS WITH VERTICAL BAR AT END OF HORIZONTAL STROKE		
U+22FC (/info/unicode/char/22fc/index.htm)	SMALL CONTAINS WITH VERTICAL BAR AT END OF HORIZONTAL STROKE		
U+22FD (/info/unicode/char/22fd/index.htm)	CONTAINS WITH OVERBAR		
U+22FE (/info/unicode/char/22fe/index.htm)	SMALL CONTAINS WITH OVERBAR		
U+22FF (/info/unicode/char/22ff/index.htm)	Z NOTATION BAG MEMBERSHIP		
U+2320 (/info/unicode/char/2320/index.htm)	TOP HALF INTEGRAL		
U+2321 (/info/unicode/char/2321/index.htm)	BOTTOM HALF INTEGRAL		
U+237C (/info/unicode/char/237c/index.htm)	RIGHT ANGLE WITH DOWNWARDS ZIGZAG ARROW		
U+239B (/info/unicode/char/239b/index.htm)	LEFT PARENTHESIS UPPER HOOK		

Character	Name	Browser	Image
U+239C (/info/unicode/char/239c/index.htm)	LEFT PARENTHESIS EXTENSION		
U+239D (/info/unicode/char/239d/index.htm)	LEFT PARENTHESIS LOWER HOOK	\	\
U+239E (/info/unicode/char/239e/index.htm)	RIGHT PARENTHESIS UPPER HOOK	\	)
U+239F (/info/unicode/char/239f/index.htm)	RIGHT PARENTHESIS EXTENSION		
U+23A0 (/info/unicode/char/23a0/index.htm)	RIGHT PARENTHESIS LOWER HOOK	/	)
U+23A1 (/info/unicode/char/23a1/index.htm)	LEFT SQUARE BRACKET UPPER CORNER	[	[
U+23A2 (/info/unicode/char/23a2/index.htm)	LEFT SQUARE BRACKET EXTENSION		
U+23A3 (/info/unicode/char/23a3/index.htm)	LEFT SQUARE BRACKET LOWER CORNER	L	L
U+23A4 (/info/unicode/char/23a4/index.htm)	RIGHT SQUARE BRACKET UPPER CORNER	]	]
U+23A5 (/info/unicode/char/23a5/index.htm)	RIGHT SQUARE BRACKET EXTENSION		
U+23A6 (/info/unicode/char/23a6/index.htm)	RIGHT SQUARE BRACKET LOWER CORNER	J	]
U+23A7 (/info/unicode/char/23a7/index.htm)	LEFT CURLY BRACKET UPPER HOOK	{	[
U+23A8 (/info/unicode/char/23a8/index.htm)	LEFT CURLY BRACKET MIDDLE PIECE	{	}
U+23A9 (/info/unicode/char/23a9/index.htm)	LEFT CURLY BRACKET LOWER HOOK	l	L
U+23AA (/info/unicode/char/23aa/index.htm)	CURLY BRACKET EXTENSION		
U+23AB (/info/unicode/char/23ab/index.htm)	RIGHT CURLY BRACKET UPPER HOOK	}	]
U+23AC (/info/unicode/char/23ac/index.htm)	RIGHT CURLY BRACKET MIDDLE PIECE	}	}
U+23AD (/info/unicode/char/23ad/index.htm)	RIGHT CURLY BRACKET LOWER HOOK	J	]
U+23AE (/info/unicode/char/23ae/index.htm)	INTEGRAL EXTENSION		

Character	Name	Browser	Image
U+23AF (/info/unicode/char/23af/index.htm)	HORIZONTAL LINE EXTENSION	-	—
U+23B0 (/info/unicode/char/23b0/index.htm)	UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION	}	}
U+23B1 (/info/unicode/char/23b1/index.htm)	UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION	{	{
U+23B2 (/info/unicode/char/23b2/index.htm)	SUMMATION TOP	∑	∑
U+23B3 (/info/unicode/char/23b3/index.htm)	SUMMATION BOTTOM	∑	∑
U+23DC (/info/unicode/char/23dc/index.htm)	TOP PARENTHESIS	(	(
U+23DD (/info/unicode/char/23dd/index.htm)	BOTTOM PARENTHESIS	)	)
U+23DE (/info/unicode/char/23de/index.htm)	TOP CURLY BRACKET	{	{
U+23DF (/info/unicode/char/23df/index.htm)	BOTTOM CURLY BRACKET	}	}
U+23E0 (/info/unicode/char/23e0/index.htm)	TOP TORTOISE SHELL BRACKET	[	[
U+23E1 (/info/unicode/char/23e1/index.htm)	BOTTOM TORTOISE SHELL BRACKET	]	]
U+25B7 (/info/unicode/char/25b7/index.htm)	WHITE RIGHT-POINTING TRIANGLE	▷	▷
U+25C1 (/info/unicode/char/25c1/index.htm)	WHITE LEFT-POINTING TRIANGLE	◁	◁
U+25F8 (/info/unicode/char/25f8/index.htm)	UPPER LEFT TRIANGLE	▵	▵
U+25F9 (/info/unicode/char/25f9/index.htm)	UPPER RIGHT TRIANGLE	▴	▴
U+25FA (/info/unicode/char/25fa/index.htm)	LOWER LEFT TRIANGLE	▾	▾
U+25FB (/info/unicode/char/25fb/index.htm)	WHITE MEDIUM SQUARE	◻	◻
U+25FC (/info/unicode/char/25fc/index.htm)	BLACK MEDIUM SQUARE	■	■
U+25FD (/info/unicode/char/25fd/index.htm)	WHITE MEDIUM SMALL SQUARE	◼	◼

Character	Name	Browser	Image
U+25FE (/info/unicode/char/25fe/index.htm)	BLACK MEDIUM SMALL SQUARE	■	■
U+25FF (/info/unicode/char/25ff/index.htm)	LOWER RIGHT TRIANGLE	⏏	⏏
U+266F (/info/unicode/char/266f/index.htm)	MUSIC SHARP SIGN	♯	♯
U+27C0 (/info/unicode/char/27c0/index.htm)	THREE DIMENSIONAL ANGLE	⏏	⏏
U+27C1 (/info/unicode/char/27c1/index.htm)	WHITE TRIANGLE CONTAINING SMALL WHITE TRIANGLE	⏏	⏏
U+27C2 (/info/unicode/char/27c2/index.htm)	PERPENDICULAR	⊥	⊥
U+27C3 (/info/unicode/char/27c3/index.htm)	OPEN SUBSET	⊂	⊂
U+27C4 (/info/unicode/char/27c4/index.htm)	OPEN SUPERSET	⊃	⊃
U+27C7 (/info/unicode/char/27c7/index.htm)	OR WITH DOT INSIDE	∨	∨
U+27C8 (/info/unicode/char/27c8/index.htm)	REVERSE SOLIDUS PRECEDING SUBSET	⌊	⌊
U+27C9 (/info/unicode/char/27c9/index.htm)	SUPERSET PRECEDING SOLIDUS	⌋	⌋
U+27CA (/info/unicode/char/27ca/index.htm)	VERTICAL BAR WITH HORIZONTAL STROKE	⊢	⊢
U+27CB (/info/unicode/char/27cb/index.htm)	MATHEMATICAL RISING DIAGONAL	↗	↗
U+27CC (/info/unicode/char/27cc/index.htm)	LONG DIVISION	⋈	⋈
U+27CD (/info/unicode/char/27cd/index.htm)	MATHEMATICAL FALLING DIAGONAL	↘	↘
U+27CE (/info/unicode/char/27ce/index.htm)	SQUARED LOGICAL AND	⊞	⊞
U+27CF (/info/unicode/char/27cf/index.htm)	SQUARED LOGICAL OR	⊟	⊟
U+27D0 (/info/unicode/char/27d0/index.htm)	WHITE DIAMOND WITH CENTRED DOT	⬠	⬠
U+27D1 (/info/unicode/char/27d1/index.htm)	AND WITH DOT	⋈	⋈

Character	Name	Browser	Image
U+27D2 (/info/unicode/char/27d2/index.htm)	ELEMENT OF OPENING UPWARDS	⤴	⤴
U+27D3 (/info/unicode/char/27d3/index.htm)	LOWER RIGHT CORNER WITH DOT	└	└
U+27D4 (/info/unicode/char/27d4/index.htm)	UPPER LEFT CORNER WITH DOT	┐	┐
U+27D5 (/info/unicode/char/27d5/index.htm)	LEFT OUTER JOIN	⋈	⋈
U+27D6 (/info/unicode/char/27d6/index.htm)	RIGHT OUTER JOIN	⋈	⋈
U+27D7 (/info/unicode/char/27d7/index.htm)	FULL OUTER JOIN	⋈	⋈
U+27D8 (/info/unicode/char/27d8/index.htm)	LARGE UP TACK	⌞	⌞
U+27D9 (/info/unicode/char/27d9/index.htm)	LARGE DOWN TACK	⌟	⌟
U+27DA (/info/unicode/char/27da/index.htm)	LEFT AND RIGHT DOUBLE TURNSTILE	⋈	⋈
U+27DB (/info/unicode/char/27db/index.htm)	LEFT AND RIGHT TACK	⌞	⌞
U+27DC (/info/unicode/char/27dc/index.htm)	LEFT MULTIMAP	⌞	⌞
U+27DD (/info/unicode/char/27dd/index.htm)	LONG RIGHT TACK	⌞	⌞
U+27DE (/info/unicode/char/27de/index.htm)	LONG LEFT TACK	⌞	⌞
U+27DF (/info/unicode/char/27df/index.htm)	UP TACK WITH CIRCLE ABOVE	⌞	⌞
U+27E0 (/info/unicode/char/27e0/index.htm)	LOZENGE DIVIDED BY HORIZONTAL RULE	⬠	⬠
U+27E1 (/info/unicode/char/27e1/index.htm)	WHITE CONCAVE-SIDED DIAMOND	⬠	⬠
U+27E2 (/info/unicode/char/27e2/index.htm)	WHITE CONCAVE-SIDED DIAMOND WITH LEFTWARDS TICK	⬠	⬠
U+27E3 (/info/unicode/char/27e3/index.htm)	WHITE CONCAVE-SIDED DIAMOND WITH RIGHTWARDS TICK	⬠	⬠
U+27E4 (/info/unicode/char/27e4/index.htm)	WHITE SQUARE WITH LEFTWARDS TICK	⬠	⬠

Character	Name	Browser	Image
U+27E5 (/info/unicode/char/27e5/index.htm)	WHITE SQUARE WITH RIGHTWARDS TICK	☐	
U+27F0 (/info/unicode/char/27f0/index.htm)	UPWARDS QUADRUPLE ARROW	⇴	
U+27F1 (/info/unicode/char/27f1/index.htm)	DOWNWARDS QUADRUPLE ARROW	⇵	
U+27F2 (/info/unicode/char/27f2/index.htm)	ANTICLOCKWISE GAPPED CIRCLE ARROW	↺	
U+27F3 (/info/unicode/char/27f3/index.htm)	CLOCKWISE GAPPED CIRCLE ARROW	↻	
U+27F4 (/info/unicode/char/27f4/index.htm)	RIGHT ARROW WITH CIRCLED PLUS	⊕→	
U+27F5 (/info/unicode/char/27f5/index.htm)	LONG LEFTWARDS ARROW	←	
U+27F6 (/info/unicode/char/27f6/index.htm)	LONG RIGHTWARDS ARROW	→	
U+27F7 (/info/unicode/char/27f7/index.htm)	LONG LEFT RIGHT ARROW	↔	
U+27F8 (/info/unicode/char/27f8/index.htm)	LONG LEFTWARDS DOUBLE ARROW	⇐	
U+27F9 (/info/unicode/char/27f9/index.htm)	LONG RIGHTWARDS DOUBLE ARROW	⇒	
U+27FA (/info/unicode/char/27fa/index.htm)	LONG LEFT RIGHT DOUBLE ARROW	⇔	
U+27FB (/info/unicode/char/27fb/index.htm)	LONG LEFTWARDS ARROW FROM BAR	⇐̅	
U+27FC (/info/unicode/char/27fc/index.htm)	LONG RIGHTWARDS ARROW FROM BAR	⇒̅	
U+27FD (/info/unicode/char/27fd/index.htm)	LONG LEFTWARDS DOUBLE ARROW FROM BAR	⇐̅̅	
U+27FE (/info/unicode/char/27fe/index.htm)	LONG RIGHTWARDS DOUBLE ARROW FROM BAR	⇒̅̅	
U+27FF (/info/unicode/char/27ff/index.htm)	LONG RIGHTWARDS SQUIGGLE ARROW	⇢̃	
U+2900 (/info/unicode/char/2900/index.htm)	RIGHTWARDS TWO-HEADED ARROW WITH VERTICAL STROKE	↔̅	
U+2901 (/info/unicode/char/2901/index.htm)	RIGHTWARDS TWO-HEADED ARROW WITH DOUBLE VERTICAL STROKE	↔̅̅	

Character	Name	Browser	Image
U+2902 (/info/unicode/char/2902/index.htm)	LEFTWARDS DOUBLE ARROW WITH VERTICAL STROKE	⇐	⇐
U+2903 (/info/unicode/char/2903/index.htm)	RIGHTWARDS DOUBLE ARROW WITH VERTICAL STROKE	⇒	⇒
U+2904 (/info/unicode/char/2904/index.htm)	LEFT RIGHT DOUBLE ARROW WITH VERTICAL STROKE	⇔	⇔
U+2905 (/info/unicode/char/2905/index.htm)	RIGHTWARDS TWO-HEADED ARROW FROM BAR	↗	↗
U+2906 (/info/unicode/char/2906/index.htm)	LEFTWARDS DOUBLE ARROW FROM BAR	⇐	⇐
U+2907 (/info/unicode/char/2907/index.htm)	RIGHTWARDS DOUBLE ARROW FROM BAR	⇒	⇒
U+2908 (/info/unicode/char/2908/index.htm)	DOWNWARDS ARROW WITH HORIZONTAL STROKE	↓	↓
U+2909 (/info/unicode/char/2909/index.htm)	UPWARDS ARROW WITH HORIZONTAL STROKE	↑	↑
U+290A (/info/unicode/char/290a/index.htm)	UPWARDS TRIPLE ARROW	⇑	⇑
U+290B (/info/unicode/char/290b/index.htm)	DOWNWARDS TRIPLE ARROW	⇓	⇓
U+290C (/info/unicode/char/290c/index.htm)	LEFTWARDS DOUBLE DASH ARROW	⇐	⇐
U+290D (/info/unicode/char/290d/index.htm)	RIGHTWARDS DOUBLE DASH ARROW	⇒	⇒
U+290E (/info/unicode/char/290e/index.htm)	LEFTWARDS TRIPLE DASH ARROW	⇐	⇐
U+290F (/info/unicode/char/290f/index.htm)	RIGHTWARDS TRIPLE DASH ARROW	⇒	⇒
U+2910 (/info/unicode/char/2910/index.htm)	RIGHTWARDS TWO-HEADED TRIPLE DASH ARROW	↔	↔
U+2911 (/info/unicode/char/2911/index.htm)	RIGHTWARDS ARROW WITH DOTTED STEM	→	→
U+2912 (/info/unicode/char/2912/index.htm)	UPWARDS ARROW TO BAR	↑	↑
U+2913 (/info/unicode/char/2913/index.htm)	DOWNWARDS ARROW TO BAR	↓	↓
U+2914 (/info/unicode/char/2914/index.htm)	RIGHTWARDS ARROW WITH TAIL WITH VERTICAL STROKE	⇨	⇨

Character	Name	Browser	Image
U+2915 (/info/unicode/char/2915/index.htm)	RIGHTWARDS ARROW WITH TAIL WITH DOUBLE VERTICAL STROKE	↗	↗
U+2916 (/info/unicode/char/2916/index.htm)	RIGHTWARDS TWO-HEADED ARROW WITH TAIL	↗	↗
U+2917 (/info/unicode/char/2917/index.htm)	RIGHTWARDS TWO-HEADED ARROW WITH TAIL WITH VERTICAL STROKE	↗	↗
U+2918 (/info/unicode/char/2918/index.htm)	RIGHTWARDS TWO-HEADED ARROW WITH TAIL WITH DOUBLE VERTICAL STROKE	↗	↗
U+2919 (/info/unicode/char/2919/index.htm)	LEFTWARDS ARROW-TAIL	↗	↗
U+291A (/info/unicode/char/291a/index.htm)	RIGHTWARDS ARROW-TAIL	↗	↗
U+291B (/info/unicode/char/291b/index.htm)	LEFTWARDS DOUBLE ARROW-TAIL	↗	↗
U+291C (/info/unicode/char/291c/index.htm)	RIGHTWARDS DOUBLE ARROW-TAIL	↗	↗
U+291D (/info/unicode/char/291d/index.htm)	LEFTWARDS ARROW TO BLACK DIAMOND	↗	↗
U+291E (/info/unicode/char/291e/index.htm)	RIGHTWARDS ARROW TO BLACK DIAMOND	↗	↗
U+291F (/info/unicode/char/291f/index.htm)	LEFTWARDS ARROW FROM BAR TO BLACK DIAMOND	↗	↗
U+2920 (/info/unicode/char/2920/index.htm)	RIGHTWARDS ARROW FROM BAR TO BLACK DIAMOND	↗	↗
U+2921 (/info/unicode/char/2921/index.htm)	NORTH WEST AND SOUTH EAST ARROW	↗	↗
U+2922 (/info/unicode/char/2922/index.htm)	NORTH EAST AND SOUTH WEST ARROW	↗	↗
U+2923 (/info/unicode/char/2923/index.htm)	NORTH WEST ARROW WITH HOOK	↗	↗
U+2924 (/info/unicode/char/2924/index.htm)	NORTH EAST ARROW WITH HOOK	↗	↗
U+2925 (/info/unicode/char/2925/index.htm)	SOUTH EAST ARROW WITH HOOK	↗	↗
U+2926 (/info/unicode/char/2926/index.htm)	SOUTH WEST ARROW WITH HOOK	↗	↗
U+2927 (/info/unicode/char/2927/index.htm)	NORTH WEST ARROW AND NORTH EAST ARROW	↗	↗









































Character	Name	Browser	Image
U+2928 (/info/unicode/char/2928/index.htm)	NORTH EAST ARROW AND SOUTH EAST ARROW	✕	↗↘
U+2929 (/info/unicode/char/2929/index.htm)	SOUTH EAST ARROW AND SOUTH WEST ARROW	✕	↘↙
U+292A (/info/unicode/char/292a/index.htm)	SOUTH WEST ARROW AND NORTH WEST ARROW	✕	↙↖
U+292B (/info/unicode/char/292b/index.htm)	RISING DIAGONAL CROSSING FALLING DIAGONAL	✕	↗↘
U+292C (/info/unicode/char/292c/index.htm)	FALLING DIAGONAL CROSSING RISING DIAGONAL	✕	↘↗
U+292D (/info/unicode/char/292d/index.htm)	SOUTH EAST ARROW CROSSING NORTH EAST ARROW	✕	↘↗
U+292E (/info/unicode/char/292e/index.htm)	NORTH EAST ARROW CROSSING SOUTH EAST ARROW	✕	↗↘
U+292F (/info/unicode/char/292f/index.htm)	FALLING DIAGONAL CROSSING NORTH EAST ARROW	✕	↘↗
U+2930 (/info/unicode/char/2930/index.htm)	RISING DIAGONAL CROSSING SOUTH EAST ARROW	✕	↗↘
U+2931 (/info/unicode/char/2931/index.htm)	NORTH EAST ARROW CROSSING NORTH WEST ARROW	✕	↗↖
U+2932 (/info/unicode/char/2932/index.htm)	NORTH WEST ARROW CROSSING NORTH EAST ARROW	✕	↖↗
U+2933 (/info/unicode/char/2933/index.htm)	WAVE ARROW POINTING DIRECTLY RIGHT	↪	↪
U+2934 (/info/unicode/char/2934/index.htm)	ARROW POINTING RIGHTWARDS THEN CURVING UPWARDS	↪	↪
U+2935 (/info/unicode/char/2935/index.htm)	ARROW POINTING RIGHTWARDS THEN CURVING DOWNWARDS	↪	↪
U+2936 (/info/unicode/char/2936/index.htm)	ARROW POINTING DOWNWARDS THEN CURVING LEFTWARDS	↪	↪
U+2937 (/info/unicode/char/2937/index.htm)	ARROW POINTING DOWNWARDS THEN CURVING RIGHTWARDS	↪	↪
U+2938 (/info/unicode/char/2938/index.htm)	RIGHT-SIDE ARC CLOCKWISE ARROW	↪	↪
U+2939 (/info/unicode/char/2939/index.htm)	LEFT-SIDE ARC ANTICLOCKWISE ARROW	↪	↪
U+293A (/info/unicode/char/293a/index.htm)	TOP ARC ANTICLOCKWISE ARROW	↪	↪

Character	Name	Browser	Image
U+293B (/info/unicode/char/293b/index.htm)	BOTTOM ARC ANTICLOCKWISE ARROW	↶	↶
U+293C (/info/unicode/char/293c/index.htm)	TOP ARC CLOCKWISE ARROW WITH MINUS	↷	↷
U+293D (/info/unicode/char/293d/index.htm)	TOP ARC ANTICLOCKWISE ARROW WITH PLUS	↶	↶
U+293E (/info/unicode/char/293e/index.htm)	LOWER RIGHT SEMICIRCULAR CLOCKWISE ARROW	↷	↷
U+293F (/info/unicode/char/293f/index.htm)	LOWER LEFT SEMICIRCULAR ANTICLOCKWISE ARROW	↶	↶
U+2940 (/info/unicode/char/2940/index.htm)	ANTICLOCKWISE CLOSED CIRCLE ARROW	↶	↶
U+2941 (/info/unicode/char/2941/index.htm)	CLOCKWISE CLOSED CIRCLE ARROW	↷	↷
U+2942 (/info/unicode/char/2942/index.htm)	RIGHTWARDS ARROW ABOVE SHORT LEFTWARDS ARROW	↶	↶
U+2943 (/info/unicode/char/2943/index.htm)	LEFTWARDS ARROW ABOVE SHORT RIGHTWARDS ARROW	↷	↷
U+2944 (/info/unicode/char/2944/index.htm)	SHORT RIGHTWARDS ARROW ABOVE LEFTWARDS ARROW	↶	↶
U+2945 (/info/unicode/char/2945/index.htm)	RIGHTWARDS ARROW WITH PLUS BELOW	↶	↶
U+2946 (/info/unicode/char/2946/index.htm)	LEFTWARDS ARROW WITH PLUS BELOW	↷	↷
U+2947 (/info/unicode/char/2947/index.htm)	RIGHTWARDS ARROW THROUGH X	↶	↶
U+2948 (/info/unicode/char/2948/index.htm)	LEFT RIGHT ARROW THROUGH SMALL CIRCLE	↶	↶
U+2949 (/info/unicode/char/2949/index.htm)	UPWARDS TWO-HEADED ARROW FROM SMALL CIRCLE	↶	↶
U+294A (/info/unicode/char/294a/index.htm)	LEFT BARB UP RIGHT BARB DOWN HARPOON	↶	↶
U+294B (/info/unicode/char/294b/index.htm)	LEFT BARB DOWN RIGHT BARB UP HARPOON	↶	↶
U+294C (/info/unicode/char/294c/index.htm)	UP BARB RIGHT DOWN BARB LEFT HARPOON	↶	↶
U+294D (/info/unicode/char/294d/index.htm)	UP BARB LEFT DOWN BARB RIGHT HARPOON	↶	↶




















Character	Name	Browser	Image
U+294E (/info/unicode/char/294e/index.htm)	LEFT BARB UP RIGHT BARB UP HARPOON	↵	↵↵
U+294F (/info/unicode/char/294f/index.htm)	UP BARB RIGHT DOWN BARB RIGHT HARPOON	↴	↴↴
U+2950 (/info/unicode/char/2950/index.htm)	LEFT BARB DOWN RIGHT BARB DOWN HARPOON	↶	↶↶
U+2951 (/info/unicode/char/2951/index.htm)	UP BARB LEFT DOWN BARB LEFT HARPOON	↷	↷↷
U+2952 (/info/unicode/char/2952/index.htm)	LEFTWARDS HARPOON WITH BARB UP TO BAR	↵↵	↵↵↵
U+2953 (/info/unicode/char/2953/index.htm)	RIGHTWARDS HARPOON WITH BARB UP TO BAR	↴↴	↴↴↴
U+2954 (/info/unicode/char/2954/index.htm)	UPWARDS HARPOON WITH BARB RIGHT TO BAR	↶↶	↶↶↶
U+2955 (/info/unicode/char/2955/index.htm)	DOWNWARDS HARPOON WITH BARB RIGHT TO BAR	↷↷	↷↷↶
U+2956 (/info/unicode/char/2956/index.htm)	LEFTWARDS HARPOON WITH BARB DOWN TO BAR	↵↵	↵↵↵
U+2957 (/info/unicode/char/2957/index.htm)	RIGHTWARDS HARPOON WITH BARB DOWN TO BAR	↴↴	↴↴↴
U+2958 (/info/unicode/char/2958/index.htm)	UPWARDS HARPOON WITH BARB LEFT TO BAR	↶↶	↶↶↶
U+2959 (/info/unicode/char/2959/index.htm)	DOWNWARDS HARPOON WITH BARB LEFT TO BAR	↷↷	↷↷↶
U+295A (/info/unicode/char/295a/index.htm)	LEFTWARDS HARPOON WITH BARB UP FROM BAR	↵↵	↵↵↵
U+295B (/info/unicode/char/295b/index.htm)	RIGHTWARDS HARPOON WITH BARB UP FROM BAR	↴↴	↴↴↴
U+295C (/info/unicode/char/295c/index.htm)	UPWARDS HARPOON WITH BARB RIGHT FROM BAR	↶↶	↶↶↶
U+295D (/info/unicode/char/295d/index.htm)	DOWNWARDS HARPOON WITH BARB RIGHT FROM BAR	↷↷	↷↷↶
U+295E (/info/unicode/char/295e/index.htm)	LEFTWARDS HARPOON WITH BARB DOWN FROM BAR	↵↵	↵↵↵
U+295F (/info/unicode/char/295f/index.htm)	RIGHTWARDS HARPOON WITH BARB DOWN FROM BAR	↴↴	↴↴↴
U+2960 (/info/unicode/char/2960/index.htm)	UPWARDS HARPOON WITH BARB LEFT FROM BAR	↶↶	↶↶↶

Character	Name	Browser	Image
U+2961 (/info/unicode/char/2961/index.htm)	DOWNWARDS HARPOON WITH BARB LEFT FROM BAR	⤿	⤿
U+2962 (/info/unicode/char/2962/index.htm)	LEFTWARDS HARPOON WITH BARB UP ABOVE LEFTWARDS HARPOON WITH BARB DOWN	⇐⇓	⇐⇓
U+2963 (/info/unicode/char/2963/index.htm)	UPWARDS HARPOON WITH BARB LEFT BESIDE UPWARDS HARPOON WITH BARB RIGHT	⇑⇒	⇑⇒
U+2964 (/info/unicode/char/2964/index.htm)	RIGHTWARDS HARPOON WITH BARB UP ABOVE RIGHTWARDS HARPOON WITH BARB DOWN	⇒⇓	⇒⇓
U+2965 (/info/unicode/char/2965/index.htm)	DOWNWARDS HARPOON WITH BARB LEFT BESIDE DOWNWARDS HARPOON WITH BARB RIGHT	⇓⇒	⇓⇒
U+2966 (/info/unicode/char/2966/index.htm)	LEFTWARDS HARPOON WITH BARB UP ABOVE RIGHTWARDS HARPOON WITH BARB UP	⇐⇑	⇐⇑
U+2967 (/info/unicode/char/2967/index.htm)	LEFTWARDS HARPOON WITH BARB DOWN ABOVE RIGHTWARDS HARPOON WITH BARB DOWN	⇐⇓	⇐⇓
U+2968 (/info/unicode/char/2968/index.htm)	RIGHTWARDS HARPOON WITH BARB UP ABOVE LEFTWARDS HARPOON WITH BARB UP	⇒⇑	⇒⇑
U+2969 (/info/unicode/char/2969/index.htm)	RIGHTWARDS HARPOON WITH BARB DOWN ABOVE LEFTWARDS HARPOON WITH BARB DOWN	⇒⇓	⇒⇓
U+296A (/info/unicode/char/296a/index.htm)	LEFTWARDS HARPOON WITH BARB UP ABOVE LONG DASH	⇐⇑	⇐⇑
U+296B (/info/unicode/char/296b/index.htm)	LEFTWARDS HARPOON WITH BARB DOWN BELOW LONG DASH	⇐⇓	⇐⇓
U+296C (/info/unicode/char/296c/index.htm)	RIGHTWARDS HARPOON WITH BARB UP ABOVE LONG DASH	⇒⇑	⇒⇑
U+296D (/info/unicode/char/296d/index.htm)	RIGHTWARDS HARPOON WITH BARB DOWN BELOW LONG DASH	⇒⇓	⇒⇓
U+296E (/info/unicode/char/296e/index.htm)	UPWARDS HARPOON WITH BARB LEFT BESIDE DOWNWARDS HARPOON WITH BARB RIGHT	⇑⇒	⇑⇒
U+296F (/info/unicode/char/296f/index.htm)	DOWNWARDS HARPOON WITH BARB LEFT BESIDE UPWARDS HARPOON WITH BARB RIGHT	⇓⇒	⇓⇒
U+2970 (/info/unicode/char/2970/index.htm)	RIGHT DOUBLE ARROW WITH ROUNDED HEAD	⇒	⇒
U+2971 (/info/unicode/char/2971/index.htm)	EQUALS SIGN ABOVE RIGHTWARDS ARROW	⇒	⇒
U+2972 (/info/unicode/char/2972/index.htm)	TILDE OPERATOR ABOVE RIGHTWARDS ARROW	⇒	⇒
U+2973 (/info/unicode/char/2973/index.htm)	LEFTWARDS ARROW ABOVE TILDE OPERATOR	⇐	⇐

Character	Name	Browser	Image
U+2974 (/info/unicode/char/2974/index.htm)	RIGHTWARDS ARROW ABOVE TILDE OPERATOR	↗̃	↗̃
U+2975 (/info/unicode/char/2975/index.htm)	RIGHTWARDS ARROW ABOVE ALMOST EQUAL TO	↗̃	↗̃
U+2976 (/info/unicode/char/2976/index.htm)	LESS-THAN ABOVE LEFTWARDS ARROW	↖̃	↖̃
U+2977 (/info/unicode/char/2977/index.htm)	LEFTWARDS ARROW THROUGH LESS-THAN	↖̃	↖̃
U+2978 (/info/unicode/char/2978/index.htm)	GREATER-THAN ABOVE RIGHTWARDS ARROW	↗̃	↗̃
U+2979 (/info/unicode/char/2979/index.htm)	SUBSET ABOVE RIGHTWARDS ARROW	↗̃	↗̃
U+297A (/info/unicode/char/297a/index.htm)	LEFTWARDS ARROW THROUGH SUBSET	↖̃	↖̃
U+297B (/info/unicode/char/297b/index.htm)	SUPERSET ABOVE LEFTWARDS ARROW	↖̃	↖̃
U+297C (/info/unicode/char/297c/index.htm)	LEFT FISH TAIL	↖̃	↖̃
U+297D (/info/unicode/char/297d/index.htm)	RIGHT FISH TAIL	↗̃	↗̃
U+297E (/info/unicode/char/297e/index.htm)	UP FISH TAIL	↖̃	↖̃
U+297F (/info/unicode/char/297f/index.htm)	DOWN FISH TAIL	↗̃	↗̃
U+2980 (/info/unicode/char/2980/index.htm)	TRIPLE VERTICAL BAR DELIMITER		
U+2981 (/info/unicode/char/2981/index.htm)	Z NOTATION SPOT	•	•
U+2982 (/info/unicode/char/2982/index.htm)	Z NOTATION TYPE COLON	⋮	⋮
U+2999 (/info/unicode/char/2999/index.htm)	DOTTED FENCE	⋮	⋮
U+299A (/info/unicode/char/299a/index.htm)	VERTICAL ZIGZAG LINE	⋮	⋮
U+299B (/info/unicode/char/299b/index.htm)	MEASURED ANGLE OPENING LEFT	⋮	⋮
U+299C (/info/unicode/char/299c/index.htm)	RIGHT ANGLE VARIANT WITH SQUARE	⋮	⋮







































Character	Name	Browser	Image
U+299D (/info/unicode/char/299d/index.htm)	MEASURED RIGHT ANGLE WITH DOT		
U+299E (/info/unicode/char/299e/index.htm)	ANGLE WITH S INSIDE		
U+299F (/info/unicode/char/299f/index.htm)	ACUTE ANGLE		
U+29A0 (/info/unicode/char/29a0/index.htm)	SPHERICAL ANGLE OPENING LEFT		
U+29A1 (/info/unicode/char/29a1/index.htm)	SPHERICAL ANGLE OPENING UP		
U+29A2 (/info/unicode/char/29a2/index.htm)	TURNED ANGLE		
U+29A3 (/info/unicode/char/29a3/index.htm)	REVERSED ANGLE		
U+29A4 (/info/unicode/char/29a4/index.htm)	ANGLE WITH UNDERBAR		
U+29A5 (/info/unicode/char/29a5/index.htm)	REVERSED ANGLE WITH UNDERBAR		
U+29A6 (/info/unicode/char/29a6/index.htm)	OBLIQUE ANGLE OPENING UP		
U+29A7 (/info/unicode/char/29a7/index.htm)	OBLIQUE ANGLE OPENING DOWN		
U+29A8 (/info/unicode/char/29a8/index.htm)	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING UP AND RIGHT		
U+29A9 (/info/unicode/char/29a9/index.htm)	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING UP AND LEFT		
U+29AA (/info/unicode/char/29aa/index.htm)	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING DOWN AND RIGHT		
U+29AB (/info/unicode/char/29ab/index.htm)	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING DOWN AND LEFT		
U+29AC (/info/unicode/char/29ac/index.htm)	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING RIGHT AND UP		
U+29AD (/info/unicode/char/29ad/index.htm)	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING LEFT AND UP		
U+29AE (/info/unicode/char/29ae/index.htm)	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING RIGHT AND DOWN		
U+29AF (/info/unicode/char/29af/index.htm)	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING LEFT AND DOWN		

Character	Name	Browser	Image
U+29B0 (/info/unicode/char/29b0/index.htm)	REVERSED EMPTY SET	∅	∅
U+29B1 (/info/unicode/char/29b1/index.htm)	EMPTY SET WITH OVERBAR	∅̄	∅̄
U+29B2 (/info/unicode/char/29b2/index.htm)	EMPTY SET WITH SMALL CIRCLE ABOVE	∅ <sup>◦</sup>	∅ <sup>◦</sup>
U+29B3 (/info/unicode/char/29b3/index.htm)	EMPTY SET WITH RIGHT ARROW ABOVE	∅→	∅→
U+29B4 (/info/unicode/char/29b4/index.htm)	EMPTY SET WITH LEFT ARROW ABOVE	∅←	∅←
U+29B5 (/info/unicode/char/29b5/index.htm)	CIRCLE WITH HORIZONTAL BAR	⊖	⊖
U+29B6 (/info/unicode/char/29b6/index.htm)	CIRCLED VERTICAL BAR	⓪	⓪
U+29B7 (/info/unicode/char/29b7/index.htm)	CIRCLED PARALLEL	Ⓜ	Ⓜ
U+29B8 (/info/unicode/char/29b8/index.htm)	CIRCLED REVERSE SOLIDUS	Ⓢ	Ⓢ
U+29B9 (/info/unicode/char/29b9/index.htm)	CIRCLED PERPENDICULAR	Ⓣ	Ⓣ
U+29BA (/info/unicode/char/29ba/index.htm)	CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF DIVIDED BY VERTICAL BAR	Ⓟ	Ⓟ
U+29BB (/info/unicode/char/29bb/index.htm)	CIRCLE WITH SUPERIMPOSED X	ⓧ	ⓧ
U+29BC (/info/unicode/char/29bc/index.htm)	CIRCLED ANTICLOCKWISE-ROTATED DIVISION SIGN	ⓧ	ⓧ
U+29BD (/info/unicode/char/29bd/index.htm)	UP ARROW THROUGH CIRCLE	⤴	⤴
U+29BE (/info/unicode/char/29be/index.htm)	CIRCLED WHITE BULLET	⦿	⦿
U+29BF (/info/unicode/char/29bf/index.htm)	CIRCLED BULLET	◉	◉
U+29C0 (/info/unicode/char/29c0/index.htm)	CIRCLED LESS-THAN	⦶	⦶
U+29C1 (/info/unicode/char/29c1/index.htm)	CIRCLED GREATER-THAN	⦷	⦷
U+29C2 (/info/unicode/char/29c2/index.htm)	CIRCLE WITH SMALL CIRCLE TO THE RIGHT	◉ <sup>◦</sup>	◉ <sup>◦</sup>




















Character	Name	Browser	Image
U+29C3 (/info/unicode/char/29c3/index.htm)	CIRCLE WITH TWO HORIZONTAL STROKES TO THE RIGHT	☉	
U+29C4 (/info/unicode/char/29c4/index.htm)	SQUARED RISING DIAGONAL SLASH	☒	
U+29C5 (/info/unicode/char/29c5/index.htm)	SQUARED FALLING DIAGONAL SLASH	☓	
U+29C6 (/info/unicode/char/29c6/index.htm)	SQUARED ASTERISK	☒	
U+29C7 (/info/unicode/char/29c7/index.htm)	SQUARED SMALL CIRCLE	◻	
U+29C8 (/info/unicode/char/29c8/index.htm)	SQUARED SQUARE	◻	
U+29C9 (/info/unicode/char/29c9/index.htm)	TWO JOINED SQUARES	◻	
U+29CA (/info/unicode/char/29ca/index.htm)	TRIANGLE WITH DOT ABOVE	△	
U+29CB (/info/unicode/char/29cb/index.htm)	TRIANGLE WITH UNDERBAR	△	
U+29CC (/info/unicode/char/29cc/index.htm)	S IN TRIANGLE	△	
U+29CD (/info/unicode/char/29cd/index.htm)	TRIANGLE WITH SERIFS AT BOTTOM	△	
U+29CE (/info/unicode/char/29ce/index.htm)	RIGHT TRIANGLE ABOVE LEFT TRIANGLE	⚡	
U+29CF (/info/unicode/char/29cf/index.htm)	LEFT TRIANGLE BESIDE VERTICAL BAR	⚡	
U+29D0 (/info/unicode/char/29d0/index.htm)	VERTICAL BAR BESIDE RIGHT TRIANGLE	⚡	
U+29D1 (/info/unicode/char/29d1/index.htm)	BOWTIE WITH LEFT HALF BLACK	⚡	
U+29D2 (/info/unicode/char/29d2/index.htm)	BOWTIE WITH RIGHT HALF BLACK	⚡	
U+29D3 (/info/unicode/char/29d3/index.htm)	BLACK BOWTIE	⚡	
U+29D4 (/info/unicode/char/29d4/index.htm)	TIMES WITH LEFT HALF BLACK	⚡	
U+29D5 (/info/unicode/char/29d5/index.htm)	TIMES WITH RIGHT HALF BLACK	⚡	






















Character	Name	Browser	Image
U+29D6 (/info/unicode/char/29d6/index.htm)	WHITE HOURGLASS	⌵	⌵
U+29D7 (/info/unicode/char/29d7/index.htm)	BLACK HOURGLASS	⬮	⬮
U+29DC (/info/unicode/char/29dc/index.htm)	INCOMPLETE INFINITY	∞̳	∞̳
U+29DD (/info/unicode/char/29dd/index.htm)	TIE OVER INFINITY	∞̮	∞̮
U+29DE (/info/unicode/char/29de/index.htm)	INFINITY NEGATED WITH VERTICAL BAR	∞̸	∞̸
U+29DF (/info/unicode/char/29df/index.htm)	DOUBLE-ENDED MULTIMAP	↔̳	↔̳
U+29E0 (/info/unicode/char/29e0/index.htm)	SQUARE WITH CONTOURED OUTLINE	◻̳	◻̳
U+29E1 (/info/unicode/char/29e1/index.htm)	INCREASES AS	⌵̳	⌵̳
U+29E2 (/info/unicode/char/29e2/index.htm)	SHUFFLE PRODUCT	⌵̮	⌵̮
U+29E3 (/info/unicode/char/29e3/index.htm)	EQUALS SIGN AND SLANTED PARALLEL	≡̮	≡̮
U+29E4 (/info/unicode/char/29e4/index.htm)	EQUALS SIGN AND SLANTED PARALLEL WITH TILDE ABOVE	≡̮̃	≡̮̃
U+29E5 (/info/unicode/char/29e5/index.htm)	IDENTICAL TO AND SLANTED PARALLEL	≡̮̳	≡̮̳
U+29E6 (/info/unicode/char/29e6/index.htm)	GLEICH STARK	≡̳	≡̳
U+29E7 (/info/unicode/char/29e7/index.htm)	THERMODYNAMIC	≡̮̳	≡̮̳
U+29E8 (/info/unicode/char/29e8/index.htm)	DOWN-POINTING TRIANGLE WITH LEFT HALF BLACK	▴̳	▴̳
U+29E9 (/info/unicode/char/29e9/index.htm)	DOWN-POINTING TRIANGLE WITH RIGHT HALF BLACK	▴̮	▴̮
U+29EA (/info/unicode/char/29ea/index.htm)	BLACK DIAMOND WITH DOWN ARROW	◆̳	◆̳
U+29EB (/info/unicode/char/29eb/index.htm)	BLACK LOZENGE	◆̮	◆̮
U+29EC (/info/unicode/char/29ec/index.htm)	WHITE CIRCLE WITH DOWN ARROW	◯̳	◯̳

Character	Name	Browser	Image
U+29ED (/info/unicode/char/29ed/index.htm)	BLACK CIRCLE WITH DOWN ARROW		
U+29EE (/info/unicode/char/29ee/index.htm)	ERROR-BARRED WHITE SQUARE		
U+29EF (/info/unicode/char/29ef/index.htm)	ERROR-BARRED BLACK SQUARE		
U+29F0 (/info/unicode/char/29f0/index.htm)	ERROR-BARRED WHITE DIAMOND		
U+29F1 (/info/unicode/char/29f1/index.htm)	ERROR-BARRED BLACK DIAMOND		
U+29F2 (/info/unicode/char/29f2/index.htm)	ERROR-BARRED WHITE CIRCLE		
U+29F3 (/info/unicode/char/29f3/index.htm)	ERROR-BARRED BLACK CIRCLE		
U+29F4 (/info/unicode/char/29f4/index.htm)	RULE-DELAYED		
U+29F5 (/info/unicode/char/29f5/index.htm)	REVERSE SOLIDUS OPERATOR		
U+29F6 (/info/unicode/char/29f6/index.htm)	SOLIDUS WITH OVERBAR		
U+29F7 (/info/unicode/char/29f7/index.htm)	REVERSE SOLIDUS WITH HORIZONTAL STROKE		
U+29F8 (/info/unicode/char/29f8/index.htm)	BIG SOLIDUS		
U+29F9 (/info/unicode/char/29f9/index.htm)	BIG REVERSE SOLIDUS		
U+29FA (/info/unicode/char/29fa/index.htm)	DOUBLE PLUS		
U+29FB (/info/unicode/char/29fb/index.htm)	TRIPLE PLUS		
U+29FE (/info/unicode/char/29fe/index.htm)	TINY		
U+29FF (/info/unicode/char/29ff/index.htm)	MINY		
U+2A00 (/info/unicode/char/2a00/index.htm)	N-ARY CIRCLED DOT OPERATOR		
U+2A01 (/info/unicode/char/2a01/index.htm)	N-ARY CIRCLED PLUS OPERATOR		

Character	Name	Browser	Image
U+2A02 (/info/unicode/char/2a02/index.htm)	N-ARY CIRCLED TIMES OPERATOR	⊗	⊗
U+2A03 (/info/unicode/char/2a03/index.htm)	N-ARY UNION OPERATOR WITH DOT	⋈	⋈
U+2A04 (/info/unicode/char/2a04/index.htm)	N-ARY UNION OPERATOR WITH PLUS	⋈	⋈
U+2A05 (/info/unicode/char/2a05/index.htm)	N-ARY SQUARE INTERSECTION OPERATOR	⋈	⋈
U+2A06 (/info/unicode/char/2a06/index.htm)	N-ARY SQUARE UNION OPERATOR	⋈	⋈
U+2A07 (/info/unicode/char/2a07/index.htm)	TWO LOGICAL AND OPERATOR	⋈	⋈
U+2A08 (/info/unicode/char/2a08/index.htm)	TWO LOGICAL OR OPERATOR	⋈	⋈
U+2A09 (/info/unicode/char/2a09/index.htm)	N-ARY TIMES OPERATOR	×	×
U+2A0A (/info/unicode/char/2a0a/index.htm)	MODULO TWO SUM	⊕	⊕
U+2A0B (/info/unicode/char/2a0b/index.htm)	SUMMATION WITH INTEGRAL	⋈	⋈
U+2A0C (/info/unicode/char/2a0c/index.htm)	QUADRUPLE INTEGRAL OPERATOR	⋈	⋈
U+2A0D (/info/unicode/char/2a0d/index.htm)	FINITE PART INTEGRAL	⋈	⋈
U+2A0E (/info/unicode/char/2a0e/index.htm)	INTEGRAL WITH DOUBLE STROKE	⋈	⋈
U+2A0F (/info/unicode/char/2a0f/index.htm)	INTEGRAL AVERAGE WITH SLASH	⋈	⋈
U+2A10 (/info/unicode/char/2a10/index.htm)	CIRCULATION FUNCTION	⋈	⋈
U+2A11 (/info/unicode/char/2a11/index.htm)	ANTICLOCKWISE INTEGRATION	⋈	⋈
U+2A12 (/info/unicode/char/2a12/index.htm)	LINE INTEGRATION WITH RECTANGULAR PATH AROUND POLE	⋈	⋈
U+2A13 (/info/unicode/char/2a13/index.htm)	LINE INTEGRATION WITH SEMICIRCULAR PATH AROUND POLE	⋈	⋈
U+2A14 (/info/unicode/char/2a14/index.htm)	LINE INTEGRATION NOT INCLUDING THE POLE	⋈	⋈

Character	Name	Browser	Image
U+2A15 (/info/unicode/char/2a15/index.htm)	INTEGRAL AROUND A POINT OPERATOR	$\oint$	
U+2A16 (/info/unicode/char/2a16/index.htm)	QUATERNION INTEGRAL OPERATOR	$\oint$	
U+2A17 (/info/unicode/char/2a17/index.htm)	INTEGRAL WITH LEFTWARDS ARROW WITH HOOK	$\rlap{-}\!\!\!\int$	
U+2A18 (/info/unicode/char/2a18/index.htm)	INTEGRAL WITH TIMES SIGN	$\int$	
U+2A19 (/info/unicode/char/2a19/index.htm)	INTEGRAL WITH INTERSECTION	$\int$	
U+2A1A (/info/unicode/char/2a1a/index.htm)	INTEGRAL WITH UNION	$\int$	
U+2A1B (/info/unicode/char/2a1b/index.htm)	INTEGRAL WITH OVERBAR	$\overline{\int}$	
U+2A1C (/info/unicode/char/2a1c/index.htm)	INTEGRAL WITH UNDERBAR	$\underline{\int}$	
U+2A1D (/info/unicode/char/2a1d/index.htm)	JOIN	$\bowtie$	
U+2A1E (/info/unicode/char/2a1e/index.htm)	LARGE LEFT TRIANGLE OPERATOR	$\triangleleft$	
U+2A1F (/info/unicode/char/2a1f/index.htm)	Z NOTATION SCHEMA COMPOSITION	$\circlearrowright$	
U+2A20 (/info/unicode/char/2a20/index.htm)	Z NOTATION SCHEMA PIPING	$\gg$	
U+2A21 (/info/unicode/char/2a21/index.htm)	Z NOTATION SCHEMA PROJECTION	$\uparrow$	
U+2A22 (/info/unicode/char/2a22/index.htm)	PLUS SIGN WITH SMALL CIRCLE ABOVE	$\mp$	
U+2A23 (/info/unicode/char/2a23/index.htm)	PLUS SIGN WITH CIRCUMFLEX ACCENT ABOVE	$\mp$	
U+2A24 (/info/unicode/char/2a24/index.htm)	PLUS SIGN WITH TILDE ABOVE	$\mp$	
U+2A25 (/info/unicode/char/2a25/index.htm)	PLUS SIGN WITH DOT BELOW	$\mp$	
U+2A26 (/info/unicode/char/2a26/index.htm)	PLUS SIGN WITH TILDE BELOW	$\pm$	
U+2A27 (/info/unicode/char/2a27/index.htm)	PLUS SIGN WITH SUBSCRIPT TWO	$\mp_2$	

Character	Name	Browser	Image
U+2A28 (/info/unicode/char/2a28/index.htm)	PLUS SIGN WITH BLACK TRIANGLE	+	✚
U+2A29 (/info/unicode/char/2a29/index.htm)	MINUS SIGN WITH COMMA ABOVE	÷̣	➤
U+2A2A (/info/unicode/char/2a2a/index.htm)	MINUS SIGN WITH DOT BELOW	÷̣̣	➤̣
U+2A2B (/info/unicode/char/2a2b/index.htm)	MINUS SIGN WITH FALLING DOTS	÷̣̣̣	➤̣̣̣
U+2A2C (/info/unicode/char/2a2c/index.htm)	MINUS SIGN WITH RISING DOTS	÷̣̣̣̣	➤̣̣̣̣
U+2A2D (/info/unicode/char/2a2d/index.htm)	PLUS SIGN IN LEFT HALF CIRCLE	⊕	⊕
U+2A2E (/info/unicode/char/2a2e/index.htm)	PLUS SIGN IN RIGHT HALF CIRCLE	⊕̣	⊕̣
U+2A2F (/info/unicode/char/2a2f/index.htm)	VECTOR OR CROSS PRODUCT	×	×
U+2A30 (/info/unicode/char/2a30/index.htm)	MULTIPLICATION SIGN WITH DOT ABOVE	×	×
U+2A31 (/info/unicode/char/2a31/index.htm)	MULTIPLICATION SIGN WITH UNDERBAR	×	×
U+2A32 (/info/unicode/char/2a32/index.htm)	SEMIDIRECT PRODUCT WITH BOTTOM CLOSED	×	×
U+2A33 (/info/unicode/char/2a33/index.htm)	SMASH PRODUCT	⊗	⊗
U+2A34 (/info/unicode/char/2a34/index.htm)	MULTIPLICATION SIGN IN LEFT HALF CIRCLE	⊗	⊗
U+2A35 (/info/unicode/char/2a35/index.htm)	MULTIPLICATION SIGN IN RIGHT HALF CIRCLE	⊗̣	⊗̣
U+2A36 (/info/unicode/char/2a36/index.htm)	CIRCLED MULTIPLICATION SIGN WITH CIRCUMFLEX ACCENT	⊗̂	⊗̂
U+2A37 (/info/unicode/char/2a37/index.htm)	MULTIPLICATION SIGN IN DOUBLE CIRCLE	⊗	⊗
U+2A38 (/info/unicode/char/2a38/index.htm)	CIRCLED DIVISION SIGN	⊕	⊕
U+2A39 (/info/unicode/char/2a39/index.htm)	PLUS SIGN IN TRIANGLE	△	△
U+2A3A (/info/unicode/char/2a3a/index.htm)	MINUS SIGN IN TRIANGLE	△	△




















Character	Name	Browser	Image
U+2A3B (/info/unicode/char/2a3b/index.htm)	MULTIPLICATION SIGN IN TRIANGLE	$\triangle$	
U+2A3C (/info/unicode/char/2a3c/index.htm)	INTERIOR PRODUCT	$\lrcorner$	
U+2A3D (/info/unicode/char/2a3d/index.htm)	RIGHTHAND INTERIOR PRODUCT	$\llcorner$	
U+2A3E (/info/unicode/char/2a3e/index.htm)	Z NOTATION RELATIONAL COMPOSITION	$\circ\circ$	
U+2A3F (/info/unicode/char/2a3f/index.htm)	AMALGAMATION OR COPRODUCT	$\amalg$	
U+2A40 (/info/unicode/char/2a40/index.htm)	INTERSECTION WITH DOT	$\cap\cdot$	
U+2A41 (/info/unicode/char/2a41/index.htm)	UNION WITH MINUS SIGN	$\cup-$	
U+2A42 (/info/unicode/char/2a42/index.htm)	UNION WITH OVERBAR	$\overline{\cup}$	
U+2A43 (/info/unicode/char/2a43/index.htm)	INTERSECTION WITH OVERBAR	$\overline{\cap}$	
U+2A44 (/info/unicode/char/2a44/index.htm)	INTERSECTION WITH LOGICAL AND	$\cap\wedge$	
U+2A45 (/info/unicode/char/2a45/index.htm)	UNION WITH LOGICAL OR	$\cup\vee$	
U+2A46 (/info/unicode/char/2a46/index.htm)	UNION ABOVE INTERSECTION	$\cup\cap$	
U+2A47 (/info/unicode/char/2a47/index.htm)	INTERSECTION ABOVE UNION	$\cap\cup$	
U+2A48 (/info/unicode/char/2a48/index.htm)	UNION ABOVE BAR ABOVE INTERSECTION	$\cup\overline{\cap}$	
U+2A49 (/info/unicode/char/2a49/index.htm)	INTERSECTION ABOVE BAR ABOVE UNION	$\cap\overline{\cup}$	
U+2A4A (/info/unicode/char/2a4a/index.htm)	UNION BESIDE AND JOINED WITH UNION	$\cup\joinrel\cup$	
U+2A4B (/info/unicode/char/2a4b/index.htm)	INTERSECTION BESIDE AND JOINED WITH INTERSECTION	$\cap\joinrel\cap$	
U+2A4C (/info/unicode/char/2a4c/index.htm)	CLOSED UNION WITH SERIFS	$\sqcup$	
U+2A4D (/info/unicode/char/2a4d/index.htm)	CLOSED INTERSECTION WITH SERIFS	$\sqcap$	

Character	Name	Browser	Image
U+2A4E (/info/unicode/char/2a4e/index.htm)	DOUBLE SQUARE INTERSECTION	⋈	⋈
U+2A4F (/info/unicode/char/2a4f/index.htm)	DOUBLE SQUARE UNION	⋉	⋉
U+2A50 (/info/unicode/char/2a50/index.htm)	CLOSED UNION WITH SERIFS AND SMASH PRODUCT	⋊	⋊
U+2A51 (/info/unicode/char/2a51/index.htm)	LOGICAL AND WITH DOT ABOVE	⋋	⋋
U+2A52 (/info/unicode/char/2a52/index.htm)	LOGICAL OR WITH DOT ABOVE	⋌	⋌
U+2A53 (/info/unicode/char/2a53/index.htm)	DOUBLE LOGICAL AND	⋍	⋍
U+2A54 (/info/unicode/char/2a54/index.htm)	DOUBLE LOGICAL OR	⋎	⋎
U+2A55 (/info/unicode/char/2a55/index.htm)	TWO INTERSECTING LOGICAL AND	⋏	⋏
U+2A56 (/info/unicode/char/2a56/index.htm)	TWO INTERSECTING LOGICAL OR	⋐	⋐
U+2A57 (/info/unicode/char/2a57/index.htm)	SLOPING LARGE OR	⋑	⋑
U+2A58 (/info/unicode/char/2a58/index.htm)	SLOPING LARGE AND	⋒	⋒
U+2A59 (/info/unicode/char/2a59/index.htm)	LOGICAL OR OVERLAPPING LOGICAL AND	⋓	⋓
U+2A5A (/info/unicode/char/2a5a/index.htm)	LOGICAL AND WITH MIDDLE STEM	⋔	⋔
U+2A5B (/info/unicode/char/2a5b/index.htm)	LOGICAL OR WITH MIDDLE STEM	⋕	⋕
U+2A5C (/info/unicode/char/2a5c/index.htm)	LOGICAL AND WITH HORIZONTAL DASH	⋖	⋖
U+2A5D (/info/unicode/char/2a5d/index.htm)	LOGICAL OR WITH HORIZONTAL DASH	⋗	⋗
U+2A5E (/info/unicode/char/2a5e/index.htm)	LOGICAL AND WITH DOUBLE OVERBAR	⋘	⋘
U+2A5F (/info/unicode/char/2a5f/index.htm)	LOGICAL AND WITH UNDERBAR	⋙	⋙
U+2A60 (/info/unicode/char/2a60/index.htm)	LOGICAL AND WITH DOUBLE UNDERBAR	⋚	⋚

Character	Name	Browser	Image
U+2A61 (/info/unicode/char/2a61/index.htm)	SMALL VEE WITH UNDERBAR	$\underline{\vee}$	$\underline{\vee}$
U+2A62 (/info/unicode/char/2a62/index.htm)	LOGICAL OR WITH DOUBLE OVERBAR	$\overline{\overline{\vee}}$	$\overline{\overline{\vee}}$
U+2A63 (/info/unicode/char/2a63/index.htm)	LOGICAL OR WITH DOUBLE UNDERBAR	$\underline{\underline{\vee}}$	$\underline{\underline{\vee}}$
U+2A64 (/info/unicode/char/2a64/index.htm)	Z NOTATION DOMAIN ANTIRESTRICTION	$\nabla$	$\nabla$
U+2A65 (/info/unicode/char/2a65/index.htm)	Z NOTATION RANGE ANTIRESTRICTION	$\triangleright$	$\triangleright$
U+2A66 (/info/unicode/char/2a66/index.htm)	EQUALS SIGN WITH DOT BELOW	$\underset{\cdot}{=}$	$\underset{\cdot}{=}$
U+2A67 (/info/unicode/char/2a67/index.htm)	IDENTICAL WITH DOT ABOVE	$\overset{\cdot}{=}$	$\overset{\cdot}{=}$
U+2A68 (/info/unicode/char/2a68/index.htm)	TRIPLE HORIZONTAL BAR WITH DOUBLE VERTICAL STROKE	$\equiv$	$\equiv$
U+2A69 (/info/unicode/char/2a69/index.htm)	TRIPLE HORIZONTAL BAR WITH TRIPLE VERTICAL STROKE	$\equiv$	$\equiv$
U+2A6A (/info/unicode/char/2a6a/index.htm)	TILDE OPERATOR WITH DOT ABOVE	$\overset{\cdot}{\sim}$	$\overset{\cdot}{\sim}$
U+2A6B (/info/unicode/char/2a6b/index.htm)	TILDE OPERATOR WITH RISING DOTS	$\underset{\cdot}{\sim}$	$\underset{\cdot}{\sim}$
U+2A6C (/info/unicode/char/2a6c/index.htm)	SIMILAR MINUS SIMILAR	$\approx$	$\approx$
U+2A6D (/info/unicode/char/2a6d/index.htm)	CONGRUENT WITH DOT ABOVE	$\overset{\cdot}{\equiv}$	$\overset{\cdot}{\equiv}$
U+2A6E (/info/unicode/char/2a6e/index.htm)	EQUALS WITH ASTERISK	$\equiv$	$\equiv$
U+2A6F (/info/unicode/char/2a6f/index.htm)	ALMOST EQUAL TO WITH CIRCUMFLEX ACCENT	$\approx$	$\approx$
U+2A70 (/info/unicode/char/2a70/index.htm)	APPROXIMATELY EQUAL OR EQUAL TO	$\approx$	$\approx$
U+2A71 (/info/unicode/char/2a71/index.htm)	EQUALS SIGN ABOVE PLUS SIGN	$\overset{+}{=}$	$\overset{+}{=}$
U+2A72 (/info/unicode/char/2a72/index.htm)	PLUS SIGN ABOVE EQUALS SIGN	$\overset{+}{=}$	$\overset{+}{=}$
U+2A73 (/info/unicode/char/2a73/index.htm)	EQUALS SIGN ABOVE TILDE OPERATOR	$\overset{=}{\sim}$	$\overset{=}{\sim}$



Character	Name	Browser	Image
U+2A74 (/info/unicode/char/2a74/index.htm)	DOUBLE COLON EQUAL	⋋	⋌
U+2A75 (/info/unicode/char/2a75/index.htm)	TWO CONSECUTIVE EQUALS SIGNS	⋍	⋎
U+2A76 (/info/unicode/char/2a76/index.htm)	THREE CONSECUTIVE EQUALS SIGNS	⋏	⋐
U+2A77 (/info/unicode/char/2a77/index.htm)	EQUALS SIGN WITH TWO DOTS ABOVE AND TWO DOTS BELOW	⋑	⋒
U+2A78 (/info/unicode/char/2a78/index.htm)	EQUIVALENT WITH FOUR DOTS ABOVE	⋓	⋔
U+2A79 (/info/unicode/char/2a79/index.htm)	LESS-THAN WITH CIRCLE INSIDE	⋕	⋖
U+2A7A (/info/unicode/char/2a7a/index.htm)	GREATER-THAN WITH CIRCLE INSIDE	⋗	⋘
U+2A7B (/info/unicode/char/2a7b/index.htm)	LESS-THAN WITH QUESTION MARK ABOVE	⋙	⋚
U+2A7C (/info/unicode/char/2a7c/index.htm)	GREATER-THAN WITH QUESTION MARK ABOVE	⋛	⋜
U+2A7D (/info/unicode/char/2a7d/index.htm)	LESS-THAN OR SLANTED EQUAL TO	⋝	⋞
U+2A7E (/info/unicode/char/2a7e/index.htm)	GREATER-THAN OR SLANTED EQUAL TO	⋟	⋠
U+2A7F (/info/unicode/char/2a7f/index.htm)	LESS-THAN OR SLANTED EQUAL TO WITH DOT INSIDE	⋡	⋢
U+2A80 (/info/unicode/char/2a80/index.htm)	GREATER-THAN OR SLANTED EQUAL TO WITH DOT INSIDE	⋣	⋤
U+2A81 (/info/unicode/char/2a81/index.htm)	LESS-THAN OR SLANTED EQUAL TO WITH DOT ABOVE	⋥	⋦
U+2A82 (/info/unicode/char/2a82/index.htm)	GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE	⋧	⋨
U+2A83 (/info/unicode/char/2a83/index.htm)	LESS-THAN OR SLANTED EQUAL TO WITH DOT ABOVE RIGHT	⋩	⋪
U+2A84 (/info/unicode/char/2a84/index.htm)	GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE LEFT	⋬	⋭
U+2A85 (/info/unicode/char/2a85/index.htm)	LESS-THAN OR APPROXIMATE	⋮	⋷
U+2A86 (/info/unicode/char/2a86/index.htm)	GREATER-THAN OR APPROXIMATE	⋸	⋹

Character	Name	Browser	Image
U+2A87 (/info/unicode/char/2a87/index.htm)	LESS-THAN AND SINGLE-LINE NOT EQUAL TO	⋈	
U+2A88 (/info/unicode/char/2a88/index.htm)	GREATER-THAN AND SINGLE-LINE NOT EQUAL TO	⋉	
U+2A89 (/info/unicode/char/2a89/index.htm)	LESS-THAN AND NOT APPROXIMATE	⋊	
U+2A8A (/info/unicode/char/2a8a/index.htm)	GREATER-THAN AND NOT APPROXIMATE	⋋	
U+2A8B (/info/unicode/char/2a8b/index.htm)	LESS-THAN ABOVE DOUBLE-LINE EQUAL ABOVE GREATER-THAN	⋌	
U+2A8C (/info/unicode/char/2a8c/index.htm)	GREATER-THAN ABOVE DOUBLE-LINE EQUAL ABOVE LESS-THAN	⋍	
U+2A8D (/info/unicode/char/2a8d/index.htm)	LESS-THAN ABOVE SIMILAR OR EQUAL	⋎	
U+2A8E (/info/unicode/char/2a8e/index.htm)	GREATER-THAN ABOVE SIMILAR OR EQUAL	⋏	
U+2A8F (/info/unicode/char/2a8f/index.htm)	LESS-THAN ABOVE SIMILAR ABOVE GREATER-THAN	⋐	
U+2A90 (/info/unicode/char/2a90/index.htm)	GREATER-THAN ABOVE SIMILAR ABOVE LESS-THAN	⋑	
U+2A91 (/info/unicode/char/2a91/index.htm)	LESS-THAN ABOVE GREATER-THAN ABOVE DOUBLE-LINE EQUAL	⋒	
U+2A92 (/info/unicode/char/2a92/index.htm)	GREATER-THAN ABOVE LESS-THAN ABOVE DOUBLE-LINE EQUAL	⋓	
U+2A93 (/info/unicode/char/2a93/index.htm)	LESS-THAN ABOVE SLANTED EQUAL ABOVE GREATER-THAN ABOVE SLANTED EQUAL	⋔	
U+2A94 (/info/unicode/char/2a94/index.htm)	GREATER-THAN ABOVE SLANTED EQUAL ABOVE LESS-THAN ABOVE SLANTED EQUAL	⋕	
U+2A95 (/info/unicode/char/2a95/index.htm)	SLANTED EQUAL TO OR LESS-THAN	⋖	
U+2A96 (/info/unicode/char/2a96/index.htm)	SLANTED EQUAL TO OR GREATER-THAN	⋗	
U+2A97 (/info/unicode/char/2a97/index.htm)	SLANTED EQUAL TO OR LESS-THAN WITH DOT INSIDE	⋘	
U+2A98 (/info/unicode/char/2a98/index.htm)	SLANTED EQUAL TO OR GREATER-THAN WITH DOT INSIDE	⋙	
U+2A99 (/info/unicode/char/2a99/index.htm)	DOUBLE-LINE EQUAL TO OR LESS-THAN	⋚	

Character	Name	Browser	Image
U+2A9A (/info/unicode/char/2a9a/index.htm)	DOUBLE-LINE EQUAL TO OR GREATER-THAN	≧	≧
U+2A9B (/info/unicode/char/2a9b/index.htm)	DOUBLE-LINE SLANTED EQUAL TO OR LESS-THAN	≧̸	≧̸
U+2A9C (/info/unicode/char/2a9c/index.htm)	DOUBLE-LINE SLANTED EQUAL TO OR GREATER-THAN	≧̸	≧̸
U+2A9D (/info/unicode/char/2a9d/index.htm)	SIMILAR OR LESS-THAN	≈	≈
U+2A9E (/info/unicode/char/2a9e/index.htm)	SIMILAR OR GREATER-THAN	≈	≈
U+2A9F (/info/unicode/char/2a9f/index.htm)	SIMILAR ABOVE LESS-THAN ABOVE EQUALS SIGN	≈	≈
U+2AA0 (/info/unicode/char/2aa0/index.htm)	SIMILAR ABOVE GREATER-THAN ABOVE EQUALS SIGN	≈	≈
U+2AA1 (/info/unicode/char/2aa1/index.htm)	DOUBLE NESTED LESS-THAN	≪	≪
U+2AA2 (/info/unicode/char/2aa2/index.htm)	DOUBLE NESTED GREATER-THAN	≫	≫
U+2AA3 (/info/unicode/char/2aa3/index.htm)	DOUBLE NESTED LESS-THAN WITH UNDERBAR	≪̲	≪̲
U+2AA4 (/info/unicode/char/2aa4/index.htm)	GREATER-THAN OVERLAPPING LESS-THAN	⋈	⋈
U+2AA5 (/info/unicode/char/2aa5/index.htm)	GREATER-THAN BESIDE LESS-THAN	⋈	⋈
U+2AA6 (/info/unicode/char/2aa6/index.htm)	LESS-THAN CLOSED BY CURVE	⋈	⋈
U+2AA7 (/info/unicode/char/2aa7/index.htm)	GREATER-THAN CLOSED BY CURVE	⋈	⋈
U+2AA8 (/info/unicode/char/2aa8/index.htm)	LESS-THAN CLOSED BY CURVE ABOVE SLANTED EQUAL	⋈	⋈
U+2AA9 (/info/unicode/char/2aa9/index.htm)	GREATER-THAN CLOSED BY CURVE ABOVE SLANTED EQUAL	⋈	⋈
U+2AAA (/info/unicode/char/2aaa/index.htm)	SMALLER THAN	≪	≪
U+2AAB (/info/unicode/char/2aab/index.htm)	LARGER THAN	≫	≫
U+2AAC (/info/unicode/char/2aac/index.htm)	SMALLER THAN OR EQUAL TO	≧	≧

Character	Name	Browser	Image
U+2AAD (/info/unicode/char/2aad/index.htm)	LARGER THAN OR EQUAL TO	⩵	⩵
U+2AAE (/info/unicode/char/2aae/index.htm)	EQUALS SIGN WITH BUMPY ABOVE	⩶	⩶
U+2AAF (/info/unicode/char/2aaf/index.htm)	PRECEDES ABOVE SINGLE-LINE EQUALS SIGN	⩷	⩷
U+2AB0 (/info/unicode/char/2ab0/index.htm)	SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN	⩸	⩸
U+2AB1 (/info/unicode/char/2ab1/index.htm)	PRECEDES ABOVE SINGLE-LINE NOT EQUAL TO	⩹	⩹
U+2AB2 (/info/unicode/char/2ab2/index.htm)	SUCCEEDS ABOVE SINGLE-LINE NOT EQUAL TO	⩺	⩺
U+2AB3 (/info/unicode/char/2ab3/index.htm)	PRECEDES ABOVE EQUALS SIGN	⩻	⩻
U+2AB4 (/info/unicode/char/2ab4/index.htm)	SUCCEEDS ABOVE EQUALS SIGN	⩼	⩼
U+2AB5 (/info/unicode/char/2ab5/index.htm)	PRECEDES ABOVE NOT EQUAL TO	⩽	⩽
U+2AB6 (/info/unicode/char/2ab6/index.htm)	SUCCEEDS ABOVE NOT EQUAL TO	⩾	⩾
U+2AB7 (/info/unicode/char/2ab7/index.htm)	PRECEDES ABOVE ALMOST EQUAL TO	⩿	⩿
U+2AB8 (/info/unicode/char/2ab8/index.htm)	SUCCEEDS ABOVE ALMOST EQUAL TO	⪀	⪀
U+2AB9 (/info/unicode/char/2ab9/index.htm)	PRECEDES ABOVE NOT ALMOST EQUAL TO	⪁	⪁
U+2ABA (/info/unicode/char/2aba/index.htm)	SUCCEEDS ABOVE NOT ALMOST EQUAL TO	⪂	⪂
U+2ABB (/info/unicode/char/2abb/index.htm)	DOUBLE PRECEDES	⪃	⪃
U+2ABC (/info/unicode/char/2abc/index.htm)	DOUBLE SUCCEEDS	⪄	⪄
U+2ABD (/info/unicode/char/2abd/index.htm)	SUBSET WITH DOT	⪅	⪅
U+2ABE (/info/unicode/char/2abe/index.htm)	SUPERSET WITH DOT	⪆	⪆
U+2ABF (/info/unicode/char/2abf/index.htm)	SUBSET WITH PLUS SIGN BELOW	⪇	⪇

Character	Name	Browser	Image
U+2AC0 (/info/unicode/char/2ac0/index.htm)	SUPERSET WITH PLUS SIGN BELOW	⊃+	⊃+
U+2AC1 (/info/unicode/char/2ac1/index.htm)	SUBSET WITH MULTIPLICATION SIGN BELOW	⊂×	⊂×
U+2AC2 (/info/unicode/char/2ac2/index.htm)	SUPERSET WITH MULTIPLICATION SIGN BELOW	⊃×	⊃×
U+2AC3 (/info/unicode/char/2ac3/index.htm)	SUBSET OF OR EQUAL TO WITH DOT ABOVE	⊂⋅	⊂⋅
U+2AC4 (/info/unicode/char/2ac4/index.htm)	SUPERSET OF OR EQUAL TO WITH DOT ABOVE	⊃⋅	⊃⋅
U+2AC5 (/info/unicode/char/2ac5/index.htm)	SUBSET OF ABOVE EQUALS SIGN	⊂=	⊂=
U+2AC6 (/info/unicode/char/2ac6/index.htm)	SUPERSET OF ABOVE EQUALS SIGN	⊃=	⊃=
U+2AC7 (/info/unicode/char/2ac7/index.htm)	SUBSET OF ABOVE TILDE OPERATOR	⊂~	⊂~
U+2AC8 (/info/unicode/char/2ac8/index.htm)	SUPERSET OF ABOVE TILDE OPERATOR	⊃~	⊃~
U+2AC9 (/info/unicode/char/2ac9/index.htm)	SUBSET OF ABOVE ALMOST EQUAL TO	⊂≈	⊂≈
U+2ACA (/info/unicode/char/2aca/index.htm)	SUPERSET OF ABOVE ALMOST EQUAL TO	⊃≈	⊃≈
U+2ACB (/info/unicode/char/2acb/index.htm)	SUBSET OF ABOVE NOT EQUAL TO	⊂≠	⊂≠
U+2ACC (/info/unicode/char/2acc/index.htm)	SUPERSET OF ABOVE NOT EQUAL TO	⊃≠	⊃≠
U+2ACD (/info/unicode/char/2acd/index.htm)	SQUARE LEFT OPEN BOX OPERATOR	⌊	⌊
U+2ACE (/info/unicode/char/2ace/index.htm)	SQUARE RIGHT OPEN BOX OPERATOR	⌋	⌋
U+2ACF (/info/unicode/char/2acf/index.htm)	CLOSED SUBSET	⊂	⊂
U+2AD0 (/info/unicode/char/2ad0/index.htm)	CLOSED SUPERSET	⊃	⊃
U+2AD1 (/info/unicode/char/2ad1/index.htm)	CLOSED SUBSET OR EQUAL TO	⊂=	⊂=
U+2AD2 (/info/unicode/char/2ad2/index.htm)	CLOSED SUPERSET OR EQUAL TO	⊃=	⊃=

Character	Name	Browser	Image
U+2AD3 (/info/unicode/char/2ad3/index.htm)	SUBSET ABOVE SUPERSET	⊆	⊆
U+2AD4 (/info/unicode/char/2ad4/index.htm)	SUPERSET ABOVE SUBSET	⊇	⊇
U+2AD5 (/info/unicode/char/2ad5/index.htm)	SUBSET ABOVE SUBSET	⊂	⊂
U+2AD6 (/info/unicode/char/2ad6/index.htm)	SUPERSET ABOVE SUPERSET	⊃	⊃
U+2AD7 (/info/unicode/char/2ad7/index.htm)	SUPERSET BESIDE SUBSET	⊂⊂	⊂⊂
U+2AD8 (/info/unicode/char/2ad8/index.htm)	SUPERSET BESIDE AND JOINED BY DASH WITH SUBSET	⊂⊃	⊂⊃
U+2AD9 (/info/unicode/char/2ad9/index.htm)	ELEMENT OF OPENING DOWNWARDS	⌋	⌋
U+2ADA (/info/unicode/char/2ada/index.htm)	PITCHFORK WITH TEE TOP	⌋⌋	⌋⌋
U+2ADB (/info/unicode/char/2adb/index.htm)	TRANSVERSAL INTERSECTION	⌋⌋	⌋⌋
U+2ADC (/info/unicode/char/2adc/index.htm)	FORKING	⌋⌋	⌋⌋
U+2ADD (/info/unicode/char/2add/index.htm)	NONFORKING	⌋	⌋
U+2ADE (/info/unicode/char/2ade/index.htm)	SHORT LEFT TACK	┐	┐
U+2ADF (/info/unicode/char/2adf/index.htm)	SHORT DOWN TACK	┘	┘
U+2AE0 (/info/unicode/char/2ae0/index.htm)	SHORT UP TACK	┌	┌
U+2AE1 (/info/unicode/char/2ae1/index.htm)	PERPENDICULAR WITH S	┐s	┐s
U+2AE2 (/info/unicode/char/2ae2/index.htm)	VERTICAL BAR TRIPLE RIGHT TURNSTILE	≡	≡
U+2AE3 (/info/unicode/char/2ae3/index.htm)	DOUBLE VERTICAL BAR LEFT TURNSTILE	≡	≡
U+2AE4 (/info/unicode/char/2ae4/index.htm)	VERTICAL BAR DOUBLE LEFT TURNSTILE	≡	≡
U+2AE5 (/info/unicode/char/2ae5/index.htm)	DOUBLE VERTICAL BAR DOUBLE LEFT TURNSTILE	≡	≡


Character	Name	Browser	Image
U+2AE6 (/info/unicode/char/2ae6/index.htm)	LONG DASH FROM LEFT MEMBER OF DOUBLE VERTICAL	⋈	⋈
U+2AE7 (/info/unicode/char/2ae7/index.htm)	SHORT DOWN TACK WITH OVERBAR	⋇	⋇
U+2AE8 (/info/unicode/char/2ae8/index.htm)	SHORT UP TACK WITH UNDERBAR	⋈	⋈
U+2AE9 (/info/unicode/char/2ae9/index.htm)	SHORT UP TACK ABOVE SHORT DOWN TACK	⋈	⋈
U+2AEA (/info/unicode/char/2aea/index.htm)	DOUBLE DOWN TACK	⋈	⋈
U+2AEB (/info/unicode/char/2aeb/index.htm)	DOUBLE UP TACK	⋈	⋈
U+2AEC (/info/unicode/char/2aec/index.htm)	DOUBLE STROKE NOT SIGN	⋈	⋈
U+2AED (/info/unicode/char/2aed/index.htm)	REVERSED DOUBLE STROKE NOT SIGN	⋈	⋈
U+2AEE (/info/unicode/char/2aee/index.htm)	DOES NOT DIVIDE WITH REVERSED NEGATION SLASH	⋈	⋈
U+2AEF (/info/unicode/char/2aef/index.htm)	VERTICAL LINE WITH CIRCLE ABOVE	⋈	⋈
U+2AF0 (/info/unicode/char/2af0/index.htm)	VERTICAL LINE WITH CIRCLE BELOW	⋈	⋈
U+2AF1 (/info/unicode/char/2af1/index.htm)	DOWN TACK WITH CIRCLE BELOW	⋈	⋈
U+2AF2 (/info/unicode/char/2af2/index.htm)	PARALLEL WITH HORIZONTAL STROKE	⋈	⋈
U+2AF3 (/info/unicode/char/2af3/index.htm)	PARALLEL WITH TILDE OPERATOR	⋈	⋈
U+2AF4 (/info/unicode/char/2af4/index.htm)	TRIPLE VERTICAL BAR BINARY RELATION	⋈	⋈
U+2AF5 (/info/unicode/char/2af5/index.htm)	TRIPLE VERTICAL BAR WITH HORIZONTAL STROKE	⋈	⋈
U+2AF6 (/info/unicode/char/2af6/index.htm)	TRIPLE COLON OPERATOR	⋈	⋈
U+2AF7 (/info/unicode/char/2af7/index.htm)	TRIPLE NESTED LESS-THAN	⋈	⋈
U+2AF8 (/info/unicode/char/2af8/index.htm)	TRIPLE NESTED GREATER-THAN	⋈	⋈

Character	Name	Browser	Image
U+2AF9 (/info/unicode/char/2af9/index.htm)	DOUBLE-LINE SLANTED LESS-THAN OR EQUAL TO	≧	≧
U+2AFA (/info/unicode/char/2afa/index.htm)	DOUBLE-LINE SLANTED GREATER-THAN OR EQUAL TO	≦	≦
U+2AFB (/info/unicode/char/2afb/index.htm)	TRIPLE SOLIDUS BINARY RELATION	⋮	⋮
U+2AFC (/info/unicode/char/2afc/index.htm)	LARGE TRIPLE VERTICAL BAR OPERATOR	⋮	⋮
U+2AFD (/info/unicode/char/2afd/index.htm)	DOUBLE SOLIDUS OPERATOR	⋮	⋮
U+2AFE (/info/unicode/char/2afe/index.htm)	WHITE VERTICAL BAR	⋮	⋮
U+2AFF (/info/unicode/char/2aff/index.htm)	N-ARY WHITE VERTICAL BAR	⋮	⋮
U+2B30 (/info/unicode/char/2b30/index.htm)	LEFT ARROW WITH SMALL CIRCLE	↵	↵
U+2B31 (/info/unicode/char/2b31/index.htm)	THREE LEFTWARDS ARROWS	↵	↵
U+2B32 (/info/unicode/char/2b32/index.htm)	LEFT ARROW WITH CIRCLED PLUS	↵	↵
U+2B33 (/info/unicode/char/2b33/index.htm)	LONG LEFTWARDS SQUIGGLE ARROW	↵	↵
U+2B34 (/info/unicode/char/2b34/index.htm)	LEFTWARDS TWO-HEADED ARROW WITH VERTICAL STROKE	↵	↵
U+2B35 (/info/unicode/char/2b35/index.htm)	LEFTWARDS TWO-HEADED ARROW WITH DOUBLE VERTICAL STROKE	↵	↵
U+2B36 (/info/unicode/char/2b36/index.htm)	LEFTWARDS TWO-HEADED ARROW FROM BAR	↵	↵
U+2B37 (/info/unicode/char/2b37/index.htm)	LEFTWARDS TWO-HEADED TRIPLE DASH ARROW	↵	↵
U+2B38 (/info/unicode/char/2b38/index.htm)	LEFTWARDS ARROW WITH DOTTED STEM	↵	↵
U+2B39 (/info/unicode/char/2b39/index.htm)	LEFTWARDS ARROW WITH TAIL WITH VERTICAL STROKE	↵	↵
U+2B3A (/info/unicode/char/2b3a/index.htm)	LEFTWARDS ARROW WITH TAIL WITH DOUBLE VERTICAL STROKE	↵	↵
U+2B3B (/info/unicode/char/2b3b/index.htm)	LEFTWARDS TWO-HEADED ARROW WITH TAIL	↵	↵



Character	Name	Browser	Image
U+2B3C (/info/unicode/char/2b3c/index.htm)	LEFTWARDS TWO-HEADED ARROW WITH TAIL WITH VERTICAL STROKE	↰	↰
U+2B3D (/info/unicode/char/2b3d/index.htm)	LEFTWARDS TWO-HEADED ARROW WITH TAIL WITH DOUBLE VERTICAL STROKE	↰	↰
U+2B3E (/info/unicode/char/2b3e/index.htm)	LEFTWARDS ARROW THROUGH X	↰	↰
U+2B3F (/info/unicode/char/2b3f/index.htm)	WAVE ARROW POINTING DIRECTLY LEFT	↰	↰
U+2B40 (/info/unicode/char/2b40/index.htm)	EQUALS SIGN ABOVE LEFTWARDS ARROW	↰	↰
U+2B41 (/info/unicode/char/2b41/index.htm)	REVERSE TILDE OPERATOR ABOVE LEFTWARDS ARROW	↰	↰
U+2B42 (/info/unicode/char/2b42/index.htm)	LEFTWARDS ARROW ABOVE REVERSE ALMOST EQUAL TO	↰	↰
U+2B43 (/info/unicode/char/2b43/index.htm)	RIGHTWARDS ARROW THROUGH GREATER-THAN	➡	➡
U+2B44 (/info/unicode/char/2b44/index.htm)	RIGHTWARDS ARROW THROUGH SUPERSET	➡	➡
U+2B47 (/info/unicode/char/2b47/index.htm)	REVERSE TILDE OPERATOR ABOVE RIGHTWARDS ARROW	➡	➡
U+2B48 (/info/unicode/char/2b48/index.htm)	RIGHTWARDS ARROW ABOVE REVERSE ALMOST EQUAL TO	➡	➡
U+2B49 (/info/unicode/char/2b49/index.htm)	TILDE OPERATOR ABOVE LEFTWARDS ARROW	↰	↰
U+2B4A (/info/unicode/char/2b4a/index.htm)	LEFTWARDS ARROW ABOVE ALMOST EQUAL TO	↰	↰
U+2B4B (/info/unicode/char/2b4b/index.htm)	LEFTWARDS ARROW ABOVE REVERSE TILDE OPERATOR	↰	↰
U+2B4C (/info/unicode/char/2b4c/index.htm)	RIGHTWARDS ARROW ABOVE REVERSE TILDE OPERATOR	➡	➡
U+FB29 (/info/unicode/char/fb29/index.htm)	HEBREW LETTER ALTERNATIVE PLUS SIGN	+	+
U+FE62 (/info/unicode/char/fe62/index.htm)	SMALL PLUS SIGN	+	+
U+FE64 (/info/unicode/char/fe64/index.htm)	SMALL LESS-THAN SIGN	<	<
U+FE65 (/info/unicode/char/fe65/index.htm)	SMALL GREATER-THAN SIGN	>	>

Character	Name	Browser	Image
U+FE66 (/info/unicode/char/fe66/index.htm)	SMALL EQUALS SIGN	=	=
U+FF0B (/info/unicode/char/ff0b/index.htm)	FULLWIDTH PLUS SIGN	+	+
U+FF1C (/info/unicode/char/ff1c/index.htm)	FULLWIDTH LESS-THAN SIGN	<	<
U+FF1D (/info/unicode/char/ff1d/index.htm)	FULLWIDTH EQUALS SIGN	=	=
U+FF1E (/info/unicode/char/ff1e/index.htm)	FULLWIDTH GREATER-THAN SIGN	>	>
U+FF5C (/info/unicode/char/ff5c/index.htm)	FULLWIDTH VERTICAL LINE		
U+FF5E (/info/unicode/char/ff5e/index.htm)	FULLWIDTH TILDE	~	~
U+FFE2 (/info/unicode/char/ffe2/index.htm)	FULLWIDTH NOT SIGN	¬	¬
U+FFE9 (/info/unicode/char/ffe9/index.htm)	HALFWIDTH LEFTWARDS ARROW	←	←
U+FFEA (/info/unicode/char/ffea/index.htm)	HALFWIDTH UPWARDS ARROW	↑	↑
U+FFEB (/info/unicode/char/ffeb/index.htm)	HALFWIDTH RIGHTWARDS ARROW	→	→
U+FFEC (/info/unicode/char/ffec/index.htm)	HALFWIDTH DOWNWARDS ARROW	↓	↓
U+1D6C1 (/info/unicode/char/1d6c1/index.htm)	MATHEMATICAL BOLD NABLA	∇	∇
U+1D6DB (/info/unicode/char/1d6db/index.htm)	MATHEMATICAL BOLD PARTIAL DIFFERENTIAL	∂	∂
U+1D6FB (/info/unicode/char/1d6fb/index.htm)	MATHEMATICAL ITALIC NABLA	∇	∇
U+1D715 (/info/unicode/char/1d715/index.htm)	MATHEMATICAL ITALIC PARTIAL DIFFERENTIAL	∂	∂
U+1D735 (/info/unicode/char/1d735/index.htm)	MATHEMATICAL BOLD ITALIC NABLA	∇	∇
U+1D74F (/info/unicode/char/1d74f/index.htm)	MATHEMATICAL BOLD ITALIC PARTIAL DIFFERENTIAL	∂	∂
U+1D76F (/info/unicode/char/1d76f/index.htm)	MATHEMATICAL SANS-SERIF BOLD NABLA	∇	∇

Character	Name	Browser	Image
U+1D789 (/info/unicode/char/1d789/index.htm)	MATHEMATICAL SANS-SERIF BOLD PARTIAL DIFFERENTIAL	∂	∂
U+1D7A9 (/info/unicode/char/1d7a9/index.htm)	MATHEMATICAL SANS-SERIF BOLD ITALIC NABLA	∇	∇
U+1D7C3 (/info/unicode/char/1d7c3/index.htm)	MATHEMATICAL SANS-SERIF BOLD ITALIC PARTIAL DIFFERENTIAL	∂	∂
U+1EEF0 (/info/unicode/char/1eef0/index.htm)	ARABIC MATHEMATICAL OPERATOR MEEM WITH HAH WITH TATWEEL	□	
U+1EEF1 (/info/unicode/char/1eef1/index.htm)	ARABIC MATHEMATICAL OPERATOR HAH WITH DAL	□	