



Fondazione SCP

Proteggere, contenere, mettere al sicuro

Ricerca

Di | Comunità | Risorse

SCP-019

valutazione: +637 + - X

Numero oggetto: SCP-019

Classe oggetto: Keter

Procedure di contenimento speciali:

SCP-019 deve essere tenuto su una griglia larga in una stanza di cemento armato di 3 m x 3 m x 4 m, dotata di un inceneritore. La stanza deve essere mantenuta a zero (0) gradi Celsius quando l'inceneritore non è attivato. Una camera di osservazione separata da una vetrata deve essere utilizzata per l'osservazione costante di SCP-019 e, se/quando vengono osservati esemplari di SCP-019-2, l'inceneritore deve essere attivato. In caso di epidemia di SCP-019-2, le armi da fuoco ordinarie sono efficaci nell'eliminare i singoli esemplari, sebbene in caso di epidemia a livello di sciame, i lanciafiamme possano essere più efficaci. SCP-019 deve essere mantenuto in posizione verticale in ogni momento.



SCP-019

Descrizione: SCP-019 sembra essere un vaso di ceramica di grandi dimensioni, con un diametro di 1,8 m all'imboccatura e un'altezza di 2,4 m. Lo stile e la decorazione indicano che è stato creato nella Grecia classica, sebbene una datazione definitiva sia impossibile, poiché la superficie è completamente indistruttibile con qualsiasi metodo conosciuto. Qualora venisse scoperto un metodo efficace per romperlo, SCP-019 dovrà essere distrutto senza indugi.

Periodicamente, da SCP-019 emergono delle entità. Collettivamente, queste sono note come SCP-019-2. Le entità variano per molti aspetti, ma tendono ad essere piccole, vagamente umanoidi (sebbene possano presentare tratti animaleschi) ed estremamente

ostili. Spesso scelgono di attaccare con denti o artigli. Pur essendo piuttosto delicate (e, sorprendentemente, infiammabili), sono ragionevolmente forti e rappresentano una minaccia considerevole in gran numero.

When kept at zero (0) degrees Celsius and totally at rest, entities will emerge from SCP-019 at a rate of approximately one (1) entity per hour. The following traits are known to affect SCP-019-2's manifestation rate:

- Movement of SCP-019
- Threat to SCP-019
- Extreme temperature highs and lows
- Sudden shift in surrounding environment
- Introduction of objects or organisms to the inside of SCP-019 (known to cause a "flood" reaction)



Esemplare SCP-019-2

Traits that may or may not influence SCP-019-2's manifestation rate:

- Presence of human life near SCP-019
- Current weather patterns
- Specific individuals near SCP-019 (some individuals seem to affect SCP-019-2's emergence rate more drastically than others)

In addition, tipping or tilting SCP-019 will create a reaction as though it was previously "filled" with SCP-019-2 specimens, although viewers looking into SCP-019 from above will merely observe a dark hole. Due to the production rates of SCP-019-2 when the object is disturbed, measurement of the internal cavity is difficult, but it is suspected to be inconsistent with outside measurements.

Addendum: Document SCP-019-2-A

SCP-019-2 notes, as maintained by Doctor Light and Doctor Vaux

██████████

SCP-019-2 specimen was removed from containment chamber and kept in reinforced pen, provided with water and live chickens as food. Specimen made quiet, continuous, garbled vocalizations, determined to be phonetically similar to Ancient Hellenic languages. Although the reason for this is unknown, specimens are still thought to be no more intelligent than animals.

The specimen lived for less than 48 hours, and a dissection revealed anatomy consistent on a cellular level with normal biology, but with an extremely unstable musculoskeletal structure. Other notable anomalies included an unstable respiratory system, nearly

 nonexistent digestive tract, and virtually no other internal organs. All other captured specimens have followed similar patterns of behavior and demise.

Note: It appears that SCP-019-2 specimens were not intended to live for meaningful amounts of time outside of SCP-019. -Dr. Vaux

██████████

Containment unit was slightly damaged following prolonged exposure to SCP-019-2 specimen, missed by the monitoring team because of partial transparency. This has not been noted in SCP-019-2 before. Monitoring teams will continue to report further anomalies.

██████████

Monitoring teams report some specimens of SCP-019-2 now appear to be significantly more resistant to incineration than others. It is hypothesized that this is a defense mechanism on the part of SCP-019.

██████████

Most specimens of SCP-019-2 are now all but entirely resistant to the effects of the incinerator. Replacement of incinerator with an acid bath is being considered. "Evolution" of SCP-019-2 is being studied, and may be evidence of sentience in SCP-019.

« [SCP-018](#) | [SCP-019](#) | [SCP-020](#) »

‡ Licenza / Citazione

[adattivo](#) [vivo](#) [ectoentropic](#) [ostile](#) [keter](#) [scp](#)

Revisione della pagina: 41, ultima modifica: 1 ottobre 2022, 09:54 (1461 giorni fa)

Inizia a guardare: [sito scp-wiki.wikidot.com](#) | [categoria _default](#) | [questa pagina](#) [?]

[Modifica](#) [Valuta \(+637 \)](#) [Tag](#) [Discuti \(77\)](#) [Cronologia](#) [File](#) [Stampa](#) [Strumenti del sito](#) [+ Opzioni](#)

Powered by Wikidot.com

[Aiuto](#) | [Termini di servizio](#) | [Privacy](#) | [Segnala un bug](#) | [Segnala come inappropriato](#)

Salvo diversa indicazione, il contenuto di questa pagina è concesso in [licenza Creative Commons Attribuzione-Condividi allo stesso modo 3.0](#).