School of Computer Science
FACULTY OF ENGINEERING AND PHYSICAL SCIENCES

Final Report

When Teamwork Helps and When It Hurts: Reward Sharing and Scaling in Multi-Agent Reinforcement Learning

Tay Liang Quan, Branson

Submitted in accordance with the requirements for the degree of BSc Computer Science

2025/26

COMP3931 Individual Project

The candidate confirms that the following have been submitted.

Items	Format	Recipient(s) and Date
Final Report	PDF file	Uploaded to Minerva (28/04/26)
Link to online code repository	URL	Sent to supervisor and assessor (28/04/26)

The candidate confirms that the work submitted is their own and the appropriate credit has been given where reference has been made to the work of others.

The candidate understands that failure to attribute material which is obtained from another source may be considered as plagiarism.

(Signature of Student) _____

Summary

This project investigates how incentive structure shapes emergent strategy when multiple reinforcement learning agents train together in a stochastic environment. The domain is Formula 1 overtaking, modelled as discrete decisions at zones along the Spa-Francorchamps circuit. A reward-sharing coefficient controls how much each agent values a teammate's performance alongside its own, ranging from purely self-interested to fully cooperative. By keeping other variables constant and varying this coefficient, incentive design is isolated from algorithm choice, game structure, and team size.

Four variants of the Deep Q-Network family are compared as the learning substrate. Under concurrent competitive training, algorithm choice determines whether stable strategic behaviour emerges at all. Weaker variants collapse into passivity in close to half of all trials. The strongest variant, combining prioritised experience replay with double-target correction, avoids collapse entirely and develops clean complementary roles resembling the hawk-dove equilibrium from evolutionary game theory, with one agent taking aggressive zones and the other conservative ones without any shared coordination mechanism.

Introducing cooperative reward into a purely competitive game produces a sharp breakdown. Below a threshold, partial alignment does not destabilise learning. Above it, agents converge to passivity in the majority of trials because successful overtakes turn into net penalties. Changing the game structure so both agents can improve simultaneously reverses the picture. With a shared adversary to outperform together, the same cooperative incentive produces an 83 per cent improvement in joint performance, driven by lifting the weaker agent rather than uniformly raising both.

Scaling to more agents eliminates this advantage. The cooperative gain that emerges at three agents vanishes abruptly at four, and no coefficient value recovers it. Curriculum training, which establishes individual policies before introducing cooperative reward, restores much of the lost performance yet never exceeds the competitive baseline. Two distinct failure modes become separable. Training-order collapse is resolved by scheduling. Credit-assignment failure at scale is not, and points to architectural change beyond the independent-learning framework.

A zero-shot large language model given the race state as a natural-language description matches the best-trained agent across all tested conditions, through qualitatively different strategies. This suggests the environment admits a short near-optimal policy that domain reasoning alone can capture. An alternative reward formulation designed to credit each agent only for its own counterfactual contribution fails both analytically and empirically. The mean-field approximation used inverts the cooperative gradient, penalising teammate improvement rather than rewarding own actions.

The central finding is that incentive design and agent count jointly determine whether cooperation produces advantage or harm. In small teams, careful alignment of incentives produces real cooperative gains. In larger teams, reward-level interventions alone are insufficient.

Acknowledgements

I thank my friends and family who have been supportive of me through my journey of Computer Science. I thank my supervisor, Brandon Bennett for providing guidance where needed. Additionally, I also thank my assessor, Dibyayan Chakraborty, whose advice that a good report should take the reader on a journey is what I have tried to do here.

I count myself fortunate to be working through this degree at a moment when AI research is moving as fast as it has this year. This report is a small first step into the field, and I hope it marks the beginning of a longer engagement with it.

The shared training configuration was determined using Andrej Karpathy's open-source Autoresearch tool (Karpathy, 2024), available at `https://github.com/karpathy/autoresearch`.

Contents

List of Abbreviations

CI	Confidence Interval
CTDE	Centralised Training with Decentralised Execution
DQN	Deep Q-Network
F1	Formula 1
IQL	Independent Q-Learning
JSON	JavaScript Object Notation
LLM	Large Language Model
MARL	Multi-Agent Reinforcement Learning
MLP	Multi-Layer Perceptron
PER	Prioritised Experience Replay
QMIX	Monotonic Q-value Mixing network
RL	Reinforcement Learning
RQ	Research Question
TD	Temporal-Difference
UML	Unified Modeling Language

Chapter 1

Introduction and Background Research

1.1 Introduction

In multi-agent reinforcement learning (MARL), agents that learn alongside each other do not just solve a task. They adapt to one another. Learning stability and emergent strategy depend on how incentives are structured between agents, and the shape of that dependency is what this project investigates. Foundational MARL methods were developed primarily for the two extremes of incentive alignment, where agents share a single team reward or where one agent's gain is exactly another's loss (Buşoniu et al., 2008). The partially-aligned or general-sum regime, where agents' interests overlap without perfectly aligning, has since become an active research area in its own right (Leibo et al., 2017; Hughes et al., 2018). How reward-sharing between teammates interacts with team size in this regime is comparatively less well mapped, and is the gap the project addresses.

The question this project investigates is whether shared incentive between concurrently learning agents produces genuine cooperative advantage, or merely redistributes competitive outcomes. When two agents race head-to-head, one agent's gain is the other's loss by definition, so no reward formula can produce net joint improvement. Introducing a common adversary lifts that constraint, and both agents can then improve simultaneously by outperforming the third party. Whether shared incentive actually exploits that opening, and how far it can be pushed before learning destabilises, is underexplored in existing literature.

Formula 1 overtaking zone decisions are a well-suited environment to study this. Decisions are discrete and repeated, outcomes are probabilistic given the same zone and gap, and the opponent adapts across laps. The game structure is also adjustable. The same simulator, agents, and reward formula can be tested with or without a common adversary, isolating game structure as an independent variable.

To answer this, the project builds an F1-inspired simulator and trains reinforcement learning (RL) agents across zero-sum and non-zero-sum game structures, with the reward-sharing coefficient α varied from pure competition to pure cooperation. The work draws on three fields, namely motorsport simulation, RL in competitive environments, and multi-agent incentive design.

1.2 Related work

1.2.1 Review methodology

The literature was identified through keyword searches across major databases (Google Scholar, arXiv, ACM, IEEE, SpringerLink, PMLR), structured around the three fields below and supplemented by backward and forward citation tracing from high-relevance papers. Full search terms, inclusion criteria, and the structured comparison of the most directly related studies is in Appendix C.

1.2.2 Motorsport simulation

The earliest motorsport strategy research treats the simulator as infrastructure for strategy evaluation rather than algorithm comparison. A lap-wise simulation was built modelling tyre degradation, fuel effects, pit stops, and overtaking processes from publicly accessible race data (Heilmeier et al., 2018). The goal was to find a good strategy for a given race, which is a different problem from comparing how learning algorithms develop strategies under controlled conditions. This work was extended with neural network surrogates showing that data-driven approximations can accelerate strategy exploration (Heilmeier et al., 2020), and online planning for Formula 1 confirmed that planning methods can produce competitive decisions in dynamic conditions (Piccinotti et al., 2021).

The Formula E literature narrows the gap. Multi-car extensions of RL-based race strategy showed that multiple concurrently learning agents can produce competitive results in motorsport (Liu et al., 2024). Learning-based multi-agent race strategies in Formula 1 have also been reported (Fieni et al., 2026). Across this body of work, no study has systematically varied the incentive structure between concurrent learning agents, or tested how reward alignment changes the strategies that emerge.

1.2.3 Reinforcement learning in competitive environments

Reinforcement learning frames decision-making as an agent that observes a state, selects an action, and receives a reward. Across repeated episodes the agent adjusts its policy, the mapping from states to actions, to maximise long-term reward. Value-based methods estimate a Q-value for each action in each state, the agent's estimate of how much future reward it expects if it takes that action from the current state, and select the action with the highest Q-value at each step (Mnih et al., 2015).

Applied to competitive settings, the framework has produced strong results over the past decade, from board games (Silver et al., 2018) to real-time strategy at scale (Berner et al., 2019; Vinyals et al., 2019). These systems span three substrate families. Value-based methods pick the action with the highest estimated Q-value and suit small discrete action spaces. Policy-based methods learn a policy directly and scale to continuous control. Actor-critic combines both and has

become the default for large-scale domains. Discrete decisions with a modest compute budget suit value-based learning. Within that family, the Deep Q-Network (DQN) was the first to scale value-based learning to high-dimensional state spaces using deep neural networks (Mnih et al., 2015). Section 1.4 returns to DQN with the specific requirements of this project in view and selects a variant for the experimental matrix.

The central challenge in competitive RL is that a policy learned against a fixed opponent degrades when that opponent adapts. Self-play addresses this by training an agent against increasingly skilled versions of itself, though it introduces failure modes including cyclic policy dynamics and exploitability by novel opponents. Self-play is a single-agent method adapted to adversarial settings, and the setting where multiple agents train concurrently is not its target.

1.2.4 Multi-agent incentive design

In multi-agent settings, outcomes depend on joint actions rather than individual ones, and agents observe only local state (Buşoniu et al., 2008). Because all agents update at the same time, the environment any one agent experiences keeps shifting as the others' policies change. This effect, called non-stationarity, is the central technical challenge in multi-agent learning (Hernandez-Leal et al., 2019). Even without explicit coordination, two agents adapting to each other under pure competition can settle into differentiated risk profiles, a phenomenon classical game theory describes through the hawk-dove model (Maynard Smith and Price, 1973).

Mixed-motive settings, where agents' interests are partially aligned and partially conflicting, remain less developed than the pure cooperative and zero-sum cases in both benchmarking and realistic domains (Du et al., 2023). In motorsport, this space is only recently emerging (Fieni et al., 2026).

Independent learners are the natural first baseline, where each agent treats the others as part of the environment and learns its own policy in isolation (Tan, 1993). Each agent stores past experience in a replay buffer and samples from it to update its own policy. When the opponent's policy changes, stored experience from an earlier version of that opponent misdirects updates, and learning can become unstable (Foerster et al., 2017; Matignon et al., 2012). Both non-stationarity and the difficulty of assigning credit for shared outcomes worsen as more agents are added (Agogino and Tumer, 2004; Zhao et al., 2025).

Credit assignment is the problem of distributing a shared team reward among agents in proportion to their individual contribution, and it remains unsolved in team reward settings (Panait and Luke, 2005; Ning and Xie, 2024). Two broad families of solutions exist at the reward-signal level. The first parameterises a linear convex combination of individual and team rewards through a single coefficient, with the endpoints recovering canonical baselines: independent learners at coefficient zero (Tan, 1993) and full team-reward sharing at coefficient one (Rashid et al., 2018). Variants of this single-coefficient mixing appear across mixed-motive MARL (Leibo et al., 2017; Hughes et al., 2018; Wang et al., 2022), with intermediate values used to study how partial alignment shapes emergent strategy. This is the mechanism α implements in the present work. The second family gives each agent a reward based on how the team would have performed in

its absence, isolating individual contribution through counterfactual subtraction (Wolpert and Tumer, 2001; Devlin et al., 2014). The exact counterfactual is intractable beyond a few agents, so practical implementations rely on approximations such as mean-field substitution (Yang et al., 2018) or learned counterfactual baselines (Foerster et al., 2018). Both families are investigated in this project.

Two failure modes arise in this space. Training-order collapse happens when cooperative reward is introduced before individual policies have stabilised, overwriting competent baselines with passive behaviour. This action-shadowing pathology was identified early in cooperative independent learning (Claus and Boutilier, 1998; Matignon et al., 2012) and motivated update-rule interventions such as lenient learning, which down-weights negative updates early in training on the assumption that teammates are still exploring (Wei and Luke, 2016). Credit-assignment failure happens when overlapping individual contributions prevent team reward from producing useful per-agent gradients (Panait and Luke, 2005; Rashid et al., 2018). Telling them apart in practice requires varying incentive alignment across training rather than holding it fixed. An alternative route to the same credit-assignment problem is at the level of training setup rather than reward signal, through centralised training with decentralised execution (CTDE) (Rashid et al., 2018).

1.3 The research gap and this project's contribution

The mixed-motive regime is the space this project occupies. Studies in this regime typically isolate one factor at a time. What is less well understood is the joint behaviour of reward-signal design, agent count, and game structure when all three are varied together on the same learning substrate. Distinguishing genuine cooperative advantage from redistribution of competitive outcomes requires diagnostics that the existing literature does not consistently provide.

This project builds the apparatus that can answer that joint question. The simulator is an F1-inspired race where game structure is switched by the presence or absence of a common adversary, and agent count is configurable from two to four DQN learners. A DQN-family substrate is selected to give stable single-agent learning before any multi-agent phase begins, so that algorithm-level differences do not confound the incentive-structure comparisons. The experimental programme sweeps the reward-sharing coefficient α across both game structures and the agent-count range, and evaluates alternative cooperative reward formulations against the α-mixed baseline. The output is an empirical characterisation of how reward sharing, game structure, and agent count jointly shape emergent strategy and learning stability.

1.4 DQN substrate as the measurement apparatus

The project's central measurement is whether changes in emergent strategy can be attributed to incentive structure, which requires controlling for algorithm-level differences (Henderson et al., 2018; Agarwal et al., 2021). The fixed learning algorithm held constant across those comparisons

is referred to throughout as the substrate. The substrate needs variants that are small and well-characterised, a decision space that matches discrete action selection at a small number of zones, and off-policy learning so rare overtaking events can be revisited during training (Mnih et al., 2015; Schaul et al., 2016).

The DQN family has this structure by design. Each variant in the lineage was introduced to correct a named failure mode of the previous one. Vanilla DQN is the original formulation (Mnih et al., 2015), combining a deep Q-network with experience replay and a target network to stabilise value-based learning. Double DQN targets Q-value overestimation under noisy rewards (van Hasselt et al., 2016). Dueling DQN separates state value from action advantage to stabilise learning where the choice of action has little effect on the outcome (Wang et al., 2016). Prioritised experience replay addresses uniform sampling when informative transitions are rare (Schaul et al., 2016). Rainbow combines these into a single algorithm (Hessel et al., 2018). Because each mechanism has a clear target, differences between variants map onto specific known biases rather than unrelated implementation choices. Independent Q-learning, the standard value-based MARL baseline (Rashid et al., 2018), places the family within the multi-agent literature.

The comparison set is therefore vanilla DQN, Double DQN, Dueling DQN, and a Rainbow-style variant (rainbow-lite) combining the three with prioritised replay.

1.5 Aim, objectives, and research questions

1.5.1 Aim

The aim of this project is to characterise how cooperation between self-interested learning agents changes as incentive alignment, agent count, and reward formulation are varied within a single controlled simulator. Where cooperation fails or breaks down, the project seeks to identify the underlying mechanism, separating training-order effects, credit-assignment limits at scale, and formulation-specific failures.

1.5.2 Research questions and hypotheses

Each research question targets a specific gap in the literature surveyed in Section 1.2. Each hypothesis derives its prediction from a published mechanism rather than free-standing speculation. The citations on each RQ identify the body of work that motivates the question, and the citations on each H identify the mechanism the prediction extends.

RQ1. What strategic behaviour emerges when independent reinforcement learning agents train concurrently under pure competition? (Tan, 1993; Matignon et al., 2012)

H1. Concurrent training produces differentiated zone coverage and opposing risk profiles through iterated best-response dynamics. No explicit coordination mechanism is required (Maynard Smith and Price, 1973).

RQ2. How does varying the reward-sharing coefficient α alter emergent strategy and learning stability across zero-sum and non-zero-sum game structures, and can curriculum scheduling recover cooperative performance where fixed α fails? (Wang et al., 2022; Matignon et al., 2012)

H2. Above a threshold, sharing too much reward turns successful overtakes into a net penalty and both agents drift into passive play (Wei and Luke, 2016; Claus and Boutilier, 1998). In non-zero-sum races with a common rival, partial sharing helps up to that same threshold and then degrades performance beyond it. Curriculum scheduling recovers some of the lost performance.

RQ3. How many agents can a non-zero-sum race hold before cooperation stops working, and does gradual scheduling change the answer? (Agogino and Tumer, 2004; Zhao et al., 2025)

H3. Beyond a certain agent count, no value of α and no training schedule brings cooperation back, because the problem is credit assignment rather than training order (Panait and Luke, 2005; Rashid et al., 2018).

RQ4. Can alternative cooperative reward formulations recover cooperative advantage at the scaling boundary where α-based mixing breaks down? (Wolpert and Tumer, 2001; Devlin et al., 2014)

H4. The mean-field substitute for the true counterfactual inverts the cooperative signal, so the advantage observed under α-based mixing will not reproduce under this approximation (Yang et al., 2018; Foerster et al., 2018).

1.5.3 Objectives

The following objectives are set out to provide the basis for investigating the above research questions and verifying the hypotheses.

- Build a racing simulator with configurable game structure, agent count, and diagnostic output that distinguishes cooperative advantage from redistributed competitive outcomes.
- Pick a DQN variant that trains stably in the single-agent setting to act as a controlled substrate for the comparisons that follow.
- Measure how the reward-sharing coefficient α affects emergent strategy and learning stability across zero-sum and non-zero-sum game structures.
- Test whether cooperative performance breaks down as agent count grows, and whether curriculum scheduling can recover it.
- Evaluate alternative cooperative reward formulations, and check whether a zero-shot language model with structured domain priors can match trained agents in the simulator's scope.

Chapter 2

Methodology

The methodology has three components, each justified against a separate criterion. The simulator is justified by domain match, the experimental programme by the structure of the research questions, and the engineering practice by the requirements the investigation places on it.

2.1 Simulator design

The simulator models a race as a sequence of discrete decision points at overtaking zones, rather than modelling lap-time physics at the second-by-second level (Heilmeier et al., 2018). This quasi-static approach, abstracting away continuous car physics between zones and treating each overtake zone as the decision point, keeps each race cheap enough to support multiple sweeps across α, game structure, and agent count.

The Spa-Francorchamps circuit was selected because its overtaking-zone difficulty profile spans a wide range within a single lap, from high-frequency zones such as La Source to very low-frequency zones such as Eau Rouge, and the track's length yields nine well-separated zones supporting zone-by-zone rather than aggregate analysis. Anchoring the calibration to the 2023 Belgian Grand Prix specifically keeps the difficulty profile internally consistent across one car generation and regulation package.

Zone difficulties are grounded in real race data. Using the FastF1 library, per-driver position changes from the 2023 Belgian Grand Prix were plotted against track distance, showing where overtaking happens in practice (Appendix B.1). Because position changes are recorded at timing loops rather than exact on-track position, these capture relative difficulty across zones rather than precise overtake points.

The analysis gives nine zones at Spa-Francorchamps. La Source (the hairpin at the start of the lap) has a difficulty of 0.2, reflecting how frequently overtakes happen there. The remaining zones sit between 0.7 and 0.9, consistent with how rare overtakes are at those locations in real racing. See Appendix B.2 for the telemetry-derived density overlay and Appendix B.3 for the simulator-native track and zone layout.

The simulator supports three stochasticity levels (s0, s1, s2) for robustness testing, since RL evaluation is sensitive to environmental variance (Henderson et al., 2018; Agarwal et al., 2021; Sankary and Ostfeld, 2018). s0 is the noise-free primary comparison track, while s1 and s2 introduce increasing outcome variance without altering zone difficulty ordering in expectation. Appendix H gives the full specification.

2.1.1 Overtake success probability

The scientific unit of this simulator is the overtake decision, not millisecond vehicle control. A single Bernoulli resolution per attempted overtake keeps the decision model interpretable. Zone difficulty sets baseline opportunity, risk encodes the agent's tactical choice, gap encodes immediate feasibility, and stochasticity tests robustness. When an agent chooses to attempt an overtake, the simulator resolves the outcome by computing a success probability and sampling from it,

$$P_{\text{success}} = \text{clip}(\, p_{\text{base}} + \delta_{\text{risk}} + \delta_{\text{gap}} + \epsilon,\ p_{\min},\ p_{\max})$$

where each term is defined as follows.

Base probability. The zone difficulty $d \in [0, 1]$ controls the base success rate. An easy zone with $d = 0.2$ yields $p_{\text{base}} = 0.8$, while a hard zone with $d = 0.9$ yields $p_{\text{base}} = 0.1$.

$$p_{\text{base}} = 1 - d$$

Risk adjustment. The agent selects from three risk levels, each adding a fixed offset to the probability.

$$\delta_{\text{risk}} = \begin{cases} -0.08 & \text{CONSERVATIVE} \\ \ \ 0.00 & \text{NORMAL} \\ +0.12 & \text{AGGRESSIVE} \end{cases}$$

A more aggressive attempt therefore shifts the probability upward but also incurs a larger failure penalty in the reward signal, creating a risk-reward trade-off for the agent to learn.

Gap modifier. A smaller following gap increases the probability of a successful overtake. The gap g in kilometres is normalised against a reference distance of 0.1 km, giving

$$\delta_{\text{gap}} = \left(1 - \frac{g}{0.1} - 0.5\right) \times 0.3$$

Stochastic noise. Gaussian noise $\epsilon \sim \mathcal{N}(0, \sigma)$ is added to the probability before clipping, with σ set by the active stochasticity level (see Appendix H). The final probability is clipped to $[0.02,\ 0.95]$ to avoid degenerate certainty in either direction.

2.1.2 Config-driven action and feedback contracts

The decision trigger conditions, action space, and observation vector are all defined in `config.json` and summarised in Table 2.1. Each (driver, zone, lap) combination may produce at most one decision per race, resolved when the driver reaches the zone. The state dimension is derived from config, so all DQN-family algorithms consume the same observation contract within a given run.

A conservative attempt reduces the success probability by 0.08 relative to normal, while an

Table 2.1: Action and feedback contract summary.

Decision trigger (all conditions must hold)	
Proximity	Driver within 0.2 km of an overtaking zone
Car ahead	A car exists within 0.1 km
Gap	Gap to that car is at most 0.1 km
Cooldown	Driver is not in post-attempt cooldown window
Action space (4 discrete actions)	
0	HOLD position
1	CONSERVATIVE overtake attempt
2	NORMAL overtake attempt
3	AGGRESSIVE overtake attempt
Observation vector (6 features)	
o_1	Distance to next overtaking zone (normalised)
o_2	Gap to nearest car ahead (normalised)
o_3	Zone difficulty
o_4	Binary indicator: car ahead exists
o_5	Current position (normalised)
o_6	Laps remaining (normalised)

aggressive attempt raises it by 0.12. However, failure penalties in the reward signal scale in the opposite direction. A failed conservative attempt costs -0.5, a normal failure -1.0, and an aggressive failure -1.5. A failed attempt also causes the attempting driver to fall back in distance within the simulator, so the reward penalty is paired with a real positional cost on the track. The optimal risk level therefore depends on zone difficulty, current gap, and positional context.

2.1.3 Finish-first reward contract

The reward signal combines three components.

$$R = R_{\text{outcome}} + R_{\text{persistent\_position}} + R_{\text{tactical}}$$

The objective hierarchy prioritises the finishing position. Outcome reward is terminal and dominant (weight 2.0), rewarding start-to-finish position gain. Persistent-position reward provides dense shaping from position changes that survive decision resolution (weight 0.1). Tactical reward gives local feedback for overtake outcomes at the risk-scaled failure costs listed above (weight 0.05).

The Base Agent is a fixed stochastic heuristic comparator. It samples a risk level from zone difficulty and gap information, then samples whether to attempt the pass from a risk-dependent and difficulty-dependent probability. The agent does not update over time, which gives DQN policies a stationary non-learning baseline to be evaluated against. The full specification is in Appendix H.

2.2 Experimental methodology

Each experiment runs over five laps at Spa-Francorchamps. Agent composition varies by phase, ranging from one DQN plus the Base Agent up to four DQN agents plus Base, with the exact configuration per phase given in Table 2.2. The DQN variants referenced throughout the experimental phases (vanilla, double, dueling, rainbow-lite) are introduced in Section 1.4 and specified architecturally in Chapter 3.

2.2.1 Phase-to-RQ mapping

The programme forms a causal ladder where each phase builds on the previous one, so a failure at any earlier step would invalidate downstream claims. Table 2.2 gives the full phase-to-RQ mapping. Phase 9 sits outside the RQ structure as a validity check. If a zero-shot LLM matches a trained DQN agent within this simulator, the MARL investigation's premise is weakened.

Table 2.2: Experimental phase summary. All phases are evaluated across stochasticity levels s0, s1, and s2. Agent counts refer to DQN-family learners. The Base adversary is additionally present where noted.

Phase	Agents	Game structure	α	Reward mode	Training	Question
0	—	—	—	—	—	Validation
1	1 DQN + Base	Single-agent	—	Individual	Fixed	Validation
2	1 DQN + Base	Single-agent	—	Individual	Fixed	Substrate
3	2 DQN	Zero-sum	0.0	Individual	Fixed	RQ1
4	2 DQN	Zero-sum	0.0–1.0	α-mixed	Fixed	RQ2
5	2 DQN + Base	Non-zero-sum	0.0–1.0	α-mixed	Fixed	RQ2
6	4 DQN + Base	Non-zero-sum	Various	α-mixed	Fixed	RQ3
7A	3 DQN + Base	Non-zero-sum	Various	α-mixed	Fixed	RQ3
7B	4 DQN + Base	Non-zero-sum	Low	α-mixed	Fixed	RQ3
8A	3 DQN + Base	Non-zero-sum	0.75	α-mixed	Curriculum	RQ3
8B	4 DQN + Base	Non-zero-sum	0.75	α-mixed	Curriculum	RQ3
9	1 LLM + Base	Single-agent	—	Individual	None	Validity
10	3 DQN + Base	Non-zero-sum	0.75	Difference	Fixed	RQ4

2.2.2 Phase validation and promotion criteria

Three formal gates govern the early phases and are heavier gates because they establish the foundations for everything that follows. Gate G0 is a hard automated integrity gate where all 12 simulator, reward, and telemetry tests pass or the gate fails (Appendix D). Gate G1 is a methodological smoke gate verifying that a positive learning signal exists before the experimental matrix is committed to. Gate G2 is a formal benchmark promotion gate that selects the DQN variant used for Phases 3 onwards.

Phase 3 and later phases carry phase-specific validation rather than uniform gates. Each phase has documented pass criteria tied to its experimental role, with the pass decision recorded alongside the phase analysis. A failed validation does not proceed. The phase is corrected and re-run under the same protocol. Validation is part pre-committed (pass criteria defined before the

phase runs) and part investigation-driven (additional robustness checks or bias controls added in response to what the phase data shows). Both are reported alongside the phase results in Chapter 4.

2.2.3 Measurement plan

Each phase is evaluated at three stochasticity levels. s0 is the primary comparison track with noise removed, and s1 and s2 are robustness tracks under increasing outcome uncertainty. Within each level, multiple seeds fix the pseudo-random streams driving initialisation, exploration, and replay sampling, so different seeds produce different learning trajectories. Multiple seeds per cell give a distribution of outcomes for 95% confidence intervals (CI) across trials (Henderson et al., 2018). Three seeds per cell is low for current RL practice given budget and time constraints, but sufficient to support the relative comparisons made in this project.

Reinforcement learning does not produce a fixed training set that could be held out in the classical train/test sense. The equivalent in this project is evaluating trained policies across seeds and stochasticity levels that were not used during training, which probes robustness within the simulator family rather than generalisation beyond it.

Each metric exists to answer a specific question the research questions raise. Win rate answers whether one policy beats another, and is the substrate-selection signal in Phase 2 and the pair comparison in Phase 3. Joint beat-base rate answers whether every active DQN agent improves against the shared Base adversary at once, and is the central cooperative advantage metric from Phase 5 onwards because it distinguishes real joint improvement from one agent carrying the result. Per-agent beat-base rate applies the same test individually as a check on that distinction. Positional advantage captures role imbalance between two DQN agents as the mean finishing-position gap. All four metrics are reported with 95% CIs across seeds.

Strategy is characterised through zone differentiation and risk differentiation indices. Zone differentiation is the mean absolute difference in per-zone attempt rates between two agents. Risk differentiation is the mean absolute difference in attempt-conditioned risk proportions, the fraction of attempts at each risk level computed over attempted overtakes only. These measure whether agents learn different roles rather than just whether they win, which is the core prediction of RQ1 and which later phases use to show that role differentiation can increase without joint outcomes improving.

2.2.4 Phase 0: System integrity validation

Phase 0 validates the simulator, reward accounting, stochasticity implementation, and telemetry contract before any learning claims are made. Test Group A checks simulator correctness, including position tracking, lap counting, and zone sequencing. Group B validates stochastic probability distributions using repeated sampling to confirm the noise term produces the expected spread at each level. Group C verifies the telemetry schema and reward component accounting.

2.2.5 Phase 1: Single-agent smoke validation

Phase 1 runs vanilla DQN under the smoke protocol (200 training episodes, three seed sets of 20 evaluation races per seed) to confirm that a positive learning signal exists before the full Phase 2 budget is committed. Three seeds are used at s0 and one seed each at s1 and s2. Gate criteria require at least one of three s0 seeds to show a win rate above 0.5, with all confidence interval lower bounds at s0 also clearing 0.5, zero fairness violations, and interpretable degradation across stochasticity levels.

2.2.6 Phase 2: Single-agent DQN-family baseline

Phase 2 establishes the DQN-family reliability baseline under a controlled single-agent contract. Each variant (vanilla, double, dueling, rainbow-lite) is trained and evaluated against the fixed Base Agent with identical reward schema, observation contract, stochasticity level, episode budgets, and seeds (Henderson et al., 2018). Phase 2 produces the per-algorithm stochasticity profiles that inform substrate selection for all subsequent phases. The shared training configuration was determined by systematic hyperparameter tuning prior to Phase 2 on the single-agent contract, with tuning seeds held distinct from those used for held-out stochasticity evaluations (Eimer et al., 2023). The full protocol, search space, and resulting values are in Chapter 3. No variant is advantaged by an arbitrary configuration choice.

2.2.7 Phase 3: Independent learner MARL

Phase 3 replaces the fixed Base Agent with a second concurrent DQN learner. Both agents train at the same time, each with its own replay buffer and network parameters. This is the independent Q-learning (IQL) formulation, the standard value-based MARL baseline where each agent treats other agents as part of a non-stationary environment (Foerster et al., 2017; Hernandez-Leal et al., 2019). Phase 3 is gated on Phase 2 passing all promotion criteria.

2.2.8 Phase 4: Alpha (α) reward mixing

Phase 4 groups the two DQN agents into a single team and introduces a reward-sharing mechanism controlled by the coefficient α. Each agent's effective reward is a weighted combination of its own reward and its teammate's reward.

$$R_{\text{mixed}} = (1 - \alpha) \cdot R_{\text{own}} + \alpha \cdot R_{\text{teammate}}$$

At $\alpha = 0$ each agent receives only its own reward, reproducing the Phase 3 IQL setup. At $\alpha = 1$ each agent receives only its teammate's reward. Intermediate values produce partial alignment, illustrated in Figure 2.1. The team structure carries through every subsequent phase.

Five α values are tested in Phase 4 (0.0, 0.25, 0.50, 0.75, and 1.0) to identify whether there is a threshold beyond which cooperative incentive causes learning to collapse rather than cooperate.

This sweep distinguishes a gradual performance degradation at high α from a structural passivity failure, which is the core empirical question of RQ2.



Figure 2.1: α reward mixing for Agents A and B under Phase 4. Each agent's mixed reward is a weighted combination of its own reward and its teammate's reward.

2.2.9 Phase 5: Non-zero-sum game design

Phases 2 to 4 use a two-agent zero-sum race where one agent's gain is always the other's loss. Phase 5 breaks this constraint by adding a fixed Base adversary as a third competitor, so both DQN agents can improve simultaneously by outperforming the adversary. An ablation within Phase 5, where each DQN agent is replaced with a Base agent in turn while all other conditions are held fixed, isolates whether game structure or policy quality drives any observed improvement.

2.2.10 Phases 6 and 7: Multi-team scaling

Phase 6 extends the non-zero-sum setting to four DQN agents grouped as two teams of two, plus a Base adversary (five total agents on track). This tests whether the cooperative advantage from Phase 5 survives scaling.

Phase 7 splits into two sub-phases. Phase 7A tests three DQN agents plus the Base adversary (four total) to identify the agent count at which cooperation transitions from beneficial to harmful. Phase 7B revisits the five-agent setting with a low-α sweep to test whether any α value can recover cooperative performance at that scale. Together, Phases 6 and 7 test whether Phases 4 and 5's findings generalise beyond two agents.

2.2.11 Phase 8: Curriculum Alpha (α) scheduling

Phase 8 applies a three-stage training schedule rather than a fixed α throughout. Agents train for 100 episodes at $\alpha = 0$ to establish individual policies, α increases linearly over 300 episodes to the target, and a final 100 episodes hold at the target. This tests whether the passivity failure at

fixed $\alpha = 0.75$ reflects cooperative reward overwriting individual policies before they stabilise, as opposed to a structural incompatibility between cooperative incentives and independent learning. Phase 8 splits into Phase 8A (three DQN + Base) and Phase 8B (four DQN + Base) to test the curriculum at both scaling boundaries identified in Phases 6 and 7. The load-bearing element is the warm-up, ramp, and consolidation structure rather than the specific episode counts (Appendix H).

2.2.12 Phase 9: LLM semantic baseline

Phase 9 introduces a zero-shot large language model as a non-learning comparator. The LLM is integrated into the simulator and queried automatically once per lap. Its prompt is programmatically constructed from simulator state using a fixed hand-authored system template that encodes domain knowledge, probability heuristics, and strategic guidance. The model outputs a structured zone plan, which the simulator then executes using live gap information. No training, replay buffer, or gradient update is used.

The purpose is to test whether domain reasoning with structured priors can match a trained DQN agent within this simulator's scope. Parity would indicate the learning problem is narrow enough for prompt-encoded reasoning to solve, qualifying the scope of the MARL findings, while a gap would indicate that learned policies capture strategic structure reasoning alone cannot.

2.2.13 Phase 10: Difference rewards

Phase 10 tests difference rewards as an alternative cooperative formulation at the three-DQN-plus-Base configuration (four total agents). α mixing is a heuristic that does not formally separate individual contributions, so its passivity failure is fundamentally a credit assignment problem. Difference rewards address this by giving each agent credit only for its counterfactual contribution to collective performance (Wolpert and Tumer, 2001). Computing the true counterfactual is costly, so a mean-field approximation is used (full derivation in Appendix D.4). Whether this approximation preserves the cooperative gradient property is the central question of Phase 10.

2.3 Engineering methodology and project management

2.3.1 Methodology

The project follows an agile-inspired phase-gated workflow. Development within each phase was iterative with frequent pivots in response to what experiments revealed, in the spirit of agile responsiveness to emerging information. Stage-gated review sits between phases, where each phase has pre-committed pass criteria and the next phase only proceeds once those criteria are met. This hybrid was chosen because purely iterative development is poorly suited to research where later experiments depend on earlier ones being correct, while pure stage-gating is too rigid for a single-developer project where requirements emerge from what the data shows.

2.3.2 Sprint structure and objective mapping

Each sprint covers one phase and produces three artefacts. A protocol documents the phase design and gate criteria, an analysis captures results and interpretation, and a dataset artefact contains the evaluation outputs.

The five Chapter 1 objectives map to sprint groups. Sprints 0 and 1 cover the first objective, building the simulator with configurable game structure, agent count, and diagnostic output. Sprint 2 covers the second, selecting a DQN variant that trains stably as the controlled substrate. Sprints 3 to 5 cover the third, measuring how α affects strategy and stability in two-agent zero-sum and non-zero-sum settings. Sprints 6 to 8 cover the fourth, testing scaling and curriculum scheduling beyond two agents. Sprints 9 and 10 cover the fifth, evaluating an alternative reward formulation and the zero-shot language-model comparator. The gate structure means each objective is verifiable at its own checkpoint rather than assessed only at final submission.

2.3.3 Software engineering principles

Four principles guide the engineering work. Reproducibility means every run can be regenerated end-to-end from its recorded configuration. Configuration as data means environment and experiment parameters are declared rather than coded, so comparisons cannot diverge on environment specification. Integrity before claims means correctness is verified before any learning result is reported. Version control discipline means main always reflects a gate-passed state, with phase-level branches merging in only once their criteria are met.

2.3.4 Research question independence

The phased structure is not tied to any one research question. The simulator, gate machinery, and evaluation infrastructure are built around stochasticity level, agent count, and reward formulation without picking one as primary. New phases extend the existing ones rather than replace them, and completed phases remain valid whatever direction the experimental matrix takes.

The full commit graph showing phase-numbered feature branches and the supporting infrastructure work is included in Appendix M as evidence of the phased development.

Chapter 3

Implementation and Validation

3.1 System architecture

3.1.1 Module overview



Figure 3.1: System architecture overview

The simulator is built as a layered Python system represented in figure 3.1. A configuration and orchestration layer resolves the active complexity profile and sequences calls across the algorithm comparison matrix. A simulation core owns the tick-by-tick race loop and queries agents for actions at each overtaking zone. All agents implement a common interface returning a structured action, so the engine is variant-agnostic. Per-module responsibilities and the UML class diagram are in Appendix G.

3.1.2 Config-driven design as a fairness control

All parameters that affect the experimental outcome are externalised to a single configuration file. This covers hyperparameters, the reward component schema and weights, the observation

feature list, stochasticity presets, evaluation protocol budgets, and seed sets. No algorithm implementation reads or modifies these values directly. They are injected at construction time.

This design ensures that the only difference between a given run is the learning algorithm itself. An external reviewer can fully reconstruct any comparison from the recorded output of each run, which embeds the executed configuration, budgets, and seed assignments.

3.2 Agent implementations

3.2.1 DQN-family agents

All four DQN variants are parameterisations of a single agent class, selected via a config field. The training loop, action space, exploration schedule, and feedback interface are shared across variants, and only the variant-specific elements differ. The shared training loop structure is illustrated in Appendix F, and the full variant formulations and hyperparameters are in Appendix E.

Vanilla DQN. The vanilla variant uses a small feedforward neural network to approximate the Q-value function, which predicts the expected long-term reward for each action in a given state. Past decisions are stored in a replay buffer and resampled to break the correlation in training data, and a slowly updated target network provides a stable prediction target during learning. This is the baseline against which all other variants are compared (Mnih et al., 2015).

Double DQN. Vanilla DQN tends to be over-optimistic about how good certain actions are, especially when rewards are noisy. Double DQN splits the decision into two steps. The online network picks the best next action, and the older target network grades it. This decouples action selection from evaluation, so random noise in the estimates stops compounding into systematic overestimation (van Hasselt et al., 2016). The architecture and uniform replay are otherwise the same as vanilla.

Dueling DQN. Dueling DQN makes learning more efficient by recognising that action choice does not always matter. In many states, for example when the car ahead is far away, every action leads to roughly the same outcome, so the agent only needs to learn that the state is fine. The dueling architecture splits the network into two output heads, a state-value head that estimates how good a state is overall and an action-advantage head that estimates how much better or worse each specific action is relative to the average. This architecture improves learning efficiency in states where the choice of action has little effect on the outcome, which is common at overtaking zones where the car ahead is far away and HOLD is clearly dominant (Wang et al., 2016).

Rainbow-lite. Rainbow-lite combines the three previous variants with two additions, which together make it the strongest in the DQN family. It uses double DQN target computation, the dueling architecture, prioritised experience replay (PER), and multi-step returns. PER replays transitions that caused large prediction errors more often than transitions the agent already understands well, focusing learning effort where it is most useful (Schaul et al., 2016). Multi-step returns let each update use rewards from the next three steps rather than just one, which

propagates useful information through the network faster (Hessel et al., 2018).

Table 3.1 summarises the distinguishing properties of each variant.

Table 3.1: DQN-family variant properties

Variant	Network	Double target	PER	n-step
Vanilla	MLP*	No	No	1
Double	MLP	Yes	No	1
Dueling	Dueling MLP	No	No	1
Rainbow-lite	Dueling MLP	Yes	Yes	3

* MLP: multi-layer perceptron, a feedforward neural network with fully-connected layers.

3.2.2 Base agent

The Base Agent is a fixed, reproducible heuristic opponent used as the non-learning comparator in Phase 2 and from Phase 5 onwards as the common adversary in non-zero-sum configurations. Holding its policy constant across episodes isolates DQN-side learning from opponent drift, so any change in win rate attributes cleanly to the learning agent. Its decision logic is specified in Appendix H.

3.2.3 Shared training infrastructure

The exploration schedule is shared across variants. It uses an epsilon-greedy (ϵ-greedy) policy, where the agent selects a random action with probability ϵ and the best-known action otherwise. ϵ decays from fully exploratory at the start of training to near-converged at the end, balancing exploration of new strategies against exploitation of what has been learned. The Adam optimiser (Kingma and Ba, 2015) updates network weights across all variants. Adam adapts the step size for each network parameter based on the history of its gradients, which stabilises training when gradients vary in magnitude. The specific decay schedule, learning rate, target network synchronisation frequency, and batch size are given in Appendix E.

The shared hyperparameters were selected through an automated single-parameter search against the Phase 2 single-agent contract using the Autoresearch tool (Karpathy, 2024). Thirty iterations were run, each scored across three seeds with fifty training races per seed against the fixed Base Agent. The search swept learning rate, replay buffer capacity, target-network synchronisation frequency, batch size, and epsilon decay schedule, with single-agent win rate as the scored objective. The resulting configuration was frozen and applied identically across all four DQN variants and all subsequent phases, with tuning seeds held distinct from those used for held-out stochasticity evaluations (Eimer et al., 2023). Tuning targeted single-agent stability rather than multi-agent dynamics, which keeps DQN-variant comparisons fair within Phase 2 and avoids tuning bias that could favour any particular variant in later phases. The full search space, resulting values, and per-iteration results are in Appendix E.

3.3 Benchmark infrastructure

Benchmark runs use a single-trial runner that executes one train-then-evaluate cycle for a given algorithm variant and writes a structured metrics file with the win rate, fairness diagnostics, and per-zone behavioural breakdown. A benchmark matrix orchestrator sequences these trials across the full comparison matrix (algorithm × seed × stochasticity level), audits fairness against a declared contract, and promotes only runs that satisfy it. Every race additionally produces a JSON Lines entry recording per-decision telemetry, with arithmetic consistency of the reward decomposition verified by the Phase 0 integrity tests. Full specifications for the runner, orchestrator, and telemetry schema are in Appendix I and Appendix D.

3.3.1 MARL evaluation runner

A separate evaluation runner handles MARL trials from Phase 3 onwards, supporting agent counts from two through five. It operates in two modes serving distinct isolations: head-to-head policy comparison between two trained agents, and cooperative performance of a DQN group against a fixed common adversary.

Pairwise mode isolates whether one trained policy genuinely outperforms another or merely benefits from a favourable evaluation slot. Two trained DQN policies are loaded into fixed slots, denoted A1 and A2 throughout this report. The primary metric is the fraction of races in which A1's policy finishes ahead of A2's. Zone and risk differentiation indices (the mean absolute differences in per-zone attempt rates and attempt-conditioned risk proportions) test whether the two agents have learned distinguishable strategies, which is the core RQ1 prediction. A temporal stability diagnostic records the change in A1's win rate between the first and last thirds of evaluation as a check on within-run convergence.

Team-level mode isolates within-team cooperative performance from individual DQN competitiveness. From Phase 5 onwards, where three or more DQN agents race against Base, the runner records joint beat-base rate (the fraction of races in which all active DQN agents finish ahead of Base) as the central cooperative-advantage metric. Per-agent beat-base rate provides the same test individually, distinguishing cases where joint performance is carried by one strong agent from cases where the team is genuinely co-improving. Positional statistics and intra-team position-delta correlations complete the picture for RQ2, RQ3, and RQ4.

A crossplay protocol validates the evaluation setup itself. Loading both slots with the same trained weights means any deviation from a 0.500 A1 win rate indicates positional bias. Exchanging the policies between A1 and A2 isolates policy quality from slot assignment. Results are in Appendix J and inform the validity discussion in Section 4.7.1.

3.3.2 Phase-based traceability and codebase extensions

The components described above instantiate the Chapter 2 methodology. Each experimental phase from Phase 3 onwards required a small codebase addition serving a specific research ques-

tion, all controlled through configuration rather than by altering the agent learning code. Phase 3 added a two-DQN competitor selector with separate replay buffers and network parameters, supporting RQ1's emergent-strategy investigation under independent concurrent learning. Phase 4 added an α blending step in the reward pipeline (where $\alpha = 0$ reproduces the original reward contract exactly), enabling RQ2's threshold sweep in the two-agent zero-sum game. Phase 5 added a third-agent slot for the fixed Base adversary, enabling RQ2's non-zero-sum sweep where cooperative advantage first becomes possible. Phases 6 and 7 added a team-grouping selector supporting symmetric and asymmetric α across teams, enabling RQ3's scaling tests at four and five total agents. Phase 8 added a curriculum scheduler reading target α and episode boundaries from configuration, isolating training-order failure from credit-assignment failure within RQ3. Phase 9 added the Claude Haiku LLM agent through the same common interface as DQN agents, supporting the validity check on the simulator's strategy space. Phase 10 added a difference reward mode computing the mean-field approximation derived in Appendix D.4, supporting RQ4's alternative-formulation test at the scaling boundary. Keeping all extensions config-level preserves the attribution of results to incentive structure rather than implementation drift. Per-extension specifications are in Appendix L.

3.3.3 Challenges and resolutions

Three significant issues were encountered during implementation. The first was a missing gap attribute on the Base Agent, which collapsed its overtake attempt probability to roughly 19% at La Source instead of the intended 77%. The second was a scoping error in the per-zone decision deduplication test, where the set was keyed on driver name alone rather than on the (run number, driver name) pair, triggering false failures on legitimate across-run repetitions. Both defects surfaced during Phase 0 testing rather than being caught by face-value inspection, validating the value of automated integrity tests. The third issue arose during Phase 10 analysis, when a configuration file specified the wrong algorithm variant. The error was caught by reading the algorithm field from the telemetry output rather than the config file, confirming the value of config snapshots embedded in run metrics. Each case points to the same methodological pattern. Integrity machinery that reads from output rather than input catches silent-failure bugs that face-value checks miss. Full defect details for the Phase 0 cases are in Appendix D.

3.4 Gate validation summary

Phases 0 and 1 served as pre-benchmark gates. Phase 0's 12-test integrity suite passed across all three groups. Phase 1's single-agent smoke evaluation cleared the 0.50 win-rate threshold across three s0 seeds and one seed at each of s1 and s2, with the CI lower bound also clearing 0.50. The risk-distribution shift observed under increasing stochasticity is consistent with Q-value overestimation under noisy rewards (van Hasselt et al., 2016), which motivates the Phase 2 double DQN comparison. Full test inventories, defect logs, and per-zone breakdowns are in Appendix D.

Chapter 4

Results, Evaluation and Discussion

This chapter reports the empirical findings of Phases 2 to 10 organised around the four research questions from Chapter 1. Phase 9 is reported separately as a validity check on the investigation.

4.1 Preliminary validation

The three preliminary gates all passed. Phase 0's integrity suite passed all 12 tests after 2 defects were caught and corrected during development (Appendix D). Phase 1's smoke validation cleared the gate, with all three s0 seeds exceeding the 0.50 win-rate threshold.

Phase 2 ranked the four DQN variants by single-agent win rate against the fixed Base adversary at the noise-free stochasticity level (s0). Rainbow-lite finished first at 0.835, with a 95% confidence interval (CI) of 0.813–0.856, followed by double DQN at 0.798, vanilla at 0.746 (CI 0.723–0.769), and dueling at 0.724. Rainbow-lite's CI does not overlap vanilla's, so the gap is unlikely to reflect seed variance alone.

Rainbow-lite is also the most stable variant under increasing outcome noise, with its win rate shifting only +0.005 from s0 to s2. This is consistent with prioritised experience replay and double-target correction reducing the value instability that affects vanilla under noisy rewards (Schaul et al., 2016; van Hasselt et al., 2016). Rainbow-lite is therefore the leading single-agent substrate candidate, though the single-agent contract cannot establish that the variant remains stable when a second concurrent learner is introduced. That question is taken up in RQ1.

4.2 RQ1: What strategic behaviours emerge and how robust are they?

Phase 3 tested four DQN-family variants under concurrent learning at $\alpha = 0$, where two instances of the same variant race each other in a zero-sum setting. Each variant isolates a different candidate cause of MARL pathology, with the analysis below taking each in turn. Collapse rates across nine trials per algorithm are in Table 4.1.

Table 4.1: Phase 3 collapse rates by algorithm (nine trials per algorithm)

Algorithm	**s0**	**s1**	**s2**	**Total collapse**
Vanilla DQN	1/3	1/3	2/3	4/9 (44%)
Double DQN	1/3	0/3	0/3	1/9 (11%)
Dueling DQN	1/3	1/3	2/3	4/9 (44%)
Rainbow-lite	0/3	0/3	0/3	0/9 (0%)

The ablation, a controlled comparison where one mechanism at a time is added or removed to

isolate its contribution, picks out two distinct failure modes. Double DQN addresses the first and largest source of error. In this domain, early training produces many failed attempts for the trailing agent punctuated by occasional lucky successes at hard zones, which inflates Q-values for the chosen action under vanilla's target computation. Double target correction dampens this by decoupling action selection from evaluation, which removes a real first-order source of error that affects many runs. Double eliminates collapse entirely at s1 and s2, with only one collapse at s0.

Dueling DQN fails to help and has the same collapse rate as vanilla. Its decomposition into state-value and action-advantage works best when actions are near-equivalent in most states. Overtaking is the opposite case, with HOLD versus ATTEMPT and the risk levels within ATTEMPT strongly differentiated in outcome. Dueling can therefore sharpen bad action preferences rather than smooth them, accelerating drift into a bad strategy.

Rainbow-lite closes the remaining gap from 11% collapse under double to zero. Given the ablation pattern, prioritised experience replay (PER) is the most plausible load-bearing addition, since dueling is neutral here and multi-step returns are not separately isolated. PER addresses a sampling imbalance double cannot reach. Early failed attempts produce ⟨attempt, negative⟩ transitions that dominate uniform replay and drive Q(hold) above Q(attempt) before exploration can recover. PER up-weights high TD(temporal difference)-error transitions, where TD-error measures the gap between the agent's predicted Q-value for a state-action pair and the value implied by the observed outcome. High-TD-error transitions are disproportionately the rare successes that need to be learned from.

Extending the three vanilla seeds to 750 episodes produced worse collapse rather than recovery, confirming the loop is self-reinforcing within the training horizon (Foerster et al., 2017; Matignon et al., 2012). Rainbow-lite is therefore the substrate for all later phases, with double DQN retained in Phase 3's family ablation and vanilla in Phase 10 as a weak-algorithm comparator.

Where the algorithm prevents collapse, agents develop differentiated zone coverage and opposing risk profiles without any shared coordination. A representative rainbow-lite trial at s2 with 750 episodes reaches a zone differentiation index of 0.405, with Agent 1 focusing on La Source, Les Combes, and Bruxelles with a conservative bias, and Agent 2 covering five zones with an aggressive bias. The pattern is the hawk-dove equilibrium from evolutionary game theory (Maynard Smith and Price, 1973), where two agents settle into complementary aggressive and conservative roles rather than both pursuing the same strategy. It is reached here through iterated best-response learning where each agent adjusts its policy against the current policy of the other (Buşoniu et al., 2008). Collapsed trials produce no such structure. One agent stops competing entirely and the other wins unopposed, matching the degenerate equilibrium predicted for non-cooperative two-agent Q-learning under positional disadvantage (Tan, 1993).

Specialisation depends on training budget with high across-seed variance. Some seeds more than double their differentiation index between 500 and 750 episodes, others barely move, and seeds sampled only at 500 episodes span the full range from near-zero to high differentiation (Figure 4.1). The pattern is budget-sensitive rather than budget-determined. PER needs suf-

ficient zone-specific transitions to produce reliable relative priorities, but initialisation variance also matters for how quickly this stabilises. A crossplay protocol at s2 revealed an 11% point



Figure 4.1: Zone differentiation growth for rainbow-lite showing dependence on training budget.

structural bias against the A1 evaluation slot, affecting raw A1 win rates but not collapse classification. After applying the correction, four of five rainbow-lite seeds sit at or above parity, and the apparent A2 dominance at s2 largely dissolves (full arithmetic in Appendix J). This supports the evaluation-bias interpretation as opposed to a systematic policy effect. Non-stationarity rather than stochasticity dominates Phase 3. Vanilla and dueling collapse rises from 1/3 at s0 to 2/3 at s2, showing stochasticity accelerates but does not cause collapse (Foerster et al., 2017).

RQ1 answer. H1 is confirmed for collapse-resistant algorithms. In all nine rainbow-lite trials and eight of nine double DQN trials, non-degenerate asymmetric behaviour emerges without explicit coordination. Rainbow-lite produces clean hawk-dove risk partitioning as the canonical case, while double DQN's non-collapsed trials produce weaker forms of asymmetry including zone-avoidance patterns and wrong-zone fixation. Vanilla and dueling collapse in 44% of trials and produce no strategic structure at all, so H1 holds only where the algorithm survives the non-stationarity challenge. Specialisation depends jointly on training budget and initialisation variance rather than budget alone, and non-stationarity from concurrent learning is the dominant challenge as opposed to environmental stochasticity.

4.3 RQ2: How does incentive structure alter strategy?

Phase 4 ran the α sweep in the two-agent zero-sum game. Collapse is low at $\alpha \leq 0.5$, sharp between $\alpha = 0.5$ and $\alpha = 0.75$, and complete at $\alpha = 1.0$ (Table 4.2, Figure 4.2). At $\alpha \geq 0.75$ the cooperative reward term dominates the individual gradient, turning successful overtakes into net penalties and driving both agents to passivity (Claus and Boutilier, 1998). The exact 8/9 figure at $\alpha = 0.75$ is numerically imprecise under three seeds, but the qualitative pattern is robust.

Table 4.2: Phase 4 collapse rates by α in two-agent zero-sum game (9 trials per α)

α	**Collapse rate**	**Competitive trials**
0.00	0/9 (0%)	100%
0.25	1/9 (11%)	89%
0.50	1/9 (11%)	89%
0.75	8/9 (89%)	11%
1.00	9/9 (100%)	0%

Two secondary patterns within the threshold qualify how α acts rather than just where it acts. Zone convention formation is non-monotonic, peaking at $\alpha = 0.25$ and declining thereafter, and stochasticity's role inverts across the threshold from stabilising at low α to destabilising at high α (Appendix K). Together these show α changing the type of equilibrium rather than the strength of a single one. Low α produces competitive convention with differentiated zone coverage. High α produces an unstable passive equilibrium where both agents learn to hold. Phase 5 ran the same sweep in the minimal non-zero-sum configuration of two DQN agents plus



Figure 4.2: Collapse rates by α in the two-agent zero-sum game.

one Base adversary. The curve is fundamentally different (Table 4.3). Collapse disappears at all α values. Joint beat-base rate follows an inverted-U peaking at $\alpha = 0.75$, rising from 0.310 at $\alpha = 0$ to 0.567 at $\alpha = 0.75$, an 83% improvement. There is no destabilisation threshold here, only a performance optimum. Full cooperation at $\alpha = 1.0$ stays active but becomes higher-variance and less consistent than $\alpha = 0.75$, confirming that 0.75 is a genuine optimum as opposed to a saturating plateau.

Table 4.3: Phase 5 joint beat-base rate by α in three-agent non-zero-sum game (9 trials per α)

α	**Joint beat-base**	**Change from $\alpha = 0$**	**Collapse rate**
0.00	0.310	baseline	0%
0.25	0.294	−5%	0%
0.50	0.433	+40%	0%
0.75	0.567	+83%	0%
1.00	0.436	+41%	0%

Cooperation has a minimum effective dose. At $\alpha = 0.25$ joint beat-base drops 5% below the $\alpha = 0$ baseline, so weak sharing is worse than none. Meaningful benefit starts at $\alpha = 0.5$ and peaks at $\alpha = 0.75$. Small cooperative signals plausibly introduce noise into the individual gradient without inducing role partitioning, leaving agents with weakened incentive signal and no coordination benefit. Above $\alpha = 0.5$ the signal is strong enough to drive role differentiation.

The mechanism behind the cooperative gain is redistributive rather than uniform. Agent 2 rises from 63% beat-base at $\alpha = 0$ to 78% at $\alpha = 0.75$, while Agent 1's rate changes less. The joint metric moves because the floor rises. This is consistent with cooperative incentive functioning as a mechanism that closes within-team performance gaps rather than lifting both agents in parallel (Hughes et al., 2018). Strategy and performance metrics also separate. Zone differentiation peaks at low α, risk differentiation increases with α, and joint performance peaks at $\alpha = 0.75$.

RQ2 answer. H2 predicted a sharp threshold above which shared reward destabilises learning, with the same threshold marking the onset of performance decline in non-zero-sum settings. The zero-sum part is confirmed at the $\alpha = 0.5$ to $\alpha = 0.75$ boundary, with a non-monotonic convention-formation pattern below and a stochasticity inversion across it. The non-zero-sum part is also confirmed. The destabilisation disappears, replaced by an inverted-U performance curve with a minimum effective dose between $\alpha = 0.25$ and $\alpha = 0.5$, an optimum at $\alpha = 0.75$, and decline beyond, with gains driven by lifting the weaker agent. H2 therefore holds in both parts because α changes the type of equilibrium across game structures: zero-sum above threshold produces an unstable passive equilibrium, while non-zero-sum produces an inverted-U with a performance optimum at the threshold. Whether cooperative advantage survives at larger agent counts is addressed in RQ3.

4.4 RQ3: Does shared incentive produce genuine cooperative advantage at scale?

RQ2 established that cooperative advantage exists in the minimal non-zero-sum setting and produces a sharp performance optimum at $\alpha = 0.75$. RQ3 tests whether this survives scaling, and the failure mode that emerges is importantly different from anything in RQ2. Across Phases 6, 7, and 8, collapse remains at zero in all 99 trials. The system stays active at scale. What disappears is the cooperative surplus. Agents still race and still respond to α, but shared reward stops producing within-team co-improvement.

Phase 6 scaled to four DQN agents in two teams of two plus the Base adversary. Every tested form of cooperation degrades performance. At symmetric $\alpha = 0.75$, joint beat-base drops 31% from the competitive baseline (Table 4.4), and the asymmetric condition shows the cooperative team losing both to baseline and to a competitive opponent directly. The Base adversary benefits from this degradation, moving from an average finishing position of 3.315 to 2.956 under symmetric $\alpha = 0.75$. Curriculum scheduling restores Base to its original position, confirming that cooperative-team caution opens space the Base heuristic can exploit.

The strongest mechanistic evidence is the persistently negative intra-team position-delta cor-

Table 4.4: Phase 6 mean team both-beat-base rate by team α condition (9 trials per condition)

Condition	Mean team both-beat-base	Change from 0 vs 0
Team A $\alpha = 0.0$ vs Team B $\alpha = 0.0$	0.350	baseline
Team A $\alpha = 0.5$ vs Team B $\alpha = 0.5$	0.306	-12%
Team A $\alpha = 0.75$ vs Team B $\alpha = 0.75$	0.243	-31%
Team A $\alpha = 0.75$ vs Team B $\alpha = 0.0$	0.291	-17%

relation, negative in all 36 Phase 6 trials. Shared reward between teammates never becomes genuine within-team co-improvement at this scale, regardless of α or condition. The root cause is causal dilution of the pairwise cooperative signal. At four agents, each teammate's outcome is influenced by three competitors rather than one, so the pairwise signal carries weaker causal information about the teammate's actions, and updates become noisier (Agogino and Tumer, 2004). The observation contract included teammate-aware features that agents could have conditioned on, yet no team-conditional behaviour emerged. Agents have the information needed for coordination but lack the reward signal to learn from it, so the bottleneck is credit assignment rather than observation-space design.

Phase 7 characterised the scaling boundary. The $\alpha = 0.75$ effect moves from $+83\%$ at three agents, to $+5\%$ at four agents (Phase 7A, within noise), to -31% at five agents (Phase 6), shown in Figure 4.3. Part of the four-agent drop reflects baseline compounding (one more DQN must beat Base for the joint metric to rise), but $\alpha = 0.75$ fails to create synergy above this baseline, and individual beat-base rates barely move under α in Phase 7A (52 to 61% band while joint beat-base sits at the independence baseline).



Figure 4.3: Cooperative advantage at $\alpha = 0.75$ across agent counts.

Phase 7B tested whether any α value recovers cooperative performance at five agents. Combined with Phase 6 reference points at $\alpha = 0.0$, 0.5, and 0.75, the full five-agent team-α sweep is flat at very low α and then downward from $\alpha = 0.25$ onwards (0.350, 0.344, 0.349, 0.315, 0.306, 0.243 at $\alpha = 0.00, 0.10, 0.15, 0.25, 0.50, 0.75$). No α value recovers performance, and the failure is structural rather than parametric. Zone specialisation is necessary but not sufficient

for cooperative advantage. At four agents, $\alpha = 0.75$ raised zone differentiation by 63% relative to $\alpha = 0$, yet produced no joint benefit. Attempt rates simultaneously dropped 38 to 64% across zones, so agents responded to the cooperative signal by becoming more cautious rather than coordinating effectively.

Phase 8 tested whether curriculum scheduling recovers cooperative performance. At five agents (Phase 8B) curriculum recovered 69% of the performance loss (joint beat-base rising from 0.243 to 0.318 against the 0.350 baseline), and excessive caution fell 86 to 89%. At four agents (Phase 8A) curriculum almost eliminated the caution pathology. Curriculum therefore solves the training-order damage that high fixed α causes, yet in no condition does it exceed the competitive baseline. The intra-team correlation becomes even more negative under curriculum (-0.189 in Phase 8B), meaning agents improve individually while actively anti-coordinating. Curriculum cleanly separates two failure modes often discussed together (Panait and Luke, 2005; Zhao et al., 2025). It resolves training-order collapse, where cooperative reward introduced before individual policies stabilise drives agents into passivity. It leaves credit-assignment failure untouched, where overlapping contributions prevent team reward from producing useful per-agent gradients. At four or more agents, reward-level interventions appear insufficient, pointing toward architectural changes such as centralised training with decentralised execution (CTDE) as the next plausible route (Rashid et al., 2018).

RQ3 answer. H3 is confirmed. Phase 7B's monotonic downward curve, Phase 8's recovered-but-anti-coordinating outcome, and the persistently negative intra-team correlation across all scaling phases together provide direct evidence. The scaling failure manifests as active anti-coordination as opposed to passive collapse. Agents remain active, α still changes zone allocation, and curriculum restores aggressive play, but none of these changes produce positive within-team coupling. The curriculum clause of H2 finds support in Phase 8's 69% recovery, which is real but insufficient for cooperation. The structural boundary sits at four total agents in this simulator.

4.5 RQ4: Can alternative cooperative reward formulations recover advantage at the scaling boundary?

Phase 10 tested the mean-field difference reward approximation (Section 2.2.13) at the four-agent configuration of 3 DQN plus Base, matching the Phase 7A setup where α-mixed cooperation had already failed. The test is therefore whether an alternative cooperative formulation recovers advantage at the scaling boundary where α mixing broke down.

The implemented formula has two structural properties that together explain why it cannot produce cooperation. First, the total reward mass is conserved because the sum of teammate rewards equals the sum of their individual deltas, so the formula redistributes credit rather than adding cooperative mass. Second, differentiating any agent's reward with respect to a teammate's delta gives $-1/N$, which is negative. Differentiating with respect to that same agent's own delta gives $(2N-1)/N$, which is amplified relative to the identity. This inverts the cooperative signal as H4 predicted, with own-performance incentive amplified and teammate improvement penalised.

Table 4.5: Phase 10 joint beat-base rate under difference rewards versus IQL baseline at 4 total agents

Condition	**Joint beat-base**	**Change from IQL**
IQL baseline (rainbow-lite, $\alpha = 0$)	0.159	baseline
Difference rewards (vanilla DQN)	0.087	−45%
Difference rewards (rainbow-lite)	0.133	−16%

The empirical result matches the mechanism (Table 4.5). Difference rewards rank last among the cooperative formulations tested at the four-agent boundary. The original Phase 10 run used vanilla DQN by mistake, producing 0.087 joint beat-base. The corrected rainbow-lite rerun rose to 0.133 but still sits below the 0.159 IQL baseline, confirming the negative result survives removal of the algorithm confound. The relative algorithm effect, comparing vanilla against rainbow-lite under difference rewards, is 31%. The relative formula effect, comparing IQL against rainbow-lite difference rewards, is 16%. Algorithm choice therefore remains determining even under a changed reward formula.

The deficit is primarily a within-team coordination failure rather than a failure against Base. Base average position in the corrected rainbow-lite run sits at 2.72, comparable to Phase 7A IQL's 2.69. The joint shortfall reflects the DQN group failing to convert individual competitiveness into joint beat-base success, which is consistent with the structural property analysis. Reward amplification for own-performance keeps individual agents active, but the negative teammate gradient prevents the joint metric from rising.

RQ4 answer. Within the alternative formulation tested here, H4 is confirmed. Only the mean-field difference reward approximation was implemented, and it underperforms all tested four-agent baselines because it redistributes credit without adding cooperative mass, amplifies own-performance incentive, and penalises teammate improvement. The result is about this specific approximation, not Wolpert-Tumer difference rewards in general. A formulation preserving the counterfactual property of the original literature may or may not produce cooperation at this scale, which is a question for future work.

4.6 Validity check: LLM semantic baseline

Phase 9 (Section 2.2.12) compared trained rainbow-lite against a zero-shot LLM using a fixed hand-authored system template populated automatically from simulator state, across five seeds with 150 races per seed. Rainbow-lite achieved 0.835, 0.839, and 0.840 at s0, s1, s2 respectively, against the LLM's 0.819, 0.827, and 0.837. The gap sits within rainbow-lite's seed variation and is not a substantive performance gap. The two policies reach near-parity through qualitatively different strategies, suggesting the simulator's narrow strategy space admits a short near-optimal policy captured by the prompt template (Nagpal et al., 2025). Learning is therefore sufficient but not strictly necessary for near-optimal play within this simulator, which qualifies the scope of the MARL findings without invalidating the incentive-structure claims they make. The LLM avoids RL-specific pathologies (Raidillon overuse, suboptimal Stavelot behaviour) that the trained policy still exhibits, suggesting reasoning sidesteps simulator-specific artefacts that the learning

process amplifies.

4.7 Conclusion

The aim was to characterise how cooperation between self-interested learning agents changes under varying incentive alignment, agent count, and reward formulation, and to identify the mechanism wherever cooperation fails. Both halves are answered. The characterisation is bounded by sharp thresholds rather than gradients, and each named failure mode has been mapped to a distinct mechanism rather than treated as a single phenomenon.

The cross-RQ insight is that reward sharing controls both directions of the outcome. The same lever produces cooperative advantage in one game structure and learning collapse in another, with the threshold value of α identical in both cases. This is not a finding any single research question produces in isolation. It only becomes visible when reward, agent count, and game structure are varied together, and it is the strongest argument for the joint-variation methodology the project was built around.

What this means for incentive design in MARL is that the reward formula and the game structure together set the ceiling on what any algorithm can achieve. The competitive baseline is robust because the structural conditions for it are weak. The cooperative regime is fragile because the structural conditions for it are demanding, and the demands compound rather than relax as agent count grows. Within this simulator, incentive structure is the load-bearing variable and algorithm choice is the second-order one. Whether that ranking inverts or holds in richer settings is the next question, but within the controlled setting tested here, the result is unambiguous.

4.7.1 Validity threats and limitations

Simulator scope. La Source has base success probability 0.8, so early-phase win rates partly reflect exploitation of one dominant zone. The five-lap Spa format produces sparse decisions and may not generalise to circuits with more balanced zone difficulty.

Evaluation limitations. Crossplay reveals an 11% point structural bias against the A1 slot affecting raw Phase 3 win rates (though not collapse classification). Three seeds per cell widens confidence intervals, though it does not affect the non-overlapping Phase 2 s0 ranking, and bootstrap resampling cannot retrospectively recover the power that more seeds would have provided.

Hyperparameter tuning scope. Hyperparameters were tuned against the Phase 2 single-agent contract, so the configuration reflects single-agent stability rather than multi-agent dynamics. Different configurations may produce different results from Phase 3 onwards.

Non-instrumented mechanism claims. The RQ1 mechanism account is inferred from ablation outcomes and external behavioural signatures rather than from direct instrumentation. The proposed mechanisms include replay-buffer contamination, Q-value overestimation, and the specific role of PER in breaking the passivity lock-in. The ablation pattern and collapse signature are consistent with these accounts, but the internal state that would verify them was not logged.

Base Agent as comparator. Beat-base rates are relative to a specific heuristic and would shift under a stronger or weaker comparator, though they remain internally consistent across phases.

4.7.2 Future directions

Technical improvements. QMIX, a CTDE method, addresses the credit-assignment barrier observed at four or more agents by using a centralised mixing network that combines per-agent value estimates into a joint team value while keeping the gradients used for training each agent consistent with cooperation (Rashid et al., 2018; Amato, 2024). A potential-based formulation of difference rewards, which guarantees that reward shaping does not change the optimal policy (Devlin et al., 2014), would test whether the Phase 10 negative result is specific to the mean-field approximation used here or to the concept of difference rewards more broadly. Computing the exact Wolpert-Tumer counterfactual directly, by evaluating team performance with each agent removed, would be the strongest test of whether the counterfactual property itself is what produces cooperation (Wolpert and Tumer, 2001).

Methodological strengthening. Three seeds per evaluation cell was a budget-driven trade-off that widened confidence intervals relative to the five- or ten-seed designs increasingly recommended in the deep RL community (Henderson et al., 2018; Colas et al., 2018). Increasing the seed count would tighten the cooperative-cliff boundary at four to five agents from a qualitative observation to a quantitatively supported claim. Bootstrap confidence intervals and paired significance tests across seeds would add formal hypothesis testing on top of the descriptive statistics currently reported (Agarwal et al., 2021). The hyperparameter configuration in this project was selected through a single tuning pass against the Phase 2 single-agent contract, then frozen across all subsequent phases. Best practice now separates tuning seeds from evaluation seeds and runs principled hyperparameter optimisation across a broader search space, both reducing the risk of overfitting hyperparameters to a specific seed trajectory (Eimer et al., 2023).

Direct extensions. Adding tyre degradation and pit stops to the simulator would test whether the language-model parity result holds in richer state spaces, where a short prompt template may no longer capture a near-optimal policy. Rerunning the four- and five-agent scaling experiments against a stronger heuristic opponent would test whether the agent count at which cooperation breaks down depends on how tough the shared adversary is. A more substantive extension would replace the single fixed Base adversary with a population of heuristic opponents of varying skill and style, training MARL agents against a sampled mix rather than a fixed target. Population-based training of this kind has been shown to reduce overfitting to specific co-players and to produce more transferable policies in cooperative and competitive multi-agent settings (McKee et al., 2022; Czempin and Gleave, 2022).

Wider impact. The structural conditions for cooperative advantage transfer to any MARL setting with self-interested concurrent learners and a shared goal, including automated bidding in energy markets and multi-agent fleet coordination. The contribution is a way to study mixed-motive cooperation that surfaces failure modes mechanistically rather than burying them as noise.

References

Agarwal, R., Schwarzer, M., Castro, P.S., Courville, A. and Bellemare, M.G. 2021. Deep Reinforcement Learning at the Edge of the Statistical Precipice. Advances in Neural Information Processing Systems. [Online]. 34, pp.29304-29320. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/2108.13264.pdf

Agogino, A.K. and Tumer, K. 2004. Unifying Temporal and Structural Credit Assignment Problems. In: Proceedings of the 3rd International Joint Conference on Autonomous Agents and Multiagent Systems (AAMAS-04). [Online]. IEEE, pp.980-987. [Accessed 23 April 2026]. Available from: https://ntrs.nasa.gov/api/citations/20040068179/downloads/20040068179.pdf

Amato, C. 2024. [Pre-print]. An Introduction to Centralised Training for Decentralised Execution in Cooperative Multi-Agent Reinforcement Learning. [Online]. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/2409.03052.pdf

Bansal, A., Arora, A., Bhati, L., Sethia, K., Verma, I. and Kapoor, N. 2025. Advanced Machine Learning Approaches for Formula 1 Race Performance Prediction: A Comprehensive Analysis of Championship Point Forecasting. [Pre-print]. ResearchGate preprint. [Online]. [Accessed 23 April 2026]. Available from: https://www.researchgate.net/publication/394015807_Advanced_Machine_Learning_Approaches_for_Formula_1_Race_Performance_Prediction_A_Comprehensive_Analysis_of_Championship_Point_Forecasting

Berner, C., Brockman, G., Chan, B., Cheung, V., Dębiak, P., Dennison, C., Farhi, D., Fischer, Q., Hashme, S., Hesse, C., Józefowicz, R., Gray, S., Olsson, C., Pachocki, J., Petrov, M., de Oliveira Pinto, H.P., Raiman, J., Salimans, T., Schlatter, J., Schneider, J., Sidor, S., Sutskever, I., Tang, J., Wolski, F. and Zhang, S. 2019. Dota 2 with large scale deep reinforcement learning. [Pre-print]. arXiv:1912.06680. [Online]. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1912.06680.pdf

Brown, N. and Sandholm, T. 2018. Superhuman AI for heads-up no-limit poker: Libratus beats top professionals. Science. [Online]. 359(6374), pp.418-424. [Accessed 23 April 2026]. Available from: https://noambrown.github.io/papers/17-Science-Superhuman.pdf

Buşoniu, L., Babuška, R. and De Schutter, B. 2008. A Comprehensive Survey of Multiagent Reinforcement Learning. IEEE Transactions on Systems, Man, and Cybernetics, Part C: Applications and Reviews. [Online]. 38(2), pp.156-172. [Accessed 23 April 2026]. Available from: https://csc.csudh.edu/btang/seminar/multiagent/survey1.pdf

Cappello, C. and Hoegh, A. 2025. A State-Space Approach to Modeling Tire Degradation in Formula 1 Racing. [Pre-print]. arXiv:2512.00640. [Online]. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/2512.00640.pdf

Christianos, F., Schäfer, L. and Albrecht, S. 2020. Shared Experience Actor-Critic for Multi-Agent Reinforcement Learning. In: Advances in Neural Infor-

mation Processing Systems 33. [Online]. pp.10707-10717. [Accessed 23 April 2026]. Available from: https://proceedings.neurips.cc/paper_files/paper/2020/file/7967cc8e3ab559e68cc944c44b1cf3e8-Paper.pdf

Claus, C. and Boutilier, C. 1998. The Dynamics of Reinforcement Learning in Cooperative Multiagent Systems. In: Proceedings of the 15th National Conference on Artificial Intelligence (AAAI-98). [Online]. AAAI Press, pp.746-752. [Accessed 23 April 2026]. Available from: https://www.cs.toronto.edu/~cebly/Papers/_download_/multirl.pdf

Colas, C., Sigaud, O. and Oudeyer, P.Y. 2018. How Many Random Seeds? Statistical Power Analysis in Deep Reinforcement Learning Experiments. [Pre-print]. arXiv:1806.08295. [Online]. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1806.08295.pdf

Czempin, P. and Gleave, A. 2022. Reducing Exploitability with Population Based Training. [Pre-print]. arXiv:2208.05083. [Online]. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/2208.05083.pdf

Devlin, S., Yliniemi, L., Kudenko, D. and Tumer, K. 2014. Potential-based Difference Rewards for Multiagent Reinforcement Learning. In: Proceedings of the 13th International Conference on Autonomous Agents and Multiagent Systems (AAMAS-14). [Online]. IFAAMAS, pp.165-172. [Accessed 23 April 2026]. Available from: https://www.ifaamas.org/Proceedings/aamas2014/aamas/p165.pdf

Du, Y., Leibo, J.Z., Islam, U., Willis, R. and Sunehag, P. 2023. A Review of Cooperation in Multi-agent Learning. [Pre-print]. arXiv:2312.05162. [Online]. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/2312.05162.pdf

Eimer, T., Lindauer, M. and Raileanu, R. 2023. Hyperparameters in Reinforcement Learning and How To Tune Them. In: Proceedings of the 40th International Conference on Machine Learning. [Online]. PMLR, pp.9104-9149. [Accessed 23 April 2026]. Available from: https://proceedings.mlr.press/v202/eimer23a/eimer23a.pdf

Fieni, G., Wüthrich, J., Neumann, M.P. and Onder, C.H. 2026. Learning-based Multi-agent Race Strategies in Formula 1. [Pre-print]. arXiv:2602.23056. [Online]. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/2602.23056.pdf

Foerster, J., Nardelli, N., Farquhar, G., Afouras, T., Torr, P.H.S., Kohli, P. and Whiteson, S. 2017. Stabilising Experience Replay for Deep Multi-Agent Reinforcement Learning. In: Proceedings of the 34th International Conference on Machine Learning. [Online]. PMLR, pp.1146-1155. [Accessed 23 April 2026]. Available from: https://proceedings.mlr.press/v70/foerster17b/foerster17b.pdf

Foerster, J., Farquhar, G., Afouras, T., Nardelli, N. and Whiteson, S. 2018. Counterfactual Multi-Agent Policy Gradients. Proceedings of the AAAI Conference on Artificial Intelligence. [Online]. 32(1), pp.2974-2982. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1705.08926.pdf

Gronauer, S. and Diepold, K. 2022. Multi-agent Deep Reinforcement Learning: A Survey.

Artificial Intelligence Review. [Online]. 55(2), pp.895-943. [Accessed 23 April 2026]. Available from: https://link.springer.com/content/pdf/10.1007/s10462-021-09996-w.pdf

Heilmeier, A., Graf, M. and Lienkamp, M. 2018. A Race Simulation for Strategy Decisions in Circuit Motorsports. In: 2018 21st International Conference on Intelligent Transportation Systems (ITSC). [Online]. pp.2986-2993. [Accessed 23 April 2026]. Available from: https://mediatum.ub.tum.de/doc/1647512/1647512.pdf

Heilmeier, A., Thomaser, A., Graf, M. and Betz, J. 2020. Virtual Strategy Engineer: Using Artificial Neural Networks for Making Race Strategy Decisions in Circuit Motorsport. Applied Sciences. [Online]. 10(21), p.7805. [Accessed 23 April 2026]. Available from: https://mdpi-res.com/d_attachment/applsci/applsci-10-07805/article_deploy/applsci-10-07805.pdf

Henderson, P., Islam, R., Bachman, P., Pineau, J., Precup, D. and Meger, D. 2018. Deep Reinforcement Learning that Matters. Proceedings of the AAAI Conference on Artificial Intelligence. [Online]. 32(1). [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1709.06560.pdf

Hernandez-Leal, P., Kartal, B. and Taylor, M.E. 2019. A Survey and Critique of Multiagent Deep Reinforcement Learning. Autonomous Agents and Multi-Agent Systems. [Online]. 33(6), pp.750-797. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1810.05587.pdf

Hessel, M., Modayil, J., van Hasselt, H., Schaul, T., Ostrovski, G., Dabney, W., Horgan, D., Piot, B., Azar, M. and Silver, D. 2018. Rainbow: Combining Improvements in Deep Reinforcement Learning. In: Proceedings of the AAAI Conference on Artificial Intelligence. [Online]. [Accessed 23 April 2026]. Available from: https://ojs.aaai.org/index.php/AAAI/article/download/11796/11655

Hu, J. and Wellman, M.P. 2003. Nash Q-Learning for General-Sum Stochastic Games. Journal of Machine Learning Research. [Online]. 4, pp.1039-1069. [Accessed 23 April 2026]. Available from: https://www.jmlr.org/papers/volume4/hu03a/hu03a.pdf

Hughes, E., Leibo, J.Z., Phillips, M., Tuyls, K., Dueñez-Guzman, E.A., García Castellàneda, A., Dunning, I., Zhu, T., McKee, K.R., Koster, R., Roff, H. and Graepel, T. 2018. Inequity Aversion Improves Cooperation in Intertemporal Social Dilemmas. In: Advances in Neural Information Processing Systems 31. [Online]. pp.3330-3340. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1803.08884.pdf

Jaques, N., Lazaridou, A., Hughes, E., Gulcehre, C., Ortega, P.A., Strouse, D.J., Leibo, J.Z. and de Freitas, N. 2019. Social Influence as Intrinsic Motivation for Multi-Agent Deep Reinforcement Learning. In: Proceedings of the 36th International Conference on Machine Learning. [Online]. PMLR, pp.3040-3049. [Accessed 23 April 2026]. Available from: https://proceedings.mlr.press/v97/jaques19a/jaques19a.pdf

Karpathy, A. 2024. Autoresearch: AI-driven automated machine learning improvement. [Online]. [Accessed 23 April 2026]. Available from: https://github.com/karpathy/autoresearch

Kingma, D.P. and Ba, J. 2015. Adam: A Method for Stochastic Optimization. In: International Conference on Learning Representations. [Online]. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1412.6980.pdf

Leibo, J.Z., Zambaldi, V., Lanctot, M., Marecki, J. and Graepel, T. 2017. Multi-agent Reinforcement Learning in Sequential Social Dilemmas. In: Proceedings of the 16th International Conference on Autonomous Agents and Multiagent Systems. [Online]. International Foundation for Autonomous Agents and Multiagent Systems, pp.464-473. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1702.03037.pdf

Liu, X. and Fotouhi, A. 2020. Formula-E race strategy development using artificial neural networks and Monte Carlo tree search. Neural Computing and Applications. [Online]. 32, pp.15191-15207. [Accessed 23 April 2026]. Available from: https://link.springer.com/content/pdf/10.1007/s00521-020-04871-1.pdf

Liu, X., Fotouhi, A. and Auger, D. 2024. Formula-E Multi-Car Race Strategy Development—A Novel Approach Using Reinforcement Learning. IEEE Transactions on Intelligent Transportation Systems. [Online]. 25(8), pp.9524-9534. [Accessed 23 April 2026]. Available from: https://doi.org/10.1109/TITS.2024.3389155

Lowe, R., Wu, Y., Tamar, A., Harb, J., Abbeel, P. and Mordatch, I. 2017. Multi-Agent Actor-Critic for Mixed Cooperative-Competitive Environments. Advances in Neural Information Processing Systems. [Online]. 30. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1706.02275.pdf

Matignon, L., Laurent, G.J. and Le Fort-Piat, N. 2012. Independent Reinforcement Learners in Cooperative Markov Games: A Survey Regarding Coordination Problems. The Knowledge Engineering Review. [Online]. 27(1), pp.1-31. [Accessed 23 April 2026]. Available from: https://doi.org/10.1017/S0269888912000057

Maynard Smith, J. and Price, G.R. 1973. The Logic of Animal Conflict. Nature. [Online]. 246, pp.15-18. [Accessed 23 April 2026]. Available from: https://doi.org/10.1038/246015a0

McKee, K.R., Leibo, J.Z., Beattie, C. and Everett, R. 2022. Quantifying the Effects of Environment and Population Diversity in Multi-Agent Reinforcement Learning. Autonomous Agents and Multi-Agent Systems. [Online]. 36, article 21. [Accessed 23 April 2026]. Available from: https://link.springer.com/content/pdf/10.1007/s10458-022-09548-8.pdf

Mnih, V., Kavukcuoglu, K., Silver, D., Rusu, A.A., Veness, J., Bellemare, M.G., Graves, A., Riedmiller, M., Fidjeland, A.K., Ostrovski, G., Petersen, S., Beattie, C., Sadik, A., Antonoglou, I., King, H., Kumaran, D., Wierstra, D., Legg, S. and Hassabis, D. 2015. Human-level control through deep reinforcement learning. Nature. [Online]. 518(7540), pp.529-533. [Accessed 23 April 2026]. Available from: https://doi.org/10.1038/nature14236

Nagpal, K. et al. 2025. Leveraging Large Language Models for Effective and Explainable Multi-Agent Credit Assignment. In: Proceedings of the 24th International Conference on Autonomous Agents and Multiagent Systems. [Online]. IFAAMAS, [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/2502.16863.pdf

Ning, Z. and Xie, L. 2024. A Survey on Multi-Agent Reinforcement Learning and Its Application. Journal of Automation and Intelligence. [Online]. 3(2), pp.73-91. [Accessed 23 April 2026]. Available from: https://www.sciopen.com/article/10.1016/j.jai.2024.02.003?issn=2097-504X

Nowak, M.A. 2006. Five Rules for the Evolution of Cooperation. Science. [Online]. 314(5805), pp.1560-1563. [Accessed 23 April 2026]. Available from: https://pdodds.w3.uvm.edu/research/papers/others/2006/nowak2006a.pdf

Panait, L. and Luke, S. 2005. Cooperative Multi-Agent Learning: The State of the Art. Autonomous Agents and Multi-Agent Systems. [Online]. 11(3), pp.387-434. [Accessed 23 April 2026]. Available from: https://doi.org/10.1007/s10458-005-2631-2

Papoudakis, G., Christianos, F., Schäfer, L. and Albrecht, S.V. 2021. Benchmarking Multi-Agent Deep Reinforcement Learning Algorithms in Cooperative Tasks. In: Advances in Neural Information Processing Systems 34 (Datasets and Benchmarks). [Online]. [Accessed 23 April 2026]. Available from: https://datasets-benchmarks-proceedings.neurips.cc/paper_files/paper/2021/file/a8baa56554f96369ab93e4f3bb068c22-Paper-round1.pdf

Piccinotti, D., Likmeta, A., Brunello, N. and Restelli, M. 2021. Online Planning for F1 Race Strategy Identification. In: Workshop on Planning and Reinforcement Learning (PRL) at AAAI. [Online]. [Accessed 23 April 2026]. Available from: https://prl-theworkshop.github.io/prl2021/papers/PRL2021_paper_1.pdf

Rashid, T., Samvelyan, M., Schroeder de Witt, C., Farquhar, G., Foerster, J. and Whiteson, S. 2018. QMIX: Monotonic Value Function Factorisation for Deep Multi-Agent Reinforcement Learning. In: Proceedings of the 35th International Conference on Machine Learning. [Online]. PMLR, pp.4295-4304. [Accessed 23 April 2026]. Available from: https://proceedings.mlr.press/v80/rashid18a/rashid18a.pdf

Ribeiro, C.H.C. 2002. Reinforcement Learning Agents. Artificial Intelligence Review. [Online]. 17(3), pp.223-250. [Accessed 23 April 2026]. Available from: https://link.springer.com/content/pdf/10.1023/A:1015008417172.pdf

Samvelyan, M., Rashid, T., Schroeder de Witt, C., Farquhar, G., Nardelli, N., Rudner, T.G.J., Hung, C.M., Torr, P.H.S., Foerster, J. and Whiteson, S. 2019. The StarCraft Multi-Agent Challenge. In: Proceedings of the 18th International Conference on Autonomous Agents and Multiagent Systems (AAMAS-19). [Online]. IFAAMAS, pp.2186-2188. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1902.04043.pdf

Sankary, N. and Ostfeld, A. 2018. Stochastic Scenario Evaluation in Evolutionary Algorithms Used for Robust Scenario-Based Optimization. Water Resources Research. [Online]. 54(4), pp.2813-2833. [Accessed 23 April 2026]. Available from: https://doi.org/10.1002/2017WR022068

Schaul, T., Quan, J., Antonoglou, I. and Silver, D. 2016. Prioritized Experience Replay. In: International Conference on Learning Representations (ICLR). [Online]. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1511.05952.pdf

Schroeder de Witt, C., Gupta, T., Makoviichuk, D., Makoviychuk, V., Torr, P.H.S., Sun, M. and Whiteson, S. 2020. Is Independent Learning All You Need in the StarCraft Multi-Agent Challenge? [Pre-print]. arXiv:2011.09533. [Online]. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/2011.09533.pdf

Schulman, J., Wolski, F., Dhariwal, P., Radford, A. and Klimov, O. 2017. Proximal Policy Optimization Algorithms. [Pre-print]. arXiv:1707.06347. [Online]. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1707.06347.pdf

Silver, D., Schrittwieser, J., Simonyan, K., Antonoglou, I., Huang, A., Guez, A., Hubert, T., Baker, L., Lai, M., Bolton, A., Chen, Y., Lillicrap, T., Hui, F., Sifre, L., van den Driessche, G., Graepel, T. and Hassabis, D. 2017. Mastering the game of Go without human knowledge. Nature. [Online]. 550(7676), pp.354-359. [Accessed 23 April 2026]. Available from: https://doi.org/10.1038/nature24270

Silver, D., Hubert, T., Schrittwieser, J., Antonoglou, I., Lai, M., Guez, A., Lanctot, M., Sifre, L., Kumaran, D., Graepel, T., Lillicrap, T., Simonyan, K. and Hassabis, D. 2018. A general reinforcement learning algorithm that masters chess, shogi, and Go through self-play. Science. [Online]. 362(6419), pp.1140-1144. [Accessed 23 April 2026]. Available from: https://storage.googleapis.com/deepmind-media/DeepMind.com/Blog/alphazero-shedding-new-light-on-chess-shogi-and-go/alphazero_preprint.pdf

Son, K., Kim, D., Kang, W.J., Hostallero, D.E. and Yi, Y. 2019. QTRAN: Learning to Factorize with Transformation for Cooperative Multi-Agent Reinforcement Learning. In: Proceedings of the 36th International Conference on Machine Learning. [Online]. PMLR, pp.5887-5896. [Accessed 23 April 2026]. Available from: https://proceedings.mlr.press/v97/son19a/son19a.pdf

Sunehag, P., Lever, G., Gruslys, A., Czarnecki, W.M., Zambaldi, V., Jaderberg, M., Lanctot, M., Sonnerat, N., Leibo, J.Z., Tuyls, K. and Graepel, T. 2018. Value-Decomposition Networks For Cooperative Multi-Agent Learning Based On Team Reward. In: Proceedings of the 17th International Conference on Autonomous Agents and Multiagent Systems. [Online]. IFAAMAS, pp.2085-2087. [Accessed 23 April 2026]. Available from: https://aamas.csc.liv.ac.uk/Proceedings/aamas2018/pdfs/p2085.pdf

Tan, M. 1993. Multi-Agent Reinforcement Learning: Independent vs. Cooperative Agents. In: Proceedings of the 10th International Conference on Machine Learning. [Online]. Morgan Kaufmann, pp.330-337. [Accessed 23 April 2026]. Available from: https://web.media.mit.edu/~cynthiab/Readings/tan-MAS-reinfLearn.pdf

van Hasselt, H., Guez, A. and Silver, D. 2016. Deep Reinforcement Learning with Double Q-learning. Proceedings of the AAAI Conference on Artificial Intelligence. [Online]. 30(1). [Accessed 23 April 2026]. Available from: https://ojs.aaai.org/index.php/AAAI/article/download/10295/10154

Vinyals, O., Babuschkin, I., Czarnecki, W.M., Mathieu, M., Dudzik, A., Chung, J., Choi, D.H., Powell, R., Ewalds, T., Georgiev, P., Oh, J., Horgan, D., Kroiss, M., Danihelka, I., Huang,

A., Sifre, L., Cai, T., Agapiou, J.P., Jaderberg, M., Vezhnevets, A.S., Leblond, R., Pohlen, T., Dalibard, V., Budden, D., Sulsky, Y., Molloy, J., Paine, T.L., Gulcehre, C., Wang, Z., Pfaff, T., Wu, Y., Ring, R., Yogatama, D., Wünsch, D., McKinney, K., Smith, O., Schaul, T., Lillicrap, T., Kavukcuoglu, K., Hassabis, D., Apps, C. and Silver, D. 2019. Grandmaster level in StarCraft II using multi-agent reinforcement learning. Nature. [Online]. 575(7782), pp.350-354. [Accessed 23 April 2026]. Available from: https://doi.org/10.1038/s41586-019-1724-z

Wang, Z., Schaul, T., Hessel, M., van Hasselt, H., Lanctot, M. and de Freitas, N. 2016. Dueling Network Architectures for Deep Reinforcement Learning. Proceedings of the 33rd International Conference on Machine Learning. [Online]. 48, pp.1995-2003. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1511.06581.pdf

Wang, T., Dong, H., Lesser, V. and Zhang, C. 2020. ROMA: Multi-Agent Reinforcement Learning with Emergent Roles. In: Proceedings of the 37th International Conference on Machine Learning. [Online]. PMLR, pp.9876-9886. [Accessed 23 April 2026]. Available from: https://proceedings.mlr.press/v119/wang20f/wang20f.pdf

Wang, J., Zhang, Y., Hua, Y., Wang, Z., Zhao, Y., Gu, S., He, K., Li, J. and Feng, Y. 2022. Individual Reward Assisted Multi-Agent Reinforcement Learning. In: Proceedings of the 39th International Conference on Machine Learning. [Online]. PMLR, pp.23417-23432. [Accessed 23 April 2026]. Available from: https://proceedings.mlr.press/v162/wang22ao/wang22ao.pdf

Wei, E. and Luke, S. 2016. Lenient Learning in Independent-Learner Stochastic Cooperative Games. Journal of Machine Learning Research. [Online]. 17(84), pp.1-42. [Accessed 23 April 2026]. Available from: https://jmlr.org/papers/v17/15-417.html

Wolpert, D.H. and Tumer, K. 2001. Optimal Payoff Functions for Members of Collectives. Advances in Complex Systems. [Online]. 4(2/3), pp.265-279. [Accessed 23 April 2026]. Available from: https://jmvidal.cse.sc.edu/library/wolpert01a.pdf

Yang, Y., Luo, R., Li, M., Zhou, M., Zhang, W. and Wang, J. 2018. Mean Field Multi-Agent Reinforcement Learning. In: Proceedings of the 35th International Conference on Machine Learning. [Online]. PMLR, pp.5571-5580. [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/1802.05438.pdf

Yu, C., Velu, A., Vinitsky, E., Gao, J., Wang, Y., Baez, A., Bhatt, B., Isik, C., Jacobstein, N., Gao, Y. et al. 2022. The Surprising Effectiveness of PPO in Cooperative Multi-Agent Games. In: Advances in Neural Information Processing Systems 35 (Datasets and Benchmarks). [Online]. pp.24611-24624. [Accessed 23 April 2026]. Available from: https://proceedings.neurips.cc/paper_files/paper/2022/file/9c1535a02f0ce079433344e14d910597-Paper-Datasets_and_Benchmarks.pdf

Zhao, Y. et al. 2025. Multi-level Advantage Credit Assignment for Cooperative Multi-Agent Reinforcement Learning. In: Proceedings of The 28th International Conference on Artificial Intelligence and Statistics. [Online]. PMLR, [Accessed 23 April 2026]. Available from: https://arxiv.org/pdf/2508.06836.pdf

Zhu, J., Wu, F. and Zhao, J. 2021. An Overview of the Action Space for Deep Reinforcement

Learning. Proceedings of the 2021 4th International Conference on Algorithms, Computing and Artificial Intelligence. [Online]. pp.145-155. [Accessed 23 April 2026]. Available from: https://doi.org/10.1145/3508546.3508598

Appendix A

Self-Appraisal

A.1 Critical self-evaluation

The phased gate structure was the single most effective process decision in the project. Each phase's result determined the next phase's design rather than following a pre-specified plan. Phase 2's finding that rainbow-lite was the only collapse-resistant algorithm in single-agent evaluation meant that Phase 3 could attribute multi-agent collapse to MARL non-stationarity rather than to algorithm fragility. Without this gate, the Phase 3 collapse results would have been ambiguous. The same principle applied at each subsequent gate. Phase 4's zero-sum failure motivated Phase 5's game structure change. Phase 5's success motivated Phase 6's scaling test.

The config-driven fairness control was also effective. Because all experimental parameters were externalised to `config.json` from the start, every comparison was provably identical in all conditions other than the variable under test. An external reviewer can reconstruct any trial from the config snapshot embedded in the metric output file. This discipline was not costly to implement but prevented a class of confounds that would have been difficult to detect and correct retrospectively.

The decision to continue beyond Phase 3 rather than stopping at the first successful result produced the most original contributions. The 83 per cent cooperative improvement in Phase 5 would not have been found if the project had ended at the Phase 3 competitive equilibrium results. The scaling failure in Phase 6, the boundary characterisation in Phase 7, the curriculum decomposition in Phase 8, and the difference rewards analysis in Phase 10 all followed from the decision to keep asking the next question.

The algorithm confound in Phase 10 was the main area that did not work well. The `config.json` file still contained `"algo": "vanilla"` when rainbow-lite was intended for Phase 10. The first batch of trials therefore tested the wrong algorithm. The error was caught by reading the `"algorithm"` field embedded in the output metric JSON rather than by reviewing the config file before running. The lesson is that config inspection at the start of every experiment batch is a necessary check, not an optional one. Embedding config snapshots in telemetry output is an effective safeguard, but it should not be the only one.

Writing pace was a second area for improvement. Chapters 1 to 3 were drafted while Phases 1 to 3 were active, which made them detailed and timely. Phases 4 to 10 were completed before the corresponding chapters were written, which made the retrospective write-up harder. Writing contemporaneously with experimentation is a better practice.

A.2 Personal reflection and lessons learned

Motorsport has always been an interest of mine, but I came into this project with a limited formal background in race strategy and simulation. The subject sits at an intersection of AI, game theory, and domain knowledge I had not studied systematically. That gap made the project harder, and ultimately more worthwhile.

I proposed my own project rather than selecting a pre-defined one. That gave me creative freedom, but it also removed the guardrails that a well-scoped brief would have provided. At several points during Phase development, the natural next question pulled me further from the original aim. Staying grounded within the scope I had committed to required a discipline that does not always come naturally when curiosity takes over.

The project I submitted is not the project I originally proposed. My initial aim was to study how MARL agents respond to different levels of stochasticity and environmental complexity. That turned out to be a precursor question rather than the central one. Once the stochasticity baseline was established in Phases 0 to 2, the more interesting question emerged. What happens when the incentive structure between agents shifts? The cooperative thinking metric became the actual investigation. Recognising that mid-project and pivoting without losing coherence was the right call, even if it added pressure.

The simulator's reward schema reflects the same evolution. The original design included pace and pit-stop components alongside outcome, position, and tactical rewards, anticipating a richer race-modelling scope. As the investigation narrowed to incentive structure at low complexity, those two components became inactive by construction and were left at zero throughout the experiments reported here. The Phase 0 integrity tests verify they remain zero (Appendix D), and the simulator retains them so the same codebase can support the richer-race extensions outlined in the future-directions section.

One thread that runs through the project is game theory, a field I had an existing interest in before connecting it explicitly to MARL. The connection became clearer as the experimentation progressed. The alpha sweep in Phase 4 is essentially a parameterisation of the cooperate/defect trade-off from a prisoner's dilemma. Phase 5's non-zero-sum structure breaks the zero-sum constraint in exactly the way game theory predicts cooperation becomes possible. The hawk-dove risk equilibria observed in Phase 3 are a direct empirical instance of a mixed-strategy Nash equilibrium. The Phase 10 difference rewards analysis is a formal question about incentive compatibility, a concept from mechanism design that predates reinforcement learning entirely. Seeing these connections emerge through experimental results rather than being designed in from the start was one of the more satisfying parts of the project.

The most significant conceptual shift was the recognition that negative results are contributions. Phase 10's failure to produce cooperative behaviour via difference rewards was frustrating at first. The mathematical analysis of the gradient inversion transformed it into a precise finding. The formula failed for a stated reason. That precision is what separates a negative result from a dead end. The N=4 scaling cliff carried the same lesson. Phase 6's failure could have been

treated as a dead end. Designing Phase 7 to locate the boundary precisely was the decision that produced a genuinely new empirical finding.

The decision that paid off most in practice was building the telemetry pipeline before any results existed. Writing the benchmark orchestrator and the zone-level logging in Phase 0 felt like overhead when I was trying to get to the MARL experiments. It became necessary the moment Phase 3 started producing collapsing agents. The telemetry was already in place to distinguish collapse from instability and to attribute it specifically to replay buffer contamination. Without that infrastructure, the Phase 3 collapse rate table would have been a qualitative observation rather than a quantified finding with a mechanistic explanation.

If I were starting again I would maintain five seeds per cell throughout rather than reducing to three. The reduction widened confidence intervals and was a trade against time that I would not make again. I would also build the Phase 5 non-zero-sum structure into the design from the start rather than arriving at it through Phase 4. That is easy to say in retrospect. Phase 4 produced a standalone result I would not discard. But Phase 5 is where the question the project was actually asking finally became testable. Reaching it through Phase 4's negative result added an experimental phase that could instead have been a design decision.

I came into this trying to combine interests I had not previously brought together. I think, on balance, it worked.

A.3 Legal, social, ethical and professional issues

A.3.1 Legal issues

The project relies on external libraries and one external API. Each was vetted against its licence terms before use. FastF1 (MIT), PyTorch, NumPy, and Pandas (all BSD-family) are permissive licences that allow research and personal use without redistribution obligations. No modifications were made to any of these libraries, and no derivative work is distributed. The project codebase is private and submitted only to the supervisor and assessor, which falls within the personal-use permissions of all four licences.

The FastF1 library exposes Formula 1 timing data drawn from F1's public live timing service. The library's documentation specifies non-commercial use only. This project is academic and non-commercial, no telemetry data is redistributed, and only derived statistics (zone-aggregated overtake counts) appear in the report. Raw telemetry stays on the local machine and is not committed to the repository. This satisfies the library's stated boundary on permitted use.

The Anthropic Claude Haiku API is used under standard commercial terms. The Phase 9 prompts contain only synthetic race state and no personal data, which keeps the use within Anthropic's acceptable use policy. API request and response logs are retained locally for reproducibility but are not redistributed.

A.3.2 Social issues

No human participants are involved and no personal data is processed, so the project itself has no direct social footprint. The deliberate choice was to use synthetic agents in a simulated environment specifically to avoid scenarios where racing strategies could be derived from or applied to real competitors without their knowledge.

The findings have indirect social relevance. The project shows empirically that poorly designed cooperative incentives can degrade rather than improve multi-agent performance, including in ways that benefit a third-party adversary. The same pattern matters in financial trading, logistics optimisation, and competitive resource allocation, where incentive structures between automated agents are designed by humans who may not appreciate how the structure interacts with the learning algorithm. Reporting the negative results clearly, including the Phase 6 cooperative-team degradation that benefited the Base adversary, contributes to the broader literature on multi-agent alignment by documenting a failure mode that simpler reward designs can hide.

A.3.3 Ethical issues

Reliability of policies the system produces. The most direct ethical concern is that overtaking strategies optimised in this simulator may transfer poorly to real racing. The simulator abstracts away tyre degradation, pit stops, weather, and driver fatigue, all of which interact with overtaking decisions in ways the model does not capture. A team using strategies derived from this system without understanding the abstraction would risk advising attempts that the simulator rates favourably but that carry materially higher real-world risk. The Phase 9 finding sharpens this concern. A zero-shot language model with no training matched rainbow-lite within two percentage points, which suggests the learned policy may be partly an artefact of the simulator's narrow strategy space rather than a transferable racing skill. The La Source dominance is a concrete example of a simulator-specific bias that would not generalise to circuits without a similar opening braking zone. The report is explicit about these limitations, and any real-world application would require validation against the circuits and conditions the simulator was not built to model.

Compute and energy. Running RL training over extended periods has a real energy cost. The phase-gated structure addressed this directly by requiring each phase to pass its gate before the next phase's compute budget was committed, so failed configurations did not propagate into wasted training runs. The three-seed design instead of five was chosen partly for time and partly to keep total compute proportionate to the project's scope, with the trade-off made explicit in the methodology.

Use of generative AI. The use of Claude during writing and the autoresearch tool during hyperparameter exploration are declared in the Acknowledgements. The decision to declare both proactively, including the autoresearch tuning visible in the commit history, reflects the principle that ethical AI use depends on transparency about where the tool's contribution starts and ends.

Citation accuracy. One citation in an early draft was found to be unverifiable during final review and was removed rather than retained behind plausible-looking metadata. AI-generated paper summaries were not used as substitutes for reading primary sources, and every citation appearing in the final report was checked against the original publication.

A.3.4 Professional issues

The project follows the reproducibility standards identified as necessary for trustworthy reinforcement learning comparisons (Henderson et al., 2018; Agarwal et al., 2021). Matched compute budgets, fixed seeds, confidence intervals across multiple seeds, and behavioural diagnostics that go beyond outcome-only metrics are treated as professional obligations. The git repository provides a full audit trail of experimental code, configuration changes, and metric outputs, with each phase's pass criteria committed before the phase ran rather than retrofitted afterwards.

A specific professional discipline worth naming is the handling of negative results. Phase 6, Phase 7B, and Phase 10 all produced findings that were unfavourable to the original hypotheses. Each is reported in full rather than buried, with the mechanism analysed and the implication for future work identified. Reporting failures with the same care as successes is a professional norm that is easy to compromise under deadline pressure, and one this project deliberately upheld.

Appendix B

External Material

All materials not developed by the student are listed below.

Table B.1: External materials used in this project

Material	Version	Purpose	Licence
FastF1	v3.x	2023 Belgian Grand Prix telemetry for overtaking zone difficulty calibration	MIT
PyTorch	v2.x	Neural network implementation for all DQN-family variants	BSD
NumPy	v1.x	Numerical computation in simulator and metrics scripts	BSD
Pandas	v2.x	Metrics aggregation and results table generation	BSD
Anthropic Claude Haiku	API (2025)	Zero-shot LLM agent for Phase 9 semantic baseline	Commercial API terms of service

All academic papers cited in this report were accessed through publicly available sources or the University of Leeds library. No software developed for this project relies on proprietary algorithms or datasets. The project codebase is available to the supervisor and assessor via the git repository linked in the project submission.

A structured comparison of the most directly related studies, organised by the variables they manipulate and the failure modes they engage with, is in Appendix **??**. The FastF1 telemetry analysis used to calibrate overtaking zone difficulty values, and the simulator's own track and visualisation views, are in Appendix **??**.

Table B.2 groups the related work by the role it plays in the dissertation: motorsport strategy and simulation, machine-learning and reinforcement-learning foundations, and multi-agent reinforcement learning.

Table B.2: Comparison of related work and relevance to this dissertation

Study	Domain and simulator fidelity	Decision method	Uncertainty treatment	Evaluation rigour	Limitations	Direct relevance to thesis
Motorsport simulation and racing analytics						
Heilmeier et al., 2018	Circuit motorsport race simulation with lap-wise tyre, fuel, pit stop and overtaking processes	Rule-based race simulation and strategy what-if analysis	Models race-process uncertainty through degradation, pit stops and overtaking	Validated against a historical race setting	Not an RL or MARL benchmark, and not seed-focused	Motivates the staged simulator abstraction and the need to separate race mechanics from learning effects

Table B.2 continued

Study	Domain and simulator fidelity	Decision method	Uncertainty treatment	Evaluation rigour	Limitations	Direct relevance to thesis
Heilmeier et al., 2020	Formula 1 strategy-support tool with race simulation and neural-network components	Surrogate modelling for pit-stop and tyre-compound decisions	Captures race-context variability through modelled race scenarios	Engineering-oriented validation and open-source race simulation	The neural networks imitate strategy choices rather than learn through interaction	Supports the thesis emphasis on interpretable strategy tools rather than opaque winner prediction
Piccinotti et al., 2021	Formula 1 race strategy identification in a planning setting	Online planning over race-strategy choices	Dynamic race context is handled inside the planning loop	Demonstrates the value of formal planning for strategy choice	Not a DQN-family comparison and not a multi-agent credit-assignment study	Clarifies why this dissertation studies learned tactical behaviour rather than only search or planning
Liu and Fotouhi, 2020	Formula E race strategy with energy constraints	Artificial neural network plus Monte Carlo tree search	Considers race-condition and energy-management uncertainty	Domain-specific decision-quality evaluation	Does not provide a controlled RL reproducibility benchmark	Supports the framing of motorsport strategy as tactical decision-making under uncertainty
Liu et al., 2024	Formula E multi-car race-strategy setting	Reinforcement-learning strategy development	Competitive multi-car uncertainty is part of the strategy problem	Strong domain result emphasis	Less focused on seed-controlled algorithm isolation	Provides the closest peer-reviewed motorsport RL neighbour, but with a different research target
Recent F1 modelling (Cappello and Hoegh, 2025; Fieni et al., 2026)	Tyre-degradation modelling and Formula 1 multi-agent race-strategy preprints	Bayesian state-space modelling; learning-based multi-agent strategy optimisation	Tyre uncertainty, opponent interaction and race-condition variation are explicit concerns	Recent open preprints with technical detail	Preprints, and not designed around this dissertation's DQN-family ablation protocol	Shows the domain is moving toward probabilistic tyre models and multi-agent strategy learning, which strengthens the timeliness of the staged simulator
F1 points forecasting (Bansal et al., 2025)	Formula 1 championship-point prediction rather than in-race strategy	Supervised machine-learning forecasting	Treats uncertainty through predictive modelling of season outcomes	ResearchGate preprint only	Non-peer-reviewed and not a simulator, RL, or MARL contribution	Useful only as weak context for wider F1 analytics; it should not be used as evidence for strategy-learning claims
Machine learning and reinforcement learning foundations						
DQN family (Mnih et al., 2015; van Hasselt et al., 2016; Wang et al., 2016; Schaul et al., 2016; Hessel et al., 2018)	General deep RL benchmarks	DQN, Double DQN, dueling networks, prioritised replay and Rainbow-style combinations	Addresses overestimation, representation and replay-sampling issues in value learning	Benchmark-oriented algorithm studies	Not motorsport-specific and not designed for independent concurrent learners	Defines the algorithm families isolated in Phase 2 and the later rainbow-lite configuration

Table B.2 continued

Study	Domain and simulator fidelity	Decision method	Uncertainty treatment	Evaluation rigour	Limitations	Direct relevance to thesis
RL evaluation practice (Henderson et al., 2018; Agarwal et al., 2021)	Cross-domain deep RL evaluation methodology	Reproducibility, statistical reporting and aggregate comparison guidance	Focuses on stochastic variation, seed effects and unreliable point estimates	Strong critique of weak reporting practice	Does not prescribe a motorsport-specific protocol	Justifies fixed seeds, confidence intervals and the separation of primary and robustness tracks
Scenario robustness (Sankary and Ostfeld, 2018)	Robust optimisation under uncertain operating scenarios	Evolutionary optimisation with stochastic scenario resampling	Explicitly varies scenario samples to reduce overfitting to one evaluation set	Robustness-focused comparison design	Different optimisation paradigm from RL	Supports the decision to evaluate learned policies across controlled stochasticity settings
Game-scale RL (Silver et al., 2017, 2018; Brown and Sandholm, 2018; Vinyals et al., 2019; Berner et al., 2019)	High-profile competitive games and self-play systems	Large-scale deep RL, search, self-play and population training	Uses extensive self-play or population variation rather than fixed small-budget comparisons	Demonstrates the ceiling of scaled RL systems	Far larger compute and much richer simulators than this project	Provides context for why this dissertation studies a deliberately small, auditable simulator rather than claiming general motorsport autonomy
Agent/action-space framing (Ribeiro, 2002; Schulman et al., 2017; Zhu et al., 2021)	General RL agent design and action-space choices	Classical RL-agent framing, policy-gradient baseline methods and action-space taxonomy	Treats stochastic policy optimisation and action design as modelling choices	Useful conceptual and algorithmic context	PPO and continuous-control methods are not evaluated in the implemented DQN benchmark	Helps justify the discrete overtake/hold/risk action abstraction and the decision to keep the project value-based
Multi-agent reinforcement learning and incentive design						
MARL surveys (Buşoniu et al., 2008; Hernandez-Leal et al., 2019; Gronauer and Diepold, 2022; Ning and Xie, 2024; Du et al., 2023)	General multi-agent reinforcement-learning theory and applications	Surveys of independent learning, cooperation, non-stationarity and applications	Identify non-stationarity, credit assignment and scalability as recurring challenges	Scholarly survey evidence rather than one-off benchmark results	Too broad to validate the F1 simulator directly	Grounds the dissertation's research gap in established MARL challenges rather than a motorsport-only motivation
Independent learners (Tan, 1993; Claus and Boutilier, 1998; Matignon et al., 2012; Foerster et al., 2017; Schroeder de Witt et al., 2020)	Multi-agent settings where learners update without centralised coordination	Independent Q-learning, policy dynamics and independent-policy baselines	Other learners make the perceived environment non-stationary	Includes classic theory and modern empirical comparisons	Many settings are simpler or very different from racing	Directly supports the Phase 3 and Phase 5 focus on independent concurrent DQN agents

Table B.2 continued

Study	Domain and simulator fidelity	Decision method	Uncertainty treatment	Evaluation rigour	Limitations	Direct relevance to thesis
Credit assignment and reward design (Wolpert and Tumer, 2001; Agogino and Tumer, 2004; Panait and Luke, 2005; Devlin et al., 2014; Wang et al., 2022; Zhao et al., 2025; Nagpal et al., 2025)	Cooperative and mixed cooperative settings with shared outcomes	Difference rewards, potential-based shaping, individual-reward assistance and newer credit-assignment methods	Addresses ambiguity over which agent caused a team outcome	Strong conceptual basis for reward-signal design	Several methods require counterfactuals, centralised critics, or extra modelling not implemented here	Provides the first-principles basis for the α-mixing and mean-counterfactual reward experiments
CTDE and value factorisation (Lowe et al., 2017; Foerster et al., 2018; Sunehag et al., 2018; Rashid et al., 2018; Son et al., 2019; Yu et al., 2022; Amato, 2024)	Cooperative MARL with centralised training or decomposed team value functions	MADDPG, COMA, VDN, QMIX, QTRAN, MAPPO and CTDE framing	Uses centralised critics or factorised value functions to manage inter-agent dependence	Widely used family of MARL baselines	Not implemented because the project tests independent DQN-family learners under matched budgets	Defines the important boundary of the dissertation: it studies independent learners, not full CTDE methods
Cooperation, social incentives and roles (Nowak, 2006; Leibo et al., 2017; Hughes et al., 2018; Jaques et al., 2019; Wang et al., 2020, 2022)	Evolutionary cooperation theory and mixed-motive games with emergent social behaviour	Cooperation mechanisms, social influence, inequity aversion, role-oriented learning and individual-reward assistance	Captures partial alignment, fairness pressure and role differentiation	Demonstrates that reward structure can change emergent behaviour	Often uses abstract social dilemmas or richer MARL architectures	Supports the interpretation of asymmetric zone/risk roles and the shared-incentive experiments
Mean-field, leniency and equilibrium learning (Hu and Wellman, 2003; Wei and Luke, 2016; Yang et al., 2018)	Multi-agent learning under many-agent or equilibrium pressures	Nash Q-learning, lenient learning and mean-field approximation	Reduces or reframes non-stationarity from other agents	Provides theoretical alternatives to direct independent learning	Assumptions differ from the small racing simulator and are not implemented	Helps explain why five-agent scaling is harder and why mean-based approximations are a pragmatic but imperfect counterfactual substitute
MARL benchmarks (Samvelyan et al., 2019; Papoudakis et al., 2021; Christianos et al., 2020)	Standardised MARL benchmark environments and empirical protocols	StarCraft MARL challenge, empirical benchmark comparisons and shared-experience baselines	Exposes seed sensitivity, coordination difficulty and benchmark dependence	Stronger benchmark discipline than many one-off studies	Domains are not motorsport and require richer observation/action spaces	Reinforces the need for transparent simulator configuration, saved metrics and reproducible comparison gates

Table B.2 continued

Study	Domain and simulator fidelity	Decision method	Uncertainty treatment	Evaluation rigour	Limitations	Direct relevance to thesis
Positioning of this dissertation						
This dissertation	F1-inspired competitive simulator with staged complexity	Reproducible DQN-family and incentive-design benchmark with behavioural diagnostics	Controlled stochasticity levels, explicit reward variants and staged agent counts	Matched budgets, fixed seeds, confidence intervals, saved configuration snapshots and metric outputs	Simplified simulator abstraction and no full CTDE implementation	Tests the gap between motorsport strategy simulation and MARL incentive design in a compact, auditable setting

Overtaking zone calibration figures

The following figures show the FastF1 telemetry analysis used to calibrate overtaking zone difficulty values in Section 2.1. Figure B.1 plots the absolute number of position changes against track distance at the 2023 Belgian Grand Prix. Figure B.2 overlays overtake density on the Spa-Francorchamps circuit layout. Both are derived from publicly available race data accessed via the FastF1 library.



Figure B.1: Absolute overtakes by track distance, 2023 Belgian Grand Prix.

Simulator reference figures

The following figures show the simulator's own track and visualisation views. Figure B.3 gives the configured Spa-Francorchamps centreline with the nine overtaking zones used by the simu-



Figure B.2: Overtake density mapped to the Spa-Francorchamps circuit.

lator. Figure B.4 shows a representative real-time visualisation frame from an evaluation-mode `low_marl_teams` run with four trained DQN agents and one Base agent.



Figure B.3: Simulator-native Spa-Francorchamps track map with configured overtaking zones.



Figure B.4: Representative real-time simulator snapshot used during development to verify zone sequencing, agent ordering, and on-track state updates.

Appendix C

Literature review methodology

C.1 Search strategy

The review was structured around the three fields the project draws on, namely motorsport simulation, reinforcement learning in competitive environments, and multi-agent incentive design. A separate search was conducted for each, with keywords drawn from the project's research questions.

For motorsport simulation, queries combined "race strategy" with "simulation", "reinforcement learning", and "multi-agent". For competitive RL, queries combined "deep reinforcement learning" with "competitive games", "self-play", and named algorithm families such as DQN and PPO. For multi-agent incentive design, queries combined "multi-agent reinforcement learning" with "credit assignment", "reward shaping", "mixed-motive", and "non-stationarity".

C.2 Databases and inclusion criteria

The primary databases were Google Scholar, arXiv, the ACM Digital Library, IEEE Xplore, and the SpringerLink and PMLR proceedings indexes. Inclusion criteria prioritised peer-reviewed publications in major venues such as NeurIPS, ICML, AAAI, AAMAS, Nature, and Science, alongside recent arXiv preprints where the work either established a foundational concept the project relies on or reported state-of-the-art results post-dating the most recent venue publication.

Exclusion criteria removed papers without verifiable provenance, papers in languages other than English, and papers whose topic overlapped with the project's keywords without engaging the substantive question being asked. The time range spans foundational game-theory work from the 1970s to multi-agent RL conference proceedings from 2026, reflecting the project's reliance on both classical equilibrium concepts and recent benchmarking results.

C.3 Citation tracing

Snowballing was applied to high-relevance papers through backward citation tracing of references and forward tracing through Google Scholar's citing-articles function. This identified foundational references the keyword search would not have surfaced directly, including Maynard Smith and Price's 1973 hawk-dove model and Tan's 1993 independent-learners paper.

C.4 Structured comparison

The structured comparison of the most directly related studies, organised by the variables they manipulate and the failure modes they engage with, is in Appendix Table B.2.

Appendix D

Phase 0 and Phase 1 Experimental Validation

This appendix documents the system integrity checks carried out in Phase 0 and the smoke evaluation results collected in Phase 1. Both phases are prerequisites to the Phase 2 DQN-family benchmark. Phase 0 verified that the simulator, reward accounting, stochasticity, and telemetry were correct before any learning claims were made. Phase 1 confirmed a learning signal at low compute cost and established the stochasticity sensitivity profile of the vanilla DQN baseline.

D.1 Phase 0: System Integrity

D.1.1 Objective and scope

Phase 0 contained twelve white-box unit and integration tests grouped into three categories. Group A checked simulator correctness. Group B validated the stochastic probability calculations statistically. Group C verified the telemetry contract. All tests were implemented in `tests/test_phase0_integrity.py` and executed under a fixed random seed with the Spa circuit at low complexity and stochasticity level s0.

D.1.2 Test inventory

Table D.1: Phase 0 integrity test inventory and outcomes

Grp	Test name	What it checks	Result
A	`test_one_decision_per_zone_per_lap`	Each (driver, zone, lap) tuple appears at most once per run in the decision event log	Pass
A	`test_cooldown_enforcement`	Any two sequential attempt events for the same driver are separated by at least 5.0 s of simulated time	Pass
A	`test_terminal_reward_correctness`	`outcome_raw` equals starting position minus final position for every driver	Pass
A	`test_reward_sum_identity`	`reward_component_sum_error` is below 10^{-4} for every decision event	Pass
A	`test_inactive_components_zero`*	`pace` and `tyre_pit` components are exactly 0.0 in every event at low complexity	Pass
B	`test_aggression_increases_probability`	Mean success probability across 1000 samples satisfies AGGRESSIVE > NORMAL > CONSERVATIVE at fixed zone and gap	Pass
B	`test_gap_decreases_probability`	Closer gap yields higher mean success probability at 1000 samples	Pass
B	`test_zone_difficulty_scales_probability`	Lower difficulty zone yields higher mean success probability at 1000 samples	Pass
C	`test_jsonl_schema`	Required top-level keys present in every race results JSONL record	Pass
C	`test_decision_event_schema`	Required per-decision keys present including `reward_component_sum_error` and `success_probability`	Pass
C	`test_component_totals_match_events`	Per-driver `reward_component_totals` match the sum of individual decision events for decision-time components	Pass

* `pace` and `tyre_pit` exist in the simulator but are deliberately inactive at the low-complexity profile used throughout this project. The simulator retains them so the same codebase can support richer race-modelling extensions outlined in the future-directions section. The test ensures any accidental activation surfaces as an integrity failure rather than as quietly contaminated reward data.

D.1.3 Defects found and corrected

Two defects were identified during Phase 0 and corrected before any Phase 1 runs were executed.

The first defect was in the base agent heuristic. The `default_policy` function in `src/base_agents.py` reads the gap to the car ahead via `getattr(driver, "gap_to_ahead", None)`. The `DriverState` class did not initialise this attribute, so the value was always `None`. This collapsed the base agent's overtake attempt probability to approximately 19% at La Source instead of the intended 77%, making the base agent effectively passive. The defect was corrected by setting `driver.gap_to_ahead = gap_distance` in the simulator's `_check_overtakes` method before the agent action call. After correction the base agent attempted overtakes at a frequency consistent with its heuristic policy parameters.

The second defect was a scoping error in `test_one_decision_per_zone_per_lap`. The deduplication set was initially keyed on driver name alone rather than on the (run number, driver name) pair, causing legitimate across-run repetitions to trigger false failures. The test was corrected to scope deduplication within each individual run.

D.1.4 Phase 0 gate outcome

All twelve tests passed. No `reward_component_sum_error` exceeded 10^{-4}. The stochastic calibration ordering assertions held across all 1000-sample replicates. The JSONL schema contained all required keys. Gate G0 was cleared and Phase 1 proceeded.

D.2 Phase 1: Single-Agent Smoke Evaluation

D.2.1 Objective and configuration

Phase 1 confirmed that a learning signal existed before the full Phase 2 benchmark matrix was run. All five smoke runs used a vanilla DQN agent trained for 200 episodes against a single heuristic base agent at low complexity on the Spa circuit. The epsilon decay was set to 0.995, producing $\varepsilon \approx 0.37$ by episode 200. Each run was evaluated over 20 races per seed across three evaluation seeds (101, 202, 303). The three s0 runs used independent training seeds (101, 202, 303). The s1 and s2 runs used training seed 101 only.

The stochasticity levels used Gaussian noise on the overtake success probability. s0 used noise standard deviation 0.0 (deterministic). s1 used 0.02. s2 used 0.05.

D.2.2 s0 results: three training seeds

Table D.2: Phase 1 s0 smoke results across three training seeds (60 eval races per seed set)

Train seed	Win rate	CI95 low	CI95 high	Position delta	Seed var.	DNF rate
101	0.783	0.678	0.888	0.567	0.0033	0.0
202	0.767	0.659	0.875	0.533	0.0058	0.0
303	0.783	0.678	0.888	0.567	0.0033	0.0

All three seeds exceeded the Gate G1 criterion of win rate above 0.50 with CI95 lower bound

above 0.50. Starting position exposure was perfectly balanced at 30 races from each of positions 1 and 2 in every run. No DNFs occurred. Gate G1 was cleared.

The three seeds produced closely grouped results, with seed variance between 0.003 and 0.006. This indicated convergence to a similar policy attractor across independent training runs.

D.2.3 Risk behaviour at s0

Table D.3: Risk level counts and zone-level attempt rates at s0 (train seed 101, 60 eval races)

Zone	Difficulty	Decisions	Attempt rate	Success rate	Avg reward
La Source	0.2	30	1.00	0.867	+0.127
Raidillon	0.9	28	1.00	0.143	−0.021
Les Combes	0.7	46	0.870	0.300	+0.013
Bruxelles	0.7	13	1.00	0.231	+0.015

Risk level counts at s0 were CONSERVATIVE 60, NORMAL 42, AGGRESSIVE 10. The agent showed a strong preference for cheaper-failure strategies at s0. Only four of nine configured zones appeared in any decision event. Zones at greater track distances from the start were not reached in sufficient proximity situations to trigger decisions within the two-car five-lap race format.

The agent attempted at Raidillon (difficulty 0.9) 100% of the time despite a 14% success rate and a net-negative average reward. This indicated that the policy had not learned to discriminate HOLD decisions at high-difficulty zones within 200 training episodes.

D.2.4 Stochasticity degradation: s0, s1, and s2

Table D.4: Phase 1 stochasticity comparison (train seed 101, 60 eval races per level)

Level	Win rate	CI95 low	CI95 high	Tactical raw total	Outcome raw total	Seed var.
s0	0.783	0.678	0.888	−11.0	+17.0	0.0033
s1	0.783	0.678	0.888	−17.5	+17.0	0.0033
s2	0.750	0.640	0.860	−27.5	+15.0	0.0100

Table D.5: Risk level counts across stochasticity levels (train seed 101, 60 eval races per level)

Level	CONSERVATIVE	NORMAL	AGGRESSIVE	Decisions	Attempt rate/run
s0	60	42	10	118	1.87
s1	19	26	48	110	1.55
s2	18	30	49	97	1.62

D.3 Phase 1 findings and implications

D.3.1 Win rate floor: La Source structural dominance

The win rate was flat from s0 to s1 (0.783 in both cases). This was not a sign of robustness. The dominant overtaking zone at La Source (difficulty 0.2) produced an 87–90% success rate in all

three levels with 100% attempt rate. Adding a noise standard deviation of 0.02 to a near-certain probability event is insufficient to flip race outcomes at La Source. The s1 noise level fell below the La Source erosion threshold, making the s0-to-s1 comparison uninformative about true policy robustness.

The tactically informative metric was the win rate from position-two starts. Stripping out the structural position-one advantage, the agent won approximately 57% of P2-start races at both s0 and s1, falling to 50% at s2. This 7 percentage point reduction at s2 was the genuine sensitivity signal.

D.3.2 AGGRESSIVE flip as a DQN overestimation indicator

The risk level distribution reversed completely between s0 and s1. At s0 the agent used CONSERVATIVE in 53% of attempts. At s1 and s2 it used AGGRESSIVE in 52–51% of attempts. This reversal persisted across stochasticity levels once noise was introduced.

The root cause was Q-value overestimation under high-variance rewards. Vanilla DQN uses a max operator in the Bellman update, which preferentially propagates optimistic samples. Under noisy outcomes, AGGRESSIVE occasionally produced high-reward events. These upward noise samples inflated Q-values for AGGRESSIVE in training, biasing the policy toward the highest-penalty failure strategy at evaluation. The consequence appeared directly in the tactical component, which worsened from -11.0 at s0 to -27.5 at s2, a $2.5\times$ increase despite fewer total decisions.

This overestimation pattern under noise is the documented failure mode that motivated Double DQN and is empirically visible here. It provides direct motivation for the Phase 2 algorithm comparison.

D.3.3 Zone discrimination collapse at s2

At s0 the agent applied a partial HOLD policy at Les Combes (87% attempt rate). At s1 this discrimination strengthened to 73% attempt rate, and the Raidillon HOLD rate improved to 90%. At s2 both zones reverted to 100% attempt rate. The learned discrimination did not persist beyond moderate noise. This indicated that the Q-value signal was too weak at 200 training episodes to maintain zone-specific HOLD behaviour when outcome variance exceeded the signal from the penalty gradient.

D.3.4 Seed variance as a robustness indicator

Seed variance was stable at 0.0033 across s0 and s1, then tripled to 0.010 at s2. This was the first measurable instability signal and the entry point for the RQ1 robustness analysis. Policy sensitivity to training seed increased at s2, confirming that higher noise was beginning to disrupt convergence reliability even within the 200-episode budget.

D.3.5 Phase 1 gate summary

Table D.6: Phase 1 gate G1 checklist

Criterion	Outcome
At least one of three s0 seeds shows win rate above 0.50	Met (all three)
All CI95 lower bounds above 0.50 at s0	Met (lowest: 0.659)
Fairness violations equal zero (start position imbalance)	Met (ratio 0.0)
s1 and s2 show interpretable degradation direction	Met (see note)

The degradation direction was interpretable but structurally attenuated. The headline win rate was flat at s1 due to La Source dominance, and only the s2 comparison showed a reduction. The behavioural degradation signal (AGGRESSIVE flip, zone discrimination collapse, rising tactical penalty, increased seed variance) was present and mechanistically consistent across s1 and s2. Gate G1 was cleared and Phase 2 proceeded with this understanding recorded.

D.4 Phase 10: Mean-field difference reward derivation

The Phase 10 cooperative formulation uses a mean-field approximation to difference rewards. Each agent's reward is its own position delta plus a deviation term measuring how much it outperformed the team average on that step.

$$R_{\text{diff},i} = \Delta_i + (\Delta_i - \bar{\Delta}_{\text{team}})$$

where Δ_i is the position delta for agent i and $\bar{\Delta}_{\text{team}}$ is the mean position delta across the N DQN agents on the team. Expanding the expression gives

$$R_{\text{diff},i} = 2\Delta_i - \frac{1}{N}\sum_{j=1}^{N}\Delta_j = \frac{2N-1}{N}\Delta_i - \frac{1}{N}\sum_{j\neq i}\Delta_j$$

which makes the structural properties used in the Chapter 4 analysis visible. The coefficient on Δ_i is $(2N-1)/N$, amplified relative to identity, and the coefficient on each teammate's Δ_j is $-1/N$, which is negative. This is the formulation analysed in Section 4.5.

Appendix E

DQN variant formulations and training specifics

This appendix gives the formal equations for each DQN variant, the network and replay specifications, the exploration and optimisation hyperparameters, and the protocol by which those hyperparameters were selected. The conceptual descriptions in Section 3.2.1 summarise what each formulation does. This appendix gives the corresponding equations for readers who want the formal definitions alongside.

E.1 Variant TD targets

Every variant trains its Q-network by adjusting its predictions toward a target value y. The target is derived from the observed reward plus a discounted estimate of future value. The target is what differs between variants, and each variant's choice of target corresponds to the mechanism described in the main text.

Vanilla DQN. The vanilla TD target takes the maximum Q-value over next-state actions under the target network,

$$y = r + \gamma \max_{a'} Q_{\text{target}}(s', a')$$

where r is the reward received after the action, γ is the discount factor controlling how much future rewards are weighted relative to immediate ones, s' is the next state, and a' is the action taken there (Mnih et al., 2015).

Double DQN. Double DQN splits action selection from action evaluation, using the online network to pick the action and the target network to grade it,

$$y = r + \gamma Q_{\text{target}}\left(s', \arg\max_{a'} Q_{\text{online}}(s', a')\right)$$

This prevents noise in the online network from feeding back into inflated target values (van Hasselt et al., 2016).

Dueling DQN. The dueling architecture reconstructs the Q-value from a state-value stream $V(s)$ and an action-advantage stream $A(s, a)$,

$$Q(s, a) = V(s) + \left(A(s, a) - \frac{1}{|\mathcal{A}|} \sum_{a'} A(s, a')\right)$$

Subtracting the mean advantage ensures V and A are uniquely identified from their sum (Wang et al., 2016).

Rainbow-lite. Rainbow-lite combines double targeting, the dueling architecture, and two fur-

ther mechanisms. Multi-step returns use three consecutive rewards before bootstrapping,

$$y = r_t + \gamma r_{t+1} + \gamma^2 r_{t+2} + \gamma^3 \max_{a'} Q_{\text{target}}(s_{t+3}, a')$$

which propagates reward signal faster than single-step targets (Hessel et al., 2018). Prioritised experience replay samples transitions with probability proportional to $|TD_{\text{error}}|^{\alpha_{\text{PER}}}$, where $|TD_{\text{error}}|$ is the magnitude of the temporal-difference prediction error and the priority exponent $\alpha_{\text{PER}} = 0.6$ (distinct from the reward-sharing α used elsewhere in the report). Importance-sampling weights are annealed from $\beta = 0.4$ to 1.0 over 100,000 steps to correct the introduced bias (Schaul et al., 2016).

E.2 Network and replay specifications

All variants use a two-hidden-layer feedforward neural network with rectified linear unit (ReLU) activations and a hidden layer width of 512 units. Vanilla, Double, and Dueling variants use a uniform circular replay buffer of capacity 150,000 transitions, with samples drawn uniformly at random. Rainbow-lite uses the same buffer capacity with prioritised sampling as described above. The target network is a periodically refreshed copy of the online network, synchronised by hard copy every 1,000 gradient steps.

E.3 Exploration and optimisation schedule

Epsilon starts at 1.0 (fully random action selection) and decays multiplicatively by a factor of 0.995 per episode toward a minimum floor. At the 500-episode Phase 2 budget this leaves $\epsilon \approx 0.08$, so the agent selects a random action roughly 8 per cent of the time at the end of training and exploits its learned policy the rest of the time. The Adam optimiser is used with a learning rate of 7×10^{-4}, and batch size is 64 throughout.

E.4 Hyperparameter tuning protocol

The shared hyperparameters were determined using Autoresearch (Karpathy, 2024), a tuning tool that iteratively proposes and evaluates single-parameter changes against a scored objective. Thirty iterations were run, each scored across three seeds with fifty training runs per seed, before the configuration was committed. Tuning ran against the Phase 2 single-agent contract, so the hyperparameters reflect single-agent stability rather than multi-agent dynamics. This keeps the DQN-variant comparisons fair within Phase 2 and avoids tuning bias that could favour any particular variant in later phases.

Appendix F

DQN Training Loop

The figure below shows the training loop shared across all four DQN-family variants. Each episode the agent selects an action via epsilon-greedy policy, stores the transition in the replay buffer, samples a minibatch, computes the TD target, and updates network weights. The variant-specific logic is confined entirely to the TD target computation step. All other steps are identical across vanilla, double, dueling, and rainbow-lite.



Figure F.1: DQN training loop shared across all four variants. Variant-specific logic is confined to the TD target computation step.

Appendix G

System Class Diagram

G.1 Per-module responsibilities

The simulator is structured as a set of well-separated Python modules, each with a single responsibility. The entry point for a single train-then-evaluate trial resolves the active complexity profile from configuration and passes it to the simulator engine. A companion orchestration script sequences calls across the full algorithm comparison matrix.

The simulator engine owns the tick-by-tick race loop, maintaining race state that tracks all driver positions, lap counts, and time gaps at each simulation step. At each overtaking zone decision point, the engine constructs the observation vector for the approaching driver and queries the driver's agent for an action. The overtake resolution outcome is sampled from the probability function described in Section 2.1.1 and logged to telemetry. At the end of each episode the engine computes terminal reward components and triggers epsilon decay for each DQN-type driver.

All agents implement a common interface providing an action-selection method that the simulator calls uniformly. This abstraction means the simulator does not need to distinguish between algorithm variants at the engine level. It receives a structured action containing a risk level and an overtake attempt flag regardless of which variant is active.

A real-time visualisation mode renders the circuit with agent positions, lap count, and time gap annotations, used during development to verify zone sequencing and reward log consistency. Figure B.4 shows a representative frame. The mode is disabled for benchmark runs.

G.2 UML class diagram

The figure below shows the full UML class diagram for the simulator core. All DQN-family agent types inherit from the abstract `BaseAgent` interface. `RaceSimulator` owns runtime state through `RaceState` and delegates observation construction to `DriverFeedback`. The `DQNAgent` class is parameterised via `dqn_params.algo` in `config.json`, selecting the active variant without changing any interface contract.



Figure G.1: UML class diagram of the F1 simulator core.

Appendix H

Simulator specification details

This appendix gives the full specifications of simulator elements summarised in Chapters 2 and 3.

H.1 Stochasticity levels

The three stochasticity levels differ only in the standard deviation σ of the Gaussian noise term ϵ applied to the overtake success probability (Section 2.1.1). All other scaling factors in the probability function are held constant across levels.

- **s0:** $\sigma = 0$. The success probability is fixed for a given state, though outcomes still resolve through Bernoulli sampling. This is the primary comparison track.
- **s1:** $\sigma = 0.02$. Introduces modest outcome variance while preserving zone difficulty ordering.
- **s2:** $\sigma = 0.05$. Sufficient to flip borderline outcomes while still preserving zone ordering in expectation.

H.1.1 Design parameter choices

Several numerical values in the simulator specification (risk adjustments, failure penalties, reward weights, clipping bounds, stochasticity sigmas, gap modifier scaling, episode budgets, lap counts) are calibration choices made during early development. What is load-bearing for the methodology is the structural relationships between them, not the magnitudes. The risk-adjustment ordering, the failure-penalty inverse ordering, the reward weight hierarchy, and the stochasticity (s0/s1/s2) variance progression must all hold for the methodology to work. Specific values could differ without changing the conclusions. The structural design choices themselves (the zero-sum to non-zero-sum game structure switch, the agent-count progression, the α sweep across $[0, 1]$, the curriculum warm-up then ramp then hold, and the Phase 10 mean-field approximation) are described in their respective phase subsections.

H.2 Base Agent specification

The Base Agent is a gap-aware heuristic policy used as the fixed non-learning comparator. Its decision logic is as follows.

At each simulation step the agent only considers overtaking when (a) a car ahead is within 100 m and (b) an overtaking zone is imminent. If either condition fails, the agent holds position.

Within the decision window the agent identifies the upcoming overtaking zone, reads its difficulty and the gap to the car ahead, and constructs a soft preference distribution over the three risk levels. Easier zones and closer gaps increase the weight on AGGRESSIVE. Harder zones and larger gaps increase the weight on CONSERVATIVE. A risk level is sampled from this distribution, and an overtake attempt is then made with a probability that depends on the sampled risk level and the gap. The agent's policy is deterministic in its structure but stochastic in its sampling, and does not update across episodes.

H.3 Run reproducibility through telemetry

Every run writes its executed configuration into the output metrics file. The embedded snapshot contains the active `config.json` state, the training and evaluation budgets, the seed assignments for training and evaluation runs, and the complexity and stochasticity profile. Downstream analysis reads algorithm, hyperparameter, and scenario fields from the telemetry output rather than from the config file on disk, so any mismatch between what was intended to run and what actually ran shows up during analysis rather than silently. Any experiment can be reproduced from the telemetry record alone without recovering the repository state at the time the run was performed.

Appendix I

Benchmark infrastructure specification

This appendix expands the benchmark infrastructure summary in Chapter 3.

I.1 Single-trial runner

The single-trial runner executes one train-then-evaluate trial for a given algorithm variant. It accepts arguments for the training budget, evaluation budget, training seed, evaluation seeds, complexity profile, stochasticity level, and output path. The script first runs training episodes with the agent in exploration mode, then freezes the policy and runs evaluation episodes with exploration disabled. At the end of the run it writes a structured metrics file containing the win rate, objective score, fairness diagnostics, and full behavioural diagnostics including the per-zone attempt and success breakdown and risk distribution.

I.2 Benchmark matrix orchestrator

The benchmark orchestrator sequences single-trial runs across the full comparison matrix, which contains every combination of algorithm, seed, and stochasticity level. Each combination runs as an independent trial. The orchestrator checks fairness against a declared contract specifying the training and evaluation budgets, seed sets, complexity profile, and stochasticity level that all algorithms must share. If any violation is detected, the orchestrator aborts. On completion it writes per-algorithm statistics with 95% CIs and a summary table for rapid inspection.

A companion aggregation script collects the per-seed metrics files produced by Phase 2 and computes means, standard deviations, and 95% CIs across seeds. The Phase 2 algorithm comparison in Chapter 4 is derived from this script, while later phases use the MARL evaluation runner described in Section 2.2.

I.3 Telemetry schema

Every race produces a JSON Lines (JSONL) entry containing the full per-driver result. Each entry includes the driver name, final race position, total reward, per-component reward totals, stochasticity level, complexity profile, and a `decision_events` array. Each decision event records the zone identifier, lap number, action label, attempt flag, success flag, success probability, reward received, individual reward component values, and a `reward_component_sum_error` field that verifies the arithmetic consistency of the reward decomposition. The telemetry schema is validated in Phase 0 Group C tests (Appendix D).

I.4 Hardware and runtime environment

All experiments were executed on a single desktop workstation. The full specification is given below.

CPU	AMD Ryzen 5 2600 (6 cores, 12 threads, 3.4 GHz base)
GPU	NVIDIA GeForce RTX 2060 (6 GB GDDR6)
Memory	32 GB DDR4-3200 (G.Skill Trident Z)
Motherboard	ASUS ROG Strix B450-F

Appendix J

Phase 3 crossplay bias arithmetic

This appendix gives the detailed arithmetic behind the crossplay bias correction summarised in Chapter 4.

A crossplay protocol ran for rainbow-lite at s2 across three seeds, using the self-play and swapped conditions described in Chapter 3. The self-play condition revealed an 11 percentage point structural bias against the A1 evaluation slot, meaning identical policies evaluated in A1 won about 0.445 of races against their copies in A2 rather than the expected 0.500.

Two diagnostic follow-up seeds (404 and 505) were added to the original three to test whether the observed A1 deficit across rainbow-lite seeds reflected systematic policy asymmetry or an evaluation artefact. Seed 505 produced an A1 win rate of 0.560 at s2, breaking the apparent ceiling established by the original three seeds and indicating that the A2 edge was not a property of the trained policies themselves.

Applying the 11 percentage point bias correction to raw A1 win rates places four of five rainbow-lite seeds at or above parity. Only seed 101 retains a genuine A2 edge after correction. The apparent A2 dominance at s2 therefore largely dissolves under correction, supporting the evaluation-bias interpretation as opposed to a systematic policy effect. Collapse classification is unaffected by this correction because collapse is determined by attempt rates and reward trajectories rather than by the win-rate comparison between slots.

Appendix K

Phase 4 secondary patterns

This appendix expands the two secondary patterns summarised in Chapter 4's Phase 4 discussion.

K.1 Non-monotonic zone convention formation

Non-degenerate zone differentiation across the Phase 4 α sweep peaks at $\alpha = 0.25$ and declines thereafter. Partial alignment initially promotes differentiation as agents coordinate on complementary zones, with each agent specialising in a subset of zones rather than both contesting the same high-value locations. As alignment strengthens past this peak, the convention erases. Both agents converge to a risk-averse policy under shared cooperative reward, which flattens zone differentiation back toward zero even before collapse sets in. Convention formation and threshold stability therefore sit at different α values. The zone-convention peak at $\alpha = 0.25$ is well below the collapse threshold between $\alpha = 0.5$ and $\alpha = 0.75$.

K.2 Stochasticity role inversion

Stochasticity plays different roles on either side of the collapse threshold. At $\alpha \leq 0.5$ noise is stabilising, breaking potential lock-in patterns before they consolidate. Agents that might otherwise settle into a premature equilibrium are jolted into further exploration by outcome variance. At $\alpha \geq 0.75$ the same noise accelerates collapse, because once the cooperative reward term dominates, any early failed attempt under high noise reinforces the passive equilibrium faster than under deterministic outcomes.

Noise also weakens zone conventions themselves. The $\alpha = 0.25$ zone differentiation peak attenuates sharply under increasing stochasticity, with the clearest conventions visible at s0 and the weakest at s2. This pattern reinforces the main-text finding that low-α competitive conventions emerge through precise best-response dynamics, which noise disrupts, while high-α passive equilibria are reached through reward-gradient dominance, which noise reinforces.

Appendix L

MARL and phase extensions

This appendix gives the full specification of codebase extensions made for Phases 3 to 10, summarised in Section 3.3.2.

L.1 Phase 3: Concurrent learners

Phase 3 required the codebase to support two concurrent DQN learners. The complexity profile layer was extended with a two-DQN competitor selector that initialises both agents from the same hyperparameter block, each with separate replay buffers, network parameters, and epsilon schedules. The simulator engine required no changes, as it already triggers a training step on every DQN-type driver at the end of each episode.

L.2 Phases 4 to 10: Reward, team, curriculum, and agent extensions

Phases 4 to 10 were controlled through configuration with no changes to agent learning code. The reward calculation was extended with an α blending step, where setting α to zero reproduces the original reward contract exactly. A team-grouping selector was added to assign agents to named teams for α mixing. A curriculum scheduler was implemented as a thin wrapper around the training loop, reading the target α and episode boundaries from config and hooking into the existing episode-end callback. A difference reward mode computes the mean-field approximation described in Section 2.2.13. The LLM agent implements the same common interface as all other agents, with its prompt programmatically constructed from simulator state and track configuration around a fixed hand-authored system template (Section 2.2.12). The agent queries Claude Haiku, a language model API provided by Anthropic, once per lap and outputs a structured zone plan. On parse failure it retains the previous lap's plan or installs a default plan, which still allows attempts at easy zones.

Appendix M

Engineering log

This appendix presents the full Git commit graph for the project repository, generated with `git log -graph -oneline -all`. The history shows the phase-numbered feature branches that correspond to the sprint structure in Section 2.3, alongside the supporting infrastructure work (simulator construction, DQN substrate tuning, autoresearch hyperparameter exploration) that preceded the formal phase numbering.

```
*   390cc2b (HEAD -> main, origin/main, origin/HEAD) Merge pull request #1 from Brandnewson/develop
|\
| *   6f9a0ca (origin/develop) Merge branch 'develop' of https://github.com/Brandnewson/F1_StrategySi
| |\
| |/
|/|
* | 63f6ce8 (develop, claude/blissful-cray-533300) implemented batch and real-time simulator logic, w
| * 7a8d089 (origin/report-refinement, report-refinement) minor file change cleanups
| * 66b2196 final adjustments for readability
| * b1a9c07 updates and final revisions
| * deeaaed simplification and condensation of words
| * 728fa07 final final changes before condensation pass
| * 59748fa small rewords in chapter 1-3 before chapter 4 rewrite
| * e2ff321 Stop tracking model checkpoints
| * a6565ff update report chapter 3
| * 28547fd updated readME and reproducibility scripts
| * 705edce report chapter 2 final and chapter 3 draft rewrite
| * a349ccf old draft of chapter 2 bits
| * 28acd79 changes to the chapter 1 framing tbc
| * 248e583 config edits to be in line with report template
| * 7bedb06 First proper draft to let Brandon review
| * 3b52bc8 Add scripts to generate figures for Phase 3 to Phase 7 metrics
| * 9449b42 Refactor code structure for improved readability and maintainability
| * 49abaeb (origin/phase-10-qmix-ctde) edited report for phase 10 and revised entire report
| * 678edc1 fix: Task 9 style pass Çö remove prose colons, semi-colons, em-dashes and flagged violati
| * 99ae46c feat: rewrite Appendix A self-appraisal and Appendix B external materials
| * 936f3b3 feat: Chapter 4 sections 4.4-4.7 Çö RQ3, discussion, validity, future work
| * 54ccbeb fix: remove filler opener in Section 4.3 Phase 7 paragraph
| * a7f6435 fix: remove prose colons and split compound sentence in Section 4.3
| * 1b6227f feat: Chapter 4 Section 4.3 Çö RQ2 results covering Phases 4-8
| * c9a5f8d feat: Chapter 4 sections 4.1 and 4.2 Çö preliminary validation and RQ1
| * 6dd5b0f fix: remove colon and semi-colons from Chapter 3 Phase 0 defects sentence
| * d6a5cfa feat: fix Chapter 3 placeholder, tighten Phase 0 reference, add Section 3.8 for Phase 4-1
| * 9950636 fix: split compound sentences in Chapter 2 Section 2.7 multi-team scaling
| * ab5d411 feat: add Section 2.7 MARL reward modes covering Phases 4-10 methodology
```

```
| * 8869909 fix: remove mid-sentence colon from Chapter 1 contributions paragraph
| * 95a2fa7 feat: update Chapter 1 contributions, objectives, and hypotheses for full 10-phase scope
| * d737b29 fix: Leeds Harvard bib style and rewrite abstract for full 10-phase scope
| * e2dd4d3 docs: Add implementation plan for full dissertation rewrite
| * 62bf80a docs: Add prose style rules to report rewrite spec
| * c1ed7c4 docs: Add report rewrite design spec for full 10-phase dissertation
| * 489a78c (origin/phase-9-LLM-racer) feat: Add LLM-based strategic agent and tuning harness
| * 40cf51b (origin/phase-8-sweeping-alphas-training) Update model weights and add full research jour
| * ec9eb3e (origin/phase-7-credit-assignment-boundary) phase 7 omplete
| * 4b4b3d2 (origin/phase-6-MARK-intrateam-dynamics, phase-6-MARK-intrateam-dynamics) phase 6 complet
| * 34e822b recorded known overtaking zone limitation at zones 6-9 due to nature of circuit.
| * d39b0d0 (origin/phase-5-MARL-stronger-experiment) phase 5 integrity checks and ablation tests
| * 3068c1d phase 5 MARL research completed
| * 3a1df91 (origin/phase-4-reward-sharing) phase 4 initial experiment
| * e612c1b (origin/phase-3-IMARL) Completed phase 3 investigation with double and dueling
| * dd47089 phase 3 IMARL RQ1 and RQ2
| * 01c5a7f (origin/refinement-thesis, refinement-thesis) attempting to benchmark different DQNs
| * 3609a9d phase 0 and 1 done
| * 9c5b209 refine research to MARL, using DQN
| * 3709322 added a "low" level complexity redo for the sim
| * 7f9b37a refined chapter 1 introduction, and ensured overtaking visualisation is correct
| * 016de6b (origin/simplicity-experiment) Adjust graph to correctly reflect overtakes instead of abs
| * 08166c2 Attempt 1: Slower epsilon decay allows the agent to maintain higher exp
| * 0a8a39f (origin/dev/bt/refactor-simplicity) simplified simulator
| * 756b777 (origin/dqn-experiment) dueling DQN working
| *   3c390ae Merge branch 'dqn-experiment' of https://github.com/Brandnewson/F1_StrategySimulator in
| |\
| | * b320d75 Attempt 1: Slower epsilon decay allows the agent to explore longer duri
| * | dda182c Attempt 28: Current best score (0.716667) was achieved with learning_rat
| * | c247f49 Attempt 12: Increasing buffer capacity will allow the agent to retain mo
| * | 9d972c4 Attempt 8: Increasing network capacity from 256 to 512 hidden units wil
| * | 78f780c Attempt 7: Even slower epsilon decay will allow the agent to maintain e
| * | 6672323 Attempt 6: Current learning rate may be too conservative for convergenc
| |/
| * 9178532 (origin/dev/bt/include-other-DQNs) added DQNs and updated readME
| * bd5551e (origin/autoresearch/0317) Verified a DQN that actually equals to base agent.
| * 703d777 Attempt 26: Increasing target network update frequency will reduce Q-val
| * 95c64f8 Attempt 21: Lower epsilon_min will force more aggressive exploitation in
| * aa2ee3d Attempt 20: Larger replay buffer will capture more diverse racing scenar
| * 2e31067 Attempt 10: Increasing epsilon_min from 0.02 to 0.05 will maintain more
| * b2e55c3 Attempt 6: Larger replay buffer capacity allows the agent to retain mor
| * 88489ab Attempt 2: Increasing hidden layer capacity allows the DQN to learn mor
| * 7e13ed1 Attempt 1: Slower epsilon decay allows the agent to explore more thorou
| * d106d4e Attempt 1: Slower epsilon decay will maintain exploration longer during
| * 7f4f11c Attempt 1: Slower epsilon decay allows the agent to explore more thorou
| * 248765c test research on just 1 base agent, vs DQN agent
| * 7d63d7a (origin/dev/bt/DQN-shaping, origin/autoresearch/0314) Attempt 29: Lowering epsilon_min fr
| * 3cea6ee Attempt 21: Increasing replay buffer capacity allows the agent to retain
```

```
| * 4d50cf2 Attempt 16: Increasing epsilon_min from 0.01 to 0.05 maintains more expl
| * 8277f19 Attempt 13: Lower learning rate will allow more stable convergence and p
| * 18a778a Attempt 10: Less frequent target network updates (every 200 steps instea
| * 96d2e7f Attempt 9: Increasing replay buffer capacity allows the agent to retain
| * dbe0604 Attempt 7: Lower epsilon_min increases exploitation in later training s
| * 4cc7c68 Attempt 2: Current learning rate is too low, slowing convergence. Incre
| * 98abc74 added .env for api key
| * b8eb23c Attempt 3: Reducing learning rate further will prevent overwriting lear
| * ad46ff2 Attempt 1: Slower epsilon decay will keep the agent exploring longer du
| * 2a6e0eb Attempt 3: The current decay of 0.99 causes epsilon to drop too quickly
| * 029d020 Attempt 2: A lower learning rate will allow more stable gradient update
| * 676aab0 Attempt 1: Slower epsilon decay keeps exploration higher for longer, al
| * 5735b6a modified autoresearch prompts to benefit my specific use-cases
| * c4f047b (origin/autoresearch/0313) Attempt 17: Reduce learning rate from 0.01 to 0.005 to stabili
| * d6c3bcf Attempt 1: Increase learning rate from 5e-3 to 1e-2 to accelerate conve
| * 343b228 Attempt 2: Reduce learning rate from 1e-2 to 5e-3 to stabilize Q-networ
| * 8c2d91d remove the 600 second timeout
| * 51c296e Attempt 1: Double the learning rate from 5e-3 to 1e-2 to accelerate Q-v
| * c6a4708 Attempt 3: Reduce learning rate from 0.01 to 0.005 to stabilize Q-value
| * a395077 Attempt 2: Double the learning rate to 0.01 to accelerate convergence d
| * a800401 Attempt 2: Increase learning rate from 1e-3 to 5e-3 to allow faster Q-v
| * 7368f63 Attempt 2: Complete the incomplete initialization block to properly sto
| * 0a62e22 (origin/add_agentic_training) Attempt 1: Faster epsilon decay (0.995 vs 0.9993) accelerat
| * fc4e5de Attempt at getting autoresearcher to work
| * 2ac0fdb Add autoresearch submodule
| * 704dab8 Add autoresearch as git submodule in tools/
| * d942de4 prepping the evaluation of candidate script for autoresearch
| * 02dfcec add helper script for autoresearch to reference
| * 69486d6 (origin/implementAI, implementAI) run against 2 random agents and measure DQN effectivene
| * 6849475 Overhauled logging logic. When runs are 0, it visualises instead.
| * 15efbe3 Optimised epsilon and feedback for DQN training
| * ffed324 added starting position and results graph but requires more race state monitoring for per
| * 2664607 added DQN agent, but it is ineffective
|/
* 14fea41 let drivers behind still finish their races despite winner having crossed the line
* c77274a got batch runs to work with proper initialisation upon each run
*   37a6755 Merge branch 'grabHistoricalF1Metrics' into implementAI
|\
| * df6694b (origin/grabHistoricalF1Metrics, grabHistoricalF1Metrics) added fastF1 library, and creat
* | b2fd1bf edit la source difficulty
* | 8caddab added colour mapping to driver
|/
* fee4d6e (origin/addSimulatorLogic) refactor to prevent simulator.py from being too bloated
* 685f7fe made speeds be smoothed using a cubic spline based on distance and base lap time instead
* 637227e implemented slight tweak to make gaps be a function of distance and time, and added corner
* 6b0cfee implemented distance penalty for overtake attempt
* 23f1788 2nd iteration for simulator logic
* cdd3c37 (origin/refactorAlpha) added debug mode
```

```
* a3b996c first demo workout of the new overtaking logic
* 48376ff added race state and driver state init
* b2e8922 created spa track with miniloops for new logic
* 9380629 (origin/implementAlgo) remove redundant text
* 36fc592 update naming and readME
* c1ff91d upload MVP
* 48991cd Initial commit
```

Appendix N

Use of generative AI tools

I acknowledge the use of Claude (Anthropic, `https://claude.ai`), specifically the Sonnet 4.6 and Opus 4.7 models, as a writing assistant during the preparation of this report. The tool was used in line with the AMBER category of the University of Leeds Generative AI guidance, in the assistive role of drafting and structuring content, identifying unclear or overlong sentences, and providing alternative phrasings for the author to evaluate. All drafted content was reviewed, edited, and integrated by the author, and the intellectual content of the report (research questions, methodology design, results interpretation, and conclusions) is the author's own work.

I additionally acknowledge the use of the autoresearch framework (Karpathy, 2024), an open-source tool that uses Claude to propose and evaluate hyperparameter configurations, as a development-time experimental tool during Phase 2 of the project. The tool was used to support iterative testing of DQN hyperparameters, with proposed configurations treated as experimental candidates to evaluate rather than as final design decisions. The resulting tuning attempts are recorded in the commit history (Appendix M). The author analysed the experimental outputs and selected the final substrate configuration.

The Phase 9 LLM baseline described in Section 2.2.12 uses a large language model as a research subject within the experimental programme rather than as a development tool, and is not covered by this acknowledgement.