

README

Written by Zhouzitao

Table of Contents

1. [Overview](#)
2. [Prerequisites](#)
3. [Quick Start](#)
4. [Project Layout](#)
5. [Front-End Walk-Through](#)
6. [Parameter Reference](#)
7. [Typical Workflow](#)
8. [Database \(.db\) Handling](#)
9. [FAQ](#)

Overview

An Optimal Sample-Selection System is a lightweight tool for generating optimal sample groupings.

Backend: Flask (server.py) calls main.multi_round_greedy()

Frontend: single- page HTML/CSS/JS GUI

Persistence: save results as .db files; list / view / delete anytime

Prerequisites

Tool	Version	Notes
Python	≥ 3.8	required
pip	latest	package installer
Flask	≥ 2.3	pip install flask flask-cors
Browser modern	Edge / Chrome / Firefox	

Quick Start

```
git clone <repo-url>
cd <repo>
pip install flask flask-cors
python server.py      # runs on http://127.0.0.1:8000
```

Open the URL above in your browser and you're ready.

Project Layout

```
project/
├─ server.py      # Flask backend
├─ main.py        # core algorithm (not shown here)
├─ static/
│   └─ index.html # single- page frontend
└─ db/           # auto- created storage for .db files
```

Front- End Walk- Through

#	UI Element	Purpose
1	m	total pool size
2	n	number of samples to pick
3	Mode	Random n or Selected n
4	Selected IDs	enabled only in <i>Selected n</i> mode
5	k / j / s	algorithm parameters
6	min_s_covered	min coverage per sample
7	max_trials	outer loop cap
8	sample_per_round	samples per greedy round
9	Run	start algorithm (shows progress bar)
10	Store (.db)	persist result to db/
11	Go to DB	switch to DB page
12	Clear	reset to defaults
13	Result	shows Selected list and Gxx groups
14	DB Page	list/display/delete/print .db files

Parameter Reference

Name	Type	Default	Description
m	int	45	size of full sample pool
n	int	10	number of samples to choose
Mode	radio	Random	selection mode
selected	list[int]	–	explicit IDs in <i>Selected</i> mode
k	int	6	items per group
j	int	4	overlap constraint
s	int	4	target co- occurrence
min_s_covered	int	1	min coverage per item
max_trials	int	50	outer loop iterations
sample_per_round	int	200	candidates per round

Tooltips (?) provide English hints.

Typical Workflow

1. Fill **m, n, k, ...**
 2. Choose **Selected n** and enter IDs **(if needed)**
 3. Click **Run** – watch the blue progress bar
 4. If satisfied, click **Store (.db)**
 5. Switch to **DB Page** → *Display* or *Delete* files or print **(if needed)**
-

Database (.db) Handling

Files live in db/ with pattern m-n-k-j-s-idx-groups.db

Copy files to other systems for further analysis if you like

FAQ

Question	Fix
Run button seems dead	1) backend not running 2) bad parameters (check browser console)
CORS errors	open via 127.0.0.1:8000, not file://
Cannot write .db	ensure db/ exists and is writable
