

Making a case

Enter a case number

Create case

* Title

Attacking Kerberos

* Date

09/04/2026 10:01

Severity

LOW

MEDIUM

HIGH

CRITICAL

TLP

TLP:CLEAR

TLP:GREEN

TLP:AMBER

TLP:AMBER+STRICT

TLP:RED

PAP

PAP:CLEAR

PAP:GREEN

PAP:AMBER

PAP:RED

Tags

Lateral Movement

* Description

Preview

This attack focused on exploiting Kerberos the default authentication protocol used in Windows domains, to gain control over the network. The attacker used tools like kerbrute and Rubeus to enumerate valid accounts and request authentication tickets which were then cracked offline using Hashcat. Mimikatz was also used to extract credentials and further escalate privileges within the domain. By abusing Kerberos weaknesses, the attacker was able to move laterally and access additional systems.

Tasks

Custom fields

Pages

Add a task

Cancel

Confirm

Observation about the case

Enter a case number

Adding an Observable

Tasks (0)

Observables (0)

TTPs (0)

Attachments (0)

Export list

No observables found

Type

ip

Value

Attacker IP - 10.66.117.194 and Target IP - 10.66.190.63

TLP

TLP: CLEARTLP: GREENTLP: AMBERTLP: AMBER+STRICTTLP: RED

PAP

PAP: CLEARPAP: GREENPAP: AMBERPAP: RED

Is IOC

Has been sighted

Ignore similarity

Tags

Attacks

Description

The objective was to compromise domain credentials and gain control of the network through privilege escalation.

Cancel

Save and add another

Confirm

Cases that are in progress

	In progress Started an hour ago	H #8 - Post Exploitation Basics Lateral Movement None
	In progress Started an hour ago	H #7 - Credential Harvesting Phishing and Credentials None
	In progress Started 2 hours ago	H #6 - Passwords - A Cracking Christmas + Ransomware Phishing and Credentials None
	In progress Started 2 hours ago	M #5 - Phishing - Merry Clickmas Phishing None

Managing Cases

