

Sample Case

Enter a case number

Create case

* Title

Attacking Kerberos

* Date

09/04/2026 10:01

Severity

LOW

MEDIUM

HIGH

CRITICAL

TLP

TLP: CLEAR

TLP: GREEN

TLP: AMBER

TLP: AMBER+STRICT

TLP: RED

PAP

PAP: CLEAR

PAP: GREEN

PAP: AMBER

PAP: RED

Tags

Lateral Movement

* Description

¶ B I U ↵ ↶ ↷ ↸ ↹ ↺ ↻ ↻ ↻ ↻ ↻ ↻ ↻ ↻ ↻ ↻

Preview ?

This attack focused on exploiting Kerberos the default authentication protocol used in Windows domains, to gain control over the network. The attacker used tools like Kerbrute and Rubeus to enumerate valid accounts and request authentication tickets which were then cracked offline using Hashcat. Mimikatz was also used to extract credentials and further escalate privileges within the domain. By abusing Kerberos weaknesses, the attacker was able to move laterally and access additional systems.

Tasks

Custom fields

Pages

Add a task

Cancel

Confirm

Observation

Enter a case number

Tasks (0)Observables (0)TTPs (0)Attachments (0)

Export list

Adding an Observable

Type

ip

Value

Attacker IP - 10.66.117.194 and Target IP - 10.66.190.63

TLP

TLP: CLEAR

TLP: GREEN

TLP: AMBER

TLP: AMBER-STRICT

TLP: RED

PAP

PAP: CLEAR

PAP: GREEN

PAP: AMBER

PAP: RED

Is IOC

Has been sighted

Ignore similarity

Tags

Attacks

Description

The objective was to compromise domain credentials and gain control of the network through privilege escalation.

Cancel

Save and add another

Confirm

Example of cases in progress

- In progress

Started an hour ago

H

#8 - Post Exploitation Basics

Lateral Movement

None

In progress

Started an hour ago

H

#7 - Credential Harvesting

Phishing and Credentials

None

In progress

Started 2 hours ago

H

#6 - Passwords - A Cracking Christmas + Ransomware

Phishing and Credentials

None

In progress

Started 2 hours ago

M

#5 - Phishing - Merry Clickmas

Phishing

None

