

Photoelectric information processing

Raspberry Pi car system with
traffic sign recognition and pedestrian detection function



Author: Brandon Han (ID: 3160101136)

XXXX (ID: 3160101136)

XXXX (ID: 3160101136)

Supervisor: XXXX

College of Information Science and Electronic Engineering
Zhejiang University

May 29, 2019

Abstract

[Abstract goes here (max. 1 page)]

Contents

1	Section One	1
1.1	Exemplary Table	1
1.2	Exemplary Section and Table Referencing	1
2	Section Two	2
2.1	Exemplary Figure	2
2.2	Exemplary Figure Referencing	2
3	Section X	3
3.1	Exemplary Citation	3
A	Appendix	4
	Bibliography	5

List of Figures

1 Exemplary Figure 2

List of Tables

1 Exemplary Table 1

1Section One

...

1.1Exemplary Table

...

Table 1: Exemplary Table

Id	Col 1	Col 2	Col 3	Col 4	Col 5
1	Col 1	Col 2	Col 3	Col 4	Col 5
2	Col 1	Col 2	Col 3	Col 4	Col 5
3	Col 1	Col 2	Col 3	Col 4	Col 5
4	Col 1	Col 2	Col 3	Col 4	Col 5
5	Col 1	Col 2	Col 3	Col 4	Col 5

1.2Exemplary Section and Table Referencing

See Table 1 in Section 1.1 for details.

2 Section Two

...

2.1 Exemplary Figure

...



Figure 1: Exemplary Figure

2.2 Exemplary Figure Referencing

See Figure 1 for details. Additional information can be found in the footnote ¹.

¹Image taken from [https://en.wikipedia.org/wiki/File:Siegel_Uni-Koeln_\(Grau\).svg](https://en.wikipedia.org/wiki/File:Siegel_Uni-Koeln_(Grau).svg).

3 Section X

3.1 Exemplary Citation

In this research we follow Wei et al. [2016]...

PowerTAC is an example of a multiagent competitive gaming platform Wei et al. [2016].

```
import tensorflow as tf
print('hh')
```


A Appendix

...

Bibliography

Shih-En Wei, Varun Ramakrishna, Takeo Kanade, and Yaser Sheikh. Convolutional pose machines. 2016.