



XAMPP for Windows

XAMPP

1.8.1

[PHP: 5.4.7]

Welcome

Status

Security

Documentation

Components

Php

phpinfo()

CD Collection

Biorhythm

Instant Art

Phone Book

Perl

perlinfo()

Guest Book

J2ee

Info

Tomcat examples

Tools

phpMyAdmin

FileZilla FTP

Webalizer


Mail

Welcome to XAMPP for Windows!

Congratulations:

You have successfully installed XAMPP on this system

+++++ +++++ A great thank you to hackattack142



XAMPP für Windows

XAMPP

1.8.0

[PHP: 5.4.4]

Willkommen

Status

Sicherheitscheck

Dokumentation

Komponenten

PHP

phpinfo()

CD-Verwaltung

Biorhythmus

Instant Art

Telefonbuch

XAMPP-Status

Auf dieser Übersicht kann man sehen welche Dienste aktiv sind. Sofern nichts an der Konfiguration von XAMPP geändert wurde, sind alle Dienste aktiv.

Komponente		
MySQL-Datenbank		
XAMPP Control Panel v3.0.12 [Compiled: ...]		
XAMPP Control Panel		
Module	Dienst	Modul
PID(s)		
Apache		
4224		

phpMyAdmin

127.0.0.1

Databases SQL Status Users Export Import Settings Synchronize

General Settings

Server connection collation : utf8_general_ci

Appearance Settings

Language : English

Theme: pmahomme

Font size: 82%

More settings

(Recent tables) ...

- cdcol
- information_schema
- mysql
- performance_schema
- phpmyadmin
- test
- toby1
- toby2
- webauth

phpMyAdmin

127.0.0.1

Databases SQL Status Users Export Import

Databases

Create database ?

toby3 Collation Create

Database	
<input type="checkbox"/> cdcol	Check Privileges
<input type="checkbox"/> information_schema	Check Privileges
<input type="checkbox"/> mysql	Check Privileges
<input type="checkbox"/> performance_schema	Check Privileges
<input type="checkbox"/> phpmyadmin	Check Privileges
<input type="checkbox"/> test	Check Privileges
<input type="checkbox"/> toby1	Check Privileges
<input type="checkbox"/> toby2	Check Privileges
<input type="checkbox"/> webauth	Check Privileges
Total: 9	

Check All / Uncheck All With selected: Drop

Enable Statistics

phpMyAdmin

(Recent tables) ...

- cdcol
- information_schema
- mysql
- performance_schema
- phpmyadmin
- test
- toby1
- toby2
- toby3
- webauth

Databases

Create database

toby3 Collation Create

Database	
<input type="checkbox"/> cdcol	Check Privileges
<input type="checkbox"/> information_schema	Check Privileges
<input type="checkbox"/> mysql	Check Privileges
<input type="checkbox"/> performance_schema	Check Privileges
<input type="checkbox"/> phpmyadmin	Check Privileges
<input type="checkbox"/> test	Check Privileges
<input type="checkbox"/> toby1	Check Privileges
<input type="checkbox"/> toby2	Check Privileges
<input type="checkbox"/> toby3	Check Privileges

phpMyAdmin

(Recent tables) ...

toby3

No tables found in database.

Create table

Name: Number of columns:

phpMyAdmin

(Recent tables) ...

toby3

No tables found in database.

Create table

Name: toby3tab1 Number of columns: 5

(Recent tables) ...

toby3

No tables found in database.

Create table

Table name: toby3tab1 Add 1 column(s) Go

Name	Type	Length/Values	Default	Collation	Attributes	Null	Index	A.I	Comments
	INT		None			<input type="checkbox"/>	---	<input type="checkbox"/>	
	INT		None			<input type="checkbox"/>	---	<input type="checkbox"/>	
	INT		None			<input type="checkbox"/>	---	<input type="checkbox"/>	
	INT		None			<input type="checkbox"/>	---	<input type="checkbox"/>	
	INT		None			<input type="checkbox"/>	---	<input type="checkbox"/>	

Table comments:

Storage Engine: InnoDB Collation:

PARTITION definition:

Table name: toby3tab1 Add 1 column(s) Go

Name	Type	Length/Values	Default	Collation	Attributes	Null	Index	A.I	Comments
pindex	INT		None			<input type="checkbox"/>	PRIMARY	<input checked="" type="checkbox"/>	
fname	CHAR	15	As defined: zzzzzzzzzzzzzzzz			<input type="checkbox"/>	---	<input type="checkbox"/>	
lname	CHAR	20	None			<input type="checkbox"/>	---	<input type="checkbox"/>	
height	INT		As defined: 333			<input type="checkbox"/>	---	<input type="checkbox"/>	
birthday	DATE		None			<input type="checkbox"/>	---	<input type="checkbox"/>	

Table comments:

Storage Engine: InnoDB Collation:

PARTITION definition:

Save

127.0.0.1 » toby3

[Structure](#)
[SQL](#)
[Search](#)
[Query](#)
[Export](#)
[Import](#)
[Operations](#)
[Privileges](#)
[Routines](#)
[Event](#)






Table	Action	Rows	Type	Collation	Size	Overhead
toby3tab1	Browse Structure Search Insert Empty Drop	0	InnoDB	latin1_swedish_ci	16 KiB	-
1 table	Sum	0	InnoDB	latin1_swedish_ci	16 KiB	0 B

[Check All / Uncheck All](#)
With selected:

[Print view](#)
[Data Dictionary](#)

Create table

phpMyAdmin



(Recent tables) ...
toby3
toby3tab1

Create table

127.0.0.1 » toby3

Structure

SQL

Search

Query

Export

Exporting tables from "toby3" database

Export Method:

☒ Quick - display only the minimal options

☐ Custom - display all possible options

Format:
SQL

Go

```
CREATE TABLE IF NOT EXISTS `toby3tab1` (  
  `pindex` int(11) NOT NULL AUTO_INCREMENT,  
  `fname` char(15) NOT NULL DEFAULT 'zzzzzzzzzzzzzz',  
  `lname` char(20) NOT NULL,  
  `height` int(11) NOT NULL DEFAULT '333',  
  `birthday` date NOT NULL,  
  PRIMARY KEY (`pindex`)  
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=1 ;
```

```
SELECT *  
FROM `toby3tab1`  
LIMIT 0, 30
```

☐ Profiling [\[Inline\]](#) [\[Edit\]](#)

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
<input type="checkbox"/>	1	<u>pindex</u>	int(11)		No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary
<input type="checkbox"/>	2	fname	char(15) latin1_swedish_ci		No	zzzzzzzzzzzzzz		Change Drop Browse distinct values Primary
<input type="checkbox"/>	3	lname	char(20) latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary
<input type="checkbox"/>	4	height	int(11)		No	333		Change Drop Browse distinct values Primary
<input type="checkbox"/>	5	birthday	date		No	None		Change Drop Browse distinct values Primary

Check All / Uncheck All With selected: Browse Change Drop Primary Unique Index

Print view Relation view Propose table structure Track table

Add column(s) ☒ At End of Table ☐ At Beginning of Table ☐ After


[Indexes](#)

Information

Space usage		Row Statistics	
Data	16 KIB	Format	Compact
Index	0 B	Collation	latin1_swedish_ci
Total	16 KIB	Next autoindex	1
		Creation	Jan 22, 2013 at 11:01 PM


127.0.0.1 » toby3 » toby3tab1

[Browse](#)
[Structure](#)
[SQL](#)
[Search](#)
[Insert](#)
[Export](#)



Column	Type	Function	Null	Value
pindex	int(11)	<input type="text"/>		<input type="text"/>
fname	char(15)	<input type="text"/>		<input type="text" value="zzzzzzzzzzzzzzzz"/>
lname	char(20)	<input type="text"/>		<input type="text"/>
height	int(11)	<input type="text"/>		<input type="text" value="333"/>
birthday	date	<input type="text"/>		<input type="text"/> 


[Go](#)


☒ Ignore

Column	Type	Function	Null	Value
pindex	int(11)	<input type="text"/>		<input type="text"/>
fname	char(15)	<input type="text"/>		<input type="text" value="zzzzzzzzzzzzzzzz"/>
lname	char(20)	<input type="text"/>		<input type="text"/>
height	int(11)	<input type="text"/>		<input type="text" value="333"/>
birthday	date	<input type="text"/>		<input type="text"/> 

[Go](#)

 and then 


[Go](#)
[Reset](#)

Continue insertion with  rows

127.0.0.1 » toby3 » toby3tab1

Browse
Structure
SQL
Search
Insert
Export

Column	Type	Function	Null	Value
pindex	int(11)			
fname	char(15)			arthur
lname	char(20)			anderson
height	int(11)			101
birthday	date			2012-12-01

Go

☐ Ignore

Column	Type	Function	Null	Value
pindex	int(11)			
fname	char(15)			bertha
lname	char(20)			briggs
height	int(11)			102
birthday	date			2012-12-02

Go

Insert as new row
and then
Go back to previous page

Browse Structure SQL Search Insert Export Import Operations Tracking Triggers

2 rows inserted.
Inserted row id: 2

```
INSERT INTO `toby3`.`toby3tab1` (  
  `pindex`,  
  `fname`,  
  `lname`,  
  `height`,  
  `birthday`  
)  
VALUES (
```

Run SQL query/queries on database toby3:

```
INSERT INTO `toby3`.`toby3tab1` (`pindex`, `fname`, `lname`, `height`, `birthday`) VALUES (NULL, 'arthur', 'anderson', '101', '2012-12-01'), (NULL,  
'bertha', 'briggs', '102', '2012-12-02');
```

Columns

pindex
fname
lname
height
birthday

SELECT * SELECT INSERT UPDATE DELETE Clear

Bookmark this SQL query:

```
INSERT INTO `toby3`.`toby3tab1` (`pindex`, `fname`, `lname`, `height`, `birthday`)  
VALUES (NULL, 'arthur', 'anderson', '101', '2012-12-01'),  
(NULL, 'bertha', 'briggs', '102', '2012-12-02');
```

Browse
 Structure
 SQL
 Search
 Insert
 Export
 Import

Showing rows 0 - 1 (~2 total , Query took 0.0006 sec)

```

SELECT *
FROM `toby3tab1`
LIMIT 0 , 30

```

Show :
 Start row:
 Number of rows:
 Headers every rows

Sort by key:

None

+ Options

←

T

→

▼

	pindex	fname	lname	height	birthday
<input type="checkbox"/> Edit Copy Delete	1	arthur	anderson	101	2012-12-01
<input type="checkbox"/> Edit Copy Delete	2	bertha	briggs	102	2012-12-02

Check All / Uncheck All With selected:
 Change
 Delete
 Export